

Appendix B: Plant Sightings at Galt Preserve

Scientific and Common names from this list were obtained from Wunderlin and Hansen 2003.

Scientific Name	Common Name	Native Status	EPPC	FDA	IRC	FNAI
Family: Cladoniaceae (lichens)						
<i>Cladonia</i> spp.	reindeer moss	native				
Family: Blechnaceae (midsorus fern)						
<i>Blechnum serrulatum</i>	swamp fern	native				
<i>Woodwardia virginica</i>	Virginia chain fern	native				
Family: Dennstaedtiaceae (cuplet fern)						
<i>Pteridium aquilinum</i>	bracken fern	native				
Family: Nephrolepidaceae (sword fern)						
<i>Nephrolepis exaltata</i>	wild Boston fern	native				
Family: Psilotaceae (whisk-fern)						
<i>Psilotum nudum</i>	whisk-fern	native				
Family: Pteridaceae (brake fren)						
<i>Acrostichum aureum</i>	golden leather fern	native		T	R	G3/S3
<i>Acrostichum danaeifolium</i>	giant leather fern	native				
Family: Schizaeaceae (curly-grass)						
<i>Lygodium microphyllum</i>	Old World climbing fern	exotic	I			
Family: Pinaceae (pine)						
<i>Pinus elliotii</i> var. <i>densa</i>	south Florida slash pine	native				
Family: Arecaceae (palm)						
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
Family: Bromeliaceae (pineapple)						
<i>Tillandsia fasciculata</i>	cardinal airplant	native		E		
<i>Tillandsia recurvata</i>	ballmoss	native				
<i>Tillandsia usneoides</i>	Spanish moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native		E		
Family: Cyperaceae (sedge)						
<i>Cladium jamaicense</i>	Jamaica swamp sawgrass	native				
<i>Cyperus involucratus</i>	umbrella plant	exotic	II			
<i>Cyperus ligularis</i>	swamp flatsedge	native				
<i>Eleocharis cellulosa</i>	gulf coast spikerush	native				
<i>Fimbristylis caroliniana</i>	Carolina fimbry	native				
<i>Fimbristylis cymosa</i>	hurricanegrass	native				
<i>Rhynchospora colorata</i>	starrush whitetop	native				
<i>Rhynchospora filifolia</i>	threadleaf beaksedge	native			I	
Family: Eriocaulaceae (pipewort)						
<i>Syngonanthus flavidulus</i>	yellow hatpins	native			R	
Family: Juncaceae (rush)						
<i>Juncus roemerianus</i>	needle rush	native			R	
Family: Orchidaceae (orchid)						
<i>Habenaria floribunda</i>	toothpetal false reinorchid	native				

Appendix B: Plant Sightings at Galt Preserve

Scientific and Common names from this list were obtained from Wunderlin and Hansen 2003.

Scientific Name	Common Name	Native Status	EPPC	FDA	IRC	FNAI
Family: Poaceae (grass)						
<i>Andropogon glomeratus</i> var. <i>glaucopsis</i>	purple bluestem	native				
<i>Andropogon virginicus</i> var. <i>dicipiens</i>	broomsedge bluestem	native			I	
<i>Andropogon virginicus</i> var. <i>virginicus</i>	broomsedge bluestem	native				
<i>Andropogon virginicus</i> var. <i>glaucus</i>	chalky bluestem	native			R	
<i>Aristida spiciformis</i>	bottlebrush threeawn	native			R	
<i>Aristida stricta</i>	wiregrass	native				
<i>Dactyloctenium aegyptium</i>	durban cowfootgrass	exotic				
<i>Distichlis spicata</i>	saltgrass	native			R	
<i>Eragrostis atrovirens</i>	thalia lovegrass	exotic				
<i>Eragrostis elliotii</i>	Elliott's lovegrass	native				
<i>Eustachys glauca</i>	saltmarsh fingergrass	native				
<i>Eustachys petraea</i>	pinewoods fingergrass	native				
<i>Imperata cylindrica</i>	cogongrass	exotic	I			
<i>Monanthochloe littoralis</i>	keygrass	native			R	
<i>Panicum maximum</i>	guineagrass	exotic				
<i>Setaria macrosperma</i>	coastal bristlegrass	native			R	
<i>Spartina bakeri</i>	sand cordgrass	native				
<i>Sporobolus indicus</i>	smutgrass	exotic				
<i>Stenotaphrum secundatum</i>	St. Augustinegrass	native				
Family: Rusceae (butcher's broom)						
<i>Sansevieria hyacinthoides</i>	bowstring hemp	exotic	II			
Family: Smilacaceae (smilax)						
<i>Smilax auriculata</i>	earleaf greenbrier	native				
Family: Typhaceae (cattail)						
<i>Typha domingensis</i>	southern cattail	native				
Family: Aizoaceae (mesembryanthemum)						
<i>Sesuvium portulacastrum</i>	shoreline seapurslane	native				
Family: Amaranthaceae (amaranth)						
<i>Blutaparon vermiculare</i>	silverhead	native				
<i>Salicornia bigelovii</i>	annual glasswort	native				
<i>Sarcocornia perennis</i>	perennial glasswort	native				
<i>Suaeda linearis</i>	sea blite	native				
Family: Anacardiaceae (cashew)						
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic	I			
<i>Toxicodendron radicans</i>	eastern poison ivy	native				
Family: Apiaceae (carrot)						
<i>Ptilimnium capillaceum</i>	mock bishopsweed	native				
Family: Apocynaceae (dogbane)						
<i>Sarcostemma clausum</i>	white twinevine	native				
Family: Araliaceae (ginseng)						
<i>Centella asiatica</i>	spadeleaf	native				
<i>Schefflera actinophylla</i>	Australian umbrella tree	exotic	I			

Appendix B: Plant Sightings at Galt Preserve

Scientific and Common names from this list were obtained from Wunderlin and Hansen 2003.

Scientific Name	Common Name	Native Status	EPPC	FDA	IRC	FNAI
Family: Asteraceae (aster)						
<i>Ambrosia artemisiifolia</i>	common ragweed	native				
<i>Baccharis halimifolia</i>	groundsel tree	native				
<i>Bidens alba</i>	beggarticks	native				
<i>Borrhchia frutescens</i>	bushy seaside oxeye	native				
<i>Calyptocarpus vialis</i>	straggler daisy	exotic				
<i>Cirsium nuttallii</i>	Nuttall's thistle	native			I	
<i>Coreopsis leavenworthii</i>	Leavenworth's tickseed	native				
<i>Elephantopus elatus</i>	tall elephantsfoot	native			R	
<i>Emilia fosbergii</i>	Florida tasselflower	exotic				
<i>Emilia sonchifolia</i>	lilac tasselflower	exotic				
<i>Erechtites hieraciifolius</i>	fireweed	native				
<i>Eupatorium capillifolium</i>	dogfennel	native				
<i>Mikania scandens</i>	climbing hempvine	native				
<i>Pluchea odorata</i>	sweetscent	native				
<i>Pluchea rosea</i>	rosy camphorweed	native				
<i>Solidago sempervirens</i>	seaside goldenrod	native				
<i>Solidago stricta</i>	wand goldenrod	native				
<i>Sphagneticola trilobata</i>	creeping oxeye	exotic	II			
<i>Tridax procumbens</i>	coatbuttons	exotic				
Family: Avicenniaceae (black mangrove)						
<i>Avicennia germinans</i>	black mangrove	native				
Family: Bataceae (saltwort)						
<i>Batis maritima</i>	saltwort	native			R	
Family: Boraginaceae (borage)						
<i>Heliotropium angiospermum</i>	scorpionstail	native				
Family: Burseraceae (gumbo-limbo)						
<i>Bursera simaruba</i>	gumbo-limbo	native				
Family: Casuarinaceae (sheoak)						
<i>Casuarina equisetifolia</i>	Australian pine	exotic	I			
Family: Ceratophyllaceae (hornwort)						
<i>Ceratophyllum demersum</i>	coontail	native				
Family: Clusiaceae (mangosteen)						
<i>Hypericum cistifolium</i>	roundpod St. John's-wort	native				
<i>Hypericum tetrapetalum</i>	fourpetal St. John's-wort	native				
Family: Combretaceae (combretum)						
<i>Conocarpus erectus</i>	buttonwood	native				
<i>Laguncularia racemosa</i>	white mangrove	native				
<i>Terminalia muelleri</i>	Australian almond	exotic	II			
Family: Convolvulaceae (morning-glory)						
<i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i>	railroad vine	native				
Family: Crassulaceae (orpine)						
<i>Kalanchoe daigremontiana</i>	devil's backbone	exotic				
Family: Cucurbitaceae (gourd)						
<i>Mormordica charantia</i>	balsampear	exotic				
Family: Droseraceae (sundew)						
<i>Drosera capillaris</i>	pink sundew	native			R	
Family: Ericaceae (heath)						
<i>Bejaria racemosa</i>	tarflower	native				
<i>Lyonia fruticosa</i>	coastalplain staggerbush	native				
<i>Vaccinium myrsinites</i>	shiny blueberry	native				

Appendix B: Plant Sightings at Galt Preserve

Scientific and Common names from this list were obtained from Wunderlin and Hansen 2003.

Scientific Name	Common Name	Native Status	EPPC	FDA	IRC	FNAI
Family: Fabaceae (pea)						
<i>Abrus precatorius</i>	rosary pea	exotic	I			
<i>Acacia auriculiformis</i>	earleaf acacia	exotic	I			
<i>Acacia farnesiana</i>	sweet acacia	native			R	
<i>Caesalpinia bonduc</i>	gray nicker	native				
<i>Chamaecrista fasciculata</i>	partridge pea	native				
<i>Galactia Elliottii</i>	Elliott's milkpea	native			R	
<i>Mimosa quadrivalvis</i>	sensitive brier	native				
<i>Pithecellobium unguis-cati</i> *	catclaw blackbead	native			R	
<i>Senna alata</i>	candlestick plant	exotic				
<i>Sesbania herbacea</i>	danglepod	native				
<i>Vigna luteola</i>	hairy pod cowpea	native				
Family: Fagaceae (beech)						
<i>Quercus geminata</i>	sand live oak	native				
<i>Quercus minima</i>	dwarf live oak	native				
<i>Quercus virginiana</i>	live oak	native				
Family: Gentianaceae (gentian)						
<i>Sabatia stellaris</i>	rose-of-plymouth	native				
Family: Lamiaceae (mint)						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Monarda punctata</i> *	spotted beebalm	native			I	
<i>Salvia coccinea</i> *	tropical sage	native			I	
Family: Malvaceae (mallow)						
<i>Kosteletzkya virginica</i>	Virginia saltmarsh mallow	native				
<i>Talipariti tiliaceum</i> var. <i>tiliaceum</i>	seaside hibiscus, mahoe	exotic				
Family: Moraceae (mulberry)						
<i>Ficus microcarpa</i>	Indian laurel	exotic	I			
<i>Ficus aurea</i>	strangler fig	native				
Family: Myricaceae (bayberry)						
<i>Myrica cerifera</i>	wax myrtle	native				
Family: Myrsinaceae (myrsine)						
<i>Ardisia escallonioides</i> *	marlberry	native				
<i>Rapanea punctata</i>	myrsine	native				
Family: Myrtaceae (myrtle)						
<i>Eugenia axillaris</i> *	white stopper	native				
<i>Eugenia foetida</i> *	Spanish stopper	native				
<i>Melaleuca quinquenervia</i>	punktree	exotic	I			
<i>Myrcinthes fragrans</i> *	Simpson's stopper	native			R	
<i>Syzigium cumini</i>	Java plum	exotic	I			
Family: Oleaceae (olive)						
<i>Forestiera segregata</i>	Florida swampprivet	native				
Family: Onagraceae (eveningprimrose)						
<i>Gaura angustifolia</i>	southern beeblossom	native				
<i>Ludwigia erecta</i>	yerba de jicotea	native			I	
Family: Orobanchaceae (broomrape)						
<i>Agalinis maritima</i>	saltmarsh false foxglove	native				
Family: Passifloraceae (passionflower)						
<i>Passiflora suberosa</i>	corksystem passionflower	native				
Family: Phytolaccaceae (pokeweed)						
<i>Rivina humilis</i> *	rougeplant	native				

Appendix B: Plant Sightings at Galt Preserve

Scientific and Common names from this list were obtained from Wunderlin and Hansen 2003.

Scientific Name	Common Name	Native Status	EPPC	FDA	IRC	FNAI
Family: Plumbaginaceae (leadwort)						
<i>Limonium carolinianum</i>	Carolina sealavender	native			R	
Family: Polygalaceae (milkwort)						
<i>Polygala nana</i>	candyroot	native			R	
<i>Polygala rugelii</i>	yellow milkwort	native			I	
Family: Polygonaceae (buckwheat)						
<i>Coccoloba uvifera</i>	sea grape	native				
Family: Rhizophoraceae (mangrove)						
<i>Rhizophora mangle</i>	red mangrove	native				
Family: Rubiaceae (madder)						
<i>Chiococa alba</i> *	snowberry	native				
<i>Psychotria nervosa</i>	wild coffee	native				
<i>Spermacoce prostrata</i>	prostrate false buttonweed	native				
<i>Randia aculeata</i>	white indigoberry	native				
Family: Rutaceae (citrus)						
<i>Zanthoxylum fagara</i> *	wild lime	native				
Family: Sapindaceae (soapberry)						
<i>Cupaniopsis anacardioides</i>	carrotwood	exotic	I			
Family: Sapotaceae (sapodilla)						
<i>Sideroxylon foetidissimum</i> *	false mastic	native				
Family: Solanaceae (nightshade)						
<i>Lycium carolinianum</i>	Christmasberry	native				
<i>Solanum americanum</i>	American black nightshade	native				
<i>Solanum lycopersicum</i>	garden tomato	exotic				
Family: Tetrachondraceae (tetrachondra)						
<i>Polypremum procumbens</i>	rustweed	native				
Family: Verbenaceae (vervain)						
<i>Phyla nodiflora</i>	turkey tangle fogfruit	native				
Family: Veronicaceae (speedwell)						
<i>Bacopa monnieri</i>	herb-of-grace	native				
<i>Scoparia dulcis</i>	licoriceeweed	native				
Family: Vitaceae (grape)						
<i>Parthenocissus quinquefolia</i>	Virginia creeper	native				

Key

Florida EPPC Status

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure