

ORP Plant Species List

| Scientific Name | Common Name | Native Status | Designated Status | | | |
|--|-------------------------------|---------------|-------------------|-------|-----|------|
| | | | EPPC | FDACS | IRC | FNAI |
| Family: Phallaceae (stinkhorn) | | | | | | |
| <i>Clathrus ruber</i> | latticed stinkhorn | native | | | | |
| Family: Blechnaceae (midsorus fern) | | | | | | |
| <i>Blechnum serrulatum</i> | swamp fern | native | | | | |
| <i>Woodwardia virginica</i> | Virginia chain fern | native | | | R | |
| Family: Dennstaedtiaceae (cuplet fern) | | | | | | |
| <i>Pteridium aquilinum</i> var. <i>caudatum</i> | lacy bracken | native | | | | |
| Family: Nephrolepidaceae (sword fern) | | | | | | |
| <i>Nephrolepis cordifolia</i> | tuberous sword fern | exotic | I | | | |
| Family: Polypodiaceae (polypody) | | | | | | |
| <i>Pleopeltis polypodioides</i> | resurrection fern | native | | | | |
| Family: Pteridaceae (brake fern) | | | | | | |
| <i>Acrostichum danaeifolium</i> | giant leather fern | native | | | | |
| Family: Vittariaceae (shoestring fern) | | | | | | |
| <i>Vittaria lineata</i> | shoestring fern | native | | | | |
| Family: Pinaceae (pine) | | | | | | |
| <i>Pinus elliotii</i> var. <i>densa</i> | south Florida slash pine | native | | | | |
| Family: Araceae (arum) | | | | | | |
| <i>Colocasia esculenta</i> | wild taro | exotic | I | | | |
| Family: Arecaceae (palm) | | | | | | |
| <i>Sabal palmetto</i> | cabbage palm | native | | | | |
| <i>Serenoa repens</i> | saw palmetto | native | | | | |
| <i>Syagrus romanzoffiana</i> | queen palm | exotic | II | | | |
| Family: Bromeliaceae (pineapple) | | | | | | |
| <i>Tillandsia fasciculata</i> var. <i>densispica</i> | cardinal airplant | native | | E | | |
| <i>Tillandsia recurvata</i> | ballmoss | native | | | | |
| <i>Tillandsia setacea</i> | southern needleleaf | native | | | | |
| <i>Tillandsia usneoides</i> | Spanish moss | native | | | | |
| <i>Tillandsia utriculata</i> | giant airplant | native | | E | | |
| Family: Commelinaceae (spiderwort) | | | | | | |
| <i>Commelina diffusa</i> | common dayflower | exotic | | | | |
| Family: Cyperaceae (sedge) | | | | | | |
| <i>Cyperus erythrorhizos</i> | redroot flatsedge | native | | | | |
| Family: Dioscoreaceae (yam) | | | | | | |
| <i>Dioscorea bulbifera</i> | air-potato | exotic | I | | | |
| Family: Eriocaulaceae (pipewort) | | | | | | |
| <i>Syngonanthus flavidulus</i> | yellow hatpins | native | | | | |
| Family: Orchidaceae (orchid) | | | | | | |
| <i>Habenaria floribunda</i> | toothpetal false reinorchid | native | | | | |
| <i>Saccioila lanceolata</i> var. <i>lanceolata</i> | leafless beaked ladiestresses | native | | | I | |
| Family: Poaceae (grass) | | | | | | |
| <i>Andropogon glomeratus</i> var. <i>glaucoptis</i> | purple bluestem | native | | | R | |
| <i>Andropogon virginicus</i> var. <i>glauca</i> | chalky bluestem | native | | | R | |
| <i>Aristida beyrichiana</i> | wiregrass | native | | | | |
| <i>Dichantherium ensifolium</i> | cypress witchgrass | native | | | | |
| <i>Imperata cylindrica</i> | cogongrass | exotic | I | | | |
| <i>Panicum maximum</i> | Guineagrass | exotic | I | | | |
| <i>Setaria magna</i> | giant bristlegrass | native | | | I | |
| <i>Setaria parviflora</i> | knotroot foxtail | native | | | | |

ORP Plant Species List

| Scientific Name | Common Name | Native Status | Designated Status | | | |
|--|--------------------------|---------------|-------------------|-------|-----|------|
| | | | EPPC | FDACS | IRC | FNAI |
| Family: Smilacaceae (smilax) | | | | | | |
| <i>Smilax auriculata</i> | earleaf greenbriar | native | | | | |
| Family: Xyridaceae (yelloweyed grass) | | | | | | |
| <i>Xyris spp.</i> | yelloweyed grass | native | | | | |
| Family: Amaranthaceae (amaranth) | | | | | | |
| <i>Alternanthera philoxeroides</i> | alligatorweed | exotic | II | | | |
| <i>Amaranthus australis</i> | southern amaranth | native | | | R | |
| Family: Anacardiaceae (cashew) | | | | | | |
| <i>Rhus copallinum</i> | winged sumac | native | | | | |
| <i>Schinus terebinthifolius</i> | Brazilian pepper | exotic | I | | | |
| Family: Annonaceae (custard-apple) | | | | | | |
| <i>Annona glabra</i> | pondapple | native | | | | |
| <i>Asimina reticulata</i> | netted pawpaw | native | | | | |
| Family: Apocynaceae (dogbane) | | | | | | |
| <i>Cryptostegia madagascariensis</i> | Madagascar rubbervine | exotic | II | | | |
| <i>Rhabdadenia biflora</i> | mangrovevine | native | | | | |
| <i>Sarcostemma clausum</i> | white twinevine | native | | | | |
| Family: Aquifoliaceae (holly) | | | | | | |
| <i>Ilex glabra</i> | gallberry | native | | | | |
| Family: Araliaceae (ginseng) | | | | | | |
| <i>Schefflera actinophylla</i> | Australian umbrella tree | exotic | I | | | |
| Family: Asteraceae (aster) | | | | | | |
| <i>Ambrosia artemisiifolia</i> | common ragweed | native | | | | |
| <i>Bidens alba</i> | beggarticks | native | | | | |
| <i>Conoclinium coelestinum</i> | blue mistflower | native | | | | |
| <i>Conyza canadensis var. pusilla</i> | dwarf Canadian horseweed | native | | | | |
| <i>Elephantopus elatus</i> | tall elephantsfoot | native | | | R | |
| <i>Emilia fosbergii</i> | Florida tasselflower | exotic | | | | |
| <i>Erechtites hieraciifolius</i> | fireweed | native | | | | |
| <i>Eupatorium capillifolium</i> | dogfennel | native | | | | |
| <i>Euthamia graminifolia</i> | flattop goldenrod | native | | | | |
| <i>Mikania scandens</i> | climbing hempvine | native | | | | |
| <i>Pluchea odorata</i> | sweetscent | native | | | | |
| <i>Pterocaulon pycnostachyum</i> | blackroot | native | | | | |
| <i>Sphagneticola trilobata</i> | creeping oxeye | exotic | II | | | |
| Family: Avicenniaceae (black mangrove) | | | | | | |
| <i>Avicennia germinans</i> | black mangrove | native | | | | |
| Family: Clusiaceae (St. John's-wort) | | | | | | |
| <i>Hypericum hypericoides</i> | St. Andrew's-cross | native | | | | |
| Family: Combretaceae (combretum) | | | | | | |
| <i>Conocarpus erectus</i> | buttonwood | native | | | | |
| <i>Laguncularia racemosa</i> | white mangrove | native | | | | |
| Family: Convolvulaceae (morning-glory) | | | | | | |
| <i>Ipomoea alba</i> | moonflowers | native | | | | |
| Family: Cucurbitaceae (gourd) | | | | | | |
| <i>Momordica charantia</i> | balsampear | exotic | II | | | |

ORP Plant Species List

| Scientific Name | Common Name | Native Status | Designated Status | | | |
|--|------------------------------|---------------|-------------------|-------|-----|------|
| | | | EPPC | FDACS | IRC | FNAI |
| Family: Ericaceae (heath) | | | | | | |
| <i>Bejaria racemosa</i> | tarflower | native | | | R | |
| <i>Lyonia fruticosa</i> | rusty staggerbush | native | | | | |
| <i>Lyonia lucida</i> | fetterbush | native | | | | |
| <i>Vaccinium myrsinities</i> | shiny blueberry | native | | | | |
| Family: Fabaceae (pea) | | | | | | |
| <i>Acacia auriculiformis</i> | earleaf acacia | exotic | I | | | |
| <i>Crotalaria pallida</i> | smooth rattlebox | exotic | | | | |
| <i>Galactia elliotii</i> | Elliott's milkpea | native | | | | |
| <i>Indigofera hirsuta</i> | hairy indigo | exotic | | | | |
| <i>Senna pendula</i> | valamuerto | exotic | I | | | |
| Family: Fagaceae (beech) | | | | | | |
| <i>Quercus elliotii</i> | running oak | native | | | | |
| <i>Quercus laurifolia</i> | laurel oak | native | | | | |
| <i>Quercus minima</i> | dwarf live oak | native | | | R | |
| <i>Quercus myrtifolia</i> | myrtle oak | native | | | | |
| <i>Quercus virginiana</i> | live oak | native | | | | |
| Family: Lamiaceae (mint) | | | | | | |
| <i>Callicarpa americana</i> | beautyberry | native | | | | |
| Family: Lauraceae (laurel) | | | | | | |
| <i>Persea palustris</i> | swamp bay | native | | | | |
| Family: Malvaceae (mallow) | | | | | | |
| <i>Hibiscus grandiflorus</i> | swamp rosemallow | native | | | | |
| <i>Kosteletzkya virginica</i> | Virginia saltmarsh mallow | native | | | | |
| <i>Urena lobata</i> | caesarweed | exotic | II | | | |
| Family: Melastomataceae (melastome) | | | | | | |
| <i>Rhexia ssp.</i> | meadowbeauty | native | | | | |
| Family: Meliaceae (mahogany) | | | | | | |
| <i>Melia azedarach</i> | Chinaberrytree | exotic | II | | | |
| Family: Moraceae (mulberry) | | | | | | |
| <i>Ficus aurea</i> | strangler fig | native | | | | |
| <i>Ficus citrifolia</i> | wild banyan tree | native | | | | |
| Family: Myricaceae (bayberry) | | | | | | |
| <i>Myrica cerifera</i> | wax myrtle | native | | | | |
| Family: Myrsinaceae (myrsine) | | | | | | |
| <i>Ardisia elliptica</i> | shoebuttton | exotic | I | | | |
| <i>Rapanea punctata</i> | myrsine | native | | | | |
| Family: Myrtaceae (myrtle) | | | | | | |
| <i>Eucalyptus torrelliana</i> | Torrell's eucalyptus, cadaga | exotic | | | | |
| <i>Eugenia axillaris</i> | white stopper | native | | | | |
| <i>Melaleuca quinquenervia</i> | punktree | exotic | I | | | |
| <i>Syzygium cumini</i> | Java plum | exotic | I | | | |
| Family: Nyctaginaceae (four-o'clock) | | | | | | |
| <i>Bougainvillea spp.</i> Comm. ex Juss. | bougainvillea | exotic | | | | |
| Family: Oleaceae (olax) | | | | | | |
| <i>Fraxinus caroliniana</i> | pop ash | native | | | R | |
| Family: Polygalaceae (milkwort) | | | | | | |
| <i>Polygala nana</i> | candyroot | native | | | R | |

ORP Plant Species List

| Scientific Name | Common Name | Native Status | Designated Status | | | |
|-------------------------------------|----------------------------|---------------|-------------------|-------|-----|------|
| | | | EPPC | FDACS | IRC | FNAI |
| Family: Rhizophoraceae (mangrove) | | | | | | |
| <i>Rhizophora mangle</i> | red mangrove | native | | | | |
| Family: Rubiaceae (madder) | | | | | | |
| <i>Spermacoce prostrata</i> | prostrate false buttonweed | native | | | | |
| <i>Spermacoce verticillata</i> | shrubby false buttonweed | exotic | | | | |
| Family: Sapindaceae (soapberry) | | | | | | |
| <i>Acer rubrum</i> | red maple | native | | | | |
| <i>Cupaniopsis anacardioides</i> | carrotwood | exotic | I | | | |
| Family: Solanaceae (groundcherry) | | | | | | |
| <i>Physalis angulata</i> | cutleaf groundcherry | native | | | | |
| Family: Verbeneaceae (vervain) | | | | | | |
| <i>Lantana camara</i> | lantana | exotic | I | | | |
| Family: Vitaceae (grape) | | | | | | |
| <i>Ampelopsis arborea</i> | peppervine | native | | | | |
| <i>Parthenocissus quinquefolia</i> | Virginia creeper | native | | | | |
| <i>Vitis cinerea var. floridana</i> | Florida grape | native | | | | |
| <i>Vitis rotundifolia</i> | muscadine grape | native | | | | |
| <i>Vitis shuttleworthii</i> | Calusa grape | native | | | R | |

Key:

FLEPPC (Florida Exotic Pest Plant Council)

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure