

Appendix B: Plant Species List for Flag Pond Preserve

Common and scientific names for this list were obtained from Wunderlin, 2003.

| Scientific Name | Common Name | Native Status | EPPC | FDACS | IRC | FNAI |
|--|--------------------------|---------------|------|-------|-----|------|
| Family: Blechnaceae (midsorus fern) | | | | | | |
| <i>Blechnum serrulatum</i> | swamp fern | native | | | | |
| <i>Pteridium aquilinum</i> | bracken fern | native | | | | |
| <i>Woodwardia virginica</i> | Virginia chain fern | native | | | R | |
| Family: Nephrolepidaceae (sword fern) | | | | | | |
| <i>Nephrolepis biserrata</i> | giant sword fern | native | | T | R | |
| <i>Nephrolepis exaltata</i> | wild Boston fern | native | | | | |
| Family: Osmundaceae (royal fern) | | | | | | |
| <i>Osmunda regalis</i> var. <i>spectabilis</i> | royal fern | native | | T | R | |
| Family: Polypodiaceae (polypody) | | | | | | |
| <i>Campyloneurum phyllitidis</i> | long strap fern | native | | | R | |
| <i>Pleopeltis polypodioides</i> | resurrection fern | native | | | | |
| <i>Phlebodium aureum</i> | golden polypody | native | | | | |
| Family: Psilotaceae (whisk-fern) | | | | | | |
| <i>Psilotum nudum</i> | whisk-fern | native | | | | |
| Family: Salviniaceae (floating fern) | | | | | | |
| <i>Salvinia minima</i> | water spangles | exotic | | | | |
| Family: Thelypteridaceae (marsh fern) | | | | | | |
| <i>Thelypteris interrupta</i> | hottentot fern | native | | | R | |
| Family: Vittariaceae (shoestring fern) | | | | | | |
| <i>Vittaria lineata</i> | shoestring fern | native | | | | |
| Family: Cupressaceae (cedar) | | | | | | |
| <i>Taxodium ascendens</i> | pond-cypress | native | | | | |
| <i>Taxodium distichum</i> | bald-cypress | native | | | | |
| Family: Pinaceae (pine) | | | | | | |
| <i>Pinus elliotii</i> var. <i>densa</i> | south Florida slash pine | native | | | | |
| Family: Alismataceae (water plantain) | | | | | | |
| <i>Sagittaria graminea</i> var. <i>graminea</i> | grassy arrowhead | native | | | R | |
| <i>Sagittaria latifolia</i> | broadleaf arrowhead | native | | | | |
| Family: Araceae (arum) | | | | | | |
| <i>Lemna aequinoctialis</i> | lesser duckweed | native | | | | |
| <i>Pistia stratiotes</i> | water lettuce | exotic | I | | | |
| Family: Arecaceae (palm) | | | | | | |
| <i>Sabal palmetto</i> | cabbage palm | native | | | | |
| <i>Serenoa repens</i> | saw palmetto | native | | | | |
| Family: Bromeliaceae (pineapple) | | | | | | |
| <i>Tillandsia balbisiana</i> | northern needleleaf | native | | T | | |
| <i>Tillandsia fasciculata</i> var. <i>densispica</i> | cardinal airplant | native | | E | | |
| <i>Tillandsia paucifolia</i> | potbelly airplant | native | | | | |
| <i>Tillandsia recurvata</i> | ballmoss | native | | | | |
| <i>Tillandsia setacea</i> | southern needleleaf | native | | | | |
| <i>Tillandsia usneoides</i> | Spanish moss | native | | | | |
| <i>Tillandsia utriculata</i> | giant airplant | native | | E | | |
| Family: Commelinaceae (spiderwort) | | | | | | |
| <i>Commelina communis</i> | asiatic dayflower | exotic | | | | |

Appendix B: Plant Species List for Flag Pond Preserve

Common and scientific names for this list were obtained from Wunderlin, 2003.

| Scientific Name | Common Name | Native Status | EPPC | FDACS | IRC | FNAI |
|---|-------------------------------|---------------|------|-------|-----|------|
| Family: Cyperaceae (sedge) | | | | | | |
| <i>Cladium jamaicense</i> | Jamaica swamp sawgrass | native | | | | |
| <i>Cyperus haspan</i> | haspan flatsedge | native | | | | |
| <i>Eleocharis cellulosa</i> | gulf coast spikerush | native | | | | |
| <i>Eleocharis interstincta</i> | knotted spikerush | native | | | | |
| <i>Fuirena scirpoidea</i> | southern umbrellasedge | native | | | | |
| <i>Rhynchospora chapmanii</i> | Chapman's beaksedge | native | | | I | |
| <i>Rhynchospora colorata</i> | starrush whitetop | native | | | | |
| <i>Rhynchospora corniculata</i> | shortbristle horned beaksedge | native | | | I | |
| <i>Scleria lacustris</i> | Wright's nutrush | exotic | | | | |
| <i>Scleria reticularis</i> | netted nutrush | native | | | R | |
| <i>Scleria verticillata</i> | low nutrush | native | | | R | |
| Family: Dioscoreaceae (yam) | | | | | | |
| <i>Dioscorea bulbifera</i> | air-potato | exotic | I | | | |
| Family: Eriocaulaceae (pipewort) | | | | | | |
| <i>Eriocaulon decangulare</i> | tenangle pipewort | native | | | R | |
| <i>Lachnocaulon anceps</i> | whitehead bogbutton | native | | | R | |
| Family: Juncaceae (rush) | | | | | | |
| <i>Juncus marginatus</i> | shore rush | native | | | R | |
| <i>Juncus megacephalus</i> | bighead rush | native | | | R | |
| Family: Marantaceae (arrowroot) | | | | | | |
| <i>Thalia geniculata</i> | alligatorflag | native | | | | |
| Family: Orchidaceae (orchid) | | | | | | |
| <i>Habenaria floribunda</i> | toothpetal false reinorchid | native | | | | |
| <i>Encyclia tampensis</i> | Florida butterfly orchid | native | | CE | | |
| <i>Eulophia alta</i> | wild coco | native | | | | |
| Family: Poaceae (grass) | | | | | | |
| <i>Andropogon glomeratus</i> var. <i>glaucopsis</i> | purple bluestem | native | | | R | |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i> | purple bluestem | native | | | | |
| <i>Andropogon virginicus</i> var. <i>glaucus</i> | chalky bluestem | native | | | R | |
| <i>Andropogon virginicus</i> var. <i>virginicus</i> | broomsedge bluestem | native | | | | |
| <i>Eustachys glauca</i> | saltmarsh fingergrass | native | | | | |
| <i>Panicum hemitomon</i> | maidencane | native | | | | |
| <i>Panicum repens</i> | torpedograss | exotic | I | | | |
| <i>Panicum rigidulum</i> | redtop panicum | native | | | | |
| <i>Paspalum notatum</i> var. <i>saurae</i> | Bahiagrass | exotic | | | | |
| <i>Spartina bakeri</i> | sand cordgrass | native | | | | |
| <i>Urochloa mutica</i> | paragrass | exotic | I | | | |
| Family: Pontederiaceae (pickerelweed) | | | | | | |
| <i>Pontederia cordata</i> | pickerelweed | native | | | | |
| Family: Smilacaceae (smilax) | | | | | | |
| <i>Smilax auriculata</i> | earleaf greenbrier | native | | | | |
| <i>Smilax laurifolia</i> | laurel greenbrier | native | | | | |
| Family: Typhaceae (cattail) | | | | | | |
| <i>Typha domingensis</i> | southern cattail | native | | | | |
| Family: Acanthaceae (acanthus) | | | | | | |
| <i>Ruellia tweediana</i> | Britton's wild petunia | exotic | I | | | |
| Family: Anacardiaceae (cashew) | | | | | | |
| <i>Rhus copallinum</i> | winged sumac | native | | | | |
| <i>Schinus terebinthifolius</i> | Brazilian pepper | exotic | I | | | |

Appendix B: Plant Species List for Flag Pond Preserve

Common and scientific names for this list were obtained from Wunderlin, 2003.

| Scientific Name | Common Name | Native Status | EPPC | FDACS | IRC | FNAI |
|--|------------------------------|---------------|------|-------|-----|------|
| Family: Annonaceae (custard-apple) | | | | | | |
| <i>Asimina reticulata</i> | netted pawpaw | native | | | | |
| Family: Apiaceae (carrot) | | | | | | |
| <i>Eryngium yuccifolium</i> | button rattlesnakemaster | native | | | R | |
| <i>Oxypolis filiformis</i> subs. <i>filiformis</i> | water cowbane | native | | | | |
| Family: Apocynaceae (dogbane) | | | | | | |
| <i>Sarcostemma clausum</i> | white twinevine | native | | | | |
| Family: Aquifoliaceae (holly) | | | | | | |
| <i>Ilex cassine</i> | dahoon holly | native | | | | |
| <i>Ilex glabra</i> | gallberry | native | | | | |
| Family: Araliaceae (ginseng) | | | | | | |
| <i>Centella asiatica</i> | spadeleaf | native | | | | |
| Family: Asteraceae (aster) | | | | | | |
| <i>Baccharis halimifolia</i> | groundsel tree | native | | | | |
| <i>Baccharis glomeruliflora</i> | silverling | native | | | | |
| <i>Bidens alba</i> | beggarticks | native | | | | |
| <i>Chaptalia tomentosa</i> | pineland daisy | native | | | R | |
| <i>Coreopsis leavenworthii</i> | Leavenworth's tickseed | native | | | | |
| <i>Elephantopus elatus</i> | tall elephantsfoot | native | | | R | |
| <i>Eupatorium capillifolium</i> | dogfennel | native | | | | |
| <i>Euthamia caroliniana</i> | slender flattop goldenrod | native | | | | |
| <i>Mikania scandens</i> | climbing hempvine | native | | | | |
| <i>Pluchea rosea</i> | rosy camphorweed | native | | | | |
| <i>Pterocaulon pycnostachyum</i> | blackroot | native | | | | |
| <i>Solidago fistulosa</i> | pinebarren goldenrod | native | | | R | |
| <i>Symphotrichum carolinianum</i> | climbing aster | native | | | | |
| Family: Campanulaceae (bellflower) | | | | | | |
| <i>Lobelia glandulosa</i> | glade lobelia | native | | | | |
| Family: Ceratophyllaceae (hornwort) | | | | | | |
| <i>Ceratophyllum demersum</i> | coontail | native | | | | |
| Family: Clusiaceae (mangosteen) | | | | | | |
| <i>Hypericum brachyphyllum</i> | coastalplain St. John's-wort | native | | | R | |
| <i>Hypericum cistifolium</i> | roundpod St. John's-wort | native | | | | |
| <i>Hypericum fasciculatum</i> | peelbark St. John's wort | native | | | R | |
| <i>Hypericum hypericoides</i> | St. Andrew's-cross | native | | | | |
| Family: Cucurbitaceae (gourd) | | | | | | |
| <i>Melothria pendula</i> | creeping cucumber | native | | | | |
| Family: Convolvulaceae (morning-glory) | | | | | | |
| <i>Ipomoea sagittata</i> | saltmarsh morning-glory | native | | | | |
| Family: Ericaceae (heath) | | | | | | |
| <i>Lyonia fruticosa</i> | coastalplain staggerbush | native | | | | |
| <i>Vaccinium myrsinites</i> | shiny blueberry | native | | | | |
| Family: Euphorbiaceae (spurge) | | | | | | |
| <i>Caperonia castaneifolia</i> | chestnutleaf falsecroton | native | | | I | |
| <i>Stillingia aquatica</i> | corkwood | native | | | R | |
| Family: Fabaceae (pea) | | | | | | |
| <i>Acacia auriculiformis</i> | earleaf acacia | exotic | I | | | |
| <i>Centrosema virginianum</i> | spurred butterfly pea | native | | | | |
| <i>Chamaecrista fasciculata</i> | partridge pea | native | | | | |
| <i>Galactia elliotii</i> | Elliot's milkpea | native | | | R | |

Appendix B: Plant Species List for Flag Pond Preserve

Common and scientific names for this list were obtained from Wunderlin, 2003.

| Scientific Name | Common Name | Native Status | EPPC | FDACS | IRC | FNAI |
|---|----------------------------|---------------|------|-------|-----|------|
| Family: Fagaceae (beech) | | | | | | |
| <i>Quercus laurifolia</i> | laurel oak | native | | | | |
| <i>Quercus virginiana</i> | live oak | native | | | | |
| Family: Gentianaceae (gentian) | | | | | | |
| <i>Sabatia stellaris</i> | rose-of-plymouth | native | | | | |
| Family: Haloragaceae (watermilfoil) | | | | | | |
| <i>Proserpinaca pectinata</i> | combleaf mermaidweed | native | | | R | |
| Family: Lamiaceae (mint) | | | | | | |
| <i>Callicarpa americana</i> | American beautyberry | native | | | | |
| <i>Hyptis alata</i> | musky mint | native | | | | |
| Family: Lauraceae (laurel) | | | | | | |
| <i>Persea palustris</i> | swamp bay | native | | | | |
| Family: Lentibulariaceae (bladderwort) | | | | | | |
| <i>Utricularia foliosa</i> | leafy bladderwort | native | | | R | |
| <i>Utricularia purpurea</i> | eastern purple bladderwort | native | | | R | |
| Family: Lythraceae (loosestrife) | | | | | | |
| <i>Lythrum alatum</i> var. <i>lanceolatum</i> | winged loosestrife | native | | | R | |
| Family: Malvaceae (mallow) | | | | | | |
| <i>Urena lobata</i> | caesarweed | exotic | II | | | |
| Family: Melastomaceae (melastome) | | | | | | |
| <i>Rhexia cubensis</i> | West Indian meadowbeauty | native | | | I | |
| <i>Rhexia mariana</i> | pale meadowbeauty | native | | | R | |
| Family: Menyanthaceae (bogbean) | | | | | | |
| <i>Nymphoides aquatica</i> | big floatingheart | native | | | | |
| Family: Moraceae (mulberry) | | | | | | |
| <i>Ficus aurea</i> | strangler fig | native | | | | |
| Family: Myricaceae (bayberry) | | | | | | |
| <i>Myrica cerifera</i> | wax myrtle | native | | | | |
| Family: Myrsinaceae (myrsine) | | | | | | |
| <i>Rapanea punctata</i> | myrsine | native | | | | |
| Family: Myrtaceae (myrtle) | | | | | | |
| <i>Melaleuca quinquenervia</i> | punktree | exotic | I | | | |
| <i>Syzygium cumini</i> | Java plum | exotic | I | | | |
| Family: Nymphaeaceae (waterlily) | | | | | | |
| <i>Nymphaea odorata</i> | American white waterlily | native | | | | |
| Family: Oleaceae (olive) | | | | | | |
| <i>Fraxinus caroliniana</i> | pop ash | native | | | R | |
| Family: Onagraceae (eveningprimrose) | | | | | | |
| <i>Ludwigia maritima</i> | seaside primrosewillow | native | | | R | |
| <i>Ludwigia octovalvis</i> | Mexican primrosewillow | native | | | | |
| <i>Ludwigia peruviana</i> | Peruvian primrosewillow | exotic | | | | |
| <i>Ludwigia repens</i> | creeping primrosewillow | native | | | | |
| Family: Passifloraceae (passionflower) | | | | | | |
| <i>Passiflora suberosa</i> | corkystem passionflower | native | | | | |
| Family: Phytolaccaceae (pokeweed) | | | | | | |
| <i>Phytolacca americana</i> | American pokeweed | native | | | | |
| Family: Polygalaceae (milkwort) | | | | | | |
| <i>Polygala grandiflora</i> | showy milkwort | native | | | | |
| Family: Polygonaceae (buckwheat) | | | | | | |
| <i>Polygonum hydropiperoides</i> | swamp smartweed | native | | | R | |
| Family: Rubiaceae (madder) | | | | | | |

Appendix B: Plant Species List for Flag Pond Preserve

Common and scientific names for this list were obtained from Wunderlin, 2003.

| Scientific Name | Common Name | Native Status | EPPC | FDACS | IRC | FNAI |
|---|--------------------------|---------------|------|-------|-----|------|
| <i>Cephalanthus occidentalis</i> | buttonbush | native | | | | |
| <i>Diodia virginiana</i> | Virginia buttonweed | native | | | R | |
| <i>Spermacoce verticillata</i> | shrubby false buttonweed | exotic | | | | |
| Family: Salicaceae (willow) | | | | | | |
| <i>Salix caroliniana</i> | Carolina willow | native | | | | |
| Family: Sapotaceae (sapodilla) | | | | | | |
| <i>Sideroxylon reclinatum</i> | Florida bully | native | | | | |
| Family: Solanaceae (nightshade) | | | | | | |
| <i>Solanum tampicense</i> | aquatic soda apple | exotic | I | | | |
| Family: Turneraceae (turnera) | | | | | | |
| <i>Piriqueta cistoides</i> | pitted stripeseed | native | | | | |
| Family: Urticaceae (nettle) | | | | | | |
| <i>Boehmeria cylindrica</i> | false nettle | native | | | | |
| Family: Veronicaceae (speedwell) | | | | | | |
| <i>Bacopa caroliniana</i> | lemon bacopa | native | | | | |
| <i>Bacopa monnieri</i> | herb-of-grace | native | | | | |
| <i>Lindernia grandiflora</i> | Savannah false pimpernel | native | | | I | |
| Family: Vitaceae (grape) | | | | | | |
| <i>Parthenocissus quinquefolia</i> | Virginia creeper | native | | | | |
| <i>Vitis rotundifolia</i> | muscadine | native | | | | |

Key

Florida EPPC Status

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

FDACS (Florida Department of Agriculture and Consumer Services)

E = Endangered

T = Threatened

CE = Commercially Exploited

IRC (Institute for Regional Conservation)

CI = Critically Imperiled

I = Imperiled

R = Rare

FNAI (Florida Natural Areas Inventory)

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure