

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Azollaceae (mosquito fern)</b>						
<i>Woodwardia virginica</i>	Virginia chain fern	native			R	
<b>Family: Blechnaceae (mid-sorus fern)</b>						
<i>Blechnum serrulatum</i>	swamp fern	native				
<b>Family: Dennstaedtiaceae (cuplet fern)</b>						
<i>Pteridium aquilinum var. caudatum</i>	lacy braken fern	native				
<i>Pteridium aquilinum var. pseudocaudatum</i>	tailed braken fern	native			R	
<b>Family: Nephrolepidaceae (sword fern)</b>						
<i>Nephrolepis exaltata</i>	wild Boston fern	native				
<i>Nephrolepis multiflora</i>	Asian sword fern	exotic	I			
<b>Family: Polypodiaceae (polypody)</b>						
<i>Phlebodium aureum</i>	golden polypody	native				
<i>Pleopeltis polypodioides var. michauxiana</i>	resurrection fern	native				
<b>Family: Pteridaceae (brake fern)</b>						
<i>Pteris vittata</i>	Chinese ladder brake	exotic	II			
<b>Family: Schizaeaceae (curly-grass)</b>						
<i>Lygodium microphyllum</i>	small-leaf climbing fern	exotic	I			
<b>Family: Thelypteridaceae (marsh fern)</b>						
<i>Thelypteris kunthii</i>	southern shield fern	native				
<b>Family: Vittariaceae (shoestring fern)</b>						
<i>Vittaria lineata</i>	shoestring fern	native				
<b>Family: Cupressaceae (cedar)</b>						
<i>Taxodium ascendens</i>	pond cypress	native				
<i>Taxodium distichum</i>	bald cypress	native				
<b>Family: Pinaceae (pine)</b>						
<i>Pinus elliotii var. densa</i>	south Florida slash pine	native				
<b>Family: Alismataceae (water plantain)</b>						
<i>Sagittaria graminea var. chapmanii</i>	Chapman's arrowhead	native			I	
<i>Sagittaria lancifolia</i>	bulltongue arrowhead	native				
<b>Family: Amaryllidaceae (amaryllis)</b>						
<i>Hymenocallis palmeri</i>	alligatorlily	native				
<b>Family: Arecaceae (palm)</b>						
<i>Sabal palmetto</i>	cabbage palm	native				
<i>Serenoa repens</i>	saw palmetto	native				
<b>Family: Bromeliaceae (pineapple)</b>						
<i>Tillandsia balbisiana</i>	northern needleleaf	native		T		
<i>Tillandsia fasciculata var. densispica</i>	cardinal airplant	native		E		
<i>Tillandsia paucifolia</i>	potbelly airplant	native				
<i>Tillandsia recurvata</i>	ball-moss	native				
<i>Tillandsia setacea</i>	southern needleleaf	native				
<i>Tillandsia usneoides</i>	Spanish-moss	native				
<i>Tillandsia utriculata</i>	giant airplant	native		E		
<b>Family: Burmanniaceae (burmannia)</b>						
<i>Burmannia capitata</i>	southern bluethead	native			R	
<b>Family: Commelinaceae (spiderwort)</b>						
<i>Commelina erecta</i>	whitemouth dayflower	native				
<i>Murdannia spirata</i>	Asiatic dewflower	exotic				

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Cyperaceae (sedge)</b>						
<i>Bulbostylis ciliatifolia</i>	densetuft hairsedge	native			R	
<i>Cladium jamaicense</i>	Jamaica swamp sawgrass	native				
<i>Cyperus articulatus</i>	jointed flatsedge	native			I	
<i>Cyperus croceus</i>	Baldwin's flatsedge	native				
<i>Cyperus haspan</i>	haspan flatsedge	native				
<i>Cyperus ligularis</i>	swamp flatsedge	native				
<i>Cyperus pumilus</i>	low flatsedge	exotic				
<i>Cyperus retrorsus</i>	pinebarren flatsedge	native			R	
<i>Cyperus rotundus</i>	nutgrass	exotic				
<i>Cyperus surinamensis</i>	tropical flatsedge	native				
<i>Eleocharis cellulosa</i>	gulf coast spikerush	native				
<i>Eleocharis geniculata</i>	Canada spikerush	native				
<i>Eleocharis interstincta</i>	knotted spikerush	native				
<i>Fimbristylis autumnalis</i>	slender fimbry	native			R	
<i>Fimbristylis cymosa</i>	hurricanegrass	native				
<i>Fimbristylis puberula</i>	hairy fimbry	native			I	
<i>Fimbristylis schoenoides</i>	ditch fimbry	exotic				
<i>Fuirena breviseta</i>	saltmarsh umbrellasedge	native			R	
<i>Fuirena scirpoidea</i>	southern umbrellasedge	native			R	
<i>Lipocarpa aristulata</i>	awned halfchaff sedge	exotic				
<i>Lipocarpa maculata</i>	American halfchaff sedge	native			CI	
<i>Lipocarpa micrantha</i>	smallflower halfchaff sedge	native			I	
<i>Rhynchospora colorata</i>	starrush whitetop	native				
<i>Rhynchospora divergens</i>	spreading beaksedge	native				
<i>Rhynchospora fascicularis</i>	fascicled Beaksedge	native			R	
<i>Rhynchospora globularis</i>	globe beaksedge	native			I	
<i>Rhynchospora inundata</i>	Narrowfruit horned beaksedge	native			R	
<i>Rhynchospora microcarpa</i>	southern beaksedge	native			R	
<i>Rhynchospora nitens</i>	shortbeak beaksedge	native			R	
<i>Rhynchospora odorata</i>	fragrant beaksedge	native			R	
<i>Rhynchospora plumosa</i>	plumed beaksedge	native			R	
<i>Rhynchospora tracyi</i>	Tracy's beaksedge	native			R	
<i>Schoenus nigricans</i>	black bogrush	native				
<i>Scleria ciliata</i>	fringed nutrush	native			R	
<i>Scleria ciliata var. pauciflora</i>	fewflower nutrush	native			CI	
<i>Scleria georgiana</i>	slenderfruit nutrush	native			I	
<i>Scleria reticularis</i>	netted nutrush	native			R	
<b>Family: Eriocaulaceae (pipewort)</b>						
<i>Eriocaulon decangulare</i>	tenangle pipewort	native			R	
<i>Lachnocaulon anceps</i>	whitehead bogbutton	native			R	
<i>Syngonanthus flavidulus</i>	yellow hatpins	native			R	
<b>Family: Haemodoraceae (blootwort)</b>						
<i>Lachnanthes carolina</i>	Carolina redroot	native				
<b>Family: Hypoxidaceae (yellow stargrass)</b>						
<i>Hypoxis juncea</i>	fringed yellow stargrass	native			R	
<i>Hypoxis wrightii</i>	bristleseed yellow stargrass	native			I	
<b>Family: Iridaceae (iris)</b>						
<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass	native			R	

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Juncaceae (rush)</b>						
<i>Juncus marginatus</i>	shorerush	native			R	
<i>Juncus megacephalus</i>	bighead rush	native			R	
<i>Juncus polycephalos</i>	manyhead rush	native			I	
<i>Juncus scirpoides</i>	needlepod rush	native			I	
<b>Family: Liliaceae (lily)</b>						
<i>Lilium catesbaei</i>	pine lily	native		T	I	
<b>Family: Marantaceae (arrowroot)</b>						
<i>Thalia geniculata</i>	alligatorflag	native				
<b>Family: Nartheciaceae (bob asphodel)</b>						
<i>Aletris lutea</i>	yellow colicroot	native			R	
<b>Family: Orchidaceae (orchid)</b>						
<i>Eulophia alta</i>	wild-coco	native				
<i>Habenaria floribunda</i>	toothpedal false reinorchid	native				
<i>Habenaria quinqueseta</i>	longhorn false reinorchid	native			R	
<i>Oeceoclades maculata</i>	monk orchid	exotic				
<i>Sacoila lanceolata</i>	beaked ladiestresses	native			I	
<i>Spiranthes praecox</i>	greenvein lady's-tresses	native			CI	
<b>Family: Poaceae (grass)</b>						
<i>Amphicarpum muhlenbergianum</i>	blue maidencane	native			R	
<i>Andropogon glomeratus var. glaucopsis</i>	purple bluestem	native			R	
<i>Andropogon glomeratus var. hirsutior</i>	hairy bushy bluestem	native			I	
<i>Andropogon glomeratus var. pumilus</i>	common bushy bluestem	native				
<i>Andropogon gyrans</i>	Elliott's bluestem	native			I	
<i>Andropogon ternarius</i>	splitbeard bluestem	native				
<i>Andropogon virginicus</i>	broomsedge bluestem	native			I	
<i>Andropogon virginicus var. decipiens</i>	broomsedge bluestem	native			I	
<i>Andropogon virginicus var. glaucus</i>	chalky bluestem	native			R	
<i>Aristida beyrichiana</i>	southern wiregrass	native				
<i>Aristida patula</i>	tall threeawn	native			R	
<i>Aristida purpurascens</i>	arrowfeather threeawn	native				
<i>Aristida spiciformis</i>	bottlebrush threeawn	native			R	
<i>Aristida stricta var. beyrichiana</i>	wiregrass	native				
<i>Axonopus fissifolius</i>	common carpetgrass	native			R	
<i>Cenchrus spinifex</i>	coastal sandbur	native				
<i>Coelorachis rugosa</i>	wrinkled jointtailgrass	native			R	
<i>Dichanthelium aciculare</i>	needleleaf witchgrass	native				
<i>Dichanthelium commutatum</i>	variable witchgrass	native			R	
<i>Dichanthelium dichotomum</i>	cypress witchgrass	native			R	
<i>Dichanthelium ensifolium</i>	cypress witchgrass	native			I	
<i>Dichanthelium erectifolium</i>	erectleaf witchgrass	native			R	
<i>Dichanthelium portoricense</i>	hemlock witchgrass	native				
<i>Dichanthelium strigosum var. glabrescens</i>	roughhair witchgrass	native				
<i>Digitaria longiflora</i>	Indian crabgrass	exotic				
<i>Eragrostis atrovirens</i>	thalia lovegrass	native				
<i>Eragrostis ciliaris</i>	gophertail lovegrass	exotic				
<i>Eragrostis elliottii</i>	Elliott's lovegrass	native				
<i>Eustachys glauca</i>	saltmarsh fingergrass	native				
<i>Eustachys petraea</i>	pinewoods fingergrass	native				
<i>Heteropogon contortus</i>	tanglehead	native			I	
<i>Hymenachne amplexicaulis</i>	trompetilla	exotic	I			

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<i>Imperata brasiliensis</i>	Brazilian satintail	native			R	
<i>Imperata cylindrica</i>	cogongrass	exotic	I			
<i>Leersia hexandra</i>	southern cutgrass	native			R	
<i>Muhlenbergia capillaris</i>	hairawnmuhly	native				
<i>Oplismenus hirtellus</i>	woodsgrass	native				
<i>Panicum hemitomon</i>	maidencane	native				
<i>Panicum hians</i>	gaping panicum	native			R	
<i>Panicum maximum</i>	guineagrass	exotic	II			
<i>Panicum repens</i>	torpedograss	exotic	I			
<i>Panicum rigidulum</i>	redtop panicum	native				
<i>Panicum tenerum</i>	bluejoint panicum	native			R	
<i>Panicum virgatum</i>	switchgrass	native				
<i>Paspalidium geminatum</i>	Egyptian paspalidium	native			I	
<i>Paspalum monostachyum</i>	gulfdune paspalum	native			R	
<i>Paspalum notatum</i>	bahia grass	exotic				
<i>Palpalum praecox</i>	early paspalum	native			I	
<i>Paspalum setaceum</i>	thin paspalum	native				
<i>Paspalum vaginatum</i>	seashore paspalum	native				
<i>Pennisetum purpureum</i>	napier grass	exotic	I			
<i>Phragmites australis</i>	common reed	native			R	
<i>Reimarochloa oligostachya</i>	Florida reimargrass	native				
<i>Rhynchelytrum repens</i>	rose natalgrass	exotic	I			
<i>Saccharum giganteum</i>	sugercane plumegrass	native				
<i>Sacciolepis indica</i>	Indian cupscale	exotic				
<i>Schizachyrium rhizomatum</i>	rhizomatous bluestem	native				
<i>Setaria parviflora</i>	knotroot foxtail	native				
<i>Sorghastrum secundum</i>	lopsided indiagrass	native				
<i>Spartina bakeri</i>	sand cordgrass	native				
<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed	exotic				
<i>Sporobolus junceus</i>	pineywoods dropseed	native				
<i>Tripsacum dactyloides</i>	Fakahatcheegrass	native			R	
<b>Family : Pontederiaceae (pickerelweed)</b>						
<i>Pontederia cordata</i>	pickerelweed	native				
<b>Family: Smilacaceae (smilax)</b>						
<i>Smilax auriculata</i>	earleaf greenbrier	native				
<i>Smilax tamnoides</i>	bristly greenbrier	native			I	
<b>Family: Typhaceae (cattail)</b>						
<i>Typha domingensis</i>	southern cattail	native				
<b>Family: Xyridaceae (yelloweyed grass)</b>						
<i>Xyris ambigua</i>	coastalplain yelloweyed grass	native			R	
<i>Xyris brevifolia</i>	shortleaf yelloweyed grass	native			I	
<i>Xyris caroliniana</i>	Carolina yelloweyed grass	native			R	
<i>Xyris elliotii</i>	Elliott's yelloweyed grass	native			R	
<i>Xyris flabelliformis</i>	Savannah yelloweyed grass	native			I	
<i>Xyris smalliana</i>	Small's yelloweyed grass	native			I	
<b>Family: Acanthaceae (acanthus)</b>						
<i>Dyschoriste oblongifolia</i>	oblongleaf twinflower	native			I	
<i>Elytraria caroliniensis</i> var. <i>caroliniensis</i>	Carolina scalystem	native			CI	
<i>Ruellia succulenta</i>	thickleaf wild petunia	native				
<i>Stenandrium dulce</i>	sweet shaggytuft	native			R	

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Amaranthaceae (Amaranth)</b>						
<i>Amaranthus australis</i>	southern amaranth	native			R	
<i>Gomphrena serrata</i>	globe amaranth	exotic				
<i>Iresine diffusa</i>	Juba's bush	native				
<b>Family: Anacardiaceae (cashew)</b>						
<i>Rhus copallinium</i>	winged sumac	native				
<i>Schinus terebinthifolius</i>	Brazilian pepper	exotic	I			
<i>Toxicodendron radicans</i>	eastern poison ivy	native				
<b>Family: Annonaceae (custard-apple)</b>						
<i>Asimina reticulata</i>	netted pawpaw	native				
<b>Family: Apiaceae (carrot)</b>						
<i>Eryngium baldwinii</i>	Baldwin's eryngo	native			R	
<i>Eryngium yuccifolium</i>	button rattlesnakemaster	native			R	
<i>Oxypolis filiformis</i>	water cowbane	native				
<i>Ptilimnium capillaceum</i>	mock bishopsweed	native				
<b>Family: Apocynaceae (dogbane)</b>						
<i>Asclepias pedicellata</i>	Savannah milkweed	native			I	
<i>Asclepias tuberosa</i>	butterflyweed	native			R	
<i>Sarcostemma clausum</i>	white twinevine	native				
<b>Family: Aquifoliaceae (holly)</b>						
<i>Ilex cassine</i>	dahoon	native				
<i>Ilex glabra</i>	gallberry	native				
<b>Family: Araliaceae (ginseng)</b>						
<i>Centella asiatica</i>	spadeleaf					
<b>Family: Asteraceae (aster)</b>						
<i>Acmella oppositifolia</i> var. <i>repens</i>	oppositeleaf spotflower	native			I	
<i>Ambrosia artemisiifolia</i>	common ragweed	native				
<i>Baccharis glomeruliflora</i>	silverling	native				
<i>Baccharis halimifolia</i>	groundsel tree	native				
<i>Bidens alba</i> var. <i>radiata</i>	beggarticks	native				
<i>Bigelovia nudata</i> subsp. <i>australis</i>	pineland rayless goldenrod	native			R	
<i>Boltonia diffusa</i>	smallhead doll's-daisy	native			I	
<i>Carphephorus corymbosus</i>	Florida paintbrush	native			R	
<i>subtropicanus</i>	false vanillaleaf	native			I	
<i>Chaptalia tomentosa</i>	pineland daisy	native			R	
<i>Cirsium horridulum</i>	purple thistle	native				
<i>Conoclinium coelestinum</i>	blue mistflower	native				
<i>Conyza canadensis</i> var. <i>pusilla</i>	dwarf Canadian horseweed	native				
<i>Coreopsis floridana</i>	Florida tickseed	native			I	
<i>Coreopsis leavenworthii</i>	Leavonworth's tickseed	native				
<i>Cyanthillium cinereum</i>	little ironweed	exotic				
<i>Elephantopus elatus</i>	tall elephantsfoot	native			R	
<i>Emilia sonchifolia</i>	lilac tassleflower	exotic				
<i>Erechtites hieracifolia</i>	fireweed	native				
<i>Erigeron quercifolius</i>	oakleaf fleabane	native				
<i>Erigeron vernus</i>	early whitetop fleabane	native			R	
<i>Eupatorium capillifolium</i>	dogfennel	native				
<i>Eupatorium leptophyllum</i>	falsefennel	native			R	
<i>Eupatorium mohrii</i>	Mohr's thoroughwort	native			R	
<i>Eupatorium rotundifolium</i>	roundleaf thoroughwort	native			I	
<i>Euthamia caroliniana</i>	slender flattop goldenrod	native				

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<i>Flaveria linearis</i>	narrowleaf yellowtops	native				
<i>Gamochaeta falcata</i>	narrowleaf purple everlasting	native				
<i>Helenium pinnatifidum</i>	southeastern sneezeweed	native			R	
<i>Heterotheca subaxillaris</i>	camphorweed	native				
<i>Hieracium megacephalon</i>	coastal plain hawkweed	native				
<i>Iva microcephala</i>	piedmont marshelder	native				
<i>Liatris tenuifolia</i>	shortleaf gayfeather	native			R	
<i>Mikania cordifolia</i>	Florida Keys hempvine	native			R	
<i>Mikania scandens</i>	climbing hempvine	native				
<i>Pectis prostrata</i>	spreading cinchweed	native				
<i>Pityopsis graminifolia</i>	narrowleaf silkgrass	native				
<i>Pluchea odorata</i>	sweetscent	native				
<i>Pluchea rosea</i>	rosy camphorweed	native				
<i>Pterocaulon pycnostachyum</i>	blackroot	native				
<i>Rubeckia hirta</i>	blackeyed susan	native				
<i>Solidago fistulosa</i>	pinebarren goldenrod	native			R	
<i>Solidago odora var. chapmanii</i>	Chapman's goldenrod	native				
<i>Solidago sempervirens</i>	seaside goldenrod	native			R	
<i>Solidago stricta</i>	wand goldenrod	native				
<i>Solidago tortifolia</i>	twistedleaf goldenrod	native			I	
<i>Symphotrichum adnatum</i>	scaleleaf aster	native				
<i>Symphotrichum bracei</i>	Brace's aster	native				
<i>Symphotrichum carolinianum</i>	climbing aster	native				
<i>Symphotrichum dumosum</i>	rice button aster	native				
<i>Symphotrichum subulatum</i>	annual saltmarsh aster	native				
<i>Vernonia blodgettii</i>	Florida ironweed	native			R	
<b>Family: Boraginaceae (borage)</b>						
<i>Heliotropium polyphyllum</i>	pineland heliotrope	native				
<b>Family: Cactaceae (cactus)</b>						
<i>Opuntia humifusa</i>	pricklypear	native				
<b>Family: Campanulaceae (bellflower)</b>						
<i>Lobelia feayana</i>	bay lobelia	native			I	
<i>Lobelia glandulosa</i>	glade lobelia	native				
<i>Lobelia paludosa</i>	white lobelia	native			I	
<b>Family: Caryophylliaceae (pink)</b>						
<i>Stipulicida setacea var. lacerata</i>	pineland scalypink	native			I	
<b>Family: Cistaceae (rockrose)</b>						
<i>Helianthemum corymbosum</i>	pinebarren frostweed	native			R	
<i>Lechea torreyi</i>	piedmont pinweed	native			R	
<b>Family: Clusiaceae (mangosteen)</b>						
<i>Hypericum brachyphyllum</i>	coastalplain St. John's-wort	native			R	
<i>Hypericum cistifolium</i>	roundpod St. John's-wort	native				
<i>Hypericum crux-andreae</i>	St. Peter's-wort	native			CI	
<i>Hypericum fasciculatum</i>	peelbark St. John's-wort	native			R	
<i>Hypericum hypericoides</i>	St. Andrew's cross	native				
<i>Hypericum mutilum</i>	dwarf St. John's-wort	native			I	
<i>Hypericum reductum</i>	Atlantic St. John's-wort	native			R	
<i>Hypericum tetrapetalum</i>	fourpetal St. John's-wort	native				

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Convolvulaceae (morningglory)</b>						
<i>Evolvulus sericeus</i>	silver dwarf morning-glory	native				
<i>Ipomoea sagittata</i>	Everglades morningglory	native				
<i>Ipomoea triloba</i>	littlebell	exotic				
<b>Family: Crassulaceae (orpine)</b>						
<i>Kalanchoe daigremontiana</i>	devil's-backbone	exotic				
<b>Family: Droseraceae (sundew)</b>						
<i>Drosera brevifolia</i>	dwarf sundew	native			I	
<i>Drosera capillaris</i>	pink sundew	native			R	
<b>Family: Ebenaceae (ebony)</b>						
<i>Diospyros virginiana</i>	persimmon	native			R	
<b>Family: Ericaceae (heath)</b>						
<i>Bejaria racemosa</i>	tarflower	native			R	
<i>Lyonia fruticosa</i>	coastalplain staggerbush	native				
<i>Vaccinium myrsinites</i>	shiny blueberry	native				
<b>Family: Euphorbiaceae (spurge)</b>						
<i>Caperonia castaneifolia</i>	chestnutleaf falsecroton	native			I	
<i>Chamaesyce hyssopifolia</i>	hyssopleaf sandmat	native				
<i>Chamaesyce thymifolia</i>	gulf sandmat	native			I	
<i>Cnidoscolus stimulosus</i>	tread-softly	native				
<i>Croton glandulosus</i>	vente conmigo	native				
<i>Euphorbia inundata</i>	Florida pineland spurge	native			CI	
<i>Euphorbia polyphylla</i>	lesser Florida spurge	native				
<i>Phyllanthus caroliniensis subsp. saxicola</i>	rock carolina leafflower	native			R	
<i>Phyllanthus urinaria</i>	chamber bitter	exotic				
<i>Stillingia aquatica</i>	corkwood	native			R	
<i>Stillingia sylvatica</i>	queensdelight	native			R	
<b>Family: Fabaceae (pea)</b>						
<i>Abrus precatorius</i>	rosary pea	native	I			
<i>Acacia auriculiformis</i>	earleaf acacia	exotic	I			
<i>Albizia lebbek</i>	woman's tongue	exotic	I			
<i>Amorpha fruticosa</i>	bastard false indigobush	native			I	
<i>Chamaecrista fasciculata</i>	partridge pea	native				
<i>Chamaecrista nictitans var. aspera</i>	sensitive-pea	native				
<i>Crotalaria rotundifolia</i>	rabbitbells	native				
<i>Dalea carnea</i>	whitetassels	native			R	
<i>Desmodium floridanum</i>	Florida ticktrefoil	native			CI	
<i>Desmodium incanum</i>	beggar's-ticks	native				
<i>Desmodium paniculatum</i>	panicled ticktrefoil	native			I	
<i>Desmodium triflorum</i>	threeflower ticktrefoil	exotic				
<i>Galactia elliotii</i>	Elliott's milkpea	native				
<i>Galactia regularis</i>	eastern milkpea	native			R	
<i>Indigofera caroliniana</i>	Carolina indigo	native			I	
<i>Indigofera hirsuta</i>	hairy indigo	exotic				
<i>Sesbania herbacea</i>	danglepod	native				

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Fagaceae (beech)</b>						
<i>Quercus elliotii</i>	running oak	native				
<i>Quercus geminata</i>	sand live oak	native				
<i>Quercus laurifolia</i>	laurel oak	native				
<i>Quercus minima</i>	dwarf live oak	native			R	
<i>Quercus myrtifolia</i>	myrtle oak	native				
<i>Quercus virginiana</i>	Virginia live oak	native				
<b>Family: Gentianaceae (gentian)</b>						
<i>Sabatia brevifolia</i>	shortleaf rosegentian	native			I	
<i>Sabatia stellaris</i>	rose-of-plymouth	native				
<b>Family: Haloragaceae (watermilfoil)</b>						
<i>Proserpinaca palustris</i>	marsh mermaidweed	native			R	
<i>Proserpinaca pectinata</i>	combleaf mermaidweed	native			R	
<b>Family: Hydroleaceae (false fiddleleaf)</b>						
<i>Hydrolea corymbosa</i>	skyflower	native			R	
<b>Family: Lamiaceae (mint)</b>						
<i>Hyptis alata</i>	musky mint	native				
<i>Physostegia purpurea</i>	eastern false dragonhead	native			I	
<i>Piloblephis rigida</i>	wild pennyroyal	native			R	
<b>Family: Lauraceae (laurel)</b>						
<i>Cassytha filiformis</i>	lovevine	native				
<i>Persea palustris</i>	swamp bay	native				
<b>Family: Lentibulariaceae (bladderwort)</b>						
<i>Pinguicula lutea</i>	yellow butterwort	native		T	CI	
<i>Pinguicula pumila</i>	small butterwort	native			R	
<i>Utricularia cornuta</i>	horned bladderwort	native			R	
<i>Utricularia foliosa</i>	leafy bladderwort	native			R	
<i>Utricularia gibba</i>	humped bladderwort	native			I	
<i>Utricularia purpurea</i>	eastern purple bladderwort	native			R	
<i>Utricularia simulans</i>	fringed bladderwort	native			I	
<i>Utricularia subulata</i>	zigzag bladderwort	native			R	
<b>Family: Linaceae (flax)</b>						
<i>Linum medium var. texanum</i>	stiff yellow flax	native			R	
<b>Family: Loganiaceae (logania)</b>						
<i>Mitreola petiolata</i>	lax hornpod					
<i>Mitreola sessilifolia</i>	swamp hornpod	native			R	
<b>Family: Lythraceae (loosestrife)</b>						
<i>Ammannia latifolia</i>	pink redstem, toothcups	native			R	
<i>Cuphea carthagenensis</i>	Columbian waxweed	exotic				
<i>Lythrum alatum var. lanceolatum</i>	winged loosestrife	native			R	
<i>Rotala ramosior</i>	lowland rotala, toothcup	exotic			I	
<b>Family: Malvaceae (mallow)</b>						
<i>Melochia corchorifolia</i>	chocolateweed	exotic				
<i>Melochia spicata</i>	bretonica peluda	native			I	
<i>Sida cordifolia</i>	llima	exotic				
<i>Sida rhombifolia</i>	Cuban jute, Indian hemp	native				
<i>Urena lobata</i>	caesarweed	native	II			
<b>Family: Melastomataceae (melastome)</b>						
<i>Rhexia cubensis</i>	West Indian meadowbeauty	native			I	
<i>Rhexia mariana</i>	pale meadowbeauty	native			R	
<i>Rhexia nuttallii</i>	Nuttall's meadowbeauty	native			I	



## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Moraceae (mulberry)</b>						
<i>Ficus aurea</i>	strangler fig	native				
<i>Ficus microcarpa</i>	Indian laurel	exotic	I			
<b>Family: Myricaceae (bayberry)</b>						
<i>Myrica cerifera</i>	wax myrtle	native				
<b>Family: Myrsinaceae (myrsine)</b>						
<i>Rapanea punctata</i>	myrsine	native				
<b>Family: Myrtaceae (myrtle)</b>						
<i>Melaleuca quinquenervia</i>	punktree	exotic	I			
<i>Syzygium cumini</i>	Java plum	exotic	I			
<b>Family: Nymphaeaceae (waterlily)</b>						
<i>Nymphaea elegans</i>	tropical royalblue waterlily	native			I	
<b>Family: Onagraceae (eveningprimrose)</b>						
<i>Ludwigia alata</i>	winged primrosewillow	native			R	
<i>Ludwigia curtissii</i>	Curtiss's primrosewillow	native			R	
<i>Ludwigia maritima</i>	seaside primrosewillow	native			R	
<i>Ludwigia microcarpa</i>	smallfruit primrosewillow	native			R	
<i>Ludwigia octovalvis</i>	Mexican primrosewillow	native				
<i>Ludwigia peruviana</i>	Peruvian primrosewillow	exotic				
<i>Ludwigia repens</i>	creeping primrosewillow	native				
<b>Family: Orobanchaceae (broomrape)</b>						
<i>Agalinis purpurea</i>	purple false foxglove	native				
<i>Buchnera americana</i>	American bluehearts	native				
<b>Family: Oxalidaceae (woodsorrel)</b>						
<i>Oxalis corniculata</i>	common yellow woodsorrel	native				
<b>Family: Passifloraceae (passionflower)</b>						
<i>Passiflora suberosa</i>	corksystem passionflower	native				
<b>Family: Phytolaccaceae (pokeweed)</b>						
<i>Phytolacca americana</i>	American pokeweed	native				
<b>Family: Polygalaceae (milkwort)</b>						
<i>Polygala cruciata</i>	drumheads	native			I	
<i>Polygala grandiflora</i>	showy milkwort	native				
<i>Polygala incarnata</i>	procession flower	native			R	
<i>Polygala nana</i>	candyroot	native			R	
<i>Polygala polygama</i>	racemed milkwort	native			CI	
<i>Polygala setacea</i>	coastalplain milkwort	native			I	
<b>Family: Polygonaceae (buckwheat)</b>						
<i>Polygonella polygama</i> var. <i>brachystachya</i>	October flower	native			I	
<i>Polygonum densiflorum</i>	denseflower knotweed	native			R	
<i>Polygonum hydropiperoides</i>	swamp smartweed	native			R	
<i>Polygonum punctatum</i>	dotted smartweed	native				
<b>Family: Primulaceae (primrose)</b>						
<i>Anagallis pumila</i>	Florida pimpernel	native			CI	

## Appendix 2: Plant Species List for Yellow Fever Creek Preserve

Scientific Name	Common Name	Status	EPPC	FDA	IRC	FNAI
<b>Family: Rubiaceae (madder)</b>						
<i>Cephalanthus occidentalis</i>	common buttonbush	native				
<i>Diodia teres</i>	rough buttonweed	native			R	
<i>Diodia virginiana</i>	virginia buttonweed	native			R	
<i>Houstonia procumbens</i>	innocence, roundleaf bluet	native				
<i>Oldenlandia uniflora</i>	clustered mille grains	native				
<i>Pentodon pentandrus</i>	Hale's pentodon	native			I	
<i>Psychotria nervosa</i>	wild-coffee	native				
<i>Richardia brasiliensis</i>	tropical Mexican clover	exotic				
<i>Richardia scabra</i>	rough Mexican clover	exotic				
<i>Spermacoce assurgens</i>	woodland false buttonweed	native				
<i>Spermacoce prostrata</i>	prostrate false buttonweed	native			R	
<i>Spermacoce verticillata</i>	shrubby false buttonweed	exotic				
<b>Family: Salicaceae (willow)</b>						
<i>Salix caroliniana</i>	Carolina willow	native				
<b>Family: Sapindaceae (soapberry)</b>						
<i>Cupaniopsis anacardioides</i>	carrotwood	exotic	I			
<b>Family: Sapotaceae (sapodilla)</b>						
<i>Sideroxylon reclinatum</i>	Florida bully	native			R	
<b>Family: Solanaceae (nightshade)</b>						
<i>Physalis pubescens</i>	husk tomato	native			R	
<i>Solanum tampicense</i>	aquatic soda-apple	exotic	I			
<i>Solanum torvum</i>	turkeyberry	exotic	II			
<b>Family: Tetrachondraceae (tetrachondra)</b>						
<i>Polypremum procumbens</i>	rustweed, juniperleaf	native				
<b>Family: Turneraceae (turnera)</b>						
<i>Piriqueta caroliniana</i>	pitted stripeseed	native				
<i>Turnera ulmifolia</i>	yellow alder	exotic				
<b>Family: Urticaceae (nettle)</b>						
<i>Boehmeria cylindrica</i>	false nettle	native				
<b>Family: Verbenaceae (vervain)</b>						
<i>Callicarpa americana</i>	American beautyberry	native				
<i>Phyla nodiflora</i>	capweed	native				
<b>Family: Veronicaceae (speedwell)</b>						
<i>Bacopa caroliniana</i>	lemon bacopa	native				
<i>Bacopa innominata</i>	tropical waterhyssop	native			CI	
<i>Bacopa monnieri</i>	herb-of-grace	native				
<i>Gratiola hispida</i>	rough hedgehyssop	native			I	
<i>Gratiola pilosa</i>	shaggy hedgehyssop	native				
<i>Gratiola ramosa</i>	branched hedgehyssop	native			R	
<i>Lindernia crustacea</i>	Malaysian false pimpernel	exotic				
<i>Lindernia grandiflora</i>	Savannah false-pimpernel	native			I	
<i>Mecardonia acuminata subsp. peninsularis</i>	axilflower	native				
<i>Micranthemum glomeratum</i>	manatee mudflower	native			I	
<i>Scoparia dulcis</i>	licoriceweed	native				
<b>Family: Violaceae (violet)</b>						
<i>Viola palmata</i>	early blue violet	native			CI	
<b>Family: Vitaceae (grape)</b>						
<i>Parthenocissus quinquefolia</i>	Virginia creeper	native				
<i>Vitis rotundifolia</i>	muscadine					
<i>Vitis shuttleworthii</i>	Calusa grape	native			R	

## **Key**

### **Florida EPPC Status**

I = species that are invading and disrupting native plant communities

II = species that have shown a potential to disrupt native plant communities

### **FDACS (Florida Department of Agriculture and Consumer Services)**

E = Endangered

T = Threatened

CE = Commercially Exploited

### **IRC (Institute for Regional Conservation)**

CI = Critically Imperiled

I = Imperiled

R = Rare

### **FNAI (Florida Natural Areas Inventory)**

G= Global Status

T= Threatened

CE= Commercially Exploited

1= Critically imperiled because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.

2= Imperiled because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.

3= Either very rare and local throughout its range (21-200 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction from other factors.

4= Apparently secure

5= Demonstrably secure