

LEE COUNTY UTILITIES DESIGN MANUAL TABLE OF CONTENTS

| <u>SECTION</u> | <u>TITLE</u> | <u>PAGE</u> |
|----------------|---|-------------------|
| 1 | GENERAL RESPONSIBILITIES, REQUIREMENTS AND PROCESSES | 1 - 27 |
| 1.1 | ENGINEER OF RECORD REQUIREMENTS & RESPONSIBILITIES | 1-1 – 1- 2 |
| | A. REQUIREMENTS | 1-1 |
| | B. GENERAL RESPONSIBILITIES | 1-1 |
| | C. DETAILED RESPONSIBILITIES | 1-2 |
| 1.2 | UNDERGROUND CONTRACTOR’S REQUIREMENTS & RESPONSIBILITIES | 1-3 – 1-8 |
| | A. REQUIREMENTS | 1-3 |
| | B. GENERAL RESPONSIBILITIES | 1-3 – 1-4 |
| | C. DETAILED RESPONSIBILITIES | 1-5 – 1-8 |
| 1.3 | GENERAL REQUIREMENTS | 1-9 – 1-18 |
| | A. LEE COUNTY UTILITIES EASEMENT GRANTS | 1-9 – 1-11 |
| | B. MINIMUM DRAWING REQUIREMENTS | 1-12 – 1-15 |
| | C. ELECTRONIC DRAWINGS REQUIREMENTS | 1-16 |
| | D. RECORD DRAWINGS | 1-17 |
| | E. AS-BUILT DRAWINGS | 1-18 |
| 1.4 | APPROVAL TO CONSTRUCT PROCESS | 1-19 – 1-21 |
| 1.5 | CONSTRUCTION PROCESS | 1-22 – 1-24 |
| 1.6 | FINAL ACCEPTANCE PROCESS | 1-25 – 1-27 |
| 2 | POTABLE WATER SYSTEMS | 2-1 – 2-20 |
| 2.1 | GENERAL | 2-1 |
| 2.2 | SYSTEM DESIGN | 2-1 – 2-10 |
| | A. FLOW DEMANDS | 2-1 – 1-2 |
| | B. SYSTEM SIZE COMPUTATION | 2-2 |
| | C. MINIMUM WATER MAIN SIZE | 2-3 |
| | D. WATER MAIN INSTALLATION, LOCATION & DEPTH | 2-3 |
| | E. HORIZONTAL & VERTICAL SEPARATION FOR MAINS | 2-4 – 2-5 |
| | F. WATER METER BOX LOCATION | 2-5 |
| | G. CONNECTION TO EXISTING SYSTEM | 2-5 – 2-6 |
| | H. TAPPING SLEEVES | 2-6 |
| | I. GATE VALVE LOCATIONS | 2-6 – 2-7 |
| | J. GATE VALVE BOXES | 2-7 |
| | K. FIRE HYDRANTS | 2-7 – 2-8 |
| | L. FIRE HYDRANT GUARD POSTS/BOLLARDS | 2-9 |
| | M. AIR VENTING | 2-9 |
| | N. JOINT RESTRAINING | 2-10 |
| | O. ELECTROLYSIS PREVENTION | 2-10 |
| | P. DEAD END LINES | 2-10 |

LEE COUNTY UTILITIES DESIGN MANUAL TABLE OF CONTENTS

| <u>SECTION</u> | <u>TITLE</u> | <u>PAGE</u> |
|----------------|--|-------------------|
| 2.3 | MATERIALS | 2-11 – 2-13 |
| | A. INSPECTION OF MATERIALS | 2-11 |
| | B. PIPE | 2-11 – 2-12 |
| | C. SERVICE CONNECTIONS | 2-12 |
| | ADDITIONAL INFORMATION | 2-13 |
| 2.4 | CASING INSTALLATION | 2-14 – 2-17 |
| | A. GENERAL | 2-14 |
| | B. CONDITIONS REQUIRING CASING | 2-14 – 2-15 |
| | C. CASING PIPE INSTALLATION | 2-15 – 2-16 |
| | D. CASING PIPE MATERIAL | 2-16 – 2-17 |
| | E. CARRIER PIPE | 2-17 |
| 2.5 | TESTING AND DISINFECTION | 2-18 – 2-19 |
| | A. FLUSHING | 2-18 |
| | B. HYDROSTATIC TESTING | 2-18 – 2-19 |
| | C. DISINFECTION | 2-19 |
| | ADDITIONAL INFORMATION | 2-20 |
| 3 | SANITARY SEWER SYSTEMS | 3-1 – 3-38 |
| 3.1 | GENERAL | 3-1 |
| 3.2 | SYSTEM DESIGN | 3-11 – 3-10 |
| | A. FLOW DEMANDS | 3-1 – 3-2 |
| | B. HYDRAULIC COMPUTATIONS | 3-2 – 2-4 |
| | C. HORIZONTAL AND VERTICAL SEPARATION FOR MAINS | 3-5 – 3-6 |
| | D. INSPECTION OF MATERIALS | 3-6 |
| 3.3 | GRAVITY MAIN DESIGN | 3-7 – 3-11 |
| | A. GRAVITY MAIN SIZE COMPUTATION | 3-7 |
| | B. LOCATION AND DEPTH | 3-7 – 3-8 |
| | C. DESIGN CONSIDERATIONS | 3-8 – 3-9 |
| | D. ACCEPTABLE PIPE MATERIALS | 3-9 |
| | E. MANHOLES | 3-9 – 3-10 |
| | F. MANHOLE FRAMES AND COVERS | 3-10 – 3-11 |
| | G. NEW CONNECTIONS TO EXISTING SYSTEM | 3-11 |
| 3.4 | GRAVITY MAIN TESTING | 3-12 – 3-15 |
| | A. CLEANING AND FLUSHING | 3-12 |
| | B. DENSITY TESTS | 3-12 |
| | C. LOW PRESSURE AIR TESTING | 3-12 – 3-14 |
| | D. DEFLECTION TESTING | 3-14 |
| | E. TELEVIEWING | 3-14 – 3-15 |
| | F. PIPE ROUNDERS | 3-15 |

LEE COUNTY UTILITIES DESIGN MANUAL TABLE OF CONTENTS

| <u>SECTION</u> | <u>TITLE</u> | <u>PAGE</u> |
|----------------|--|-------------|
| 3.5 | SEWAGE FORCE MAIN DESIGN | 3-16 – 3-21 |
| | A. FORCE MAIN SIZING | 3-16 |
| | B. SYSTEM CAPACITY | 3-16 |
| | C. OPERATIONAL COST CONSIDERATION | 3-16 |
| | D. LOCATION AND DEPTH | 3-17 |
| | E. DESIGN CONSIDERATIONS | 3-17 – 3-19 |
| | F. VALVES | 3-19 |
| | G. VALVE BOXES | 3-19 |
| | H. RESTRAINING DEVICES | 3-19 – 3-20 |
| | I. IDENTIFICATION | 3-20 |
| | J. ACCEPTABLE PIPE MATERIALS | 3-20 – 3-21 |
| 3.6 | CASING INSTALLATION | 3-22 – 3-25 |
| | A. GENERAL | 3-22 |
| | B. CONDITIONS REQUIRING CASING | 3-22 – 3-23 |
| | C. CASING PIPE INSTALLATION | 3-23 – 3-24 |
| | D. CASING PIPE MATERIAL | 3-24 – 3-25 |
| | E. CARRIER PIPE | 3-25 |
| 3.7 | FORCE MAIN TESTING | 3-26 – 3-27 |
| | A. FLUSHING | 3-26 |
| | B. HYDROSTATIC TESTING | 3-26 – 3-27 |
| | ADDITIONAL INFORMATION | 3-27 |
| 3.8 | EXCAVATION, TRENCHING, BACKFILLING AND RESTORATION | 3-28 |
| 3.9 | ADDITIONAL INSTALLATION REQUIREMENTS | 3-28 |
| 3.10 | LIFT STATION DESIGN | 3-29 – 3-33 |
| | A. GENERAL | 3-29 |
| | B. WET WELL DESIGN | 3-29 – 3-31 |
| | C. PUMPS AND MOTORS | 3-32 |
| | D. PIPING DESIGN | 3-32 – 3-33 |
| 3.11 | LIFT STATION GENERAL REQUIREMENTS | 3-34 – 3-36 |
| | A. SITE | 3-34 – 3-35 |
| | B. EMERGENCY PUMP CONNECTIONS | 3-35 |
| | C. LIFT STATION POWER | 3-35 – 3-36 |
| 3.12 | MASTER LIFT STATIONS – ADDITIONAL REQUIREMENTS | 3-37 |
| | A. VENTILATION AND ODOR CONTROL FACILITIES | 3-37 |
| | B. EMERGENCY GENERATORS | 3-37 |
| | ADDITIONAL INFORMATION | 3-38 |