LEE COUNTY DEPARTMENT OF TRANSPORTATION

BIG CARLOS PASS BRIDGE

COUNTY ROAD NO. 865 (ESTERO BOULEVARD)

INDEX OF SIGNING AND PAVEMENT MARKINGS PLANS

S-1 KEY SHEET

SHEET NO.

S-2 - S-3 TABULATION OF QUANTITIES


S-4 GENERAL NOTES


S-5 - S-13 SIGNING AND PAVEMENT MARKING PLAN

SHEET DESCRIPTION

S-14 RRFB ELECTRICAL DETAIL S-15 - S-16 GUIDESIGN WORKSHEET PROJECT No: CN160002 (FEDERAL FUNDS) ETDM No: 14301 LEE COUNTY

SIGNING & PAVEMENT MARKINGS PLANS







THIS ITEM HAS BEEN DIGITALLY SIGNED AND SEALED BY

ON THE DATE ADJACENT TO THE SEAL

PRINTED COPIES OF THIS DOCUMENT ARE NOT CONSIDERED SIGNED AND SEALED AND THE SIGNATURE MUST BE VERIFIED ON ANY ELECTRONIC COPIES.

SIGNING & PAVEMENT MARKINGS PLANS ENGINEER OF RECORD:

M. FATHY ABDALLA, P.E.
P.E. NO.: 63914
KISINGER CAMPO & ASSOCIATES CORP.
201 N. FRANKLIN STREET, SUITE 400
TAMPA, FL 33602
PHONE: (813) 871-5331
CONTRACT NO.: C-7533
VENDOR NO.: 59-1677145

LDOT PROJECT MANAGER:

THOMAS J. MARQUARDT, P.E.

SHEET NO.

TABULATION OF QUANTITIES

PAY ITEM	DESCRIPTION	UNIT						GRAND	TOTAL						
NO.	BESCHITTON	0111	S - 5	S-6	S - 7	S - 8	S - 9	S -	10	S - 1	1	SHE	: E 1		
			PLAN FINAL	PLAN FINAL	PLAN FINAL	. PLAN FINAL	. PLAN FINAL	PLAN	FINAL	PLAN F	INAL	PLAN	FINAL	PLAN	FINAL
630-2-11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF													
630-2-12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF													
632-7-1	SIGNAL CABLE- NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PΙ													
635-2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA													
639-1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS													
654-2-18	MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- AC, SIGN ASSEMBLY- BACK-BACK ACCESSIBLE DETECTOR	AS	2									2			
700 - 1 - 11	SINGLE POST SIGN, F&I GROUND MOUNT, UP TO 12 SF	AS	9							6		15			
700-1-21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS	_	4				6	i			10			
700 - 1 - 60	SINGLE POST SIGN, REMOVE	AS	6	18			14	7	,	3		48			
700-2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS		2			- '	,				2			
700-2-60	MULTI - POST SIGN, REMOVE	AS	7	3	4	1	7	1	,			11			
700-3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1		 		1	† '		1	-	2			
1.000		-/-	+ +							1					
705 - 10 - 3	OBJECT MARKER, TYPE 3	EA		1						1		2			
706 - 1 - 3	RAISED PAVEMENT MARKER, TYPE B	EA	43	57	30	30	30	92	2	113		395			
710-90	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	LS													
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID 6"	GM	0.298	0.110			0.004	0.635	5	0.844		1.891			
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF	159				44			80		283			
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF	94							33		127			
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.088	0.015				0.011	1	0.112		0.226			
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE	EA	4							2		6			
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	4	1						10		15			
*	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.018							0.042		0.060			
*	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID 6"	GM	0.377	0.166			0.002	0.537	,	0.646		1.727			
*	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	118	58				83	3			259			
*	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM	0.076									0.076			
*	PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, 6"	LF													
711-11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	159				44			80		283			
711-11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID 24" FOR STOP LINE OR CROSSWALK	LF	94							33		127			
711-11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.088	0.015				0.011	!	0.112		0.226			
711-11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE	EA	4							2		6			
711-11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	4	1						10		15			
711-11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM	0.018							0.042		0.060			
711-11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	118	58				83	2			259			1
711-11-421	THERMOPLASTIC, STANDARD, BLUE, SOLID,6"	LF													
711-14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF	70				24			60		154			
711-14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	4	2				2	?	3		1 1			
711-14-170	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	4	2				2	2	3		1 1			
	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA			2	4	2					8			
	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA			2	4	2					8			
711-16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID 6"	GM	0.298	0.110			0.004	0.635		0.844		1.891			
711-16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.377	0.166			0.002	0.537	1	0.646		1.727			
711-16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM	0.076									0.076			
712 102 101	DEDMANENT TARE WHITE COLID OF FOR CONCRETE ROLLOGS			0.252	0.455	0.454	0.454	0.100				1 710			
	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM		0.253	0.455	0.454	0.454	0.100				1.716			
/13-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM		0.146	0.227	0.227	0.227	0.050	<u> </u>			0.877	-		
715-4-70	LIGHT POLE COMPLETE. REMOVE POLE AND FOUNDATION	EA						2	,			2			
1.15 , , ,	THE TOTAL SOURCE TO THE PORT OF THE PORT O							<u> </u>							
			<u> </u>	<u> </u>	1 1	<u> </u>	1	1	1						

* These quantities are paid for under Painted Pavement Markings (Final Surface), Lump Sum - Item No. 710-90. The quantities shown are for one application; see Specification 710 for the number of applications required. Lump Sum - Item No. 710-90.

635-2-12: REFER TO SECTION 3 OF "LEE COUNTY DEPARTMENT OF TRANSPORTATION PLAN SPECIFICATIONS FOR SIGNAL & STREET LIGHTING" FOR THE APPROVED DIMENSIONS OF SIGNAL PULL BOXES.

654-2-18: PROPOSED RECTANGULAR RAPID FLASHING BEACONS MUST BE THE CARMANAH SC315-G RRFB FOR THE PURPOSE OF RELIABILITY, INTERCHANGEABILITY, AND MAINTENANCE CONSIDERATIONS. REFER TO THE APPROVED PROPRIETARY PRODUCT CERTIFICATION FOR THE SPECIFICATIONS.

	F	EVISIONS				LEE COUNTY	7
DATE	DESCRIPTION	DATE	DESCRIPTION	201 N. Franklin Street, Suite 400	DEP.	ARTMENT OF TRAN	
				Tampa, Florida 33602 KISINGER CAMPO Engineer of Record: M. Fathy Abdalla, P.E.	ROAD NO.	COUNTY	PROJECT NO.
				& ASSOCIATES P.E. No.: 63914	CR 865	LEE	CN160002

TABULATION OF QUANTITIES (1)

SHEET NO. S-2

5-2

2/18/2022

1:32:2

TABULATION OF QUANTITIES

PAY ITEM	DESCRIPT ION	UNIT					GRAND TOTAL						
NO.	DESCRIPTION	ONII	5-12	S - 13	S - 14						St	HEET	
""			PLAN FINAL	PLAN FINAL	. PLAN FINAL	PLAN FINAL	PLAN FINAL	PLAN F	INAL	PLAN FINA	L PLAN	FINAL	PLAN FINAL
630 - 2 - 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF			162						16	2	162
630 - 2 - 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF			50						5	0	50
632-7-1	SIGNAL CABLE - NEW OR RECONSTRUCTED INTERSECTION, FURNISH & INSTALL	PI			1							1	1
635-2-12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA			3							3	3
639 - 1 - 122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS			1							1	1
654-2-18	MIDBLOCK CROSSWALK: REC RAPID FLASHING BEACON, FURNISH/INSTALL- AC, SIGN ASSEMBLY- BACK-BACK ACCESSIBLE DETECTOR	AS											2
700 - 1 - 11		AS	7	3							1	0	25
700 - 1 - 21	SINGLE POST SIGN, F&I BARRIER MOUNT INDEX 11871/700-013 UP TO 12 SF	AS											10
700 - 1 - 60	SINGLE POST SIGN, REMOVE	AS	1									1	49
700-2-13	MULTI- POST SIGN, F&I GROUND MOUNT, 21-30 SF	AS											2
700-2-60	MULTI- POST SIGN, REMOVE	AS											1 1
700-3-501	SIGN PANEL, RELOCATE, UP TO 12 SF	EA	1			 							2
1			<u> </u>			 							
705 - 10 - 3	OBJECT MARKER, TYPE 3	EA											2
706 - 1 - 3	RAISED PAVEMENT MARKER, TYPE B	EA	78								7	8	473
710-90	PAINTED PAVEMENT MARKINGS, FINAL SURFACE	LS											1
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID 6"	GM	0.337								0.33	37	2.229
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR CROSSWALK AND ROUNDABOUT, 12"	LF											283
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID FOR STOP LINE OR CROSSWALK, 24"	LF											127
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.135								0.13	7.5	0.361
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, MESSAGE	EA	2									2	8
*	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, ARROWS	EA	8									8	23
*	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM											0.060
*	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID 6"	GM	0.245								0.24	!5	1.973
*	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID FOR DIAGONAL OR CHEVRON, 18"	LF	52								5	2	311
*	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SKIP, 6"	GM											0.076
*	PAINTED PAVEMENT MARKINGS, STANDARD, BLUE, 6"	LF		108							10	18	108
	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF											283
711-11-125	THERMOPLASTIC, STANDARD, WHITE, SOLID 24" FOR STOP LINE OR CROSSWALK	LF										_	127
711-11-141	THERMOPLASTIC, STANDARD, WHITE, 2-4 DOTTED GUIDELINE/ 6-10 GAP EXTENSION, 6"	GM	0.135								0.13	7.5	0.361
711-11-160	THERMOPLASTIC, STANDARD, WHITE, MESSAGE	EA	2									2	8
711-11-170	THERMOPLASTIC, STANDARD, WHITE, ARROW	EA	8									8	23
711-11-241	THERMOPLASTIC, STANDARD, YELLOW, 2-4 DOTTED GUIDE LINE /6-10 DOTTED EXTENSION LINE, 6"	GM											0.060
711-11-224	THERMOPLASTIC, STANDARD, YELLOW, SOLID, 18" FOR DIAGONAL OR CHEVRON	LF	52								_	2	311
711-11-421	THERMOPLASTIC, STANDARD, BLUE, SOLID,6"	LF		108							10	18	262
711-14-125	THERMOPLASTIC, PREFORMED, WHITE, SOLID, 24" FOR CROSSWALK	LF											154
711-14-160	THERMOPLASTIC, PREFORMED, WHITE, MESSAGE	EA	3	3								6	17
	THERMOPLASTIC, PREFORMED, WHITE, ARROW	EA	3									3	14
	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST ON CONCRETE PAVEMENT, MESSAGE OR SYMBOL	EA											8
	THERMOPLASTIC, PREFORMED, WHITE WITH BLACK CONTRAST, ARROW ON CONCRETE SURFACE	EA											8
711-16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID 6"	GM	0.337	0.028							0.36	5	2.257
711-16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.245								0.24	15	1.973
711-16-231	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SKIP, 6"	GM											0.076
712 102 101	DEDMANENT TARE WHITE COLLD OF FOR CONCRETE PRINCES	CH									+	+	1 716
	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM											1.716
/13-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM				 					+	+	0.877
715 4 70	LIGHT POLE COMPLETE. DENOVE POLE AND FOUNDATION	A									1	+	
715-4-70	LIGHT POLE COMPLETE, REMOVE POLE AND FOUNDATION	EA										-	<u> </u>
——			<u> </u>										

* These quantities are paid for under Painted Pavement Markings (Final Surface), Lump Sum - Item No. 710-90. The quantities shown are for one application; see Specification 710 for the number of applications required. Lump Sum - Item No. 710-90.

PAY ITEM NOTES

635-2-12: REFER TO SECTION 3 OF "LEE COUNTY DEPARTMENT OF TRANSPORTATION PLAN SPECIFICATIONS FOR SIGNAL & STREET LIGHTING" FOR THE APPROVED DIMENSIONS OF SIGNAL PULL BOXES.

654-2-18: PROPOSED RECTANGULAR RAPID FLASHING BEACONS MUST BE THE CARMANAH SC315-G RRFB FOR THE PURPOSE OF RELIABILITY, INTERCHANGEABILITY, AND MAINTENANCE CONSIDERATIONS. REFER TO THE APPROVED PROPRIETARY PRODUCT CERTIFICATION FOR THE SPECIFICATIONS.


	REV	ISIONS				LEE COUNTY	- F
DATE	DESCRIPTION	DATE	DESCRIPTION	201 N. Franklin Street, Suite 400	DEP_{A}	ARTMENT OF TRAN	-
				Tampa, Florida 33602 KISINGER CAMPO Engineer of Record: M. Fathy Abdalla, P.E.	ROAD NO.	COUNTY	PROJECT NO.
				& ASSOCIATES P.E. No.: 63914	CR 865	LEE	CN160002

TABULATION OF QUANTITIES (2)


SHEET NO. S-3

PM c:\users\nrussii

- 1. THE LOCATION(S) OF THE UTILITIES SHOWN IN THE PLANS (INCLUDING THOSE DESIGNATED VV, VH, AND VVH) ARE BASED ON LIMITED INVESTIGATION TECHNIQUES AND SHOULD BE CONSIDERED APPROXIMATE ONLY. THE VERIFIED LOCATIONS/ELEVATIONS APPLY ONLY AT THE POINTS SHOWN. INTERPOLATIONS BETWEEN THESE POINTS HAVE NOT BEEN VERIFIED.
- 2. CALL SUNSHINE 811 AT 1-800-432-4770 AND THE UTILITY OWNERS TWO FULL BUSINESS DAYS BEFORE BEGINNING WORK. ALL UTILITIES MAY NOT BE MEMBERS OF SUNSHINE 811 AND WILL THEREFORE REQUIRE DIRECT CONTACT.
- 3. EXISTING SIGN ASSEMBLIES TO BE REMOVED WILL BE PLACED IN AREAS APPROVED BY THE ENGINEER FOR PICK UP BY LCDOT OPERATIONS DIVISION. ANY SIGNS NOT TAKEN BY THE LCDOT OPERATIONS DIVISION WILL BE DISPOSED OF BY THE CONTRACTOR AT THEIR EXPENSE.
- 4. WHERE FOOTER OR FOUNDATION ARE TO BE INSTALLED BY AUGURING OR DRILLING, SURVEY AND STAKE OR PAINT TO AN ACCURACY OF 0.1 FEET PRIOR TO REQUESTING UTILITY LOCATES. STAKE OR PAINT THE CENTER OF EACH LOCATION CLEARLY LABEL WITH STATION, OFFSET, IDENTIFYING STRUCTURE NUMBER, AND DIAMETER OF EXCAVATION IN INCHES.
- 5. WHERE AUGERING OR DRILLING, EXCAVATE THE FIRST 4 FEET BY NON MECHANICAL AND NON DESTRUCTIVE MEANS.
- 6. PAVEMENT MARKINGS ON ASPHALT PAVEMENT SHALL BE STANDARD THERMOPLASTIC EXCEPT FOR SPECIAL EMPHASIS CROSSWALKS. USE PREFORMED THERMOPLASTIC FOR THE LONGITUDINAL STRIPES WITHIN THE SPECIAL EMPHASIS CROSSWALKS. PAVEMENT MARKINGS ON CONCRETE PAVEMENT SHALL BE PERMANANENT TAPE. PAVEMENT ARROWS AND MESSAGES ON CONCRETE PAVEMENT SHALL HAVE A BLACK CONTRAST THERMOPLASTIC BLOCK.
- DECORATIVE WELCOME SIGNS TO BE REMOVED FOR THE TOWN OF FORT MYERS BEACH AND THE CITY OF BONITA SPRINGS SHALL BE DELIVERED TO THE RESPECTIVE LOCAL AGENCY.
- ADHERE TO REQUIREMENTS IN "LEE COUNTY DEPARTMENT OF TRANSPORTATION PLAN SPECIFICATIONS FOR SIGNAL & STREET LIGHTING", JANUARY 2021. CONTACT LEE COUNTY DEPARTMENT OF TRANSPORTATION (LCDOT) FOR ANY QUESTIONS REGARDING EQUIPMENT OR INSTALLATION REQUIREMENTS. FOLLOW THE FDOT GOVERNING STANDARDS AND SPECIFICATIONS FOR ALL ITEMS NOT COVERED BY LEE COUNTY SPECIFICATIONS.
- QUALIFICATIONS FOR PERSONNEL SUPERVISING OR PERFORMING WORK INVOLVING ELECTRICAL OR SOLAR POWER TRAFFIC CONTROL DEVICES AND RELATED COMPONENTS (RRFB, FLASHERS, AND SCHOOL FLASHERS) ARE THAT WORK MUST BE PERFORMED BY AN EMPLOYEE OF THE CONTRACTOR THAT HOLDS A CURRENT IMSA TRAFFIC SIGNAL FIELD TECHNICIAN LEVEL II CERTIFICATION OR HIGHER; AND MUST BE PRESENT AT THE FINAL INSPECTION OF THE PROJECT.



HELMETED BICYCLIST SYMBOL DETAIL NTS



CROSSWALK DETAIL NTS


* UNLESS OTHERWISE SPECIFIED IN PLANS.


	REV	ISIONS				LEE COUNTY	Y
DATE	DESCRIPTION	DATE	DESCRIPTION	201 N. Franklin Street, Suite 400	DEP.	ARTMENT OF TRAI	-
				201 N. Franklin Street, Suite 400 Tampa, Florida 33602 KISINGER CAMPO Engineer of Record: M. Fathy Abdalla, P.E.	ROAD NO.	COUNTY	PROJECT NO.
				& ASSOCIATES P.E. No.: 63914	CR 865	LEE	CN160002


GENERAL NOTES

SHEET NO.

5-4








ALL EXISTING SIGNS WITHIN THE PROJECT LIMITS ARE TO BE REMOVED UNLESS OTHERWISE NOTED IN THE PLANS 700-1-60 1 AS THIS SHEET


		ISIONS	REV.	
201 N. Franklin Street, Suite 400	DESCRIPTION	DATE	DESCRIPTION	DATE
201 N. Franklin Street, Suite 400 Tampa, Florida 33602 KISINGER CAMPO Engineer of Record: M. Fathy Abdalla, P	KISINGER (
		1 1		


LEE COUNTY DEPARTMENT OF TRANSPORTATION							
ROAD NO.	COUNTY	PROJECT NO.					
CR 865	LEE	CN160002					


SIGNING & PAVEMENT MARKING PLAN (4)


SHEET NO. 5-8




















1:32:59 PM

c:\users\nrussin\documents\projectwise files\dms00779\GSWKSP01.dgr