

## Hazardous Waste Generator Comparison Summary

<b><u>Requirements</u></b>	<b><u>VSQG</u></b>	<b><u>SQG</u></b>	<b><u>LQG</u></b>
<b>Quantity Limits</b>	≤100 kg/month, and ≤1 kg/month of acute hazardous waste, and ≤100 kg/month of acute spill residue or soil §260.10	>100 and <1,000 kg/month §260.10	≥1,000 kg/month, or >1 kg/month of acute hazardous waste, or >100 kg/month of acute spill residue or soil §260.10
<b>EPA ID Number</b>	Not required	Required (renotify every 4 years) §262.18	Required (renotify every 4 years) §262.18
<b>On-Site Accumulation Quantity</b>	≤1,000 kg or ≤1 kg acute hazardous waste or ≤100 kg of acute spill residue or soil §§262.14(a)(3) and (4)	≤6,000 kg §262.16(b)(1)	No limit
<b>Accumulation Time Limits</b>	None	≤180 days or ≤270 days (if transporting greater than 200 miles) §§262.16(b)-(d)	≤90 days §262.17(a)
<b>Accumulation Requirements (Storage Requirements)</b>	None	Basic requirements with technical standards for containers, tanks, drip pads or containment buildings §§262.16(b)(2)-(5)	Full compliance for management of containers, tanks, drip pads or containment buildings §§262.17(a)(1)-(4)
<b>Personnel Training</b>	Not required	Basic training required §262.16(b)(9)(iii)	Required annually, must document §262.17(a)(7)
<b>Contingency Plan / Preparedness and Prevention</b>	Not required	Basic planning required §§262.16(b)(8) - (9)	Full plan required Part 262 subpart M (from §262.17(a)(6))
<b>Land Disposal Restrictions</b>	Not required	Required <a href="#">Part 268</a> from §262.16(b)(7)	Required <a href="#">Part 268</a> from §262.17(a)(9)
<b>Manifest and E-Manifest</b>	Not required	Required* <a href="#">Part 262 subpart B</a>	Required* <a href="#">Part 262 subpart B</a>
<b>Pre-Transport Requirements</b>	Only if required by the USDOT or FDOT	Required <a href="#">§§262.30-262.33</a>	Required <a href="#">§§262.30-262.33</a>
<b>Biennial Report</b>	Not required	Not required	Required <a href="#">§262.41</a>
<b>Weekly Inspections</b>	Not required	Required §262.16(b)(2)(iv)/ 62-730.160(3), F.A.C.	Required §262.17(a)(1)(v)/62- 730.160(3), F.A.C.

The table above provides a summary of requirements for each class of hazardous waste generator. This is not an exhaustive list of all of the requirements for generators and should be used as just a guide. Generators are responsible for all applicable requirements in 40 CFR part 262. Additionally, hazardous waste generators should check with their [state regulatory agency](#) because certain states have additional or more stringent requirements than the federal government.

## **\*E-manifest Requirements:**

Beginning January 22, 2025, [Large and Small Quantity Generators](#) (LQGs and SQGs) are required to register for e-Manifest through [RCRAInfo](#). For more information, refer to [How to Register](#) (<https://www.epa.gov/e-manifest/e-manifest-user-registration>).

Very Small Quantity Generators (VSQGs) and Polychlorinated Biphenyl (PCB) generators are not required to register.

## **Re-Notification Requirements for Small Quantity Generators**

[The 2016 Hazardous Waste Generator Improvements Rule](#) finalized a requirement for all small quantity generators (SQGs) of hazardous waste to re-notify EPA of their hazardous waste activities every four years. The purpose of the re-notification requirement is to improve the SQG universe data and to maintain more accurate data into the future for outreach, compliance assistance and oversight activities.

### **Florida Renotification Form and Instructions:**

<https://floridadep.gov/waste/permitting-compliance-assistance/forms/8700-12fl-florida-notification-regulated-waste>