


Group Size	Terminal	Part #	SAE Ratings				List
			CCA 30 sec./0°F	CA 30sec./32°F	RC min 25amp/80°F	Ah 20 Hr	
MARINE/RV • 12 Volt							
24MDC	M	SRM-24 ¹	550	MCA 690	140	81	126.95
24MDP	M	HD24-DP ¹	405	MCA 505	100	64	112.95
24MS	M	24M-RD	400	MCA 500	75		104.95
24MS	M	24M-HD	500	MCA 625	95		110.95
24MS	M	24M-XHD	800	MCA 1000	135		136.95
27MDC	M	SRM-27 ¹	600	MCA 750	160	88	134.95
27MS	M	27M-XHD	800	MCA 1000	182		155.95
31MDC	M	SRM-31 ¹	675	MCA 845	210	98	156.95
4DMDC	M	SRM-4D ¹	1314	MCA 1645	390	195	298.95
MARINE/RV AGM • 12 Volt							
34MDC	M	34M-AGM ¹	800	MCA 1000	125	62	326.95
31MDC	M	31M-AGM ¹	925	MCA 1190	200	100	391.95
COMMERCIAL* • 12 Volt							
29NF	A	29NF-VHD	420	525	77		154.95
31A	A	31P-VHD	660	825	160		172.95
31A	A	31P-LHD	750	940	180		182.95
31A	A	31P-HD	925	1110	180	104	154.95
31A	A	31P-MHD	950	1190	195		188.95
31T	T	31-VHD	660	825	160		169.95
31T	T	31-ECL	700	875	190		172.95
31T	T	31-LHD	750	940	180		179.95
31T	T	31-HD	925	1110	180	104	154.95
31T	T	31-MHD	950	1190	195		184.95
31T	T	31-XHD	1000	1250	195		212.95
3EE	A	3EE-VHD	370	440	100	58	143.95
3ET	A	3ET-VHD	460	550	120	70	148.95
4D	A	4D-XHD	1000	1250	295		280.95
4DLT	A	4DLT-VHD	860	1075	235		231.95
8D	A	8D-XHD	1155	1445	380		307.95
8D	A	8D-MHD	1400	1750	450		326.95
COMMERCIAL* • 8 Volt							
-	A	1-8V-VHD	360	430	110		170.95
COMMERCIAL* • 6 Volt							
1	A	1-VHD	640	750	160	93	161.95
2	A	2-XHD	625	750	160	87	135.95
3EH	A	3EH-VHD	850	1020	280	140	148.95
4	A	4-XHD	1000	1250	295		161.95
LAWN & GARDEN • 12 Volt							
22F	A	SP-22F	450	560	75		134.95
22NF	A	SP-22NF	390	490	62		107.95
45	A	SP-45	480	600	74		129.95
70	S	SP-70	525	655	85		125.95
U1	X	SP-35	300	375	34		62.95
U1	X	SP-40	350	435	38		82.95
U1R	X	SP-35R	300	375	34		61.95

WITH NO EXCHANGE, CORE CHARGE WILL APPLY



Outrageously Dependable®

Group Size	Terminal	Part #	SAE Ratings				List
			CCA 30 sec./0°F	RC min 25amp/80°F	RC min 75amp/80°F	Ah 20 Hr	
GOLF CAR³ • 6 Volt							
GC2	S, UT, UTL	GC2-ECL		447	115	225	209.95
GC2	M	GC2-HD-AGM	710	475	124	210	389.95
GC2	S	GC2-HC-AGM-S		440	115	217	539.95
GOLF CAR³ • 8 Volt							
GC8	UT, UTL	GC8-HCL		295	117@56A	170	213.95
GOLF CAR³ • 12 Volt							
GC12	UTL	GC12-HCL-UTL		280	70	150	332.95
FLOOR MACHINE (Sweeper, Scrubber)³ • 6 Volt							
901	S	901-S		475	130	235	272.95
902	S	902-S		711	195	330	336.95
902	S	902HC-S		781	215	360	382.95
903	S	903-S		850	220	420	375.95
903	S	903HC-S		935	245	435	414.95
FLOOR MACHINE (Sweeper, Scrubber)³ • 12 Volt							
921	S	921-S		380	104	205	385.95
921	S	921HCS-S		440	121	225	429.95
DEEP CYCLE • 12 Volt							
6TL	A	6TL	825	215			258.95
WITH NO EXCHANGE, CORE CHARGE WILL APPLY							



Group Size	Terminal	Part #	Climate	SAE Ratings				List
				CCA	CA	RC min	Ah	
				30 sec./0°F	30sec./32°F	25amp/80°F	20 Hr	
MTX Premium AGM Batteries								
24F	A	MTX-24F	-	710	885	120	70	233.95
34	A	MTX-34	-	740	925	115	60	225.95
35	A	MTX-35	-	650	800	100	55	218.95
65	A	MTX-65	-	750	935	120	68	224.95
78	S	MTX-78	-	740	925	115	60	242.95
H5 (47)	A	MTX-47/H5	-	650	750	100	60	233.95
H6 (48)	A	MTX-48/H6	-	760	950	120	70	240.95
H7 (94R)	A	MTX-94R/H7	-	850	1000	140	80	250.95
H8 (49)	A	MTX-49/H8	-	900	1000	160	95	257.95
H9 (95R)	A	MTX-95R/H9	-	950	1000	190	100	291.95
S46B24R	JIS	MTX-S46B24R	-	410	510	75	41	221.95
MTP Best Lead Acid Batteries								
24	A	MTP-24	❄	750	940	130		202.95
24F	A	MTP-24F	❄	750	940	130		197.95
27F	A	MTP-27F	-	710	890	165		192.95
34	A	MTP-34	❄	800	1000	110		192.95
35	A	MTP-35	-	640	800	100		192.95
65	A	MTP-65	❄	750	1000	140		202.95
65	A	MTP-65HD	❄	850	1000	150		212.95
67R	A	MTP-67R	-	400	500	65		187.95
75	S	MTP-75	-	700	875	95		192.95
75/86DT	DT	MTP-75DT	-	650	810	93		187.95
78	S	MTP-78	❄	800	1000	110		192.95
34/78DT	DT	MTP-78DT	-	800	1000	115		212.95
86	A	MTP-86	-	650	810	95		187.95
96R	A	MTP-96R	-	590	740	95		187.95
124R	A	MTP-124R	-	700	875	120		202.95
151R	A	MTP-151R	-	370	465	57		186.95
H4	A	MTP-H4	-	470	585	74	52	187.95
H6 (48)	A	MTP-48/H6	-	730	910	115	70	202.95
H6R	A	MTP-H6R	-	600	750	110	74	202.95
H7 (94R)	A	MTP-94R/H7	-	790	985	130	80	212.95
H8 (49)	A	MTP-49/H8	-	730	910	175	100	212.95
H9 (95R)	A	MTP-95R/H9	-	850 EN	1000	180	110	265.95
T4	A	MTP-T4	-	470	585	70		187.95
T5 (90)	A	MTP-90/T5	-	600	750	100	56	192.95
V4	A	MTP-V4	-	520 EN			35	227.95
WITH NO EXCHANGE, CORE CHARGE WILL APPLY								



Outrageously Dependable

Group Size	Terminal	Part #	Climate	SAE Ratings				List
				CCA	CA	RC min	AH	
				30 sec./0°F	30sec./32°F	25amp/80°F	20 Hr	
MT LINE •								
24	A	MT-24	☀	600	750	110		171.95
24F	A	MT-24F	☀	600	750	110		171.95
25	A	MT-25	-	550	690	100		166.95
26	A	MT-26	-	525	655	85		166.95
26R	A	MT-26R	-	550	675	90		166.95
27	A	MT-27	-	810	1000	140		196.95
34	A	MT-34	☀	700	875	120		186.95
35	A	MT-35	-	550	690	100		171.95
36R	A	MT-36R	-	650	810	130		186.95
40R	A	MT-40R	-	590	740	105		171.95
41	A	MT-41	-	650	810	110		186.95
42	A	MT-42	-	500	625	75		164.95
51	A	MT-51	-	500	625	85		176.95
51R	A	MT-51R	-	500	625	85		176.95
56	A	MT-56	-	590	740	95		171.95
58	A	MT-58	-	540	675	80		171.95
58R	A	MT-58R	-	610	765	100		171.95
59	A	MT-59	-	590	740	100		171.95
65	A	MT-65	☀	675	845	130		186.95
66	A	MT-66	-	750	940	140		196.95
75	S	MT-75	-	650	810	93		171.95
78	S	MT-78	☀	700	875	120		186.95
79	S	MT-79	-	840	1050	140		196.95
85	A	MT-85	-	625	780	95		171.95
86	A	MT-86	-	525	655	90		171.95
101	S	MT-101	-	650	810	110		290.95
121R	A	MT-121R	-	600	750	100		171.95
124	A	MT-124	-	700	875	120		167.95
H5 (47)	A	MT-47/H5	-	650	810	100	54	181.95
H6 (48)	A	MT-48/H6	-	615	770	95	50	186.95
H8 (49)	A	MT-49/H8	-	900	1000	150	80	196.95
T6 (91)	A	MT-91/T6	-	590 EN			60	212.95
T7 (92)	A	MT-92/T7	-	720 EN			80	266.95
T8 (93)	A	MT-93/T8	-	800 EN			90	257.95
46A24L	A	MT-MX-5	-	370	465	45		186.95
COMMERCIAL SERIES AUTOMOTIVE •								
24	A	C24-XHD	-	575	720	130		157.95
34/78DT	DT	C78DT-XHD	-	800	1000	115		184.95
50	A	C50-XHD	-	600	750	108		226.95
65	A	C65-XHD	-	750	940	140		214.95

WITH NO EXCHANGE, CORE CHARGE WILL APPLY