

SITEONE LANDSCAPE SUPPLY

Item#	Description	SiteOne List
1413-005	Poly Insert 90 Degree Combination Elbow 1/2 in. x 1/2 in. Insert x MIPT	4.4564
110PVCN	Sch 80 PVC Nipple 1 in. x 10 in. MIPT Threaded Both Ends	4.9276
118PVCNTOE	Sch 80 PVC Nipple 1 in. x 18 in. MIPT Threaded One End	24.1385
1254PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 4 in.	4.2222
1256PVCNTOE	PVC Nipple Toe Sch 80 1-1/4 in. x 6 in.	10.0206
13PVCN	Sch 80 PVC Nipple 1 in. x 3 in. MIPT Threaded Both Ends	2.1980
1401-005	Poly Insert Tee 1/2 in. x 1/2 in. x 1/2 in.	3.8738
1401-007	Poly Insert Tee 3/4 in. x 3/4 in. x 3/4 in.	4.2128
1401-125	Poly Insert Reducing Tee 1 in. x 3/4 in. x 3/4 in.	9.0803
1401-132	Poly Insert Reducing Tee 1 in. x 1 in. x 1-1/4 in.	16.8131
1401-212	Reducing Tee Insert Poly Fitting 1-1/2 in. x 1-1/2 in. x 1-1/4 in.	12.7436
1401-250	Spears Reducing Tee Insert Poly 2 in. x 2 in. x 1-1/4 in.	18.9803
1402-005	Poly Insert Combination Tee 1/2 in. x 1/2 in. x 1/2 in. Insert x Insert x FIPT	4.2128
1402-012	PVC Tee Insert x FPT 1-1/4 in.	10.9357
1402-094	3/4 in. x 1/2 in. x 1/2 in. Comb Red Tee Ins Poly Fitting	6.8499
1402-124	Reducing Tee Poly Fitting 1 in. x 3/4 in. x 1/2 in. Insert x Insert x FIPT	8.5636
1402-167	Poly Insert Combination Reducing Tee 1-1/4 in. x 1-1/4 in. x 3/4 in. Insert x Insert	10.3523
1402-199	Spears Reducing Tee Gray PVC 1-1/2 in. x 1-1/4 in. x 1/2 in. Insert x Insert x Fipt	17.3035
1402-201	Spears Reducing Tee Poly 1-1/2 in. x 1-1/4 in. x 3/4 in.	19.2525
1403-130	Spears Reducing Tee PVC 90 Degree Insert x Insert x Mipt 1 in. x 1 in. x 1/2 in. Poly	4.3701
1407-007	Poly Insert 90 Degree Combination Elbow 3/4 in. x 3/4 in. Insert x FIPT	4.3453
1407-012	Poly Insert 90 Degree Combination 1 1/4 in. Insert x FIPT	8.2484
1416-101	PVC Side Outlet Tee 3/4 in. x 1/2 in. Insert x FIPT	13.1428
1429-003	Spears PVC Insert Spiral Barb Coupling 3/8 in. x 3/8 in.	1.2753
1429-005	Poly Insert Coupling 1/2 in. x 1/2 in.	1.8123
1429-130	Poly Insert Reducing Coupling 1 in. x 1/2 in.	3.9817
1429-1315	Spears Reducing Coupling PVC 1 in. x 7/8 in. Insert x Insert	5.3732
1429-167	Poly Insert Reducing Coupling 1-1/4 in. x 3/4 in.	6.1896
1429-212	Poly Insert Reducing Coupling 1-1/2 in. x 1-1/4 in.	5.6071
1435-015	Poly Insert Female Adapter 1-1/2 in. x 1-1/2 in. FIPT x Insert	12.8474
1449-015	Poly Insert Plug 1-1/2 in.	6.2370
112PVCNTOE	Sch 80 PVC Nipple 1 in. x 12 in. MIPT Threaded One End	10.5360
13PVCNTOE	Sch 80 PVC Nipple 1 in. x 3 in. MIPT Threaded One End	2.9340
1401-012	Poly Insert Tee 1-1/4 in. x 1-1/4 in. x 1-1/4 in.	8.5166
1402-209	Poly Insert Combination Reducing Tee 1-1/2 in. x 1-1/2 in. x 1/2 in. Insert x Insert	14.4383
1403-010	Poly Insert Combination Tee 1 in. x 1 in. x 1 in. Insert x Insert x MIPT	9.3670
1403-020	2 Tee Ins X Ins X MIPT Poly Fitting	18.4385
1406-131	Poly Insert 90 Degree Reducing Elbow 1 in. x 3/4 in.	5.0413
1407-131	Poly Insert 90 Degree Combination Reducing Elbow 1 in. x 3/4 in. Insert x FIPT	5.0413
1407-211	Spears PVC Reducing 90 Degree Elbow Insert x Fpt 1-1/2 x 1	8.4697
1413-012	1-1/4 PVC 90 Ell Insert x Mpt Sprs	10.7495
1413-073	Poly Insert Spiral Barb 90 Degree Combination Elbow 1/2 in. x 3/8 in. MIPT x Spiral	0.9251
1413-101	Poly Insert 90 Degree Combination Elbow 3/4 in. x 1/2 in. Insert x MIPT	3.5646
1420-010	Spears PVC Insert Cross 1 in. x 1 in. x 1 in. x 1 in.	12.5947
112PVCN	Sch 80 PVC Nipple 1 in. x 12 in. MIPT Threaded Both Ends	5.2509
12536PVCN	Spears Nipple Sch 80 PVC 1-1/4 in. x 36 in. TBE	24.4723
1255PVCN	PVC Nipple Tbe SCH 80 Sprs 1-1/4 in. x 5 in.	5.5867
12PVCN	Sch 80 PVC Nipple 1 in. x 2 in. MIPT Threaded Both Ends	1.9442
1401-101	Poly Insert Reducing Tee 3/4 in. x 3/4 in. x 1/2 in.	4.7587

1401-102	Poly Insert Reducing Tee 3/4 in. x 3/4 in. x 1 in.	12.0483
1401-129	Poly Insert Spiral Barb Tee 1 in. x 1 in. x 3/8 in.	6.2482
1401-168	Poly Insert Reducing Tee 1-1/4 in. x 1-1/4 in. x 1 in.	7.3032
1401-211	Poly Insert Reducing Tee 1-1/2 in. x 1-1/2 in. x 1 in.	12.7436
1401-241	2 x 1-1/2 x 1-1/2 Red Tee Insert Poly Fitting	14.5941
1402-247	Spears Reducing Tee Insert PVC 2 in. x 2 in. x 1/2 in.	19.3354
1403-005	1/2 Tee Ins X Ins X MIPT Poly Fitting	5.3741
1403-012	PVC Tee Insert x Mpt Sprs 1 1/4 in.	12.2213
1406-005	Poly Insert 90 Degree Elbow 1/2 in. x 1/2 in.	3.5076
1406-020	Poly Insert 90 Degree Elbow 2 in. x 2 in.	8.8521
1407-166	PVC Insert Reducing 90 Elbow 1-1/4 in. x 1/2 in. Ins x Fpt	7.4672
1407-168	Poly Insert 90 Degree Combination Reducing Elbow 1-1/4 in. x 1 in. Insert x FIPT	7.4672
1407-212	1-1/2 in. x 1-1/4 in. Come Red Ell Ins Poll Fitting	9.2041
1416-007	PVC Tee Insert Side Outlet 3/4 in. x 3/4 in.	11.4083
1505PVCN	Spears Nipple Sch 80 PVC 1-1/2 in. x 5 in. TBE	5.5996
1429-012	Poly Insert Coupling 1-1/4 in. x 1-1/4 in.	3.3456
1429-251	Poly Insert Reducing Coupling 2 in. x 1-1/2 in.	9.0354
1435-007	Spears PVC Insert Female Adapter 3/4 in. x 3/4 in. FIPT x Insert	8.5636
1436-012	Poly Insert Male Adapter 1-1/4 in. x 1-1/4 in. MIPT x Insert	3.5373
1436-132	Poly Insert Reducing Male Adapter 1 in. x 1-1/4 in. MIPT x Insert	7.0791
1436-133	Poly Insert Reducing Male Adapter 1 in. x 1-1/2 in. MIPT x Insert	10.6845
15048PVCN	1 1/2 X 48 PVC Nipple Tbe Sch 80 Sprs	83.0766
12510PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 10 in.	13.1787
12518PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 18 in.	12.6601
1252PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 2 in.	2.9653
130PVCN	Sch 80 PVC Nipple 1 in. x 30 in. MIPT Threaded Both Ends	14.9964
1401-202	1-1/2 x 1-1/4 x 1 Red Tee Insert Poly Fitting	13.0458
1402-007	Poly Insert Combination Tee 3/4 in. x 3/4 in. x 3/4 in. Insert x Insert x FIPT	6.3105
1402-212	Spears Combination Reducing Tee Poly 1-1/2 in. x 1-1/2 in. x 1-1/4 in.	17.5166
1402-251	Comb Red Tee Insert Poly Fitting 2 in. x 2 in. x 1-1/2 in.	23.5573
1404-102	PVC Reducing Insert Tee Ins X Soc 3/4 in. x 3/4 in. x 1 in.	10.4583
1406-101	Spears Reducing Elbow Poly Insert x Insert 3/4 in. x 1/2 in. 90 Degree	4.0874
1406-212	Spears Reducing Elbow 90 Degree Gray PVC 1-1/2 in. x 1-1/4 in. Insert x Insert	8.8521
1407-130	Poly Insert 90 Degree Combination Reducing Elbow 1 in. x 1/2 in. Insert x FIPT	4.3453
1413-099	Poly Insert Spiral Barb 90 Degree Combination Elbow 3/4 in. x 3/8 in. MIPT x Spiral	0.9251
1413-130	Poly Insert 90 Degree Combination Elbow 1 in. x 1/2 in. Insert x MIPT	3.9526
1414-131	Poly Insert 90 Degree Side Outlet Combination Elbow 1 in. x 1 in. x 3/4 in. Insert x	10.9807
1429-210	Spears Reducing Coupling 1-1/2 in. x 3/4 in. Insert x Insert	7.5720
1436-010	Poly Insert Male Adapter 1 in. x 1 in. MIPT x Insert	2.2543
1436-015	Poly Insert Male Adapter 1-1/2 in. x 1-1/2 in. MIPT x Insert	3.9750
1436-099	Poly Insert Spiral Barb Male Adapter 3/4 in. x 3/8 in. MIPT x Spiral Barb	0.9251
1250PVCN	Spears Tbe Nipple Gray Sch 80 PVC 1 in. x 2-1/2 in Threaded	1.9840
125250PVCN	Spears Nipple Sch 80 PVC 1-1/4 in. x 2-1/2 in. TBE	9.4834
1256PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 6 in.	5.4932
125CLPVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x Close	2.8393
1401-003	Poly Insert Spiral Barb Tee 3/8 in. x 3/8 in. x 3/8 in.	1.9702
1401-124	1 in. x 3/4 in. x 1/2 in. PVC Insert Reducing Tee Poly Fitt	6.6282
1401-131	Poly Insert Reducing Tee 1 in. x 1 in. x 3/4 in.	5.6071
1401-251	Spears Reducing Tee Poly 2 in. x 2 in. x 1-1/2 in. Insert	19.5602
1402-166	Poly Insert Combination Reducing Tee 1-1/4 in. x 1-1/4 in. x 1/2 in. Insert x Insert x	9.3670
1402-168	Poly Insert Combination Reducing Tee 1-1/4 in. x 1-1/4 in. x 1 in. Insert x Insert x F	10.9357
1402-202	Spears Combo Reducing Tee Insert Poly Fitting 1-1/2 in. x 1-1/4 in. x 1 in.	22.0425
1402-249	Poly Insert Combination Reducing Tee 2 in. x 2 in. x 1 in. Insert x Insert x FIPT	22.4895
1406-007	Poly Insert 90 Degree Elbow 3/4 in. x 3/4 in.	4.3453
1406-010	Poly Insert 90 Degree Elbow 1 in. x 1 in.	4.7762

1406-012	Poly Insert 90 Degree Elbow 1-1/4 in. x 1-1/4 in.	5.3741
1406-015	Poly Insert 90 Degree Elbow 1-1/2 in. x 1-1/2 in.	6.3105
1407-015	Spears Combination Insert Elbow 90 Degree Poly 1-1/2 in. Insert x FIPT	9.3670
1413-007	Poly Insert 90 Degree Combination Elbow 3/4 in. x 3/4 in. Insert x MIPT	6.1720
1413-015	Poly Insert 90 Degree Combination Elbow 1-1/2 in. x 1-1/2 in. Insert x MIPT	14.2712
12512PVCN	Sch 80 PVC Nipple 1-1/4 in. x 12 in. MIPT Threaded Both Ends	8.7034
136PVCN	PVC Nipple Tbe Schedule 80 1 in. x 36 in.	17.0459
1401-167	Poly Insert Reducing Tee 1-1/4 in. x 1-1/4 in. x 3/4 in.	7.3032
1401-203	Spears Reducing Tee Poly Insert 1-1/2 in. x 1-1/4 in. x 1-1/4 in.	13.0458
1401-210	Reducing Tee Insert Poly Fitting 1-1/2 in. x 1-1/2 in. x 3/4 in.	12.7436
1402-010	Poly Insert Combination Tee 1 in. x 1 in. x 1 in. Insert x Insert x FIPT	7.4672
1402-015	Poly Insert Combination Tee 1-1/2 in. x 1-1/2 in. Insert x Insert x FIPT	18.9803
1402-101	Poly Insert Combination Reducing Tee 3/4 in. x 3/4 in. x 1/2 in. Insert x Insert x FIPT	5.2071
1402-125	Reducing Tee Poly Fitting 1 in. x 3/4 in. x 3/4 in. Insert x Insert x FIPT	10.2125
1402-130	Poly Insert Combination Reducing Tee 1 in. x 1 in. x 1/2 in. Insert x Insert x FIPT	6.1311
1402-248	Combination Reducing Tee Poly Fitting 2 in. x 2 in. x 3/4 in.	20.4354
1403-131	Poly Insert Combination Reducing Tee 1 in. x 1 in. x 3/4 in. Insert x Insert x MIPT	4.0946
1406-168	PVC Reducing Elbow 90 Degree 1-1/4 in. x 1 in. Insert x Insert	7.4672
1407-010	Poly Insert 90 Degree Combination Elbow 1 in. x 1 in. Insert x FIPT	5.5697
1407-167	Poly Insert 90 Degree Combination Reducing Elbow 1-1/4 in. x 3/4 in. Insert x FIPT	7.4672
1413-020	Spears Combination Elbow Poly 2 in.	22.5038
1414-101	PVC Side Outlet Elbow Insert 3/4 in. x 3/4 in. x 1/2 in.	10.2125
1416-131	Spears PVC Insert Side Outlet Combination Reducing Tee 1 in. x 1 in. x 1 in. x 3/4 in.	13.9946
1429-020	Poly Insert Coupling 2 in. x 2 in.	7.5720
1429-249	Spears Reducer Coupling Poly 2 in. x 1 in. Insert	10.2125
1436-020	Poly Insert Male Adapter 2 in. x 2 in. MIPT x Insert	7.6420
1449-005	Poly Insert Plug 1/2 in.	3.1982
1416-130	Poly Insert Side Outlet Combination Reducing Tee 1 in. x 1 in. x 1 in. x 1/2 in. Insert	13.9946
1420-007	Insert Cross Poly Fitting 3/4 in.	10.1563
1429-015	Poly Insert Coupling 1-1/2 in. x 1-1/2 in.	3.9750
1435-012	Spears PVC Female Adapter Fpt x Insert 1-1/4 in.	11.6856
1435-020	Insert Female Adapter Poly Fitting 2 in.	18.8315
1436-007	Poly Insert Male Adapter 3/4 in. x 3/4 in. MIPT x Insert	2.1594
1436-030	Spears Adapter PVC 3 in. Mipt	36.0160
1436-168	Barbed Insert Reducing Male Adapter PVC 1-1/4 in. x 1 in. Mipt x Insert	6.6446
1449-010	Poly Insert Plug 1 in.	4.4901
1449-012	Poly Insert Plug 1-1/4 in.	5.7217
1449-020	Spears Insert Plug Poly 2 in.	11.0196
15012PVCN	Sch 80 PVC Nipple 1-1/2 in. x 12 in. MIPT Threaded Both Ends	9.7871
1503PVCNTOE	Sch 80 PVC Nipple 1-1/2 in. x 3 in. MIPT Threaded One End	10.5039
1506PVCNTOE	Sch 80 PVC Nipple 1-1/2 in. x 6 in. MIPT Threaded One End	10.3571
118PVCN	Sch 80 PVC Nipple 1 in. x 18 in. MIPT Threaded Both Ends	9.2902
15PVCN	PVC Nipple Tbe Schedule 80 1 in. x 5 in.	3.0192
16PVCN	Sch 80 PVC Nipple 1 in. x 6 in. MIPT Threaded Both Ends	3.5111
16PVCNTOE	Nipple Sch 80 PVC 1 in. x 6 in. MIPT Threaded One End	6.7397
15018PVCN	Sch 80 PVC Nipple 1-1/2 in. x 18 in. MIPT Threaded Both Ends	25.0373
1502PVCN	PVC Nipple Tbe Sch 80 1-1/2 in. x 2 in.	3.2670
1508PVCN	Sch 80 PVC Nipple 1-1/2 in. x 8 in. MIPT Threaded Both Ends	7.4187
12512PVCNTOE	Spears Nipple Toe Sch 80 PVC 1-1/4 in. x 12 in.	21.2299
1258PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 8 in.	6.6136
1401-074	1/2 in. x 1/2 in. x 3/4 in. Red Tee Insert Poly Fitting	10.4556
1401-094	3/4 in. x 1/2 in. x 1/2 in. Red Tee Insert Poly Fitting	5.2071
1401-130	Poly Insert Reducing Tee 1 in. x 1 in. x 1/2 in.	5.5697
1401-249	Reducing Tee Insert Poly Fitting 2 in. x 2 in. x 1 in.	18.1126
1402-020	2 in. x 2 in. x 2 in. Comb Red Tee Ins Poly Fitting	23.5573

1402-210	Poly Insert Combination Reducing Tee 1-1/2 in. x 1-1/2 in. x 3/4 in. Insert x Insert x FIPT	17.1159
1402-211	Poly Insert Combination Reducing Tee 1-1/2 in. x 1-1/2 in. x 1 in. Insert x Insert x FIPT	17.1159
1403-015	Poly Insert Combination Tee 1-1/2 in. x 1-1/2 in. x 1-1/2 in. Insert x Insert x MIPT	13.6599
1407-005	Poly Insert 90 Degree Combination Elbow 1/2 in. x 1/2 in. Insert x FIPT	3.9839
1407-020	Spears Elbow 90 Degree Gray PVC 2 in. Insert x Fipt	15.8679
1407-074	PVC 90 Degree Reducing Elbow 1/2 in. x 3/4 in.	3.5483
1407-101	Poly Insert 90 Degree Combination Reducing Elbow 3/4 in. x 1/2 in. Insert x FIPT	4.0874
1407-251	Spears Combination Reducing Elbow PVC 2 in. x 1-1/2 in.	15.0310
1413-131	Poly Insert 90 Degree Combination Elbow 1 in x 3/4 in. Insert x MIPT	3.8055
1414-130	Poly Insert 90 Degree Side Outlet Combination Elbow 1 in. x 1 in. x 1/2 in. Insert x FIPT	10.9807
1839-015	Spears True Union 2000 PVC Ball Valve 1-1/2 in. Socket x FIP	421.1455
1884-020	Sch 80 PVC Nipple 1 in. x 2 in. MIPT Threaded One End	4.8232
1429-007	Poly Insert Coupling 3/4 in. x 3/4 in.	2.1594
1429-099	Poly Insert Spiral Barb Coupling 3/4 in. x 3/8 in. Insert x Spiral Barb	3.8933
1429-131	Poly Insert Reducing Coupling 1 in. x 3/4 in.	3.0526
1429-168	Poly Insert Reducing Coupling 1-1/4 in. x 1 in.	4.7762
1435-010	Spears PVC Insert Female Adapter 1 in. x 1 in. FIPT x Insert	9.5175
1436-005	Poly Insert Male Adapter 1/2 in. x 1/2 in. MIPT x Insert	1.8070
1436-073	Poly Insert Spiral Barb Male Adapter 1/2 in. x 3/8 in. MIPT x Spiral Barb	0.9251
1436-074	3/4 in. x 1/2 in. Ins Red Male Adapter Poly Fitting	5.6071
1436-251	Poly Insert Reducing Male Adapter 2 in. x 1-1/2 in. MIPT x Insert	13.5786
14PVCN	Sch 80 PVC Nipple 1 in. x 4 in. MIPT Threaded Both Ends	2.5566
14PVCNTOE	Sch 80 PVC Nipple 1 in. x 4 in. MIPT Threaded One End	6.8947
15010PVCN	PVC Nipple Tbe SCH 80 1-1/2 in. x 10 in.	9.1327
15014PVCN	1 1/2 X 14 PVC Nipple Tbe Sch 80	37.0204
1504PVCN	Sch 80 PVC Nipple 1-1/2 in. x 4 in. MIPT Threaded Both Ends	4.8773
1436-101	Poly Insert Reducing Male Adapter 3/4 in. x 1/2 in. MIPT x Insert	5.0694
1436-169	Spears Insert Reducing Male Adapter Poly 1-1/2 in. x 1-1/4 in.	10.6845
1436-212	Poly Insert Reducing Male Adapter 1-1/2 in. x 1-1/4 in. MIPT x Insert	8.0900
148PVCN	Spears Sch 80 PVC Nipple 1 in. x 48 in. TBE	22.8383
15036PVCN	Spears Sch 80 PVC Nipple 1-1/2 in. x 36 in. TBE	26.1353
1504PVCNTOE	Sch 80 PVC Nipple 1-1/2 in. x 4 in. MIPT Threaded One End	5.7905
150CLPVCN	Sch 80 PVC Nipple 1-1/2 in. x Close MIPT Threaded Both Ends	3.3907
1429-101	Spears PVC Insert Reducing Coupling 3/4 in. x 1/2 in.	2.9285
1429-129	Poly Insert Spiral Barb Coupling 1 in. x 3/8 in. Insert x Spiral Barb	4.1626
1429-211	Spears PVC Insert Reducing Coupling 1-1/2 in. x 1 in.	7.2122
1429-250	Spears Reducin Coupling Poly 2 in. x 1-1/4 in. Insert	9.4826
1436-075	1 in. x 1/2 in. 74 Ins Red Male Adpater Poly Fitting	3.6529
1436-102	Poly Insert Reducing Male Adapter 3/4 in. x 1 in. MIPT x Insert	5.8481
1436-167	3/4 x 1-1/4 Ins Red Male Adapter Poly Fitting	6.1896
1436-211	Poly Insert Reducing Male Adapter 1-1/2 in. x 1 in. MIPT x Insert	8.0900
1436-213	Reducing Male Adapter Poly Fitting 2 in. x 1-1/2 in. Ins	13.7068
15024PVCN	Sch 80 PVC Nipple 1-1/2 in. x 24 in. MIPT Threaded Both Ends	19.2308
1506PVCN	Sch 80 PVC Nipple 1-1/2 in. x 6 in. MIPT Threaded Both Ends	6.0145
1839-020	Spears True Union 2000 PVC Ball Valve 2 in. Socket x FIPT w/	551.3288
1886-120	Sch 80 PVC Nipple 1-1/2 in. x 12 in. MIPT Threaded One End	26.3555
1887-100	2 X 10 PVC Nipple Toe Sch80	43.1744
2121-015	Spears Compact PVC Ball Valve 1-1/2 in. FIPT w/ EPDM O-Ring	282.5677
2132-020	Spears Compact PVC Ball Valve 2 in. Socket w/ FKM O-Ring	342.2155
1882-060	Spears Nipple Sch 80 PVC 1/2 in. x 6 in. TOE	4.3648
1883-020	Spears Nipple Sch 80 PVC 3/4 in. x 2 in. TOE	8.7239
1884-080	PVC Nipple Toe Schedule 80 1 in. x 8 in.	9.5357
1889-030	Spears Nipple Sch 80 PVC 3 in. x 3 in. TOE	21.1080
1889-040	PVC Nipple Toe Schedule 80 3 in. x 4 in.	25.7126
1922-010	Spears EverTUFF CTS CPVC Ball Valve 1 in. Socket x Socket w/ EPDM O-Rings	151.4873

124PVCN	Sch 80 PVC Nipple 1 in. x 24 in. MIPT Threaded Both Ends	11.0402
12524PVCN	Spears Nipple Sch 80 PVC 1-1/4 in. x 24 in. TBE	15.4978
1253PVCN	PVC Nipple Tbe Sch 80 Sprs 1-1/4 in. x 3 in.	5.4095
1254PVCNTOE	PVC Nipple Toe Sch 80 1-1/4 in. x 4 in.	5.7698
1401-010	Poly Insert Tee 1 in. x 1 in. x 1 in.	5.4702
1401-015	Poly Insert Tee 1-1/2 in. x 1-1/2 in. x 1-1/2 in.	9.6656
1401-020	Poly Insert Tee 2 in. x 2 in. x 2 in.	19.1501
1401-099	Poly Insert Spiral Barb Tee 3/4 in. x 3/4 in. x 3/8 in. Insert x Insert x Spiral Barb	1.5239
1401-157	Spears Reducing Tee PVC Insert x Insert 1-1/4 in. x 1 in. x 3/4 in.	10.4170
1401-158	Poly Insert Reducing Tee 1-1/4 in. x 1 in. x 1 in.	10.4170
1401-166	Spears Reducing Tee Gray PVC 1-1/4 in. x 1/2 in. Insert x Insert x Insert	7.3032
1402-131	Poly Insert Combination Reducing Tee 1 in. x 1 in. x 3/4 in. Insert x Insert x FIPT	6.8860
1402-156	Spears Reducing Tee PVC Insert x Fpt 1-1/4 in. x 1 x 1/2 in.	12.6682
1402-157	Poly Insert Combination Reducing Tee 1-1/4 in. x 1 in. x 3/4 in. Insert x Insert x FIPT	14.8005
1829-015	Spears True Union 2000 PVC Ball Valve 1-1/2 in. Socket x FIPT w/ EPDM O-Rings	557.2159
1887-180	Sch 80 PVC Nipple 2 in. x 18 in. MIPT Threaded One End	57.3401
1889-080	PVC Nipple Toe Schedule 80 3 in. x 8 in.	43.8687
1886-080	Nipple Toe Sch 80 1-1/2 in. x 8 in.	16.1442
1888-040	Spears Nipple Toe Sch 80 PVC 2-1/2 in. x 4 in.	51.5779
2239-020	Spears True Union PVC Ball Check Valve 2 in. Socket x FIPT w	1010.4943
236PVCN	Sch 80 PVC Nipple 2 in. x 36 in. MIPT Threaded Both Ends	84.7427
23PVCNTOE	Sch 80 PVC Nipple 2 in. x 3 in. MIPT Threaded One End	6.6619
2504PVCN	PVC Nipple Tbe SCH 80 2-1/2 in. x 4 in.	16.8098
2622-060	Spears Utility White PVC Ball Valve 6 in. Socket w/ Blue Handle & EPDM O-Rings	1759.1801
1822-040	4 PVC Industrial Ball Valve	2149.0717
1829-012	Spears True Union 2000 PVC Ball Valve 1-1/4 in. Socket x FIP	314.9708
1829-020	Spears True Union 2000 PVC Ball Valve 2 in. Socket x FIPT w/ EPDM O-Rings	735.3492
18PVCN	Sch 80 PVC Nipple 1 in. x 8 in. MIPT Threaded Both Ends	3.9608
1CLPVCN	Sch 80 PVC Nipple 1 in. x Close MIPT Threaded Both Ends	1.9539
1403-007	Poly Insert Combination Tee 3/4 in. x 3/4 in. x 3/4 in. Insert x Insert x MIPT	7.3032
1413-010	Poly Insert 90 Degree Combination Elbow 1 in. x 1 in. Insert x MIPT	8.0900
1429-010	Poly Insert Coupling 1 in. x 1 in.	2.3097
1429-030	3 Insert Coupling Poly Fitting	33.0137
1435-005	Poly Insert Female Adapter 1/2 in. x 1/2 in. FIPT x Insert	7.9133
1436-025	2-1/2 Male Adapter Poly Fitting	27.1097
1436-131	Poly Insert Reducing Male Adapter 1 in. x 3/4 in. MIPT x Insert	5.2071
1449-007	Poly Insert Plug 3/4 in.	3.3456
1503PVCN	Sch 80 PVC Nipple 1-1/2 in. x 3 in. MIPT Threaded Both Ends	3.8630
2011-010	Spears PVC Gate Valve 1 in. FIPT w/ Buna-N O-Rings	175.8411
2012-020	Spears PVC Gate Valve 2 in. Socket w/ Buna-N O-Rings	398.4124
2121-020	Spears Compact PVC Ball Valve 2 in. FIPT w/ EPDM O-Ring	304.5545
2122-010	Spears Compact PVC Ball Valve 1 in. Socket w/ EPDM O-Ring	127.5652
2122-015	Spears Compact PVC Ball Valve 1-1/2 in. Socket w/ EPDM O-Ring	282.5677
2131-010	Spears Compact PVC Ball Valve 1 in. FIPT w/ FKM O-Ring	142.8690
2121-010	Spears Compact PVC Ball Valve 1 in. FIPT w/ EPDM O-Ring	127.2301
212CPVCN	Sch 80 CPVC Nipple 2 in. x 12 in. MIPT Threaded Both Ends	81.5210
2132-012	Spears Compact PVC Ball Valve 1-1/4 in. Socket w/ FKM O-Ring	253.7498
2CLPVCN	Sch 80 PVC Nipple 2 in. x Close MIPT Threaded Both Ends	7.4019
2329-012	Spears True Union 2000 Standard Retrofit PVC Ball Valve 1-1/4 in. Socket x FIPT w/	478.3685
2339-010	Spears True Union 2000 Standard Retrofit PVC Ball Valve 1 in. Socket w/ FKM O-Rin	385.1540
252PVCN	Sch 80 PVC Nipple 1/4 in. x 2 in. MIPT Threaded Both Ends	4.9996
2621-040	Spears Utility White PVC Ball Valve 4 in. FIPT w/ Blue Handle & EPDM O-Rings	1090.3695
2622-012	Spears Utility White PVC Ball Valve 1-1/4 in. Socket w/ Blue Handle & EPDM O-Rings	57.6746
2622-025	Spears Utility White PVC Ball Valve 2-1/2 in. Socket w/ Blue Handle & EPDM O-Rings	332.5556
224PVCNTOE	Spears Nipple Toe Sch 80 PVC 2 in. x 24 in.	74.7641

23PVCN	Sch 80 PVC Nipple 2 in. x 3 in. MIPT Threaded Both Ends	4.9594
24PVCN	Sch 80 PVC Nipple 2 in. x 4 in. MIPT Threaded Both Ends	6.1318
218PVCN	Sch 80 PVC Nipple 2 in. x 18 in. MIPT Threaded Both Ends	32.4275
2431-007G	3/4 PVC Se Balvalv Thd Viton	162.5289
25012PVCNTOE	Sch 80 PVC Nipple 2 1/2 in. x 12 in. MIPT Threaded One End	85.3817
2506PVCN	Spears Nipple Sch 80 PVC 2-1/2 in. x 6 in. TBE	21.4124
3729-668E	12 X 8 PVC Reducing Coupling Eccentric Soc Sch 4	758.4709
3978-080	8 PVC Cleanout Adapter Spg X Thread Plug Sch 80	1198.0479
2121-030	3 PVC Compact Ball Valve Thread EPDM Sprs	1293.9893
2131-020	Spears Compact PVC Ball Valve 2 in. FIPT w/ FKM O-Ring	342.2155
2132-010	Spears Compact PVC Ball Valve 1 in. Socket w/ FKM O-Ring	142.8690
2239-015	Spears True Union PVC Ball Check Valve 1-1/2 in. Socket x FI	736.8397
2329-005	Spears True Union 2000 Std Retrofit PVC Ball Valve 1/2 in. S	244.7984
2329-020	Spears True Union 2000 Std Retrofit PVC Ball Valve 2 in. Socket x FIPT w/ EPDM O-	760.2991
2411-010G	Spears Single Entry Gray PVC Ball Valve 1 in. FIPT w/ Buna-N O-Rings	155.6180
25024PVCN	Sch 80 PVC Nipple 2 1/2 in. x 24 in. MIPT Threaded Both Ends	167.8399
2508PVCN	Spears Nipple Sch 80 PVC 2-1/2 in. x 8 in. TBE	26.0102
2621-010	Spears Utility Ball Valve FIPT 150 psi 1 in. White PVC w/ Blue Handle & EPDM O-Rin	46.2514
2621-012	Spears Utility Ball Valve FIPT 1-1/4 in. White PVC w/ Blue Handle & EPDM O-Rings	61.1978
2621-015G	Spears Utility Gray PVC Ball Valve 1-1/2 in. FIPT w/ Blue Handle & EPDM O-Rings	153.7103
2621-020G	Spears Utility Gray PVC Ball Valve 2 in. FIPT w/ Blue Handle & EPDM O-Rings	194.2602
2621-025	Spears Utility White PVC Ball Valve 2-1/2 in. FIPT w/ Blue Handle & EPDM O-Rings	331.7238
2622-040	Spears Utility White PVC Ball Valve 4 in. Socket w/ Blue Handle & EPDM O-Rings	1093.0922
2621-005G	Spears Utility Ball Valve FIPT 1/2 in. Gray PVC w/ Blue Handle & EPDM O-Rings	47.0751
2622-005G	Spears Utility Gray PVC Ball Valve 1/2 in. Socket w/ Blue Handle & EPDM O-Rings	47.0751
2622-010	Spears Utility White PVC Ball Valve 1 in. Socket w/ Blue Handle & EPDM O-Rings	43.5883
2622-015	Spears Utility White PVC Ball Valve 1-1/2 in. Socket w/ Blue Handle & EPDM O-Rings	93.8258
28PVCN	Sch 80 PVC Nipple 2 in. x 8 in. MIPT Threaded Both Ends	10.2242
25CLPVCN	Nipple PVC 1/4 in. x Close TBE	1.5301
2621-005	Spears Utility White PVC Ball Valve 1/2 in. FIPT w/ Blue Handle & EPDM O-Rings	26.8106
2621-010G	Spears Utility Ball Valve FIPT 150 psi 1 in. PVC w/ Blue Handle & EPDM O-Rings	76.0702
2621-020	Spears Utility White PVC Ball Valve 2 in. FIPT w/ Blue Handle & EPDM O-Rings	111.4376
2622-015G	Spears Utility Gray PVC Ball Valve 1-1/2 in. Socket w/ Blue Handle & EPDM O-Rings	153.3246
2622-020	Spears Utility White PVC Ball Valve 2 in. Socket w/ Blue Handle & EPDM O-Rings	111.4376
401-007UV	Sch 40 UV Resistant PVC Tee 3/4 in. Socket	7.3546
401-020	Sch 40 PVC Tee 2 in. Socket	6.0246
401-030	Sch 40 PVC Tee 3 in. Socket	26.0932
401-040	Sch 40 PVC Tee 4 in. Socket	47.2180
401-050	5 Tee Soc PVC Fitting	114.0439
401-100	10 Tee Soc PVC Fitting	1986.0131
401-101	Sch 40 PVC Reducing Tee 3/4 in. x 1/2 in. Socket	1.4885
401-124	1 in. x 3/4 in. x 1/2 in. Red Tee Soc PVC Fitting	4.2653
401-132	1 in. x 1-1/4 in. PVC Red Tee Soc Sch 40	5.6970
401-167	Spears Reducing Tee Sch 40 PVC 1-1/4 in. x 3/4 in. Socket	3.7433
401-168	Sch 40 PVC Reducing Tee 1-1/4 in. x 1 in. Socket	3.7433
401-209	Sch 40 PVC Reducing Tee 1-1/2 in. x 1/2 in. Socket	6.5522
401-241	Spears Reducing Tee PVC 2 in. x 1-1/2 in. x 1-1/2 in. Socket	9.3612
401-338	Sch 40 PVC Reducing Tee 3 in. x 2 in. Socket	28.3384
401-339	Spears Reducing Tee PVC 3 in. x 2-1/2 in. Soc	35.4666
401-528	Sch 40 PVC Reducing Tee 6 in. x 2 in. Socket	158.9507
402-007UV	Sch 40 UV Resistant PVC Tee 3/4 in. Socket x FIPT	7.9684
402-030	3 Tee Soc X Fipt PVC Fitting	39.2888
402-131UV	Sch 40 UV Resistant PVC Reducing Tee 1 in. x 3/4 in. Socket x FIPT	15.3202
402-158	Spears Reducing Tee Sch 40 PVC 1-1/4 in. x 1 in. x 1 in. Socket x Fpt	6.1458
402-166UV	Sch 40 UV Resistant PVC Reducing Tee 1-1/4 in. x 1/2 in. Socket x FIPT	24.4081

402-210	Sch 40 PVC Reducing Tee 1-1/2 in. x 3/4 in. Socket x FIPT	8.0022
402-247	Sch 40 PVC Reducing Tee 2 in. x 1/2 in. Socket x FIPT	10.0649
402-250	2 x 1-1/4 Red Tee Soc x Fipt PVC Fitting	10.0649
402-334	Sch 40 PVC Reducing Tee 3 in. x 3/4 in. Socket X FIPT	31.1166
402-335	Sch 40 PVC Reducing Tee 3 in. x 1 in. Socket X FIPT	31.1166
405-012	1-1/4 PVC Tee Fpt Sch 40 Sprs	11.1810
406-005	Spears Sch 40 PVC 90 Degree Elbow 1/2 in. Socket x 1/2 in. Socket	0.8905
406-007UV	Sch 40 UV Resistant PVC 90 Degree Elbow 3/4 in. Socket	6.3135
406-040LSF	Spears Long Sweep Elbow 90 Degree Sch 40 PVC 4 in. Socket	440.8602
406-101	Sch 40 PVC 90 Degree Reducing Elbow 3/4 in. x 1/2 in. Socket	1.8202
406-130	Sch 40 PVC 90 Degree Reducing Elbow 1 in. x 1/2 in. Socket	2.6799
407-020	Sch 40 PVC 90 Degree Elbow 2 in. Socket x FIPT	10.4470
407-030	Spears Elbow Sch 40 PVC 3 in. Soc x Fipt 90 Degree	38.7182
407-074	1/2 in. x 3/4 in. Red 90 Degree Ell Soc X Fipt PVC Fitting	2.4044
407-131	Sch 40 PVC 90 Degree Reducing Elbow 1 in. x 3/4 in. Socket x FIPT	3.6827
408-005	Sch 40 PVC 90 Degree Elbow 1/2 in. FIPT	2.1864
409-010	Sch 40 PVC 90 Degree Street Elbow 1 in. Spigot x Socket	5.3881
409-012	Sch 40 PVC 90 Degree Street Elbow 1-1/4 in. Socket x Spigot	5.8423
409-040	4 PVC 90 St Ell Spg X Soc Sch 40	51.2219
410-005	Sch 40 PVC 90 Degree Street Elbow 1/2 in. MIPT x Socket	1.9785
413-010	Sch 40 PVC 90 Degree Side Outlet Elbow 1 in. Socket	8.5127
413-020	2 Side Outlet Ell PVC Sch 40 SlipxSlipxSlip	11.7514
4140-015	1 1/2 CPVC Cts Trans Bushing X Cts Spg X Soc	22.5682
416-080	8 PVC 22 1/2 Ell Soc Sch 40 Sprs	351.7543
417-020UV	Sch 40 UV Resistant PVC 45 Degree Elbow 2 in. Socket	30.3694
417-025UV	Sch 40 UV Resistant PVC 45 Degree Elbow 2-1/2 in. Socket	83.9054
417-080	Sch 40 PVC 45 Degree Elbow 8 in. Socket	246.2341
1885-030	Spears Nipple Sch 80 PVC 1-1/4 in. x 3 in. TOE	6.1674
2011-020	2 PVC Gate Valve	398.4124
34PVCN	PVC Nipple Tbe Schedule 80 3 in. x 4 in.	19.9395
312PVCNTOE	PVC Nipple Toe Sch 80 3 in. x 12 in.	44.4862
33PVCN	Spears Nipple Tbe Sch 80 PVC 3 in. x 3 in.	18.1659
3629-015	Spears True Union 2000 Standard PVC Ball Valve 1-1/2 in. Socket x FIPT w/ EPDM	240.1747
36PVCN	Spears Nipple Sch 80 PVC 3 in. x 6 in. TBE	26.1192
3706-080	8 PVC 90 Ell Soc Sprs	685.3354
324PVCN	Sch 80 PVC Nipple 3 in. x 24 in. MIPT Threaded Both Ends	178.5942
420-007	Sch 40 PVC Cross 3/4 in. Socket	5.7215
420-025	2-1/2 PVC Cross Soc PVC Fitting	30.2007
427-030	3 PVC 45 Steet Ell Spg X Soc	23.1147
429-010	Sch 40 PVC Coupling 1 in. Socket	1.4240
429-100	10 PVC Coupling Soc X Soc	407.4519
435-010	Sch 40 PVC Female Adapter 1 in. Socket x FIPT	1.4811
435-012	Sch 40 PVC Female Adapter 1-1/4 in. Socket x FIPT	2.0990
435-130	Sch 40 PVC Reducing Female Adapter 1 in. x 1/2 in. Socket x FIPT	2.4044
436-005B	Sch 40 Black PVC Male Adapter 1/2 in. MIPT x Socket	1.1718
436-015	Sch 40 PVC Male Adapter 1-1/2 in. MIPT x Socket	2.3842
436-040	Sch 40 PVC Male Adapter 4 in. MIPT x Socket	17.2663
436-100F	10 PVC Male Adapter Mpt X Soc Sch 40 Sprs	943.7509
436-131	Sch 40 PVC Reducing Male Adapter 1 in. x 3/4 in. MIPT x Socket	4.9655
437-131	Sch 40 PVC Reducer Bushing Flush Style 1 in. x 3/4 in. Spigot x Socket	1.7177
437-287	Spears Reducing Bushing PVC 2-1/2 in. x 1/2 in. Spigot x Socket	5.8607
437-338	Sch 40 PVC Reducer Bushing Flush Style 3 in. x 2 in. Spigot x Socket	8.6268
437-339	Sch 40 PVC Reducer Bushing Flush Style 3 in. x 2-1/2 in. Spigot x Socket	8.6268
437-528	6 in. x 2 in. Red Bushing Spig X Soc PVC Fitting	47.8428
437-668	Spears Busher Reducer 437-668 Series White Sch 40 PVC 12 in. x 8 in. Spigot x Soc	818.4026

438-251	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1-1/2 in. Spigot x FIPT	5.1749
438-334	3 in. x 3/4 in. Red Bushing Spig X Fipt PVC Fitting	8.6268
438-335	Sch 40 PVC Reducer Bushing Flush Style 3 in. x 1 in. Spigot x FIPT	8.6268
439-098	3/4 in. x 1/4 in. Red Bushing Mipt X Fipt PVC Fitting	2.6500
439-130	Sch 40 PVC Reducing Bushing 1 in. x 1/2 in. MIPT x FIPT	3.6827
439-251	Sch 40 PVC Reducing Bushing 2 in. x 1-1/2 in. MIPT x FIPT	6.4427
447-030	Sch 40 PVC Cap 3 in. Socket	8.7305
448-005G	Spears Cap Sch 40 PVC 1/2 in. Fpt	5.5254
448-007	Sch 40 PVC Cap 3/4 in. FIPT	1.9785
448-010	Sch 40 PVC Cap 1 in. FIPT	2.9887
448-020	Sch 40 PVC Cap 2 in. FIPT	5.9335
450-060	6 Plug MIPT PVC Fitting	78.3103
458-010	Spears Schedule 40 PVC Union Valve 1 in. FIPT w/ Buna-N O-Rings	22.6290
2131-015	Spears Compact PVC Ball Valve 1-1/2 in. FIPT w/ FKM O-Ring	295.9589
2132-015	Spears Compact PVC Ball Valve 1-1/2 in. Socket w/ FKM O-Ring	295.2243
2322-030	Spears True Union 2000 Std Retrofit PVC Ball Valve 3 in. Soc	1830.6154
2411-020G	Spears Single Entry Gray PVC Ball Valve 2 in. FIPT w/ Buna-N O-Rings	314.1990
401-005	Sch 40 PVC Tee 1/2 in. Socket	1.1190
401-015UV	Sch 40 UV Resistant PVC Tee 1-1/2 in. Socket	28.9482
401-210	Sch 40 PVC Reducing Tee 1-1/2 in. x 3/4 in. Socket	6.5522
401-212	Spears Reducing Tee Sch 40 PVC 1-1/2 in. x 1-1/4 in. Socket	6.5522
401-253	2 X 3 PVC Bullhead Tee Soc Sch 40 Sprs	43.3412
401-287	Sch 40 PVC Reducing Tee 2-1/2 in. x 1/2 in. Socket	19.8020
401-291	Sch 40 PVC Reducing Tee 2-1/2 in. x 1-1/2 in. Socket	19.8020
401-334	3 in. x 3/4 in. Red Tee Soc PVC Fitting	28.4048
401-418	Spears Reducing Tee PVC 4 in. x 1-1/4 in. Socket	47.2180
401-532	Sch 40 PVC Reducing Tee 6 in. x 4 in. Socket	158.9507
402-124	Reducing Tee PVC 1 in. x 3/4 in. x 1/2 in. Soc x Fipt	4.2653
402-131	Sch 40 PVC Reducing Tee 1 in. x 3/4 in. Socket x FIPT	4.2653
402-287	Sch 40 PVC Reducing Tee 2-1/2 in. x 1/2 in. Socket x FIPT	21.7739
402-336	Spears Reducing Tee PVC 3 in. x 1-1/4 in. Socket x Fipt	31.1166
402-419	Spears Tee Fitting PVC 4 in. x 1-1/2 in. Soc x Fipt	51.9988
402-532	6 X 4 Red Tee Soc X Fipt PVC Fitting	172.5985
406-007G	Spears Standard Elbow Sch 40 PVC 3/4 in. Socket	3.2071
406-010UV	Spears Molded Elbow Beige Sch 40 UV Resistant PVC 1 in. Socket	10.4509
406-166	1-1/4 in. x 1/2 in. PVC Reducing 90 Degree Ell Sch Sch 40 Sprs	4.6287
406-250	Spears Reduction Elbow 90 Degree PVC 2 in. x 1-1/4 in.	9.0760
407-168	Sch 40 PVC 90 Degree Reducing Elbow 1-1/4 in. x 1 in. Socket x FIPT	4.8717
407-212	Spears Reducing Elbow 90 Degree PVC 1-1/2 in. x 1-1/4 in. Fipt	8.4391
407-250	Spears 90 Degree Reducing Elbow White Sch 40 PVC 2 in. x 1-1/4 in. Socket x Fpt	14.0143
408-005G	Spears Standard Elbow Sch 40 PVC 1/2 in. Fpt	6.9611
408-015	Sch 40 PVC 90 Degree Elbow 1-1/2 in. FIPT	8.4269
409-005	Sch 40 PVC 90 Degree Street Elbow 1/2 in. Spigot x Socket	2.5286
409-015	Sch 40 PVC 90 Degree Street Elbow 1-1/2 in. Spigot x Socket	6.4427
410-101	Sch 40 PVC 90 Degree Reducing Street Elbow 3/4 in. x 1/2 in. MIPT x Socket	2.8129
4106-010	1 CPVC Cts 90 Ell Soc	10.7016
411-020	Spears Elbow White PVC 2 in. Socket x Socket 11-1/4 Degree	8.1962
411-060F	6 PVC 11 1/4 Ell Soc	240.2914
413-005	Sch 40 PVC 90 Degree Side Outlet Elbow 1/2 in. Socket	4.8812
413-007	Sch 40 PVC 90 Degree Side Outlet Elbow 3/4 in. Socket	6.6613
413-015	1-1/2 in. Side Outlet Elbow PVC Sch 40 S x S x S	8.4512
414-130	Sch 40 PVC 90 Degree Side Outlet Reducing Elbow 1 in. x 1/2 in. Socket x FIPT	8.0594
4140-020	2 X 2 Cts CPVC Trans Bush Spx50	24.7414
417-005UV	Sch 40 UV Resistant PVC 45 Degree Elbow 1/2 in. Socket	6.9320
417-010UV	Sch 40 UV Resistant PVC 45 Degree Elbow 1 in. Socket	10.8839

3621-025	Spears True Union 2000 Standard Ball Valve PVC 2-1/2 in. FIPT with EPDM O-Ring	682.0131
3629-012	Spears True Union 2000 Standard PVC Ball Valve 1-1/4 in. Socket x FIPT w/ EPDM O-Rings	205.3628
3701-100	10 PVC Tee Soc Sch 40 Sprs	1583.2921
401-003	Spears Standard Tee PVC 3/8 in. Socket	3.4758
401-015	Sch 40 PVC Tee 1-1/2 in. Socket	4.1312
401-030UV	Sch 40 UV Resistant PVC Tee 3 in. Socket	125.5846
401-095	PVC Reducing Tee Fitting 3/4 in. x 1/2 in. x 3/4 in. Socket	2.1864
401-169	Spears Bullethead Tee Sch 40 PVC 1-1/4 in. x 1-1/2 in. Socket	6.8313
401-336	3 x 1-1/4 Red Tee Soc PVC Fitting	28.4048
401-421	4 in. x 2-1/2 in. PVC Reducing Tee Socket Sch 40 Spears	54.7346
402-130UV	Sch 40 UV Resistant PVC Reducing Tee 1 in. x 1/2 in. Socket x FIPT	15.3202
402-156	Spears Reducing Tee White Sch 40 PVC 1-1/4 in. x 1 in. x 1/2 in. Socket x Socket x FIPT	6.1458
402-211	Sch 40 PVC Reducing Tee 1-1/2 in. x 1 in. Socket x FIPT	8.0022
402-289	Sch 40 PVC Reducing Tee 2-1/2 in. x 1 in. Socket x FIPT	21.7739
402-292	2-1/2 in. x 2 in. PVC Reducing Tee Soc x Fpt	21.7739
402-338	Sch 40 PVC Reducing Tee 3 in. x 2 in. Socket X FIPT	31.1166
406-005UV	Sch 40 UV Resistant PVC 90 Degree Elbow 1/2 in. Socket	5.0273
406-007	Sch 40 PVC 90 Degree Elbow 3/4 in. Socket	1.0176
406-015	Sch 40 PVC 90 Degree Elbow 1-1/2 in. Socket	3.1182
406-015UV	Sch 40 UV Resistant PVC 90 Degree Elbow 1-1/2 in. Socket	22.6428
407-010	Sch 40 PVC 90 Degree Elbow 1 in. Socket x FIPT	2.4044
407-101	Sch 40 PVC 90 Degree Reducing Elbow 3/4 in. x 1/2 in. Socket x FIPT	1.3313
407-131UV	Sch 40 UV Resistant PVC 90 Degree Reducing Elbow 1 in. x 3/4 in. Socket x FIPT	13.2402
408-020	Sch 40 PVC 90 Degree Elbow 2 in. FIPT	12.7767
409-007	Sch 40 PVC 90 Degree Street Elbow 3/4 in. Spigot x Socket	3.1305
409-025	Sch 40 PVC 90 Degree Street Elbow 2-1/2 in. Spigot x Socket	22.3199
410-007	Sch 40 PVC 90 Degree Street Elbow 3/4 in. MIPT x Socket	2.3297
412-010	Sch 40 PVC 90 Degree Street Elbow 1 in. MIPT x FIPT	5.5271
412PVCN	PVC Nipple Tbe Sch 80 4 in. x 12 in.	61.4592
416-010	Sch 40 PVC 22.5 Degree Elbow 1 in. Socket	3.9005
416-030	Spears Elbow 22.5 Degree Sch 40 PVC 3 in. Socket	32.9856
416-060F	Sch 40 PVC 22.5 Degree Elbow Fabricated 6 in. Socket	299.0035
417-007UV	Sch 40 UV Resistant PVC 45 Degree Elbow 3/4 in. Socket	9.0794
417-020	Sch 40 PVC 45 Degree Elbow 2 in. Socket	5.7212
417-030	Sch 40 PVC 45 Degree Elbow 3 in. Socket	23.1147
417-100	Spears Elbow White Sch 40 PVC 10 in.	1039.6249
417-120	Spears Elbow White Sch 40 PVC 12 in.	1540.6059
3621-020SR	Spears True Union 2000 Standard PVC Ball Valve 2 in. SR FIPT w/ EPDM O-Rings	280.9036
3622-025	Spears True Union 2000 Standard PVC Ball Valve 2-1/2 in. Socket w/ EPDM O-Rings	680.3123
3729-585E	8 X 6 PVC Eccentric Reducing Coupling Soc Sch 40	364.5232
401-012UV	Sch 40 UV Resistant PVC Tee 1-1/4 in. Socket	20.2285
401-130	Sch 40 PVC Reducing Tee 1 in. x 1/2 in. Socket	2.5286
401-158	Spears Reducing Tee Sch 40 PVC 1-1/4 in. x 1 in. x 1 in. Socket	5.2659
401-166	Sch 40 PVC Reducing Tee 1-1/4 in. x 1/2 in. Socket	3.7433
401-202	Spears Reducing Tee PVC 1-1/2 in. x 1-1/4 in. x 1 in. Socket	6.5522
401-213	Reducing Tee PVC 1-1/2 in. x 2 in. Soc Fitting	9.3612
401-247	Sch 40 PVC Reducing Tee 2 in. x 1/2 in. Socket	6.4427
401-249	Sch 40 PVC Reducing Tee 2 in. x 1 in. Socket	6.4427
401-250	2 in. x 1-1/4 in. Red Tee Soc PVC Fitting	6.4427
401-289	Sch 40 PVC Reducing Tee 2-1/2 in. x 1 in. Socket	19.8020
401-290	2-1/2 x 1-1/4 Red Tee Soc PVC Fitting	19.8020
401-422	Sch 40 PVC Reducing Tee 4 in. x 3 in. Socket	47.2180
401-585	8 in. x 6 in. Red Tee Soc PVC Fitting	368.6199
402-012	Sch 40 PVC Tee 1-1/4 in. Socket x FIPT	6.1458
402-167	Sch 40 PVC Reducing Tee 1-1/4 in. x 3/4 in. Socket x FIPT	6.4427

402-202	1 1/2 X 1 1/4 X 1 Red Tee Soc X Fipt PVC Fitting	4.9021
402-210UV	Sch 40 UV Resistant PVC Reducing Tee 1-1/2 in. x 3/4 in. Socket x FIPT	36.6763
402-290	2-1/2 in. x 1-1/4 in. Red Tee Spc x Fipt PVC Fitting	21.7739
402-420	Sch 40 PVC Reducing Tee 4 in. x 2 in. Socket x FIPT	51.9988
402B-010	Sch 40 PVC Tee 1 in. Socket x MIPT	4.8353
406-005G	Spears Elbow 90 Degree Sch 40 PVC 1/2 in. Socket	2.8722
406-010	Sch 40 PVC 90 Degree Elbow 1 in. Socket	1.8202
406-060	Sch 40 PVC 90 Degree Elbow 6 in. Socket	101.1582
406-167	1-1/4 in. x 3/4 in. PVC Reducing 90 Degree Ell Sch 40 Sprs	4.6287
406-251	2 x 1-1/2 Red 90 Degree Ell Soc PVC Fitting	12.5460
407-015	Sch 40 PVC 90 Degree Elbow 1-1/2 in. Socket x FIPT	4.0588
408-010	Sch 40 PVC 90 Degree Elbow 1 in. FIPT	6.8784
409-020	Sch 40 PVC 90 Degree Street Elbow 2 in. Spigot x Socket	12.4370
410-010	Sch 40 PVC 90 Degree Street Elbow 1 in. MIPT x Socket	3.8599
461-015	Spears Male Adapter Sch 40 PVC 1-1/2 in. Spigot x Mpt	4.1740
463-007	3/4 Snap-On Saddle Od X Soc	2.2183
463-020	2 Snap-On Saddle Od X Soc	10.6718
463-528	6 X 2 Saddle Od X Soc	84.1207
464-210	Sch 40 PVC Snap-On Saddle Tee 1-1/2 in. x 3/4 in. Snap-On x FIPT	14.1964
466SE-624	10 X 4 PVC Clamp Saddle Soc EPDM Ss Bolt Sprs	1031.1541
475-020	2 Wye Soc	45.4587
476-010	Sch 40 PVC Manifold Tee 1 in. Spigot x Socket x MIPT	9.1195
25012PVCN	Sch 80 PVC Nipple 2 1/2 in. x 12 in. MIPT Threaded Both Ends	35.2712
2503PVCNTOE	Spears Nipple Sch 80 PVC 2-1/2 in. x 3 in. TOE	16.3026
25PVCN	Spears The Nipple Gray Sch 80 PVC 2 in. x 5 in. Threaded	7.1696
2621-015	Spears Utility Ball Valve FIPT 150 psi 1-1/2 in. White PVC w/ Blue Handle & EPDM O	93.5919
2622-020G	Spears Utility Gray PVC Ball Valve 2 in. Socket w/ Blue Handle & EPDM O-Rings	194.2602
2622-030	Spears Utility White PVC Ball Valve 3 in. Socket w/ Blue Handle & EPDM O-Rings	596.3584
26PVCN	Sch 80 PVC Nipple 2 in. x 6 in. MIPT Threaded Both Ends	8.0368
420-060F	Sch 40 PVC Cross Fabricated 6 in. Socket	2758.1068
427-020	Sch 40 PVC 45 Degree Street Elbow 2 in. Spigot x Socket	5.7212
429-005N	Sch 40 PVC Nested Coupling 1/2 in. Socket	0.5982
429-005UV	Sch 40 PVC UV Resistant Coupling 1/2 in. Socket	5.1639
429-007	Sch 40 PVC Coupling 3/4 in. Socket	0.8231
429-012	Sch 40 PVC Coupling 1-1/4 in. Socket	1.7839
429-015UV	Sch 40 UV Resistant PVC Coupling 1-1/2 in. Socket	16.0342
429-130	1 in. x 1/2 in. PVC Reducing Coupling Soc Schedule 40 Bushed	3.5093
429-211	Sch 40 PVC Reducing Coupling 1 1/2 in. x 1 in. Bushed	5.3619
429-582FE	8 X 4 PVC Eccentric Reducing Coupling Soc Sch 40	440.2600
429-628F	10 X 8 PVC Reducing Coupling Soc Sch 40 Fab	622.0856
430-005UV	Sch 40 UV Resistant PVC Coupling 1/2 in. FIPT	7.9684
435-007UV	Sch 40 UV Resistant PVC Female Adapter 3/4 in. Socket x FIPT	7.8945
435-050	Sch 40 PVC Female Adapter 5 in. Socket x FIPT	51.6803
435-133	1 in. x 1-1/2 in. Red Fem Adapter Soc x Fipt PVC Fitting	3.8611
436-007	Sch 40 PVC Male Adapter 3/4 in. MIPT x Socket	0.8905
436-030	Sch 40 PVC Male Adapter 3 in. MIPT x Socket	13.5169
436-251	Sch 40 PVC Reducing Male Adapter 2 in. x 1-1/2 in. MIPT x Socket	7.5774
437-101	Sch 40 PVC Reducer Bushing Flush Style 3/4 in. x 1/2 in. Spigot x Socket	0.9412
437-166	Sch 40 PVC Reducer Bushing Flush Style 1-1/4 in. x 1/2 in. Spigot x Socket	2.0990
437-247	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1/2 in. Spigot x Socket	3.6460
437-251	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1-1/2 in. Spigot x Socket	3.6460
437-292UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 2-1/2 in. x 2 in. Spigot x Sock	31.3618
437-335	Sch 40 PVC Reducer Bushing Flush Style 3 in. x 1 in. Spigot x Socket	8.6268
437-490	Spears Reducing Bushing PVC 5 in. x 4 in. Spigot x Socket	27.1551
437-534	6 in. x 5 in. Red Bushing Spig X Soc PVC Fitting	47.8428

438-073	1/2 in. x 3/8 in. Red Bushing Spig X Fipt PVC Fitting	1.9785
438-131UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1 in. x 3/4 in. Spigot x FIPT	7.9684
438-168	Sch 40 PVC Reducer Bushing Flush Style 1-1/4 in. x 1 in. Spigot x FIPT	3.3430
438-210	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 3/4 in. Spigot x FIPT	3.8646
438-248	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 3/4 in. Spigot x FIPT	5.1749
438-336	Spears Reducing Bushing White PVC 3 in. x 1-1/4 in. Spigot x Fpt	8.6268
439-071	1/2 in. x 1/8 in. Red Bushing Mipt X Fipt PVC Fitting	4.2368
439-209	1-1/2 in. x 1/2 in. Red Bushing MIPT x Fipt PVC Fitting	6.0246
439-249	2 in. x 1 in. Red Bushing MIPT X Fipt PVC Fitting	6.4427
439-339	3 in. x 2-1/2 in. Red Bushing Mipt x Fipt PVC Fitting	26.6516
447-005	Sch 40 PVC Cap 1/2 in. Socket	0.8231
447-012	Sch 40 PVC Cap 1-1/4 in. Socket	1.9049
447-020	Sch 40 PVC Cap 2 in. Socket	2.4997
448-012	Sch 40 PVC Cap 1-1/4 in. Fipt	3.1970
448-025	2-1/2 Cap Fipt PVC Fitting	8.7305
449-010	Plug Spig PVC Fitting 1 in.	2.7575
449-015	1-1/2 Plug Spig PVC Fitting	4.2831
449-040	4 Plug Spig PVC Fitting	27.0096
450-003	3/8 Plug MIPT PVC Fitting	2.6363
401-025UV	Sch 40 UV Resistant PVC Tee 2-1/2 in. Socket	97.9269
401-120	Sch 40 PVC Tee 12 in. Socket	2927.0025
401-131	Sch 40 PVC Reducing Tee 1 in. x 3/4 in. Socket	2.7575
401-211	Sch 40 PVC Reducing Tee 1-1/2 in. x 1 in. Socket	6.5522
401-251	Sch 40 PVC Reducing Tee 2 in. x 1-1/2 in. Socket	6.4427
401-288	Sch 40 PVC Reducing Tee 2-1/2 in. x 3/4 in. Socket	19.8020
401-335	Sch 40 PVC Reducing Tee 3 in. x 1 in. Socket	28.4048
401-337	Sch 40 PVC Reducing Tee 3 in. x 1-1/2 in. Socket	28.4048
401-420	Sch 40 PVC Reducing Tee 4 in. x 2 in. Socket	47.2180
401-527	6 X 1 1/2 PVC Reducing Tee Soc Sch 40 Sprs	162.5664
402-005UV	Sch 40 UV Resistant PVC Tee 1/2 in. Socket x FIPT	6.9320
402-010	Sch 40 PVC Tee 1 in. Socket x FIPT	4.2653
402-025	2-1/2 Tee Soc x Fipt PVC Fitting	30.8255
402-130	Sch 40 PVC Reducing Tee 1 in. x 1/2 in. Socket x FIPT	2.9887
402-209UV	Sch 40 UV Resistant PVC Reducing Tee 1-1/2 in. x 1/2 in. Socket x FIPT	36.6763
402-337	Sch 40 PVC Reducing Tee 3 in. x 1-1/2 in. Socket X FIPT	31.1166
405-005	Sch 40 PVC Tee 1/2 in. FIPT	4.1061
405-007	Sch 40 PVC Tee 3/4 in. FIPT	6.4433
406-040	Sch 40 PVC 90 Degree Elbow 4 in. Socket	31.8022
406-080	Sch 40 PVC 90 Degree Elbow 8 in. Socket	260.4910
406-120	Spears Elbow 90 Degree PVC 12 in. Soc	2139.6058
406-249	2 in. x 1 in. Red 90 Degree Ell Soc PVC Fitting	9.0760
407-005	Sch 40 PVC 90 Degree Elbow 1/2 in. Socket x FIPT	1.1190
407-007	Sch 40 PVC 90 Degree Elbow 3/4 in. Socket x FIPT	1.2850
407-040	4 90 Degree Ell Soc X Fipt PVC Fitting	58.6783
407-101UV	Sch 40 PVC UV Resistant 90 Degree Reducing Elbow 3/4 in. x 1/2 in. Socket x FIPT	7.3546
407-130UV	Sch 40 PVC UV Resistant 90 Degree Reducing Elbow 1 in. x 1/2 in. Socket x FIPT	9.4925
407-249	Sch 40 PVC 90 Degree Reducing Elbow 2 in. x 1 in. Socket x FIPT	14.0143
408-007	Sch 40 PVC 90 Degree Elbow 3/4 in. FIPT	3.2427
410-012	1-1/4 PVC 90 Street Ell Mpt x Soc Sprs	4.8717
411-015	Spears Elbow White Sch 40 PVC 1-1/2 in. Socket x Socket	7.0498
411-040	Spears Elbow 11.25 Degree PVC Socket	59.2301
412-007UV	Sch 40 UV Resistant PVC 90 Degree Street Elbow 3/4 in. MIPT x FIPT	12.5150
416-007	3/4 PVC 22-1/2 Ell Soc SCH 40	3.2652
417-030UV	Sch 40 UV Resistant PVC 45 Degree Elbow 3 in. Socket	128.9911
418-080F	8 PVC 15 Ell Soc Sch 40 Fab Sprs	504.1310

420-005	1/2 Cross Soc PVC Fitting	3.4249
420-010	Sch 40 PVC Cross 1 in. Socket	7.1132
427-015	1-1/2 PVC 45 Street Ell Spg x Soc	4.3682
429-020	Sch 40 PVC Coupling 2 in. Socket	2.9120
429-030	Sch 40 PVC Coupling 3 in. Socket	10.0830
429-249	2 X 1 PVC Red Coupling Soc Sch 40	9.3612
429-339	Spears Reducing Coupling White Sch 40 PVC 3 in. x 2-1/2 in. Socket x Socket	29.7091
429-585	8 X 6 PVC Reducing Coupling Soc Sch 40 Sprs	147.8542
435-005	Sch 40 PVC Female Adapter 1/2 in. Socket x FIPT	1.0176
435-005UV	Sch 40 UV Resistant PVC Female Adapter 1/2 in. Socket x FIPT	6.3135
435-020	Sch 40 PVC Female Adapter 2 in. Socket x FIPT	3.1970
435-030	Sch 40 PVC Female Adapter 3 in. Socket x FIPT	10.9144
435-040	Sch 40 PVC Female Adapter 4 in. Socket x FIPT	18.0610
435-060	Sch 40 PVC Female Adapter 6 in. Socket x FIPT	66.4980
436-005	Sch 40 PVC Male Adapter 1/2 in. MIPT x Socket	0.8231
436-005UV	Sch 40 UV Resistant PVC Male Adapter 1/2 in. MIPT x Socket	4.7258
436-012	Sch 40 PVC Male Adapter 1-1/4 in. MIPT x Socket	1.7839
436-012UV	Sch 40 UV Resistant PVC Male Adapter 1-1/4 in. MIPT x Socket	9.7799
436-020UV	Sch 40 UV Resistant PVC Male Adapter 2 in. MIPT x Socket	19.2084
436-080	Spears Adapter PVC 8 in. Mipt x Soc	204.4459
436-102	Sch 40 PVC Reducing Male Adapter 3/4 in. x 1 in. MIPT x Socket	2.3297
436-132	Sch 40 PVC Reducing Male Adapter 1 in. x 1-1/4 in. MIPT x Socket	5.3881
436-294	2-1/2 x 3 Red Male Adapt Mipt x Soc PVC Fitting	14.2754
436-342	3 in. x 4 in. Red Male Adapter MIPT X Soc PVC Fitting	22.8477
437-072	Reducer Bushing PVC 1/2 in. x 1/4 in. Spig x Soc	1.6838
437-131UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1 in. x 3/4 in. Spigot x Socket	7.9684
437-582	Sch 40 PVC Reducer Bushing Flush Style 8 in. x 4 in. Spigot x Socket	166.6738
438-071	Reducer Bushing PVC 1/2 in. x 1/8 in. Spig x Fipt	1.9785
438-128	Spears Flush Style Reducing Bushing PVC 1 in. x 1/4 in. Spigot x Fpt	2.3884
438-129	Spears Reducing Bushing PVC 1 in. x 3/8 in. Spigot x Fipt	2.4044
438-130	Sch 40 PVC Reducer Bushing Flush Style 1 in. x 1/2 in. Spigot x FIPT	2.4044
438-290	2-1/2 x 1-1/4 Red Bush Spig x Fipt PVC Fitting	7.4986
438-338	Sch 40 PVC Reducer Bushing Flush Style 3 in. x 2 in. Spigot x FIPT	8.6268
438-490	5 X 4 Red Bushing Spig X Fipt PVC Fitting	41.1455
439-052	Spears Reducing Bushing PVC 3/8 in. x 1/4 in. Mipt x Fipt	4.2653
439-073	1/2 in. x 3/8 in. Red Bushing Mipt X Fipt PVC Fitting	4.2653
439-167	Sch 40 PVC Reducing Bushing 1-1/4 in. x 3/4 in. MIPT x FIPT	4.9809
439-292	2-1/2 in. x 2 in. Red Bushing MIPT x Fipt PVC Fitting	22.5442
447-010	Sch 40 PVC Cap 1 in. Socket	1.4885
449-005	Plug Spig PVC Fitting 1/2 in.	1.9785
450-010	Sch 40 PVC Plug 1 in. MIPT	4.2653
450-015	Sch 40 PVC Plug 1-1/2 in. MIPT	4.3561
5016PVCN	Nipple PVC 1/2 in. x 16 in. TBE	4.5463
5042PVCN	1/2 X 42 PVC Nipple Tbe Sch 80	35.1436
506PVCN	Sch 80 PVC Nipple 1/2 in. x 6 in. MIPT Threaded Both Ends	1.7964
5807-01024	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 24 in	161.3658
5807-01210	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/4 in. x 10 in. Mipt x Mipt	145.2960
5811-01010	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 10 in. Mipt x Mat	109.4890
5907-01500	Spears EverTUFF PVC Swing Joint Solvent Cemented Riser 1-1/2 in. x 10 in. Mipt x M	139.9763
591-015-7AR	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1-1/2 in. FBT x MAT w/ C	59.7731
591-212-7AR	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1-1/2 in. x 1-1/4 in. FBT	58.0033
414-005	Side Outlet Elbow PVC 1/2 in. Slip x Slip x Fipt	4.7510
417-007	Sch 40 PVC 45 Degree Elbow 3/4 in. Socket	2.3297
417-012	Sch 40 PVC 45 Degree Elbow 1-1/4 in. Socket	3.5005
417-012UV	Sch 40 UV Resistant PVC 45 Degree Elbow 1-1/4 in. Socket	17.6279

417-015	Sch 40 PVC 45 Degree Elbow 1-1/2 in. Socket	4.3682
417-015UV	Sch 40 UV Resistant PVC 45 Degree Elbow 1-1/2 in. Socket	21.3111
420-015	Sch 40 PVC Cross 1-1/2 in. Socket	9.6523
420-040	4 Cross Soc PVC Fitting	54.8683
427-010	Sch 40 PVC 45 Degree Street Elbow 1 in. Spigot x Socket	2.7386
429-060	Sch 40 PVC Coupling 6 in. Socket	46.1687
429-101	Sch 40 PVC Reducing Coupling 3/4 in. x 1/2 in. Socket	1.4811
429-420	PVC Reducing Coupling Socket 4 in. x 2 in.	42.3948
429-422	4 in. x 3 in. Coupling Soc PVC Fitting	43.7541
431-060	6 To Pip Adapter Spig X Soc PVC Fitting	35.0782
434-005	Sch 40 PVC Riser Extension 1/2 in. FIPT x MIPT	1.6514
435-101	Sch 40 PVC Reducing Female Adapter 3/4 in. x 1/2 in. Socket x FIPT	1.8202
436-212	Sch 40 PVC Reducing Male Adapter 1-1/2 in. x 1-1/4 in. MIPT x Socket	6.6493
437-101UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 3/4 in. x 1/2 in. Spigot x Socket	5.4953
437-130	Sch 40 PVC Reducer Bushing Flush Style 1 in. x 1/2 in. Spigot x Socket	1.7177
437-130UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1 in. x 1/2 in. Spigot x Socket	7.9684
437-210	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 3/4 in. Spigot x Socket	2.2020
437-210UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1-1/2 in. x 3/4 in. Spigot x Socket	13.6401
437-212	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 1-1/4 in. Spigot x Socket	2.2020
437-249	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1 in. Spigot x Socket	3.6460
437-249UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 2 in. x 1 in. Spigot x Socket	16.7513
437-290	2-1/2 x 1-1/4 Red Bushing Spig x Soc PVC Fitting	5.8607
336PVCN	Spears Nipple TBE Sch 80 PVC 3 in. x 36 in.	118.0804
3621-030	Spears True Union 2000 Standard PVC Ball Valve 3 in. FIPT w/ EPDM O-Rings	896.9412
3621-040	Spears True Union 2000 Standard PVC Ball Valve 4 in. FIPT w/	1515.1392
3629-007	Spears True Union 2000 Standard PVC Ball Valve 3/4 in. Socket x FIPT w/ EPDM O-Rings	140.4808
3629-020	Spears True Union 2000 Standard PVC Ball Valve 2 in. Socket x FIPT w/ EPDM O-Rings	370.6312
36PVCNTOE	Sch 80 PVC Nipple 3 in. x 6 in. MIPT Threaded One End	26.1104
457-015	Sch 40 PVC Union 1-1/2 in. Socket w/ Buna-N O-Rings	31.4264
458-015	Sch 40 PVC Union 1-1/2 in. FIPT w/ Buna-N O-Rings	35.8611
460-020	Spears Adapter White PVC 2 in. Insert x Spigot	7.2558
463-010	1 Snap-On Saddle Od X Soc	4.2460
467S-249SR	2 X 1 PVC Clamp Saddle Srfpt Buna Ss Bolt Sprs	167.5386
474-007	Sch 40 PVC Insert Adapter 3/4 in. Insert x Socket	3.4591
475-040	Sch 40 PVC Wye 4 in. Socket	144.4145
479-015	1-1/2 Deep Socket Coupling Soc	4.9809
479-030	Spears Coupling PVC Deep Socket 3 in.	15.9799
492-060	Cut-Off Polynethylene Nipple 1/2 in. x 3/4 in. Mpt X 6 in.	1.9248
5010PVCN	Sch 80 PVC Nipple 1/2 in. x 10 in. MIPT Threaded Both Ends	2.6100
5018PVCN	Sch 80 PVC Nipple 1/2 in. x 18 in. MIPT Threaded Both Ends	5.0516
427-025	2-1/2 PVC 45 Stree Ell Spigot x Soc SCH 40 Sprs	18.6190
429-007N	Sch 40 PVC Nested Coupling 3/4 in. Socket	0.8180
429-131	Sch 40 PVC Reducing Coupling 1 in. x 3/4 in. Socket	2.5286
429-251	Coupling Socket PVC Fitting 2 in. x 1-1/2 in.	6.5099
429-292	2-1/2 in. x 2 in. Coupling Soc PVC Fitting	13.4136
429-338	3 in. x 2 in. Coupling Soc PVC Fitting	35.0116
429-422FE	4 X 3 PVC Reducing Coupling Eccentric Soc Sch 40	190.5136
430-101	3/4 in. x 1/2 in. Reducing Threaded Coupling Fipt X Fipt	2.7297
435-074	1/2 in. x 3/4 in. Red Fem Adapt Soc X Fipt PVC Fitting	1.8202
435-080	8 in. Female Adapter Soc X Fipt PVC Fitting	125.3646
436-007UV	Sch 40 UV Resistant PVC Male Adapter 3/4 in. MIPT x Socket	5.4953
436-010	Sch 40 PVC Male Adapter 1 in. MIPT x Socket	1.6208
436-101	Sch 40 PVC Reducing Male Adapter 3/4 in. x 1/2 in. MIPT x Socket	1.4811
437-073	Sch 40 PVC Reducer Bushing Flush Style 1/2 in. x 3/8 in. Spigot x Socket	1.7177
437-167	Sch 40 PVC Reducer Bushing Flush Style 1-1/4 in. x 3/4 in. Spigot x Socket	2.0990

437-168UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1-1/4 in. x 1 in. Spigot x Sock	11.5071
437-248	Spears Reducer Bushing Flush Style Sch 40 PVC 2 in. x 3/4 in. Spigot x Socket	3.6460
437-250UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 2 in. x 1-1/4 in. Spigot x Sock	16.7513
437-334	Reducing Bushing Spig X Soc PVC Fitting 3 in. x 3/4 in.	8.6268
437-336	3 x 1-1/4 Red Bushing Spig x Soc PVC Fitting	8.6268
437-488	Spears Reducing Bushing PVC 5 in. x 3 in. Spigot x Socket	27.1551
438-072	1/2 in. x 1/4 in. Red Bushing Spig X Fipt PVC Fitting	1.9785
438-247	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1/2 in. Spigot x FIPT	5.1749
438-289	Sch 40 PVC Reducer Bushing Flush Style 2-1/2 in. x 1 in. Spigot x FIPT	7.4986
438-532	Spears Reducer Bushing PVC Spig x Fipt 6 in. x 4 in.	70.5146
439-072	Spears Reducing Bushing Sch 40 PVC 1/2 in. x 1/4 in. Mipt x Fipt	4.2653
439-166	1-1/4 x 1/2 PVC Reducing Bushing Mpt x Fpt SCH 4	4.9809
439-168	Sch 40 PVC Reducing Bushing 1-1/4 in. x 1 in. MIPT x FIPT	4.9809
439-212	Sch 40 PVC Reducing Bushing 1-1/2 in. x 1-1/4 in. MIPT x FIPT	6.0246
439-250	Sch 40 PVC Reducing Bushing 2 in. x 1-1/4 in. Mipt x Fipt	6.4427
447-015	Sch 40 PVC Cap 1-1/2 in. Socket	2.0990
447-060	Sch 40 PVC Cap 6 in. Socket	47.6369
448-015	Sch 40 PVC Cap 1-1/2 in. FIPT	3.3430
448-040	4 Cap Fipt PVC Fitting	20.0445
448-050	5 Cap Fipt PVC Fitting	38.8334
449-020	2 Plug Spig PVC Fitting	5.2781
449-025	2-1/2 Plug Spig PVC Fitting	9.0577
450-030	Sch 40 PVC Plug 3 in. Mipt	11.8244
450-040	Spears Plug Sch 40 PVC 4 in. Mipt	26.7062
457-040	Sch 40 PVC Union 4 in. Socket w/ Buna-N O-Rings	131.2616
458-005	PVC Union 1/2 in. FIPT Sch 40 w/ Buna-N O-Rings	9.9107
458-007	Sch 40 PVC Union 3/4 in. FIPT w/ Buna-N O-Rings	16.5276
464-010	Snap-On Saddle 1 in. OD x Fipt	7.5028
466-337	3 X 1 1/2 PVC Clamp Saddle Soc Buna Zinc Bolt	154.7441
474-010	Sch 40 PVC Insert Adapter 1 in. Insert x Socket	3.6489
474-015	Sch 40 PVC Insert Adapter 1-1/2 in. Insert x Socket	5.8423
475-010S	1 Wye Soc	8.4230
457-007	Spears Union Valve Schedule 40 PVC 3/4 in. Socket w/ Buna-N O-Rings	10.0342
457-010	Spears Union Valve Schedule 40 PVC 1 in. Socket w/Buna-N O-Rings	10.3446
458-030	Sch 40 PVC Union 3 in. FIPT w/ Buna-N O-Rings	100.6363
460-030	Spears Adapter Sch 40 PVC 3 in. Insert x Spigot	20.7192
463-015	1-1/2 Snap-On Saddle Od x Soc	7.3045
463-101	3/4 in. x 1/2 in. Snap-On Saddle Od X Soc	2.5921
463-532	6 X 4 Saddle Od X Soc	88.1631
464-101	Sch 40 PVC Snap-On Saddle Tee 3/4 in. x 1/2 in. Snap-On x FIPT	3.4591
475-015	1 1/2 Wye Soc	15.1550
478-005	Spears Female Adapter 1/2 in. Spigot x Fipt	1.1210
478-007	Spears Adapter White PVC 3/4 in. Spigot x Fpt	1.3227
478-010	1 Spigot Female Adapter Spig X Fipt	2.1121
493-060	Spears Poly Cut-Off Nipple 3/4 in. x 6 in. MIPT	5.3887
437-292	Sch 40 PVC Reducer Bushing Flush Style 2-1/2 in. x 2 in. Spigot x Socket	5.8607
437-420	Sch 40 PVC Reducer Bushing Flush Style 4 in. x 2 in. Spigot x Socket	19.3046
437-628	Sch 40 PVC Reducer Bushing Flush Style 10 in. x 8 in. Spigot x Socket	735.9180
438-098	Spears Reducing Bushing Sch 40 PVC 3/4 in. x 1/4 in. Spig x Fipt	1.9785
438-288	2-1/2 x 3/4 Red Bushing Spig x Fipt PVC Fitting	7.4986
438-291	Sch 40 PVC Reducer Bushing Flush Style 2-1/2 in. x 1-1/2 in. Spigot x FIPT	7.4986
438-421	4 x 2-1/2 Red Bushing Spig x Fipt PVC Fitting	19.2562
438-528	6 in. x 2 in. Red Bushing Spig X Fipt PVC Fitting	70.0906
439-338	3 in. x 2 in. Red Bushing Mipt X Fipt PVC Fitting	26.6516
447-050	Spears Cap PVC 5 in. Soc	33.3795

447-080	Sch 40 PVC Cap 8 in. Socket	119.6500
448-030	3 Cal Fipt PVC Fitting	11.4180
449-007	PVC Plug 3/4 in. Spigot	2.3297
4539-010	1 PVC Ind Ball Check Soc Thread Viton Sprs	289.7160
460-007	Sch 40 PVC Insert Adapter 3/4 in. Insert x Spigot	4.1477
463-005	1/2 Snap-On Saddle Od X Soc	1.9991
463-012	1-1/4 PVC Saddle Od x Soc SCH 40 Sprs	6.0246
464-005	Snap-On Saddle 1/2 in. OD x Fipt	2.5921
464-007	Spears Snap-On Saddle 3/4 in. OD x Fipt	4.1061
474-012	Sch 40 PVC Insert Adapter 1-1/4 in. Insert x Socket	5.2781
475-060	Sch 40 PVC Wye 6 in. Socket	305.5615
479-025	2-1/2 Deep Socket Coupling Soc	10.5989
48PVCN	4 in. x 8 in. PVC Nipple Tbe Sch 80	43.3096
479-040	Sch 40 PVC Coupling 4 in. Deep Socket	32.1056
5024PVCN	Sch 80 PVC Nipple 1/2 in. x 24 in. MIPT Threaded Both Ends	6.2549
50350PVCN	Spears Tbe Nipple GraySch 80 PVC 1/2 in. x 3-1/2 in. Threaded	1.4997
504PVCN	Sch 80 PVC Nipple 1/2 in. x 4 in. MIPT Threaded Both Ends	1.5690
50550PVCN	PVC Nipple Tbe Sch 80 1/2 in. x 5-1/2 in.	1.9442
5803-01012	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 10 in	115.4882
5811-01212	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/4 in. x 12 in. Mipt x Mat	152.9007
5811-01510	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/2 in. x 10 in. MIPT x MAT	177.0687
5829-01012	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 12 in. Extended Spigot x M	115.4875
591-010-4A	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1 in. FBT x MIPT	34.4465
3706-120	12 PVC 90 Ell Soc Sch 40 Sprs	1670.6757
3CLPVCN	PVC Nipple Tbe Sch 80 3 in. x Cl	16.8528
401-010	Sch 40 PVC Tee 1 in. Socket	2.3815
401-012	Sch 40 PVC Tee 1-1/4 in. Socket	3.3916
401-080	Sch 40 PVC Tee 8 in. Socket	368.6199
401-102	Sch 40 PVC Reducing Tee 3/4 in. x 1 in. Socket	4.2653
401-122	1 in. x 1/2 in. x 1 in. Red Tee Soc PVC Fitting	4.2653
401-125	1 in. x 3/4 in. x 3/4 in. Red Tee Soc PVC Fitting	4.2653
401-133	Spears Reducing Tee PVC Whire 1 in. x 1-1/2 in. Socket	7.3657
401-156	1-1/4 X 1 X 1/2 PVC Reducing Tee Soc Sch 40 Sprs	5.2659
401-530	6 in. x 3 in. Red Tee Soc PVC Fitting	158.9507
401-582	Sch 40 PVC Reducing Tee 8 in. x 4 in. Socket	368.6199
402-101	Sch 40 PVC Reducing Tee 3/4 in. x 1/2 in. Socket x FIPT	1.9785
402-101UV	Sch 40 UV Resistant PVC Reducing Tee 3/4 in. x 1/2 in. Socket x FIPT	9.0794
402-248	Sch 40 PVC Reducing Tee 2 in. x 3/4 in. Socket x FIPT	10.0649
402-248UV	Sch 40 UV Resistant PVC Reducing Tee 2 in. x 3/4 in. Socket x FIPT	41.8366
402-333	Sch 40 PVC Reducing Tee 3 in. x 1/2 in. Socket X FIPT	31.1166
402-417	Spears Reducing Tee PVC 4 in. x 1 in. Socket x Fipt	51.9988
405-015	Sch 40 PVC Tee 1-1/2 in. FIPT	11.5512
405-020	2 Tee Fipt PVC Fitting	15.2826
406-025	Sch 40 PVC 90 Degree Elbow 2-1/2 in. Socket	14.8696
406-025UV	Sch 40 UV Resistant PVC 90 Degree Elbow 2-1/2 in. Socket	73.3708
406-100	Spears Reducing Tee Sch 40 PVC Elbow 90 Degree Soc 10 in.	1688.7131
406-131	Sch 40 PVC 90 Degree Reducing Elbow 1 in. x 3/4 in. Socket	3.2355
406-209	Spears Reducing Elbow 90 Degree PVC 1-1/2 in. x 1/2 in. Socket	7.3775
407-010UV	Sch 40 PVC UV Resistant 90 Degree Elbow 1 in. Socket x FIPT	5.1933
407-130	Sch 40 PVC 90 Degree Reducing Elbow 1 in. x 1/2 in. Socket x FIPT	3.6827
407-211	Sch 40 PVC 90 Degree Reducing Elbow 1-1/2 in. x 1 in. Socket x FIPT	8.0810
407-251	PVC Fitting 2 in. x 1-1/2 in. Red 90 Degree Ell Soc x Fipt	14.0143
409-030	Sch 40 PVC 90 Degree Street Elbow 3 in. Spigot x Socket	27.5315
412-005	Sch 40 PVC 90 Degree Street Elbow 1/2 in. MIPT x FIPT	2.6500
412-030	Spears 90 Degree Elbow White Sch 40 PVC 3 in. Mipt x Fipt	46.0291

4140-005	1/2 CPVC Cts Trans Bushing X Cts Spg X Soc	12.0503
591-010-1A	Spears EverTUFF Swing Joint 90 Degree Elbow PVC MBT x FBT 1 in.	40.3403
591-132-7AR	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1 in. x 1-1/4 in. Fbt x Ma	52.4031
5030PVCN	Sch 80 PVC Nipple 1/2 in. x 30 in. MIPT Threaded Both Ends	8.4832
50450PVCN	PVC Nipple Tbe Sch 89 1/2 in. x 4-1/2 in.	1.7810
505PVCN	PVC Nipple Tbe Schedule 80 1/2 in. x 5 in.	1.8203
5805-01008	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 8 in. Socket x MIPT	103.9246
5805-01012	1 X 12 Swing Joint Soc Inlet X MIPT Outlet	92.8038
5806-01512	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/2 in. x 12 in. Spigot x MIPT	185.8490
5807-01012	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 12 in. MIPT x MIPT	115.4797
5807-01212	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/4 in. x 12 in. Mipt x Mipt	152.9007
5811-01012	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 12 in. Mipt x Mat	115.4797
591-010-7A	1 90 Degree Street Ell Outlet Fbt X Mat	36.6171
591-015-2A	Spears EverTUFF PVC Swing Joint 90 Degree Elbow 1-1/4 in. FB	52.9986
416-040	Sch 40 PVC 22.5 Degree Elbow 4 in. Socket	59.2301
417-005	Sch 40 PVC 45 Degree Elbow 1/2 in. Socket	1.4811
417-025	Sch 40 PVC 45 Degree Elbow 2-1/2 in. Socket	14.9061
417-040	Sch 40 PVC 45 Degree Elbow 4 in. Socket	41.4363
420-030	Sch 40 PVC Cross 3 in. Socket	37.0500
427-060	6 PVC 45 Street Ell Spigot X Soc Sch 40 Sprs	140.3972
429-007UV	Sch 40 PVC UV Resistant Coupling 3/4 in. Socket	6.9320
429-010N	Sch 40 PVC Nested Coupling 1 in. Socket	1.4143
429-010UV	Sch 40 UV Resistant PVC Coupling 1 in. Socket	10.4509
429-012UV	Sch 40 UV Resistant PVC Coupling 1 1/4 in. Socket	13.9704
429-020NS	2 PVC Coupling No/Stop Soc Sch40	10.2105
429-020UV	Sch 40 UV Resistant PVC Coupling 2 in. Socket	24.4081
429-025	Sch 40 PVC Coupling 2-1/2 in. Socket	6.4427
429-025UV	Sch 40 UV Resistant PVC Coupling 2-1/2 in. Socket	55.7684
429-168	Spears Reducing Coupling PVC 1-1/4 in. x 1 in. Soc	3.8646
430-010	Sch 40 PVC Coupling 1 in. FIPT	2.7575
435-007	Sch 40 PVC Female Adapter 3/4 in. Socket x FIPT	1.2775
435-131	Sch 40 PVC Reducing Female Adapter 1 in. x 3/4 in. Socket x FIPT	2.4044
436-050	Spears Male Adapter 5 in. Mipt x Socket	28.4351
436-133	Sch 40 PVC Reducing Male Adapter 1 in. x 1-1/2 in. MIPT x Socket	6.0824
437-168	Sch 40 PVC Reducer Bushing Flush Style 1-1/4 in. x 1 in. Spigot x Socket	2.0990
437-288	2-1/2 in. x 3/4 in. Red Bushing Spig x Soc PVC Fitting	5.8607
437-288UV	2-1/2 x 3/4 PVC UVR Reducing Bushing Spg x Slp	31.3618
437-289	Sch 40 PVC Reducer Bushing Flush Style 2-1/2 in. x 1 in. Spigot x Socket	5.8607
437-337	Sch 40 PVC Reducer Bushing Flush Style 3 in. x 1-1/2 in. Spigot x Socket	8.6268
437-530	Sch 40 PVC Reducer Bushing Flush Style 6 in. x 3 in. Spigot x Socket	47.8428
437-585	Sch 40 PVC Reducer Bushing Flush Style 8 in. x 6 in. Spigot x Socket	166.6738
437-666	Sch 40 PVC Reducer Bushing Flush Style 12 in. x 6 in. Spigot x Socket	1098.6172
438-101	Sch 40 PVC Reducer Bushing Flush Style 3/4 in. x 1/2 in. Spigot x FIPT	1.4811
438-166	Sch 40 PVC Reducer Bushing Flush Style 1-1/4 in. x 1/2 in. Spigot x FIPT	3.3430
438-207	Spears Reducing Bushing PVC 1-1/2 in. x 1/4 in. Spigot x Fipt	3.8646
438-245	2 in. x 1/4 in. Red Spig X Fipt PVC Fitting	5.1749
438-250	2 in. x 1-1/4 in. Red Bushing Spig x Fipt PVC Fitting	5.1749
439-099	3/4 in. x 3/8 in. Red Bushing MIPT X Fipt PVC Fitting	2.6500
439-128	Reducing Bushing PVC 1 in. x 1/4 in. Mpt x Fpt	3.6577
439-131	Sch 40 PVC Reducing Bushing 1 in. x 3/4 in. MIPT x FIPT	3.6827
439-211	Sch 40 PVC Reducing Bushing 1-1/2 in. x 1 in. MIPT x FIPT	6.0246
447-007	Sch 40 PVC Cap 3/4 in. Socket	0.9412
447-025	Sch 40 PVC Cap 2-1/2 in. Socket	8.0022
5807-01518	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/2 in. x 18 in. MIPT x MIPT	204.9599
5815-01010	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 12 in. MIPT x BRFP	192.4926

612PVCN	Spears Nipple Sch 80 PVC 6 in. x 12 in. TBE	281.2128
447-040	Sch 40 PVC Cap 4 in. Socket	19.8569
448-005	Sch 40 PVC Cap 1/2 in. FIPT	1.7177
448-060	6 Cap Fipt PVC Fitting	47.3756
44PVCN	Spears Nipple TBE Sch 80 PVC 4 in. x 4 in.	28.4691
450-012	Sch 40 PVC Plug 1-1/4 in. MIPT	4.0712
450-025	2-1/2 Plug Mipt PVC Fitting	7.8263
457-012	Spears Schedule 40 PVC Union Valve 1-1/4 in. Socket w/ Buna-N O-Rings	30.1885
458-020	Sch 40 PVC Union 2 in. FIPT w/ Buna-N O-Rings	44.0089
461-007	3/4 Male Adapter Spig X MIPT	1.6094
46PVCN	Spears Nipple Sch 80 PVC 4 in. x 6 in. TBE	34.4823
475-420	4 X 2 PVC Red Wye Soc	163.6476
477-010	Sch 40 PVC Manifold Tee 1 in. Spigot x Socket x FIPT	9.8265
478-012	Spears Female Adapter Sch 40 PVC 1-1/4 in. Spigot x Fpt	2.6874
478-040	Spigot Female Adapter Spig X Fipt 4 in.	27.4585
5014PVCN	PVC Nipple Tbe Schedule 80 1/2 in. x 14 in.	4.1229
508PVCN	Sch 80 PVC Nipple 1/2 in. x 8 in. MIPT Threaded Both Ends	2.0666
50CLPVCN	Sch 80 PVC Nipple 1/2 in. x Close MIPT Threaded Both Ends	1.0101
5806-01012	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 12 in. Spigot x MIPT	115.4797
5807-01510	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/2 in. x 10 in. MIPT x MIPT	176.6266
591-015-4A	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1-1/2 in. FBT x MIPT	47.2403
598-251-27	Spears EverTUFF PVC Swing Joint Reducer Bushing 2 in. x 1-1/2 in. Spigot x Fat	11.3664
7518PVCN	Sch 80 PVC Nipple 3/4 in. x 18 in. MIPT Threaded Both Ends	6.1158
7530PVCN	Spears Nipple Tube Schedule 80 3/4 in. x 30 in. PVC	10.5071
7516PVCN	PVC Nipple Tbe Schedule 80 3/4 in. x 16 in.	5.7906
7524PVCN	Sch 80 PVC Nipple 3/4 in. x 24 in. MIPT Threaded Both Ends	7.7574
7536PVCN	Sch 80 PVC Nipple 3/4 in. x 36 in. MIPT Threaded Both Ends	19.3957
756PVCNTOE	Sch 80 PVC Nipple 3/4 in. x 6 in. MIPT Threaded One End	4.2703
7510PVCN	PVC Nipple Tbe Schedule 80 3/4 in. x 10 in.	3.4173
75250PVCN	Spears TBE Nipple Sch 80 PVC 3/4 in. x 2-1/2 in.	1.3375
755PVCN	PVC Nipple Tbe Schedule 80 3/4 in. x 5 in.	1.9840
756PVCN	Sch 80 PVC Nipple 3/4 in. x 6 in. MIPT Threaded Both Ends	2.3612
758PVCN	Sch 80 PVC Nipple 3/4 in. x 8 in. MIPT Threaded Both Ends	2.9116
801-010	Sch 80 PVC Tee 1 in. Socket	15.9280
801-167	1 1/4 x 1 1/4 x 3/4 Reducing Tee Sch 80 PVC SSS Sprs	29.1832
801-210	Spears Reducing Tee SSS PVC 1-1/2 in. x 1-1/2 x 3/4 in.	29.1832
801-288	2 1/2 x 2 1/2 x 3/4 Reducing Tee Sch 80 PVC SSS Sprs	56.0212
801-291	Sch 80 PVC Reducing Tee 2-1/2 in. x 1-1/2 in. Socket	48.2416
801-335	Sch 80 PVC Reducing Tee 3 in. x 1 in. Socket	67.7926
802-247	2 in. x 2 in. x 1/2 in. Reducing Tee Schedule 80 SST	42.3770
806-002	1/4 PVC 90 Ell Soc Sch 80	4.2483
806-020	Sch 80 PVC 90 Degree Elbow 2 in. Socket	15.3588
807-101	Sch 80 PVC 90 Degree Reducing Elbow 3/4 in. x 1/2 in. Socket x FIPT	10.1747
8098-020	Sch 80 PVC Union 2000 2 in. FIPT w/ EPDM O-Rings	63.1792
812-002	1/4 PVC 90 St Ell Mptxfpt Sch80	22.6973
816-025	2 1/2 PVC 22 1/2 Ell Soc Sch 80 Sprs	78.0544
817-015	Sch 80 PVC 45 Degree Elbow 1-1/2 in. Socket	28.0192
817-030	Sch 80 PVC 45 Degree Elbow 3 in. Socket	92.8493
820-020	Spears Cross 2 in. Soc	118.0948
829-030	Sch 80 PVC Coupling 3 in. Socket	54.1516
830-030	3 Coupling Fipt	108.1675
833-030	3 Grooved Coupling Adapter	71.6988
835-010	Sch 80 PVC Female Adapter 1 in. Socket x FIPT	15.9977
835-030	Sch 80 PVC Female Adapter 3 in. Socket x Fipt	98.3302
836-005	Sch 80 PVC Male Adapter 1/2 in. MIPT x Socket	9.1402

836-025	Sch 80 PVC Male Adapter 2-1/2 in. MIPT x Socket	47.9804
836-102	Sch 80 PVC Reducing Male Adapter 3/4 in. x 1 in. MIPT x Socket	21.2959
837-072	1/2 X 1/4 PVC Reducing Bushing Spg X Soc Sch 80	6.8178
837-248	2 in. x 3/4 in. Reducer Bushing Flush Style Spig X Soc	21.8889
837-338	Sch 80 PVC Reducer Bushing Flush Style 3 in. x 2 in. Spigot x Socket	60.3047
838-099	3/4 X 3/8 PVC Bush Spg X Fpt	4.4902
838-167	1 1/4 X 3/4 PVC Reducing Bushing Spigot X Fpt	14.5803
838-209	1-1/2 X 1/2 Reducer Bushing Flush Style	18.2918
838-249	Sch 80 PVC Reducer Bushing Flush Style 2 in. x 1 in. Spigot x FIPT	22.4216
838-420	4 in. x 2 in. Reducer Bushing Flush Style Spig X Fipt	134.6931
839-101	3/4 in. x 1/2 in. Reducer Bushing Flush Style	9.6228
839-338	Spears Reducer Bushing 839 Series Gray PVC 3 in. Mipt PVC Sch 80	51.1305
847-012	1-1/4 PVC Cap Soc Sch 80 Sprs	17.2105
847-015	1-1/2 PVC Cap Soc Sch 80 Sprs	17.2105
847-020	Sch 80 PVC Cap 2 in. Socket	34.0181
848-015	Spears Cap PVC 1 1/2 Fpt Sch 80	18.2918
850-007	3/4 Plug MIPT	7.6151
801-005	1/2 Tee Soc Sch 80 PVC	12.1390
801-020	Sch 80 PVC Tee 2 in. Socket	54.8015
801-030	Sch 80 PVC Tee 3 in. Socket	74.4713
801-339	3 x3 x 2 1/2 Reducing Tee Sch 80 PVC SSS Sprs	67.7926
802-005	1/2 Tee Soc X Fipt Sch 80 PVC	19.2071
802-010	Sch 80 PVC Tee 1 in. Socket X FIPT	29.0531
802-288	2 1/2 x 2 1/2 x 3/4 Reducing Tee Sch 80 SST	96.6807
802-291	Sch 80 PVC Reducing Tee 2-1/2 in. x 1-1/2 in. Socket X FIPT	97.8014
802-338	Sch 80 PVC Reducing Tee 3 in. x 2 in. Socket X FIPT	117.7886
806-010	Sch 80 PVC 90 Degree Elbow 1 in. Socket	8.8813
806-015	Sch 80 PVC 90 Degree Elbow 1-1/2 in. Socket	12.7016
808-005	Spears Elbow 90 Degree Sch 80 PVC 1/2 in. Fipt	9.9627
808-010	Sch 80 PVC 90 Degree Elbow 1 in. FIPT	15.6482
8097-020	Sch 80 PVC Union 2000 2 in. Socket w/ EPDM O-Rings	63.3300
817-012	Sch 80 PVC 45 Degree Elbow 1-1/4 in. Socket	23.6861
817-030C	3 CPVC 45 Ell Sch 80 Soc	307.8517
817-080	Spears Standard Elbow 817 Series Gray PVC 8 in. Socket PVC Sch 80	406.0969
820-012	1 1/4 PVC Cross Soc Sch 80 Sprs	87.6697
829-010	Sch 80 PVC Coupling 1 in. Socket	10.8507
829-020	Sch 80 PVC Coupling 2 in. Socket	19.1618
829-100	10 PVC Coupling Soc Sch 80 Sprs	2094.3578
829-131	Sch 80 PVC Reducing Coupling 1 in. x 3/4 in. Socket	13.8814
835-080	8 PVC Female Adapter Soc X Fpt Sch 80 Sprs	372.8272
801-015	Sch 80 PVC Tee 1-1/2 in. Socket	43.8358
801-080	8 Tee Soc Sch 80 PVC	681.5696
801-249	Sch 80 PVC Reducing Tee 2 in. x 1 in. Socket	36.9741
801-419	Spears Reducing Tee Sch 80 PVC 4 in. x 4 in. x 1-1/2 in.	109.5453
802-012	Spears Tee Sch 80 PVC 1-1/4 in. Soc x Fipt	31.0356
802-101	Sch 80 PVC Reducing Tee 3/4 in. x 1/2 in. Socket X FIPT	17.6443
802-248	2 x 2 x 3/4 Reducing Tee Sch 80 SST	42.3770
805-002	1/4 PVC Tee Fpt Sch80	13.9017
806-080	Spears Standard Elbow 806 Series Gray Sch 80 PVC 8 in. Socket	481.6614
807-005	Sch 80 PVC 90 Degree Elbow 1/2 in. Socket x Fipt	16.9278
807-010	Sch 80 PVC 90 Degree Elbow 1 in. Socket x FIPT	21.6027
808-007	Sch 80 PVC 90 Degree Elbow 3/4 in. FIPT	12.4179
8097-060	Sch 80 PVC Union 2000 6 in. Socket w/ EPDM O-Rings	355.0254
8098-015	Sch 80 PVC Union 2000 1-1/2 in. FIPT w/ EPDM O-Rings	46.5452
816-030	3 PVC 22 1/2 Ell Soc Sch 80	108.2018

817-025	Sch 80 PVC 45 Degree Elbow 2-1/2 in. Socket	76.0770
817-040	Sch 80 PVC 45 Degree Elbow 4 in. Socket	167.1841
819-015	1 1/2 45 Degree Ell Fipt	41.3570
820-010	Spears Cross Gray PVC 1 in. Socket x Socket	73.0656
801-130	Spears Reducing Tee Black Sch 80 PVC 1 in. x 1/2 in. Socket x Socket x Socket	13.4444
801-289	Sch 80 PVC Reducing Tee 2-1/2 in. x 1 in. Socket	48.2416
802-015	Spears Molded Tee 802 Series Gray Sch 80 PVC 1-1/2 in. Socket	36.4813
802-131	1 in. x 1 in. x 3/4 in. Reducing Tee Schedule 80 SST	23.5536
802-168	Sch 80 PVC Reducing Tee 1-1/4 in. x 1 in. Socket x FIPT	59.4712
802-249	Sch 80 PVC Reducing Tee 2 in. x 1 in. Socket X FIPT	56.5109
802-337	3 x 3 x 1-1/2 Reducing Tee Sch 80 SST	92.0199
802-525	6 X 1 PVC Reducing Tee Soc X Fpt Sch 80 Sprs	310.4302
805-020	Sch 80 PVC Tee 2 in. FIPT	47.6133
805-030	Spears Standard Tee 3 in. Fipt	181.1121
806-005	1/2 PVC 90 Ell Soc Sch 80	4.2979
806-007	Sch 80 PVC 90 Degree Elbow 3/4 in. Socket	5.5096
807-012	1-1/4 in. 90 Degree Ell Soc x Fipt PVC Sch 80	24.8256
809-010	1 90 Degree Ell	10.9945
8097-012	Sch 80 PVC Union 2000 1-1/4 in. Socket w/ EPDM O-Rings	41.0817
8098-012	Sch 80 PVC Union 2000 1-1/4 in. FIPT w/ EPDM O-Rings	41.0817
820-040	4 PVC Cross Soc Sch80	292.9272
829-292	2-1/2 x 2 PVC Reducing Coupling Soc Sch 80 Sprs	44.4236
830-005	1/2 Coupling Fipt	8.6946
830-007	Sch 80 PVC Coupling 3/4 in. FIPT	12.4371
830-020	Sch 80 PVC Coupling 2 in. FIPT	38.5529
835-005	Sch 80 PVC Female Adapter 1/2 in. Socket X FIPT	7.2939
835-007	Sch 80 PVC Female Adapter 3/4 in. Socket x FIPT	10.8507
851-015	1 1/2 Flange One pc. Soc	49.2353
851-025	2 1/2 Flange One pc. Soc	101.1489
853-030	Spears Flange 3 in. Blind	193.8808
853-080	8 PVC Blind Flange Sprs	367.4091
854-020	Sch 80 PVC Flange Van Stone Style with PVC Ring 2 in. Socket	39.3535
856-040	4 PVC Van Stone Flange Spigot Sprs	84.6852
857-040	Sch 80 PVC Union (Old Style) 4 in. Socket w/ FKM O-Rings	181.4350
858-040	Spears Old Style Union Sch 80 PVC 4 in. Fipt w/ FKM O-Rings	370.3853
859-015	Spears Old Style Union Sch 80 PVC 1-1/2 in. Socket x Fipt w/ FKM O-Rings	84.7391
8907-1	4 X 4 PVC Nipple Toe Sch 80	26.0104
898-005	Sch 80 PVC Union (Old Style) Fitting 1/2 in. FIPT w/ EPDM O-Rings	18.1169
7512PVCN	Sch 80 PVC Nipple 3/4 in. x 12 in. MIPT Threaded Both Ends	3.8801
7548PVCN	Sch 80 PVC Nipple 3/4 in. x 48 in. MIPT Threaded Both Ends	16.1882
837-167	1 1/4 X 3/4 PVC Reducing Bushing Spigot X Soc	11.2891
837-289	Sch 80 PVC Reducer Bushing Flush Style 2-1/2 in. x 1 in. Spigot x Socket	38.1065
837-339	Sch 80 PVC Reducer Bushing Flush Style 3 in. x 2-1/2 in. Spigot x Socket	60.3047
837-528	6 X 2 PVC Reducing Bushing Spigot X Soc Sch 80	116.1007
837-582	Spears Reducing Bushing Sch 80 PVC 8 in. x 4 in. Spigot X Socket	282.4409
838-098	Spears Flush Style Reducer Bushing 3/4 in. x 1/4 in.	4.5420
838-130	1 in. x 1/2 in. Reducer Bushing Flush Style Spig X Fipt	7.1995
839-072	1/2 in. x 1/4 in. Reducer Bushing Flush Style	15.6928
839-098	3/4 in. x 1/4 in. PVC Reducer Bushing Mpt X Fpt	11.6958
847-040	Sch 80 PVC Cap 4 in. Socket	137.3409
847-060	Spears Cap Sch 80 PVC 6 in. Socket	341.6284
850-012	1 1/4 PVC Plug Mpt Sch 80 Sprs	13.6469
850-040	Speras Plug Sch 80 PVC 4 in. Mpt	108.9922
854-015	1 1/2 Flange Van Stone Style With Plastic Ring	29.4704
855-020	Spears Fitting PVC 2 in. V/S Flg Fpt	55.1682

855-040	Spears Van Stone Style Flange 4 in. Fipt w/ Plastic Ring	237.2370
856-030	Spears Van Stone Style Glange 3 in. Spigot w/ Plastic Ring	66.9097
857-007	Sch 80 PVC Union (Old Style) 3/4 in. Socket w/ FKM O-Rings	20.1719
857-015	Sch 80 PVC Union (Old Style) 1-1/2 in. Socket w/ FKM O-Rings	51.7137
858-010	Sch 80 PVC Union (Old Style) 1 in. FIPT w/ FKM O-Rings	34.2560
858-030	Sch 80 PVC Union (Old Style) 3 in. FIPT w/ FKM O-Rings	315.1264
859-020	Spears Old Style Union Sch 80 PVC 2 in. Socket x Fipt w/ FKM O-Rings	117.1387
871-005	1/2 PVC Tank Adapter Soc X Fpt Sprs	137.4705
897-020	Sch 80 PVC Union (Old Style) 2 in. Socket w/ EPDM O-Rings	69.6867
898-030	Sch 80 PVC Union (Old Style) 3 in. FIPT w/ EPDM O-Rings	301.2461
829-005	1/2 Coupling Soc	7.7869
829-012	Sch 80 PVC Coupling 1-1/4 in. Socket	16.5515
829-025	Sch 80 PVC Coupling 2-1/2 in. Socket	47.1605
829-040	Sch 80 PVC Coupling 4 in. Socket	67.7974
829-212	Spears Reducing Coupling PVC 1-1/2 in. x 1-1/4 in.	36.4813
835-012	Spears 1-1/4 PVC Female Adapter Soc x Fpt Sch 80	25.8542
836-040	Sch 80 PVC Male Adapter 4 in. MIPT x Socket	94.9908
837-166	Spears Reducing Bushing PVC 1-1/4 in. x 1/2 in. Spigot x Socket	11.2891
837-337	Sch 80 PVC Reducer Bushing Flush Style 3 in. x 1-1/2 in. Spigot x Socket	60.3047
838-251	Sch 80 PVC Reducer Bushing Flush Style 2 in. x 1-1/2 in. Spigot x FIPT	22.3834
839-073	1/2 X 3/8 PVC Reducing Bushing Mpt X Fpt Sch 80	15.5520
847-010	1 Cap Soc	14.2715
850-030	Spears Plug Sch 80 PVC 3 in. Mpt	55.9919
853-060	6 Blind Flange	293.5084
855-030	Sch 80 PVC Flange Van Stone Style with Glass Filled PVC Ring 3 in. FIPT	130.4977
857-005	Sch 80 PVC Union (Old Style) 1/2 in. Socket w/ FKM O-Rings	15.8159
858-025	Spears Schedule 80 PVC Union Valve (Old Style) 2-1/2 in. FIPT w/ FKM O-Rings	210.1381
880-040	PVC Nipple Tbe Schedule 80 1/4 in. x 4 in.	9.3765
882-060UV	Sch 80 UV Resistant PVC Nipple 1/2 in. x 6 in. MIPT Threaded Both Ends	10.5235
801-025	Sch 80 PVC Tee 2-1/2 in. Socket	59.4254
801-168	1 1/4 x 1 1/4 x 1 Reducing Tee Sch 80 PVC SSS Sprs	29.1832
801-292	Sch 80 PVC Reducing Tee 2 1/2 in. x 2 in. Socket	48.2416
801-338	Sch 80 PVC Reducing Tee 3 in. x 2 in. Socket	67.9712
801-417	4 x 4 x 1 Reducing Tee Sch 80 PVC SSS	134.0590
801-532	Spears Reducing Tee Sch 80 PVC 6 in. x 6 in. x 4 in. Socket	293.8691
802-130	Sch 80 PVC Reducing Tee 1 in. x 1/2 in. Socket X FIPT	18.3218
802-167	1 1/4 x 1 1/4 x 3/4 Reducing Tee Sch 80 SST	29.9668
802-209	Spears Reducing Tee SST 1-1/2 in. x 1-1/2 x 1/2 in.	37.0874
802-250	2 x 2 x 1 1/4 Reducing Tee Sch 80 SST	56.3657
802-417	4 X 1 PVC Reducing Tee Soc X Fpt Sch 80 Sprs	134.6224
802-419	Spears Reducing Tee Sch 80 PVC 4 in. x 1-1/2 in. Socket x Fpt	134.6224
806-060	6 PVC 90 Ell Soc Sch 80 Sprs	175.1943
807-007	Sch 80 PVC 90 Degree Elbow 3/4 in. Socket x FIPT	19.9620
807-015	Sch 80 PVC 90 Degree Elbow 1-1/2 in. Socket x FIPT	29.6419
807-030	3 90 Degree Ell Soc X Fipt PVC Sch 80	90.8392
808-020	Sch 80 PVC 90 Degree Elbow 2 in. FIPT	26.9461
817-007	Sch 80 PVC 45 Degree Elbow 3/4 in. Socket	12.3731
817-060	Sch 80 PVC 45 Degree Elbow 6 in. Socket	210.5308
817-100	10 PVC 45 Ell Soc Sch 80 Sprs	4427.4338
819-010	Sch 80 PVC 45 Degree Elbow 1 in. FIPT	21.5675
819-012	1 1/4 PVC 45 Ell Fpt Sch 80 Sprs	32.8934
820-030	Spears Cross PVC 3 in. Socket	200.8055
835-040	Sch 80 PVC Female Adapter 4 in. Socket X FIPT	169.0116
836-007	Sch 80 PVC Male Adapter 3/4 in. MIPT x Socket	10.0393
836-012	Sch 80 PVC Male Adapter 1-1/4 in. MIPT x Socket	20.3739

836-020	Sch 80 PVC Male Adapter 2 in. MIPT x Socket	42.1933
837-250	Sch 80 PVC Reducer Bushing Flush Style 2 in. x 1-1/4 in. Spigot x Socket	21.8889
837-417	Spears Reducer Bushing Sch 80 PVC 4 in. x 1 in. Spigot x Socket	107.1998
838-131	1 in. x 3/4 in. Reducer Bushing Flush Style Spig X Fipt	7.1995
838-338	3 in. x 2 in. Reducer Bushing Flush Style Spig X Fipt	87.6956
839-128	Sch 80 PVC Reducer Bushing Flush Style 1 in. x 1/4 in. MIPT x FIPT	18.9041
839-212	1-1/2 x 1-1/4 Reducer Bushing Flush Style	18.9671
839-251	Sch 80 PVC Reducer Bushing Flush Style 2 in. x 1-1/2 in. MIPT x FIPT	27.7988
848-010	1 Cap Fipt	13.4444
848-020	Sch 80 PVC Cap 2 in. FIPT	35.9190
848-025	2-1/2 PVC Cap Fpt Sch 80	71.8723
848-030	3 PVC Cap Fpt Sch 80	84.6069
849-020	2 PVC Plug Spg Sch 80	16.4335
850-002	1/4 PVC Plug Mpt Sch80	8.1644
851-040	4 Flange One pc. Soc	141.7985
852-020	2 Flange One pc. Fipt	92.8325
852-030	3 in. Flange 1 pc. Fipt	219.7214
854-060	Sch 80 PVC Flange Van Stone Style with PVC Ring 6 in. Socket	132.4291
854-120	Spears Van Stone Style Flange 12 in. Socket w/ Plastic Ring	935.8570
855-015	Spears Van Stone Flange PVC 1-1/2 in. Fpt	53.9374
856-060	Flange Van Stone Style w/ Plastic Ring Spigot 6 in.	133.1997
857-010	Spears Union Valve Schedule 80 PVC 1 in. Socket w/ FKM O-Rings	23.0141
857-020	Spears Union Valve Schedule 80 PVC 2 in. Socket w/ FKM O-Rings	70.1359
859-010	Sch 80 PVC Union (Old Style) 1 in. Socket x FIPT w/ FKM O-Ri	35.8260
859-030	Sch 80 PVC Union (Old Style) 3 in. Socket x FIPT w/ FKM O-Ri	307.9136
861-007	3/4 PVC Male Adpater Spigot X Mpt Sch 80 Sprs	13.3849
867-532SR	6 X 4 PVC Clamp Saddle Srfpt EPDM Zinc Bolt Sprs	544.9683
887-140	2 X 14 PVC Nipple Tbe Sch 80	44.2805
897-007	Spears Union (Old Style) Sch 80 PVC 3/4 in. Socket w/ EPDM O-Rings	19.9924
897-010	Sch 80 PVC Union (Old Style) 1 in. Socket w/ EPDM O-Rings	22.9113
829-015	Sch 80 PVC Coupling 1-1/2 in. Socket	17.8448
829-251	Spears Reducing Coupling Sch 80 PVC 2 in. x 1-1/2 in.	33.3199
833-020	2 PVC Grooved Coupling Groove X Soc Sch 80 Sprs	27.8650
835-020	Sch 80 PVC Female Adapter 2 in. Socket x FIPT	55.4746
836-015	Sch 80 PVC Male Adapter 1-1/2 in. MIPT x Socket	29.2593
837-211	Sch 80 PVC Reducer Bushing Flush Style 1-1/2 in. x 1 in. Spigot x Socket	15.3588
837-249	Sch 80 PVC Reducer Bushing Flush Style 2 in. x 1 in. Spigot x Socket	21.9422
837-335	Sch 80 PVC Reducer Bushing Flush Style 3 in. x 1 in. Spigot x Socket	60.3047
837-419	4 X 1 1/2 PVC Reducing Bushing Spg X Soc	107.1998
837-422	Sch 80 PVC Reducer Bushing Flush Style 4 in. x 3 in. Spigot x Socket	83.5094
838-291	2-1/2 in. x 1-1/2 in. REDUCER BUSHING FLUSH STYLE	47.3645
838-337	3 X 1 1/2 Reducer Bushing Flush Style	87.6956
838-339	3 X 2 1/2 Reducer Bushing Flush Style	87.6956
839-130	1 X 1/2 Reducer Bushing Flush Style MIPT X Fipt	15.0894
839-168	1-1/4 x 1 PVC Reducing Bushing Mpt x Fpt Sch 80	16.0120
839-211	1-1/2 x 1 Reducer Bushing Flush Style	18.9671
839-249	2 in. x 1 in. Reducer Bushing Flush Style Mipt X Fipt	27.7988
839-292	Sch 80 PVC Reducer Bushing Flush Style 2 1/2 in. x 2 in. MIPT x FIPT	37.6818
847-030	Sch 80 PVC Cap 3 in. Socket	81.2366
848-005	1/2 PVC Cap Fpt Sch 80	9.5346
848-007	3/4 Cap Fipt	10.6735
850-010	1 Plug MIPT	9.3250
854-010	Spears Van Stone Style Flange 1 in. Socket w/ Plastic Ring	28.0366
854-025	2-1/2 Flange Van Stone Style Iwth Plastic Ring	60.6218
854-040	Sch 80 PVC Flange Van Stone Style with PVC Ring 4 in. Socket	84.1567

854-080	Sch 80 PVC Flange Van Stone Style with PVC Ring 8 in. Socket	238.8656
858-005	Sch 80 PVC Union (Old Style) 1/2 in. FIPT w/ FKM O-Rings	18.3429
858-007	Sch 80 PVC Union (Old Style) 3/4 in. FIPT w/ FKM O-Rings	25.6951
861-010	1 Male Adapter Sch80	19.7598
880-060	1/4 X 6 PVC Tbe Nipple	11.6690
897-012	Sch 80 PVC Union (Old Style) 1-1/4 in. Socket w/ EPDM O-Rings	45.3684
898-010	Sch 80 PVC Union (Old Style) 1 in. FIPT w/ EPDM O-Rings	33.8605
898-015	Sch 80 PVC Union (Old Style) 1-1/2 in. FIPT w/ EPDM O-Rings	79.9221
AP-105	1/2 in. x 3/4 in. Swivel Adapter Fipt X Fht Swivel	12.6592
AP-100	Sch 40 PVC Cap 3/4 in. FHT with Washer	7.3724
AP-109	Sch 40 PVC Swivel Adapter 3/4 in. x 3/4 in. MIPT x FHT with Washer	12.6592
801-012	Sch 80 PVC Tee 1-1/4 in. Socket	43.8358
801-040	Sch 80 PVC Tee 4 in. Socket	86.2881
801-060	Sch 80 PVC Tee 6 in. Socket	294.6092
801-211	Spears Reducing Tee SSS PVC 1-1/2 in. x 1-1/2 x 1 in.	29.2593
801-248	2 x 2 x 3/4 Reducing Tee Sch 80 PVC SSS	36.9741
801-336	3 x 3 x 1 1/4 Reducing Tee Sch 80 PVC SSS Sprs	67.7926
801-420	Sch 80 PVC Reducing Tee 4 in. x 2 in. Socket	109.5453
801-530	Spears Reducing Tee Sch 80 PVC 6 in. x 6 in. x 3 in. Socket	216.9119
802-020	Sch 80 PVC Tee 2 in. Socket X FIPT	45.0300
802-210	1 1/2 x 1 1/2 x 3/4 Reducing Tee Sch 80 SST	37.0874
802-211	Sch 80 PVC Reducing Tee 1-1/2 in. x 1 in. Socket X FIPT	37.1866
802-335	Sch 80 PVC Reducing Tee 3 in. x 1 in. Socket X FIPT	92.0199
802-416	4 X 3/4 PVC Reducing Tee Soc X Fpt Sch 80 Sprs	133.4131
805-015	Sch 80 PVC Tee 1-1/2 in. FIPT	44.3058
806-003	3/8 PVC 90 Ell Soc Sch 80	4.2483
806-012	Sch 80 PVC 90 Degree Elbow 1-1/4 in. Socket	11.8738
807-020	Sch 80 PVC 90 Degree Elbow 2 in. Socket x FIPT	38.4577
808-012	1-1/4 PVC 90 Ell Fpt Sch 80 Sprs	16.8168
8097-010	Sch 80 PVC Union 2000 1 in. Socket w/ EPDM O-Rings	22.0708
816-060	Spears Elbow 22.5 Degree Sch 80 PVC 6 in. Socket	244.8046
819-020	2 45 Degree Ell Fipt	61.3094
829-060	Sch 80 PVC Coupling 6 in. Socket	145.5464
830-012	1-1/4 PVC Coupling Fpt Sch 80 Sprs	16.5058
830-015	Sch 80 PVC Coupling 1-1/2 in. FIPT	36.8021
835-025	Sch 80 PVC Female Adapter 2-1/2 in. Socket x Fipt	87.3446
835-100F	10 PVC Female Adapter Soc X Fpt Sch 80	1177.1414
836-010	Sch 80 PVC Male Adapter 1 in. MIPT x Socket	17.4248
837-073	1/2 X 3/8 Reducer Bushing Flus	6.8012
837-130	1 in. x 1/2 in. Reducer Bushing Flush Style Spig X Soc	7.1995
837-209	1-1/2 X 1/2 Reducer Bushing Flush Style	15.3588
838-101	3/4 in. x 1/2 in. Reducer Bushing Flush Style	4.5420
838-168	Sch 80 PVC Reducer Bushing Flush Style 1-1/4 in. x 1 in. Spigot x FIPT	14.5803
838-247	2 in. x 1/2 in. Reducer Bushing Flush Style Spig X Fipt	22.3834
838-248	2 in. x 3/4 in. Reducer Bushing Flush Style Spig X Fipt	22.3389
838-422	4 X 3 Reducer Bushing Flush Style Spig X Fipt	134.6931
839-209	Spears Reducing Bushing PVC 1-1/2 in. x 1/2 in. Mpt x Fpt	18.9671
839-250	Spears Flush Style Reducing Bushing 2 in. x 1-1/4 in.	27.7988
839-339	Reducer Bushing Flush Style 3 in. x 2-1/2 in.	51.1305
847-025	2-1/2 Cap Soc	69.4265
848-040	4 PVC Cap Fpt Sch 80	148.9736
852-015	1 1/2 PVC One pc. Flange Fpt	90.7972
852-060F	6 PVC One Piece Flange Fpt Sprs	1719.1693
AP-110	3/4 in. x 3/4 in. Swivel Adapter Fht Swivel X Fht Swivel	12.6592
AP-112	1/2 in. x 3/4 in. Swivel Adapter Mipt X Fht Swivel	12.6592

858-012	Sch 80 PVC Union (Old Style) 1-1/4 in. FIPT w/ FKM O-Rings	65.3879
858-015	Sch 80 PVC Union (Old Style) 1-1/2 in. FIPT w/ FKM O-Rings	80.9548
858-020	Sch 80 PVC Union (Old Style) 2 in. FIPT w/ FKM O-Rings	124.5446
871-012	1 1/4 PVC Tank Adapter Soc X Fpt Sprs	209.7210
883-080UV	3/4 in. x 8 in. PVC Uvr Npl Tbe Schedule 80	5.6655
898-007	Sch 80 PVC Union (Old Style) 3/4 in. FIPT w/ EPDM O-Rings	25.3691
CCW-060	Spears Compression Coupling Wrench 6 in.	150.4477
CCW-020	2 Gpff Compression Coupling Nut Wrench	81.3594
AP-101	3/4 Hose Swivel Mht Xfht	19.4746
AP-106	Sch 40 PVC Swivel Adapter 3/4 in. FIPT X FHT with Washer	12.6592
D435-005	1/2 PVC Deep Soc Adapter Soc X Fpt Sch 40 Sprs	1.4593
EHP-007	3/4 PVC 90 Street Ell Mht X Soc	11.2388
F-64	3/4 in. x 1/2 in. Fht Swivel X Hs With Washer	9.7865
F-65	3/4 X 5/8 PVC Female Adapter Fht Swivel X Hs	10.4431
F-64-P	Sch 40 PVC Female Adapter 3/4 in. x 1/2 in. FHT Swivel x Socket	9.7865
DS-400	Spears Dri-Splice Pre-Filled Wire Connector with Crimp Sleeve	6.9469
ES-444	Standard Sprinkler Stand 1/2 in. Hose Socket x FIPT	33.5101
M481-007	Four-In-One Cutoff Nipple Marlex 3/4 in. x 6 in. MIPT	4.2150
MA2907-010	Spears PVC Manifold Coupling 1 in. Swivel X Mpt	19.4332
MA4800-010	Spears Manifold Cap 1 in. FIPT with O-Ring	6.9229
M-64-P	Sch 40 PVC Male Adapter 3/4 in. x 1/2 in. MHT x Socket	5.4140
M-66-P	Sch 40 PVC Male Adapter 3/4 in. MHT x Socket	10.2521
MA8306-010	Spears Manifold Nipple 1 in. MIPT x MIPT with O-Ring	6.9229
DS-300	Spears Dri-Splice Sealant Pack for DS-100/DS-150	59.7859
LPM412-005	Street Elbow 90 Degree Marlex 1/2 in. MIPT x FIPT (Bag of 50)	96.7900
M434-005-3	Cutoff Riser Extension Poly 1/2 in. x 3 in. FIPT x MIPT	2.8022
M481-005	Four-In-One Cutoff Nipple Poly 1/2 in. x 6 in. MIPT	1.7437
MA0101-010	Spears Single Port Manifold Tee 1 in. Swivel x MIPT x Swivel with O-Ring	23.3668
MA0101-010-3	Spears 3-Port Manifold Tee 1 in. Swivel x MIPT x 3-Swivel with O-Ring	67.6108
MA2004-010	Spears Manifold Cross 1 in. Swivel x MIPT x Swivel x Swivel with O-Ring	39.6406
N-4	Sch 40 PVC Transition Nipple 3/4 in. x 1/2 in. MIPT Polypropylene	1.6365
F-66	3/4 PVC Female Adapter Fht Swivel X Hs	10.7430
F-66-P	Sch 40 PVC Female Adapter 3/4 in. FHT Swivel x Socket	10.7430
MA-214	Manifold Cap And Swivel Replacement O-Ring	2.2765
MA-218	Manifold Nipple Replacement O-Ring	2.4816
MA0109-010	Spears Manifold Tee PVC 1 in. Socket x Mpt x Swivel w/ O-Ring	29.5455
N-1	Sch 40 PVC Transition Nipple 3/4 in. MIPT x MHT	5.7730
P100-060	Spears DWV Coupling PVC 6 in. Hub x Hub	117.3416
P105H-060	6 PVC Dvw Cleanout Adapter Hub X Fpt Sprs	156.7289
P118-040	Spears Adapter Bushing White PVC 4 in. Spigot x Hub	26.1827
P106-015	Spears DWV Square Head Plug PVC 1-1/2 in. Mpt	7.5503
P600-030	3 PVC Dvw Wye Hub X Hub X Hub Sprs	49.6954
MS412-101	Reducing 90 Degree Street Elbow Marlex 3/4 in. x 1/2 in. MIPT x FIPT Short Pattern	4.5787
P321-040	Spears DWV Elbow P321 Series White PVC 4 in. Hub PVC Sch 40	59.8388
PA2020-01	1/2 X 10-32 Shrub Adapter Soc X Nft	5.1361
P106-040	4 P106 Cleanout Plug	22.1379
P106-060	Sch 40 DWV PVC Cleanout Plug 6 in. MIPT	73.5893
P400-020	2 PVC Dvw Sanitary Tee H X H X H	15.4715
M412-015	1-1/2 HDPE 90 Degree St Ell Mipt x Fipt PVC Fitting	7.6954
M481-101	Four-In-One Cutoff Nipple Poly 3/4 in. x 1/2 in. x 6 in. MIPT	2.4835
MA2903-010	Manifold Coupling 1 in.	21.1264
MA8306-131	PVC Mfld Nipple Mpt x Mpt Sprs 1 in. x 3/4 in.	7.7096
P102-626	10 X 6 PVC Dvw Increaser- Reducer Hub X Hub Sprs	1334.2936
P304-040	4 PVC Dvw Long Sweep 1/4 Bend Hub X Hub Sprs	97.5559
P600-040	Sch 40 DWV PVC Wye 4 in. Hub	92.0625

MS412-005	90 Degree Street Elbow Marlex 1/2 in. MIPT x FIPT Short Pattern	0.7161
MS412-007	90 Degree Street Elbow Marlex 3/4 in. MIPT x FIPT Short Pattern	1.8459
P106-020	Spears Cleanout Square Head Plug PVC 2 in. Mpt	7.7823
S0302-20	2 PVC Sch 40 Inside Connector	25.7732
S110-60	Spears PVC Compression Coupling with Buna Gasket 6 in.	424.8776
S1580-15	Spears White PVC Utility Spring Check Valve 1-1/2 in. Socket w/ EPDM O-Rings	193.6991
S1580-25	2 1/2 Utility Spring Ck Slip	360.4426
P300-040	Spears DWV Bend PVC 4 in. x 1/4 in. H x H	74.9762
P321-030	3 PVC Dvw 1/8 Bend H X H	34.8060
P324-040	DWV PVC Elbow 1/16 Bend 4 in. H x H	57.2364
PA2010-01	1/2 C 10-32 Shrub Adapter Fipt X Nft	5.4140
PA2010-03	Spears Shrub Adapter 1/2 in. x 5/16 in. Fipt x Nft	5.4140
S110-12	Spears PVC Compression Coupling w/ Buna Gasket 1-1/4 in.	34.3971
S118-15	Spears PVC Expansion Repair Coupling 1-1/2 in. Spigot x Socket	38.9516
S119-12	Spears PVC Expansion Repair Coupling 1-1/4 in. Socket x Socket	40.3705
S1520-07	Spears White PVC Utility Swing Check Valve 3/4 in. Socket w/ EPDM O-Rings	67.4687
S1520-80	Spears White PVC Utility Swing Check Valve 8 in. Socket w/ E	1413.3364
S1780-20	Spears White PVC True Union Spring Check Valve 2 in. Socket	269.2407
S0301-15	Spears Pipe Extender PVC 1-1/2 in.	23.2607
S0302-10	1 PVC Inside Connector	17.0296
S0303-20	2 PVC Extender Fitting	40.0963
S110-30	Spears PVC Compression Coupling with Buna Gasket 3 in.	113.8058
M-64	Spears Adapter 3/4 in. x 1/2 in. Mht x HS	5.5783
M434-007-4	Cutoff Riser Extension Poly 3/4 in. x 4 in. MIPT x FIPT	5.5996
MA0101-010-2	Spears 2-Port Manifold Tee 1 in. Swivel x MIPT x 2-Swivel with O-Ring	42.3502
MA0602-010	Spears Manifold 90 Degree Street Elbow 1 in. MIPT x Swivel w/o-Ring	25.4262
MA2908-010	PVC Manifold Coupling Body w/ O-Ring 1 in.	17.2245
MA3505-010	Spears Manifold Insert Coupling 1 in. Swivel x Insert with O-Ring	16.3868
S0301-10	1 PVC Pipe Extenders	17.0296
S0301-20	2 PVC Pipe Extender	25.7732
S110-20	Spears PVC Compression Coupling with Buna Gasket 2 in.	45.0117
S118-60	Spears PVC Expansion Repair Coupling 6 in. Spigot x Socket	650.1286
S119-40	Spears Expansion Repair Coupling PVC 4 in. Socket x Socket	180.7658
S1520-40	Spears White PVC Utility Swing Check Valve 4 in. Socket w/ EPDM O-Rings	314.2310
S1520-60	Spears White PVC Utility Swing Check Valve 6 in. Socket w/ EPDM O-Rings	760.8287
SH118-20	Spears PVC Short Repair Coupling 2 in. Spigot x Socket	60.1417
SH119-20	Spears Short Repair Coupling PVC Socket x Socket 2 in. w/ EPDM O-Ring	68.0439
ST522-212	Spears PVC 3-ElI Turf Swivel Joint 1/2 in. x 12 in. Spigot x MIPT	24.2805
ST732-212	Spears PVC 3-ElI Turf Swivel Joint 3/4 in. x 12 in. MIPT x MIPT	24.1911
N-3	Transition Nipple 1/2 in. x 3/4 in. MIPT x Mht	5.7730
ST532-212	Spears PVC 3-ElI Turf Swivel Joint 1/2 in. x 12 in. MIPT x MIPT	23.6799
S0301-05	1/2 PVC Pipe Extenders	8.2380
S0301-07	3/4 Pipe Extender /Pipe Od X Id	13.4112
S110-05	1/2 PVC Compression Buna G	12.8225
S110-07	Spears PVC Compression Coupling with Buna Gasket 3/4 in.	17.2540
S110-10	Spears PVC Compression Coupling with Buna Gasket 1 in.	22.3722
S110-25	Spears PVC Compression Coupling with Buna Gasket 2-1/2 in.	87.0106
S118-30	Spears PVC Expansion Repair Coupling 3 in. Spigot x Socket	95.4439
S118-40	Spears PVC Expansion Repair Coupling 4 in. Spigot x Socket	161.8425
S119-15	Spears PVC Expansion Repair Coupling 1-1/2 in. Socket x Socket	43.9725
SH119-15	Spears PVC Short Repair Coupling 1-1/2 in. Socket x Socket	43.9725
ST932-212	Spears PVC 3-ElI Turf Swivel Joint 1 in. x 12 in. MIPT x MIPT	32.9950
P304-030	Spears Dvw Long Sweep 1/4 Bend White PVC 3 in. Hub x Hub	64.7641
P319-040	4 PVC Dvw 1/6 Bend H X H	73.6001
P400-040	Sch 40 DWV PVC Tee 4 in. Hub	101.9608

P43-020	Spears Nipple Sch 80 PVC 3/4 in. x 2 in. TBE	4.4740
SH118-15	Spears PVC Short Repair Coupling 1-1/2 in. Spigot x Socket	40.9992
ST722-212	Spears PVC 3-Elb Turf Swivel Joint 3/4 in. x 12 in. Spigot x MIPT	24.1968
S0302-15	Spears Inside Connectors PVC 1-1/2 in.	23.2607
S119-25	Spears Expansion Repair Coupling PVC 2-1/2 in. Socket x Socket	95.6778
S119-30	Spears Expansion Repair Coupling PVC 3 in. Socket x Socket	106.6129
W-100	Hose Washer PVC 3/4 in. Flex Black	0.8135
2132-007	Spears Compact PVC Ball Valve 3/4 in. Socket w/ FKM O-Ring	119.7663
2329-015	Spears True Union 2000 Standard Retrofit PVC Ball Valve 1-1/2 in. Socket x FIPT w/	576.2757
24PVCNTOE	Sch 80 PVC Nipple 2 in. x 4 in. MIPT Threaded One End	12.5231
2503PVCN	PVC Nipple Tbe Sch 80 2-1/2 in. x 3 in.	14.4406
2621-007	Spears Utility White PVC Ball Valve 3/4 in. FIPT w/ Blue Handle & EPDM O-Rings	34.0087
2622-005	Spears Utility White PVC Ball Valve 1/2 in. Socket w/ Blue Handle & EPDM O-Rings	28.4555
BPV-332	2-3/8 in. x 2-3/4 in. x 3/16 in. Viton O-Ring	13.8852
28PVCNTOE	Sch 80 PVC Nipple 2 in. x 8 in. MIPT Threaded One End	14.5869
318PVCN	Sch 80 PVC Nipple 3 in. x 18 in. MIPT Threaded Both Ends	63.6306
3621-015SR	Spears True Union 2000 Standard PVC Ball Valve 1-1/2 in. SR FIPT w/ EPDM O-Ring	215.4471
3622-030	Spears True Union 2000 Standard PVC Ball Valve 3 in. Socket w/ EPDM O-Rings	896.9412
3701-080	8 PVC Tee Soc Sch 40 Sprs	816.0800
401-074	Reducing Tee PVC 1/2 in. x 3/4 in. Soc	2.3792
401-126	PVC Reducing Tee Fitting 1 in. x 3/4 in. x 1 in. Socket	4.2653
401-292	Sch 40 PVC Reducing Tee 2-1/2 in. x 2 in. Socket	19.8020
401-417	4 in. x 1 in. Red Tee Soc PVC Fitting	47.2180
401-419	4 x 1-1/2 Red Tee Soc PVC Fitting	47.2180
402-005	Sch 40 PVC Tee 1/2 in. Socket x 1/2 in. Socket x FIPT	1.4885
402-007	Sch 40 PVC Tee 3/4 in. Socket x FIPT	2.3297
402-020	Sch 40 PVC Tee 2 in. Socket x FIPT	10.1377
402-157	Spears Reducing Tee PVC 1-1/4 in. x 1 in. x 3/4 in. Soc x Fpt	6.1458
402-167UV	Sch 40 UV Resistant PVC Reducing Tee 1-1/4 in. x 3/4 in. Socket x FIPT	24.4081
402-209	Sch 40 PVC Reducing Tee 1-1/2 in. x 1/2 in. Socket x FIPT	8.0022
402-212	Sch 40 PVC Reducing Tee 1-1/2 in. x 1-1/4 in. Socket x FIPT	8.0022
402-249	Sch 40 PVC Reducing Tee 2 in. x 1 in. Socket x FIPT	10.0649
402-251	Sch 40 PVC Reducing Tee 2 in. x 1-1/2 in. Socket x FIPT	10.0649
402-288	Sch 40 PVC Reducing Tee 2-1/2 in. x 3/4 in. Socket x FIPT	21.7739
402-422	Spears Reducing Tee White PVC 4 in. x 3 in. Socket x Socket x Fipt	51.9988
402-528	Spears Reducing Tee PVC 6 in. x 2 in. Socket x Fipt	176.2169
402-530	6 in. x 3 in. Red Tee Soc X Fipt PVC Fitting	176.2169
406-020UV	Sch 40 UV Resistant PVC 90 Degree Elbow 2 in. Socket	31.3618
406-030	Sch 40 PVC 90 Degree Elbow 3 in. Socket	17.7882
406-030UV	Sch 40 UV Resistant PVC 90 Degree Elbow 3 in. Socket	115.1077
406-050	5 90 Degree Ell Soc PVC Fitting	82.1996
407-005UV	Sch 40 UV Resistant PVC 90 Degree Elbow 1/2 in. Socket x FIPT	6.5780
407-007UV	Sch 40 UV Resistant PVC 90 Degree Elbow 3/4 in. Socket x FIPT	7.3546
407-025	PVC Fitting 2-1/2 in. 90 Degree Ell Soc x Fipt	25.8324
410-020	Sch 40 PVC 90 Degree Street Elbow 2 in. MIPT x Socket	12.5645
412-007	Sch 40 PVC 90 Degree Street Elbow 3/4 in. MIPT x FIPT	3.2355
412-012	1-1/4 PVC 90 Ell Mpt x Fpt Sch 40 Sprs	6.2122
412-020	Spears Molded Elbow 412 Series White Sch 40 PVC 2 in. Mipt	12.8676
414-007	3/4 Side Outlet Ell PVC Sch 40 SlipxSlipx Fipt	7.2591
414-101	Sch 40 PVC 90 Degree Side Outlet Reducing Elbow 3/4 in. x 1/2 in. Socket x Fipt	6.1628
415-040F	4 PVC 30 Ell Soc Sch 40 Fab Sprs	185.6856
416-012	Spears Elbow 1-1/4 PVC 22-1/2 Soc Sch 40	4.9809
416-015	Sch 40 PVC 22.5 Degree Elbow 1-1/2 in. Socket	6.2611
416-020	Sch 40 PVC 22.5 Degree Elbow 2 in. Socket	8.1962
417-050	5 45 Degree Ell Soc PVC Fitting	82.1996

420-020	Sch 40 PVC Cross 2 in. Socket	14.2390
427-007	Spears Street Elbow 45 Degree PVC 3/4 in. Spg x Soc	2.3026
429-040	Sch 40 PVC Coupling 4 in. Socket	14.6028
429-080	Sch 40 PVC Coupling 8 in. Socket	86.1977
429-120	Spears Coupling White Sch 40 PVC 12 in. Socket x Socket	811.7678
429-666F	12 X 6 PVC Reducing Coupling Soc Sch 40 Fab Sprs	1567.4644
434-010	Sch 40 PVC Riser Extension 1 in. FIPT x MIPT	3.4591
435-015	Sch 40 PVC Female Adapter 1-1/2 in. Socket x FIPT	2.3842
435-025	Sch 40 PVC Female Adapter 2-1/2 in. Socket x Fipt	8.0810
435-030SR	3 PVC Female Adapter Soc X Sr Fpt Sch 40 Sprs	165.8925
436-010UV	Sch 40 UV Resistant PVC Male Adapter 1 in. MIPT x Socket	6.9320
436-015UV	Sch 40 UV Resistant PVC Male Adapter 1-1/2 in. MIPT x Socket	11.8497
436-020	Sch 40 PVC Male Adapter 2 in. MIPT x Socket	3.1306
436-025	Sch 40 PVC Male Adapter 2-1/2 in. MIPT x Socket	9.2274
436-074	Sch 40 PVC Reducing Male Adapter 1/2 in. x 3/4 in. MIPT x Socket	1.6208
436-169	1-1/4 in. x 1-1/2 in. PVC Reducing Male Adapter Mpt x So	5.5085
436-252	Sch 40 PVC Reducing Male Adapter 2 in. x 2-1/2 in. MIPT x Socket	11.7937
436-253	Spears Reducing Male Adapter Sch 40 PVC 2 in. x 3 in. Mipt x Socket	13.2618
437-167UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1-1/4 in. x 3/4 in. Spigot x So	11.5071
437-212UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1-1/2 in. x 1-1/4 in. Spigot x	13.6401
437-250	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1-1/4 in. Spigot x Socket	3.6460
437-626	Spears Flush Style Reducer Bushing Spigot x Socket 10 in. x 6 in.	735.9180
438-167	Sch 40 PVC Reducer Bushing Flush Style 1-1/4 in. x 3/4 in. Spigot x FIPT	3.3430
438-209	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 1/2 in. Spigot x FIPT	3.8646
438-211	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 1 in. Spigot x FIPT	3.8646
438-212	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 1-1/4 in. Spigot x FIPT	3.8646
438-337	3 in. x 1-1/2 in. Red Bushing Spig x Fipt PVC Fitting	8.6268
438-339	3 x 2-1/2 Red Bushing Spig x Fipt PVC Fitting	8.6268
439-248	2 in. x 3/4 in. Red Bushing Mipt X Fipt PVC Fitting	6.4427
446-074	Sch 40 PVC IPT Adapter 1/2 in. x 3/4 in. MIPT x FIPT	3.4591
449-012	1-1/4 PVC Plug Spigot Sch 40 Sprs	3.3430
450-007	Sch 40 PVC Plug 3/4 in. MIPT	2.6096
450-020	Sch 40 PVC Plug 2 in. MIPT	5.6301
451A-010	Sch 40 PVC O-Ring Sealed Manifold Tee 1 in. MIPT x FIPT x MIPT	20.3070
4539-020	Spears True Union 2000 PVC Ball Check Valve 2 in. Socket x F	673.3690
457-005	Sch 40 PVC Union 1/2 in. Socket w/ Buna-N O-Rings	8.8450
457-020	Sch 40 PVC Union 2 in. Socket w/ Buna-N O-Rings	42.3948
457-025	Sch 40 PVC Union 2-1/2 in. Socket w/ Buna-N O-Rings	59.3337
457-030	Spears Schedule 40 PVC Union Valve 3 in. Socket w/ Buna-N O-Rings	94.8000
458-012	Sch 40 PVC Union 1-1/4 in. FIPT w/ Buna-N O-Rings	35.0783
460-012	Spears Adapter White Sch 40 PVC 1-1/4 in. Insert x Spigot	4.0712
466-251	2 X 1 1/2 PVC Clamp Saddle Soc Buna Zinc Bolt	114.0672
466-582	8 X 4 PVC Clamp Saddle Soc Buna Zinc Bolt Sprs	654.9056
46PVCNTOE	Spears PVC Nipple Toe Sch 80 4 in. x 6 in.	35.0300
474-005	Sch 40 PVC Insert Adapter 1/2 in. Insert x Socket	2.8667
474-020	2 Insert Adapter Insert X Soc	10.8109
475-030	3 Wye Soc	76.5752
475-080	Sch 40 PVC Wye 8 in. Socket	491.4852
475-532	Spears Reducing Wye 6 in. x 4 in. Soc	392.8629
478-015	1-1/2 Spigot Female Adapter Spig x Fipt	3.3307
479-020	Sch 40 PVC Coupling 2 in. Deep Socket	8.2386
491-060	Spears Poly Cut-Off Nipple 1/2 in. x 6 in. MIPT	3.7788
5012PVCN	Sch 80 PVC Nipple 1/2 in. x 12 in. MIPT Threaded Both Ends	2.7766
50250PVCN	PVC Nipple Tbe SCH 80 1/2 in. x 2-1/2 in.	1.3198
5036PVCN	Sch 80 PVC Nipple 1/2 in. x 36 in. MIPT Threaded Both Ends	9.7325

5048PVCN	Sch 80 PVC Nipple 1/2 in. x 48 in. MIPT Threaded Both Ends	16.0548
509PVCN	1/2 X 9 PVC Nipple Tbe Sch 80	2.6105
5807-01018	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 18 in. MIPT x MIPT	153.4491
5807-01512	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/2 in. x 12 in. MIPT x MIPT	185.8490
591-010-1AR	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1 in.	44.9972
591-168-4A	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1-1/4	79.6846
592-015-4AR	1 1/2 PVC Sj Adapter Spg X Mbt	44.4313
754PVCN	Sch 80 PVC Nipple 3/4 in. x 4 in. MIPT Threaded Both Ends	1.5812
75CLPVCN	Sch 80 PVC Nipple 3/4 in. x Close MIPT Threaded Both Ends	1.1599
801-101	Spears Reducing Tee Sch 80 PVC 3/4 in. x 3/4 in. x 1/2 in. Socket	9.2973
801-131	1 in. x 1 in. x 3/4 in. Reducing Tee Schedule 80 PVC SSS	13.4444
801-251	Sch 80 PVC Reducing Tee 2 in. x 1-1/2 in. Socket	36.9741
801-422	4 in. x 4 in. x 3 in. Reducing Tee Schedule 80 PVC SSS	109.5453
802-007	Sch 80 PVC Tee 3/4 in. Socket X FIPT	24.8256
802-030	Spears Standard Tee Sch 80 PVC 3 in. Socket x Fpt	95.2314
802-292	2-1/2 x 2-1/2 x 2 Reducing Tee Sch 80 SST Sprs	108.9373
805-007	3/4 Tee Fipt	15.6099
805-010	Sch 80 PVC Tee 1 in. FIPT	34.5457
805-012	Spears Standard Tee Sch 80 PVC 1-1/4 in. Fpt	36.5358
806-030	Sch 80 PVC 90 Degree Elbow 3 in. Socket	40.4837
806-040	Sch 80 PVC 90 Degree Elbow 4 in. Socket	61.4149
808-015	Sch 80 PVC 90 Degree Elbow 1-1/2 in. FIPT	23.9486
808-025	Sch 80 PVC 90 Degree Elbow 2-1/2 in. FIPT	104.6592
8097-007	Sch 80 PVC Union 2000 3/4 in. Socket w/ EPDM O-Rings	19.3623
8097-015	Sch 80 PVC Union 2000 1-1/2 in. Socket w/ EPDM O-Rings	46.5452
816-020	2 Ell 22-1/2 Degree Soc	42.2047
817-005	1/2 PVC 45 Ell Soc Sch 80	8.0892
8170-010	1 PVC Tank Adapt Socxsoc Nprn Gskt	174.4856
829-007	Sch 80 PVC Coupling 3/4 in. Socket	10.5274
829-080	8 Coupling Soc	198.0678
829-532FE	6 X 4 PVC Eccentric Reducing Coupling Soc Sch 80	519.1551
830-010	Sch 80 PVC Coupling 1 in. FIPT	13.3398
830-025	Sch 80 PVC Coupling 2 1/2 in. FIPT	92.0363
835-060	Spears Female Adapter Sch 80 PVC 6 in. Socket x Fpt	198.3070
836-030	Sch 80 PVC Male Adapter 3 in. MIPT x Socket	53.3662
837-168	Sch 80 PVC Reducer Bushing Flush Style 1-1/4 in. x 1 in. Spigot x Socket	11.2891
837-247	2 X 1/2 PVC Reducing Bushing Spg X Soc Sch 80	21.8889
837-288	Spears Adapter Bushing PVC 2-1/2 in. x 3/4 in. Hub to Spigot	50.8533
837-334	Spears Reducing Bushing Sch 80 PVC 3 in. x 3/4 in. Spigot x Socket	67.7583
837-420	Sch 80 PVC Reducer Bushing Flush Style 4 in. x 2 in. Spigot x Socket	83.5094
837-530	6 X 3 PVC Red Bushing Spg X Soc Sch 80	116.1007
837-532	Sch 80 PVC Reducer Bushing Flush Style 6 in. x 4 in. Spigot x Socket	116.3906
838-072	1/2 X 1/4 PVC Reducing Bushing Spigot X Fpt	6.8794
838-210	1-1/2 in. x 3/4 in. Reducer Bushing Flush Style	18.2918
838-212	Reducing Bushing Flush Style 1-1/2 in. x 1-1/4 in.	18.2918
838-250	2 in. x 1-1/4 in. Reducer Bushing Flush Style	22.3834
838-335	Sch 80 PVC Reducer Bushing Flush Style 3 in. x 1 in. Spigot x FIPT	87.6956
847-005	1/2 PVC Cap Soc Sch80	7.6151
847-007	3/4 PVC Cap Soc Sch80	8.0545
850-020	Spears Plug Gray Sch 80 PVC 2 in. Mipt	17.1867
852-040	4 in. Flange 1 pc. Fipt	388.1140
854-030	Sch 80 PVC Flange Van Stone Style with PVC Ring 3 in. Socket	66.5655
854-100	10 in. Flange Van Stone Style With Plastic Ring Soc	1066.3494
857-025	Spears Schedule 80 PVC Union Valve (Old Style) 2-1/2 in. Socket w/ FKM O-Rings	112.3221
857-030	Spears Schedule 80 PVC Union Valve (Old Style) 3 in. Socket w/ FKM O-Rings	130.5955

861-015	Spears Male Adapter Black Sch 80 PVC 1-1/2 in. Spigot x Mipt	23.9327
861-020	2 Male Spigot Adapter Sch80	27.9407
880-020	Nipple PVC 1/4 in. x 2 in. TBE	6.0432
883-060UV	Spears UVC Tube Nipple Sch 80 PVC 3/4 in. x 6 in.	14.3322
898-020	Sch 80 PVC Union (Old Style) 2 in. FIPT w/ EPDM O-Rings	122.6893
CCW-015	1-1/2 Gfpp Nut Wrench- Compression Coupling	72.7599
MA0101-010-4	Spears 4-Port Manifold Tee 1 in. Swivel x MIPT x 4-Swivel with O-Ring	89.8631
MA0603-010	Spears Manifold Elbow 90 Degree 1 in. Swivel x Swivel w/o-Ring	26.4222
N-2	3/8 X 1/2 Transition Nipple MIPT X MIPT	5.7587
P105X-080	8 PVC Dwv Cleanout Adapter Spigot X Fpt Sprs	594.9608
P300-020	2 PVC Dwv 1/4 Bend Hub X Hub Sprs	10.1005
P400-030	Spears Sanitary Tee PVC 3 in. H x H x H	58.5586
S110-15	Spears PVC Compression Coupling with Buna Gasket 1-1/2 in.	35.5356
S110-40	Spears PVC Compression Coupling with Buna Gasket 4 in.	176.0570
S118-20	Spears PVC Expansion Repair Coupling 2 in. Spigot x Socket	57.1226
S118-25	Spears PVC Expansion Repair Coupling 2-1/2 in. Spigot x Socket	85.6608
S1520-10	Spears White PVC Utility Swing Check Valve 1 in. Socket w/ EPDM O-Rings	70.2500
S1520-15	Spears White PVC Utility Swing Check Valve 1-1/2 in. Socket w/ EPDM O-Rings	66.3780
S1520-20	Spears White PVC Utility Swing Check Valve 2 in. Socket w/ EPDM O-Rings	120.3929
1829-010	Spears True Union 2000 Ball Valve 1 in. Socket x FIPT PVC w/EPDM O-Rings	334.4369
1839-010	Spears True Union 2000 PVC Ball Valve 1 in. Socket x FIPT w/	253.6153
1886-020	Sch 80 PVC Nipple Toe 1-1/2 in. x 2 in.	6.1848
1888-080	Spears Nipple Toe Sch 80 PVC 2-1/2 in. x 8 in.	79.8058
210PVCN	PVC Nipple Tbe Schedule 80 2 in. x 10 in.	19.2834
2121-007	Spears Compact PVC Ball Valve 3/4 in. FIPT w/ EPDM O-Ring	116.6184
2122-007	Spears Compact PVC Ball Valve 3/4 in. Socket w/ EPDM O-Ring	116.6184
2122-020	Spears Compact PVC Ball Valve 2 in. Socket w/ EPDM O-Ring	304.5545
212PVCN	Sch 80 PVC Nipple 2 in. x 12 in. MIPT Threaded Both Ends	13.8602
212PVCNTOE	Sch 80 PVC Nipple 2 in. x 12 in. MIPT Threaded One End	27.2665
2131-007	Spears Compact PVC Ball Valve 3/4 in. FIPT w/ FKM O-Ring	119.4595
2132-040	4 PVC Compact Ball Valve Soc Viton Sprs	2865.5959
224PVCN	Sch 80 PVC Nipple 2 in. x 24 in. MIPT Threaded Both Ends	24.7604
2250PVCN	PVC Nipple Tbe SCH 80 2 in. x 2-1/2 in.	4.8773
2329-007	Spears True Union 2000 Standard Retrofit PVC Ball Valve 3/4 in. Socket x FIPT w/ EPDM O-Rings	290.2426
2329-010	Spears True Union 2000 Std Retrofit PVC Ball Valve 1 in. Socket x FIPT w/ EPDM O-Rings	346.6136
2506PVCNTOE	PVC Nipple Toe SCH 80 2-1/2 in. x 6 in.	19.2308
250CLPVCN	PVC Nipple Tbe SCH 80 2-1/2 in. x Cl	13.1489
2621-007G	Spears Utility Ball Valve FIPT 3/4 in. Gray PVC w/ Blue Handle & EPDM O-Rings	55.7888
2622-007	Spears Utility White PVC Ball Valve 3/4 in. Socket w/ Blue Handle & EPDM O-Rings	34.0087
2622-007G	Spears Utility Gray PVC Ball Valve 3/4 in. Socket w/ Blue Handle & EPDM O-Rings	55.7888
2622-010G	Spears Utility Gray PVC Ball Valve 1 in. Socket w/ Blue Handle & EPDM O-Rings	75.8581
26PVCNTOE	Sch 80 PVC Nipple 2 in. x 6 in. MIPT Threaded One End	13.3613
312PVCN	Sch 80 PVC Nipple 3 in. x 12 in. MIPT Threaded Both Ends	42.6010
330-100814	10 PVC 90 Ell Soc Sprs	532.2328
3621-010SR	Spears True Union 2000 Standard PVC Ball Valve 1 in. SR FIPT w/ EPDM O-Rings	125.1252
3629-010	Spears True Union 2000 Standard PVC Ball Valve 1 in. Socket x FIPT w/ EPDM O-Rings	144.5416
3701-120	12 PVC Tee Soc Sch 40 Sprs	2109.4270
38PVCN	Spears Nipple Sch 80 PVC 3 in. x 8 in. TBE	32.2477
401-005UV	Sch 40 UV Resistant PVC Tee 1/2 in. Socket	6.3135
401-007	Sch 40 PVC Tee 3/4 in. Socket	1.2850
401-010UV	Sch 40 UV Resistant PVC Tee 1 in. Socket	14.6605
401-020UV	Sch 40 UV Resistant PVC Tee 2 in. Socket	38.3576
401-025	Sch 40 PVC Tee 2-1/2 in. Socket	19.8569
401-060	Sch 40 PVC Tee 6 in. Socket	158.9507
401-094	3/4 in. x 1/2 in. x 1/2 in. Red Tee Soc PVC Fitting	2.1864

401-248	Sch 40 PVC Reducing Tee 2 in. x 3/4 in. Socket	6.4427
401-333	Spears Reducing Tee PVC 3 in. x 1/2 in. Socket	28.4048
402-015	Sch 40 PVC Tee 1-1/2 in. Socket x FIPT	8.0022
402-040	4 Tee Soc X Fipt PVC Fitting	60.0431
402-074	1/2 in. x 3/4 in. Red Tee Soc X Fipt PVC Fitting	3.2076
402-094	Spears Reducing Tee PVC 3/4 in. x 1/2 in. x 1/2 in. Soc x Fipt	2.2336
402-125	Spears Reducing Tee White PVC 1 in. x 3/4 in. x 3/4 in. Socket x Socket x Fipt	4.2653
402-166	Sch 40 PVC Reducing Tee 1-1/4 in. x 1/2 in. Socket x FIPT	6.4427
402-168	Sch 40 PVC Reducing Tee 1-1/4 in. x 1 in. Socket x FIPT	6.4427
402-247UV	Sch 40 UV Resistant PVC Reducing Tee 2 in. x 1/2 in. Socket x FIPT	41.8366
402-291	Sch 40 PVC Reducing Tee 2-1/2 in. x 1-1/2 in. Socket x FIPT	21.7739
403-007	3/4 PVC Tee Soc X Fpt X Soc	2.3237
405-010	Sch 40 PVC Tee 1 in. FIPT	8.9342
406-012	Sch 40 PVC 90 Degree Elbow 1-1/4 in. Socket	2.9001
406-012UV	Sch 40 UV Resistant PVC 90 Degree Elbow 1-1/4 in. Socket	15.0207
406-020	Sch 40 PVC 90 Degree Elbow 2 in. Socket	4.8717
406-168	Spears Schedule 40 Reducing PVC Elbow 90 Degree Soc 1-1/4 in. x 1 in.	4.6287
406-211	1-1/2 x 1 Red 90 Degree Ell Soc PVC Fitting	7.3775
407-012	1-1/4 PVC 90 Ell Soc x Fpt SCH 40 Sprs	3.6460
408-012	1-1/4 PVC 90 Ell Fpt Sch 40 Sprs	6.6552
410-015	Sch 40 PVC 90 Degree Street Elbow 1-1/2 in. MIPT x Socket	5.1020
411-030	Spears 90 Degree Elbow White PVC 3 in. Mpt x Fpt 11-1/4 Degree	32.9856
412-005UV	Sch 40 UV Resistant PVC 90 Degree Street Elbow 1/2 in. MIPT x FIPT	10.1535
412-015	1-1/2 PVC 90 Ell Mpt x Fpt Sch 40	6.7585
417-010	Sch 40 PVC 45 Degree Elbow 1 in. Socket	2.7575
417-060	Sch 40 PVC 45 Degree Elbow 6 in. Socket	102.3836
420-012	Sch 40 PVC Cross 1-1/4 in. Socket	8.5056
421A-010	Sch 40 PVC Cross 1 in. Socket x MIPT	8.3786
429-003	Spears Coupling 3/8 in. Socket	1.6208
429-005	Sch 40 PVC Coupling 1/2 in. Socket	0.6027
429-015	Sch 40 PVC Coupling 1-1/2 in. Socket	1.9049
429-050	5 Coupling Soc PVC Fitting	26.7183
429-212	Coupling Socket PVC Fitting 1-1/2 in. x 1-1/4 in.	4.0889
429-532	6 in. x 4 in. Coupling Soc PVC Fitting	57.7441
430-005	Sch 40 PVC Coupling 1/2 in. FIPT	1.1286
430-007	Sch 40 PVC Coupling 3/4 in. FIPT	2.1100
430-007UV	3/4 PVC Uvr Coup Fpt Sch40	13.9704
434-007	Sch 40 PVC Riser Extension 3/4 in. FIPT x MIPT	2.7575
435-102	3/4 in. x 1 in. Red Fem Adapt Soc X Fipt PVC Fitting	2.4044
436-060	6 Male Adapter MIPT X Soc PVC Fitting	44.9795
436-073	Spears Reduction Male Adapter White PVC 1/2 in. x 3/8 in. Mipt x Socket	1.6208
436-168	Sch 40 PVC Reducing Male Adapter 1-1/4 in. x 1 in. MIPT x Socket	5.5085
436-213	Sch 40 PVC Reducing Male Adapter 1-1/2 in. x 2 in. MIPT x Socket	6.6493
437-209	1-1/2 in. x 1/2 in. Red Bushing Spig x Soc PVC Fitting	2.2020
437-211	Sch 40 PVC Reducer Bushing Flush Style 1-1/2 in. x 1 in. Spigot x Socket	2.2020
437-211UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 1-1/2 in. x 1 in. Spigot x Socket	13.6401
437-251UV	Sch 40 UV Resistant PVC Reducer Bushing Flush Style 2 in. x 1-1/2 in. Spigot x Socket	16.7513
437-291	Sch 40 PVC Reducer Bushing Flush Style 2-1/2 in. x 1-1/2 in. Spigot x Socket	5.8607
437-421	Sch 40 PVC Reducer Bushing Flush Style 4 in. x 2-1/2 in. Spigot x Socket	19.3046
437-422	Sch 40 PVC Reducer Bushing Flush Style 4 in. x 3 in. Spigot x Socket	19.3046
437-532	Sch 40 PVC Reducer Bushing Flush Style 6 in. x 4 in. Spigot x Socket	47.8428
437-623	10 X 3 PVC Reducing Bushing Spigot X Soc Sch 40	890.4668
438-130UV	1 in. x 1/2 in. PVC UVR Reducing Bushing Spg X Fpt	7.9684
438-131	Sch 40 PVC Reducer Bushing Flush Style 1 in. x 3/4 in. Spigot x FIPT	2.4044
438-249	Sch 40 PVC Reducer Bushing Flush Style 2 in. x 1 in. Spigot x FIPT	5.1749

438-287	2-1/2 Red Bushing Spig x Fipt PVC Fitting	7.4986
438-292	Sch 40 PVC Reducer Bushing Flush Style 2-1/2 in. x 2 in. Spigot x FIPT	7.4986
438-420	Sch 40 PVC Reducer Bushing Flush Style 4 in. x 2 in. Spigot x FIPT	19.2562
438-422	4 in. x 3 in. Red Bushing Spig X Fipt PVC Fitting	19.2562
438-530	Spears Reducing Bushing PVC 6 in. x 3 in. Spig x Fipt	70.5146
439-101	Sch 40 PVC Reducing Bushing 3/4 in. x 1/2 in. MIPT x FIPT	2.6500
439-210	1-1/2 in. x 3/4 in. Rd Bushing Mipt x Fipt PVC Fitting	6.0246
449-030	3 Plug Spig PVC Fitting	11.9333
450-005	Sch 40 PVC Plug 1/2 in. MIPT	2.4370
460-010	Sch 40 PVC Insert Adapter 1 in. Insert x Spigot	4.3579
460-015	Sch 40 PVC Insert Adapter 1-1/2 in. Insert x Spigot	4.3561
461-010	1 Male Adapter Spig X MIPT	2.7925
461-020	Spears Standard Adapter 2 in. Spigot x Mipt	5.1627
463-130	Spears Snap-On Saddle White PVC 1 in. x 1/2 in. Od x Socket	4.2460
463-582	8 X 4 SADDLE OD X SOC	122.5079
464-130	Sch 40 PVC Snap-On Saddle Tee 1 in. x 1/2 in. Snap-On x FIPT	6.2118
478-020	2 Spigot Female Adapter Spig X Fipt	4.8717
4CLPVCN	Spears Nipple Sch 80 PVC 4 in. x Close TBE	27.3491
502PVCN	Sch 80 PVC Nipple 1/2 in. x 2 in. MIPT Threaded Both Ends	1.0668
503PVCN	Sch 80 PVC Nipple 1/2 in. x 3 in. MIPT Threaded Both Ends	1.4093
5807-01008	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 8 in. MIPT x MIPT	103.9246
5807-01010	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 10 in. MIPT x MIPT	110.2608
5811-01210	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/4 in. x 10 in. MIPT x MAT	145.2960
5811-01508	1 1/2 PVC Swing Joint 8 Nipple Mpt X Mat Sprs	168.1092
5811-01512	Spears EverTUFF PVC Swing Joint Riser Assembly 1-1/2 in. x 12 in. MIPT x MAT	186.3176
591-012-4A	Spears EverTUFF PVC Swing Joint 90 Degree Street Elbow 1-1/4 in. FBT x MIPT	40.8743
721321-060	6 PVC Butterfly Valve Buna Gear Op Sprs	5368.2703
7514PVCN	Spears Sch 80 PVC Nipple 3/4 in. x 14 in. TBE	4.9680
752PVCN	Sch 80 PVC Nipple 3/4 in. x 2 in. MIPT Threaded Both Ends	1.0702
753PVCN	Sch 80 PVC Nipple 3/4 in. x 3 in. MIPT Threaded Both Ends	1.3426
801-007	Sch 80 PVC Tee 3/4 in. Socket	12.7093
801-250	Spears Reducing Tee SSS PVC 2 in. x 2 in. x 1-1/4 in.	43.2899
801-290	2 1/2 x 2 1/2 x 1 1/4 Reducing Tee Sch 80 PVC SSS Sprs	48.2416
801-337	Sch 80 PVC Reducing Tee 3 in. x 1-1/2 in. Socket	67.8032
802-166	1 1/4 x 1 1/4 x 1/2 Reducing Tee Sch 80 SST	29.9668
802-289	Sch 80 PVC Reducing Tee 2-1/2 in. x 1 in. Socket X FIPT	96.9226
802-420	4 in. x 2 in. PVC Reducing Tee Soc X Fpt Schedule 80	201.2333
805-005	1/2 Tee Fipt	14.0281
806-005S	1/2 PVC Sweep Ell	10.6340
806-025	Sch 80 PVC 90 Degree Elbow 2-1/2 in. Socket	35.9190
807-040	4 90 Degree Ell Soc X Fipt PVC Sch 80	171.3140
808-030	Sch 80 PVC 90 Degree Elbow 3 in. FIPT	168.7913
8098-010	Sch 80 PVC Union 2000 1 in. FIPT w/ EPDM O-Rings	22.0708
817-010	Sch 80 PVC 45 Degree Elbow 1 in. Socket	18.5994
817-020	Sch 80 PVC 45 Degree Elbow 2 in. Socket	36.3226
819-007	3/4 PVC 45 Ell Fpt Sch 80	17.1867
830-002	1/4 PVC Coupling Fpt Sch 80	9.3250
835-015	Sch 80 PVC Female Adapter 1-1/2 in. Socket x FIPT	31.7816
837-101	3/4 in. x 1/2 in. Reducer Bushing Flush Style Spig X Soc	2.4891
837-131	Sch 80 PVC Reducer Bushing Flush Style 1 in. x 3/4 in. Spigot x Socket	7.1995
837-210	1-1/2 in. x 3/4 in. Reducer Bushing Flush Style	15.3588
837-212	Sch 80 PVC Reducer Bushing Flush Style 1-1/2 in. x 1-1/4 in. Spigot x Socket	15.3588
837-251	Sch 80 PVC Reducer Bushing Flush Style 2 in. x 1-1/2 in. Spigot x Socket	21.9422
837-291	Sch 80 PVC Reducer Bushing Flush Style 2-1/2 in. x 1-1/2 in. Spigot x Socket	38.0939
837-292	Sch 80 PVC Reducer Bushing Flush Style 2-1/2 in. x 2 in. Spigot x Socket	37.9949

837-336	3 X 1 1/4 Reducer Bushing Flush Style Spig X Soc	60.3047
837-585	Spears Flush Style Reducer Bushing 8 in. x 6 in. Spigot x Socket	282.4196
838-211	Sch 80 PVC Reducer Bushing Flush Style 1-1/2 in. x 1 in. Spigot x FIPT	18.2918
838-287	2 1/2 X 1/2 PVC Reducing Bushing Spigot X Fpt	46.9387
838-289	2-1/2 x 1 Reducer Bushing Flush Style	46.9387
838-292	2-1/2 in. x 2 in. Reducer Bushing Flush Style	47.3541
838-334	Spears Reducing Bushing Gray Sch 80 PVC 3 in. x 3/4 in. Socket x Fipt	87.6956
838-532	Spears Reducing Bushing Sch 80 PVC 6 in. x 4 in. Spigot x Fpt	153.3782
839-052	Spears Reducing Bushing Sch 80 PVC 3/8 in. x 1/4 in. Mpt x Fpt	15.6928
839-131	Sch 80 PVC Reducer Bushing Flush Style 1 in. x 3/4 in. MIPT x FIPT	15.0894
839-166	Spears Reducing Bushing Sch 80 PVC 1-1/4 in. x 1/2 in. Mpt x Fpt	16.0120
839-167	Spears Reducing Bushing Sch 80 PVC 1-1/4 in. x 3/4 in. Mpt x Fpt	16.0120
839-210	1-1/2 x 3/4 Reducer Bushing Flush Style	18.9671
839-248	Spears Reducer Bushing Flush Style 2 in. x 3/4 in. Mipt x Fipt	27.7988
851-010	1 PVC One-Piece Flg Soc Cl150	46.3401
851-020	2 Flange One pc. Soc	65.5212
851-030	3 in. Flange 1 pc. Soc	111.6611
851-060	6 Flange One pc. Soc	222.3524
857-012	Sch 80 PVC Union (Old Style) 1-1/4 in. Socket w/ FKM O-Rings	45.5671
859-010SR	1 PVC Union W/Ss Rng Viton Sch80	59.6988
872-030	3 Tank Adapter With Neoprene Gasket Fipt	739.9748
882-015	Spears Nipple TBE Sch PVC 80 1/2 in. x 1-1/2 in.	4.4895
884-131	Sch 80 PVC Reducing Nipple 1 in. x 3/4 in. MIPT Threaded Both Ends	6.8908
884-140	1 X 14 PVC Nipple Tbe Schedule 80	23.0786
884-160	Sch 80 PVC Nipple 1 in. x 16 in. Tbe	8.2098
897-015	Sch 80 PVC Union (Old Style) 1-1/2 in. Socket w/ EPDM O-Rings	51.3562
897-025	Sch 80 PVC Union (Old Style) 2-1/2 in. Socket w/ EPDM O-Rings	109.9092
897-005	Sch 80 PVC Union (Old Style) 1/2 in. Socket w/ EPDM O-Rings	15.7101
898-012	Sch 80 PVC Union (Old Style) 1-1/4 in. FIPT w/ EPDM O-Rings	64.3790
899-025	Sch 80 PVC Union (Old Style) 2-1/2 in. Socket x FIPT w/ EPDM O-Rings	182.1556
CCW-010	1 Gfpp Nut Wrench- Compression Coupling	59.6739
DS-100	Spears Dri-Splice Wire Connector with Crimp Sleeve	6.5739
M412-005	90 Degree Street Elbow Marlex 1/2 in. MIPT x FIPT	1.2226
MS412-010	90 Degree Street Elbow Marlex 1 in. MIPT x FIPT Short Pattern	4.7286
P110-060	6 PVC Dwv Flush Cleanout Plug Mpt Sprs	72.8701
P321-060	6 PVC Dwv 1/8 Bend Hub X Hub Sprs	263.7153
PA2010-02	Shrub Adapter PVC 1/2 in. x 1/8 in. Fpt x Fpt	5.4140
S0301-12	Spears Pipe Extender PVC 1-1/4 in.	20.4215
S119-20	Spears PVC Expansion Repair Coupling 2 in. Socket x Socket	68.0439
S1520-30	Spears White PVC Utility Swing Check Valve 3 in. Socket w/ EPDM O-Rings	221.9473
S1580-40	Spears White PVC Utility Spring Check Valve 4 in. Socket w/ EPDM O-Rings	534.8509
S1720-15	Spears True Union Swing Check Valve PVC White 1-1/2 in. Socket w/ EPDM O-Rings	106.3385
ST722-100	Spears 3-El Turf Swivel Joint Kit PVC 3/4 in. Spigot x MIPT	44.4341
ST922-212	Spears PVC 3-El Turf Swivel Joint 1 in. x 12 in. Spigot x MIPT	32.9931
BPV-220	1 11/32 X 1 5/8 X 1/8 Viton O-Ring	105.9840
802-528	6 X 2 PVC Reducing Tee Soc X Fpt Sch 80 Sprs	310.4303
875-582	8 X 4 PVC Wye Soc Sch 80 Sprs	1864.9475
8058-015	Spears 2000 Union Sch 80 PVC 1-1/2 in. Fipt w/ FKM O-Rings	80.7582
8058-010	Sch 80 PVC Union 2000 1 in. FIPT w/ FKM O-Rings	34.1728
837-525	6 X 1 PVC Reducer Bushing Spigot X Soc Sch 80	130.9030
1436-102MHT	3/4 X 1 PVC Reducing Insert Male Adapter Sprs	4.9884
6621-015	Spears Compact 2000 PVC Ball Valve 1-1/2 in. FIPT w/ EPDM O-Rings	216.7123
884-005M	PVC Nipple 1 in. CL TBE Sch 80 Machined	1.9539
884-020M	PVC Nipple Tbe Schedule 80 Machined 1 in. x 2 in.	1.8379
884-080M	PVC Nipple Tbe Sch80 Machined 1 in. x 8 in.	2.7339

886-040M	PVC Nipple Tbe Schedule 80 Machined 1-1/2 in. x 4 in.	4.4103
457-060	Sch 40 PVC Union 6 in. Socket w/ Buna-N O-Rings	284.9725
4529-015	Spears True Union 2000 PVC Ball Check Valve 1-1/2 in. Socket	466.8952
829-421	4 X 2 1/2 PVC Reduing Coupling Soc Sprs	154.2132
883-035	Spears Molded Sch 80 Nipple PVC TBE 3/4 in. x 3-1/2 in.	6.9837
6621-020	Spears Compact 2000 PVC Ball Valve 2 in. FIPT w/ EPDM O-Rings	290.0893
4529-020	2 PVC Ball Check Soc Thread EPDM Sprs	637.0019
859-015BR	1 1/2 PVC Union Soc X Brfpt Viton Sprs	600.0450
835-010BR	1 PVC Female Adapter Soc X Brfpt Sch 80 Sprs	247.2908
401-668	12 X 8 PVC Reducing Tee Soc Sch 40 Sprs	2692.0996
479-007	3/4 PVC Coup Deep Soc Sch40	2.7749
M412-007	90 Degree Street Elbow Marlex 3/4 in. FIPT	1.7718
ST732-208	Spears 3-El Turf Swivel Joint PVC 3/4 in. x 8 in. Mipt x Mipt	66.4666
855-025	Spears Van Stone Flange PVC 2-1/2 in. Fpt	126.8575
882-101	Sch 80 PVC Reducing Nipple 3/4 in. x 1/2 in. MIPT Threaded Both Ends	2.9490
861-012	Spears Male Adapter Sch 80 PVC 1-1/4 in. Spigot x Mpt	21.4288
S130-10	Spears Compression Adapter PVC 1 in. Comp x Mpt	17.4011
806-100	10 PVC 90 Ell Soc Sch 80 Sprs	6657.8183
861-005	1/2 PVC Male Adapter Spigot X Mpt Sch 80 Sprs	9.0378
1882-020	Spears Nipple Sch 80 PVC 1/2 in. x 2 in. TOE	4.7488
559-212-101AR	Spears EverTUFF PVC Swing Joint Outlet Adapter 1-1/2 in. x 1-1/4 in. FAT x MAT w	37.2267
P400-060	Spears DWV PVC Sanitary Tee 6 in. Hub x Hub x Hub	465.0193
P105-040	4 PVC Dwv Cleanout Adapter Spigot X Fpt Sprs	76.0869
429-010NS	1 PVC Coupling No/Stop Soc Sch40	8.0888
429-015NS	1-1/2 PVC Coupling Soc No/Stop Sch40	9.3550
S1102-07	Spears In-Line Adjustable Spring Check Valve 3/4 in. FIPT x MIPT	50.5175
P600-060	6 PVC Dwv Wye Hub X Hub X Hub Sprs	284.9551
S1580-20	2 PVC Utility Spring Check Valve Soc EPDM Sprs	203.0921
801-334	Spears Reducing Tee Gray Sch 80 PVC 3 in. x 3/4 in. Socket x Socket x Socket	76.7066
M412-010	90 Degree Street Elbow Marlex 1 in. MIPT x FIPT	3.2025
838-129	1 X 3/8 PVC Reducing Bushing Spigot X Fpt Sch 80	7.1170
8170-030	3 PVC Tank Adapter Soc X Soc Sprs	627.4169
889-030TG	3 X 3 PVC Npl Thdxgrv Sch80	29.1800
S1102-05	1/2 Adjustable Spring Check Valve Fpt X Mpt Sprs	49.3374
58-010-1	Spears EverTUFF PVC Swing Joint Riser Extension Coupling 1 i	30.4770
8170E-060	6 PVC Tank Adpt Socxsoc W/EPDM Gskt	2485.1330
8170E-020	2 PVC Tank Adapt Socxsoc EPDM Gskt	368.0008
806-012C	1 1/4 CPVC 90 Ell Sch 80 Soc Sprs	80.8854
817-012C	1 1/4 CPVC 45 Ell Sch 80 Soc Sprs	101.5832
2132-030	Spears Compact PVC Ball Valve 3 in. Socket w/ FKM O-Ring	1453.6704
406-010S	Spears Sweep Elbow Sch 40 PVC 1 in. Socket	12.1989
406-015S	Sch 40 PVC 90 Degree Sweep Elbow 1-1/2 in. Socket	17.7272
801-580	8 x 8 x 3 Reducing Tee Sch 80 PVC SSS Sprs	788.5645
809-020	2 PVC 90 Street Ell Spigot X Soc Sch 80 Sprs	19.0258
401-529	6 X 2 1/2 PVC Reducing Tee Soc Sch 40 Sprs	170.9994
497-020	Sch 40 PVC Union 2 in. Socket w/ EPDM O-Rings	46.6538
467-338SR	3 X 2 PVC Clamp Saddle Srfpt Buna Zinc Bolt Sprs	173.9026
401-666F	12 X 6 PVC Reducing Tee Soc Sch 40 Sprs	4019.8809
497-010	Spears Union Sch 40 PVC 1 in. Socket w/ EPDM O-Rings	11.2950
429-291	Spears Reducing Coupling Sch 40 PVC 2-1/2 in. x 1-1/2 in. Socket	17.3934
429-582	8 X 4 PVC Reducing Coupling Soc Sch 40 Sprs	133.8703
2021-040SR	Spears PVC Special Reinforced PVC Gate Valve 4 in. SR FIPT w	4791.7506
591-015-1AR	1 1/2 PVC Swing Joint 90 Ell Mbt X Fbt Sprs	59.6242
59-015-12R	Spears EverTUFF PVC Swing Joint Riser Nipple 1-1/2 in. x 12	59.2243
59-015-14R	1 1/2 PVC Swing Joint 14 Lg Nipple Mbt Sprs	39.3540

59-015-16R	Spears EverTUFF PVC Swing Joint Riser Nipple 1-1/2 in. x 16	44.1770
807-131	1 in. x 3/4 in. 90 Degree Ell Soc X Fipt PVC Schedule 80 Sprs	16.2236
1821-010SR	1 PVC Ind Ball Valve Sr Thread EPDM Sprs	241.5911
591-012-1A	Spears EverTUFF PVC Swing Joint 90 Degree Elbow 1-1/4 in. MB	52.4118
2239-010	1 PVC True Union Ball Check Valve Soc Viton Sprs	441.2383
2022-015	Spears PVC Gate Valve 1-1/2 in. Socket w/ EPDM O-Rings	344.7284
466-532	6 X 4 PVC Clamp Saddle Soc Buna Zinc Bolt Sprs	411.3864
FL-100	100 Gpm PVC Filter 100 Mesh Ss Screen Sprs	2765.1889
406-100F	10 PVC 90 Ell Soc Sch 40 Fab Sprs	1496.2746
439-420	4 X 2 PVC Reducing Bushing MIPT X Fipt Sch 40	79.6512
430-012	1-1/4 PVC Coupling Fpt Sch 40 Sprs	8.4449
3790-585	8 X 6 PVC Reducing San Tee Soc Sch 40 Sprs	800.4652
827-010	1 PVC 45 Street Ell Spigot X Soc Sch 80 Sprs	18.3872
875-060	6 PVC Wye Soc Sch80 150 psi	710.6584
P300-100	10 PVC Dwv 1/4 Bend Hub X Hub Sprs	1414.5187
P442-532	6 X 6 X 4 PVC Dwv Reducing Vent Tee H X H X H	79.3720
883-060M	PVC Nipple Sch 80 Machined 3/4 in. x 6 in.	2.2330
2621-012G	Spears Utility Ball Valve FIPT 1-1/4 in. PVC w/Blue Handle & EPDM O-Rings	100.4330
801-527	6 x 6 x 1 1/2 Reducing Tee Sch 80 PVC SSS Sprs	282.3362
406-012S	1 1/4 PVC Sweep Ell Soc Sch 40 Sprs	16.9203
8097-040	Spears Sch 80 PVC Union 2000 4 in. Socket w/ EPDM O-Rings	177.9383
406-020S	Sch 40 PVC 90 Degree Sweep Elbow 2 in. Socket	20.0750
802-422	4 X 3 PVC Reducing Tee Soc X Fpt Sch 80 Sprs	223.2535
GK1-030	3 Buna Flange Gasket Kit	46.5995
S0301-30	3 PVC Pipe Extenders	71.7083
S1102-10	Spears In-Line Adjustable Spring Check Valve 1 in. Fipt x Mipt	83.8701
S1520-25	Spears White PVC Utility Swing Check Valve 2-1/2 in. Socket w/ EPDM O-Rings	230.1465
835-102SR	3/4 X 1 PVC Reducing Female Adapter Soc X Srfpt	26.9389
E-127	EPDM O-Ring 1-7/16X1-5/8X3/32 Ixdodxw	1.4480
410-030	3 PVC 90 Ell Mpt X Soc Sch 40 Sprs	49.2430
406-025LSF	2 1/2 PVC Long Sweep 90 Ell Soc Sch 40 Sprs	239.8500
2121-005	Spears Compact PVC Ball Valve 1/2 in. FIPT w/ EPDM O-Ring	85.4461
6622-020	Spears Compact 2000 PVC Ball Valve 2 in. Socket w/ EPDM O-Rings	289.3661
2323-030	3 PVC Ball Valve Flanged EPDM Sprs	2451.3478
2622-012G	Spears Utility Gray PVC Ball Valve 1-1/4 in. Socket w/ Blue Handle & EPDM O-Rings	100.4330
P323-040	4 PVC Dwv Street 1/8 Bend Hub X Spigot Sprs	36.6538
P100-040	4 PVC Dwv Coupling Hub X Hub Sprs	33.9392
6622-010	Spears Compact 2000 PVC Ball Valve 1 in. Socket w/ EPDM O-Rings	121.0132
6622-015	Spears Compact 2000 PVC Ball Valve 1-1/2 in. Socket w/ EPDM O-Rings	217.2445
439-247	2 in. x 1/2 in. PVC Reducing Bushing Mpt X Fpt Schedule 40	6.4427
3622-040	Spears True Union 2000 Standard PVC Ball Valve 4 in. Socket	1515.1392
S1520-15F	Spears White PVC Utility Swing Check Valve 1-1/2 in. FIPT w/	96.8909
GK3-030	3 Viton Flange Gasket Kit	479.9534
2122-012	Spears Compact PVC Ball Valve 1-1/4 in. Socket w/ EPDM O-Ring	228.1944
450-120F	12 PVC Plug Mpt Sch 40 Sprs	2056.5352
429-668	12 X 8 PVC Reducing Coupling Soc Sch 40 Sprs	1433.6899
1435-102	Poly Insert Reducing Female Adapter 3/4 in. x 1 in. FIPT x Insert	9.8539
1822-060	Spears True Union 2000 PVC Ball Valve 6 in. Socket w/ EPDM O	7142.0669
429-250	Spears Reducing Coupling White Sch 40 PVC 2 in. x 1-1/4 in. Socket x Socket	8.9002
4101-012	1 1/4 CPVC Cts Tee Soc Sprs	44.1537
6621-010	Spears Compact 2000 PVC Ball Valve 1 in. FIPT w/ EPDM O-Rings	121.3197
P105X-040	Spears 4 PVC Dwv Clean Out Adapter Spigot X Fpt	69.0649
807-130	Spears Reduction Elbow 90 Degree Sch 80 PVC Gray Soc x Fipt	16.2236
420-120F	12 PVC Cross Soc Sch 40 Fab Sprs	6044.3563
8058-020SR	Sch 80 PVC Special Reinforced Union 2000 w/ Stainless Steel	225.8700

5811-01524	1 1/2 PVC Swing Joint Riser 24 Nipple Sprs	203.1651
3717-120	12 PVC 45 Elbow Soc Sprs	1266.6078
GK1-020	2 Buna Flange Gasket Kit Sprs	29.4650
1889-240	Spears Nipple Toe PVC Sch 80 3 in. x 24 in.	277.8735
GK2-080	8 EPDM Flange Gasket Kit Sprs	131.3953
HK-030	Spears Flange Bolt Hardware Kit Steel Zinc Plated 3 in.	164.1338
1404-010	Spears Tee PVC 1 in. Insert	6.4818
826-080X6	8 PVC Expansion Joint Soc X 6 EPDM Sch 80 Sprs	6088.2693
GK2-040	Spears Flange Gasket Kit 4 in. EPDM	76.0541
473-210	Speciality Fitting With 7/16 Nozzle Sprs	31.3628
427-012	1 1/4 PVC 45 Street Ell Spg X Soc Sprs	3.5005
P105H-040	Spears Female Cleanout Adapter PVC 4 in. Hub x Fpt	46.6589
P110-040	4 Plug PVC Dvw Counter Sunk Mpt Sprs	28.9132
809-005	1/2 PVC 90 Street Ell Spg X Soc Sprs	5.3480
809-007	Spears Street Elbow 90 Degree PVC 3/4 in. Spigot x Socket	6.8176
6621-005	Spears Compact 2000 PVC Ball Valve 1/2 in. FIPT w/ EPDM O-Ri	90.7943
HPL-6	3/4 PVC Plug Mht Sprs	8.8181
HK1-040	4 Ss316 Flange Hardware Kit Sprs	768.1881
S1580C20	Spears Clear PVC Utility Spring Check Valve 2 in. Socket w/	205.8426
401-020T	2 Evertuff Turf PVC Tee Soc Sprs	27.4479
401-025T	Spears Evertuff Turf Tee 401 Series Blue PVC 2-1/2 in. Socket	90.4628
401-030T	Sch 40 PVC Tee 3 in. Socket	35.3448
401-040T	4 Evertuff Turf PVC Tee Soc Sprs	215.0300
801-166	1 1/4 x 1 1/4 x 1/2 Reducing Tee Sch 80 PVC SSS Sprs	36.7542
406-015T	1-1/2 Evertuff Turf PVC 90 Degree Elbow Sprs	14.2271
406-020T	EverTUFF Turf Class 315 PVC 90 Degree Elbow 2 in. Socket	22.2156
406-025T	EverTUFF Turf Class 315 PVC 90 Degree Elbow 2-1/2 in. Socket	67.7345
406-030T	EverTUFF Turf Class 315 PVC 90 Degree Elbow 3 in. Socket	80.9827
401-338T	3 X 2 Evertuff Turf PVC Reducing Tee Soc Sprs	71.1960
1822-030	Spears True Union 2000 PVC Ball Valve 3 in. Socket w/ EPDM O	1858.9861
GK1-025	Spears Buna Flange Gasket 2-1/2 in.	38.5738
HK1-025	2-1/2 Flange Hardware Kit Sprs	290.3453
HK1-030	3 Flange Hardware Kit Sprs	383.0783
GK2-060	Spears Full Faced Flange Gasket EPDM 6 in.	103.8560
GK2-030	Spears Flange Gasket Kit 3 in. EPDM	51.5870
S1580-15F	Spears White PVC Utility Spring Check Valve 1-1/2 in. FIPT w/ EPDM O-Rings	193.6991
416-005	1/2 PVC 22-1/2 Ell Soc SCH 40 Sprs	2.0958
829-530FE	6 X 3 PVC Reducing Coupling Soc Ecc Sch 80	717.0981
479-010	1 PVC Coupling Deep Socket Schedule 40 Sprs	3.9473
812-005	Sch 80 PVC 90 Degree Street Elbow 1/2 in. MIPT x FIPT	18.8913
EHP-101	3/4 X 1/2 PVC 90 Ell Mht X Soc Sprs	9.6102
416-025	Sch 40 PVC 22.5 Degree Elbow 2-1/2 in. Socket	21.2521
5811-01518	Spears Swing Joint Riser PVC 1-1/2 in. Mpt x Mat	198.3536
P105X-060	Spears Cleanout Adapter & Plug P105X Series White PVC 6 in. Spigot	240.6864
ST932-215	Spears PVC 3-Ell Turf Swivel Joint 1 in. x 15 in. MIPT x MIPT	77.6436
6622-007	3/4 PVC Cmpnt 2000 Bvlv Soc EPDM	111.0430
HK-060	5&6 St Zinc Plated Flange Hardware Kit	379.0546
GK1-040	4" Buna Flange Gasket	71.4787
HK-040	Zinc Plated Bolt Kit 4"	340.8845
884-130R	Spears Reducing Nipple 1 in. x 1/2 in. Mpt x Mpt	8.4075
2122-030	Spears Compact PVC Ball Valve 3 in. Socket w/ EPDM O-Ring	1290.7624
GK1-015	1.5 in. Buna Flange Gasket Kit Sprs	21.3425
HK-010	1 St Zinc Plated Flange Hardware Kit Sprs	59.0849
HK-015	1.5 St Zinc Plated Flange Hardware Kit Sprs	88.6806
8722-010	Spears Cold Water White PVC Ball Valve 1 in. Socket w/ Red Handle & EPDM O-Ring	16.4324

ST912-212	Spears PVC 3-Ell Turf Swivel Joint 1 in. x 12 in. Socket x M	68.7348
467SE-417SR	4 X 1 Thrd PVC Clamp Saddle EPDM Oring Stainless Hardware	360.6138
437-251T	2 X 1-1/2 Evertuff Reducer Bushing	13.1420
437-338T	3 X 2 Evertuff Reducer Bushing	31.0515
467-249SR	2X1 PVC ClmpsdI Srfpt Buna Znc Blt	127.0986
837-529	6 X 2 1/2 Reducing Bushing Sch 80	109.3178
3639-010	Spears True Union 2000 Standard PVC Ball Valve 1 in. Socket	158.5812
3639-015	Spears True Union 2000 Standard PVC Ball Valve 1-1/2 in. Socket x FIPT w/ FKM O	280.3358
878-030SR	3PVC Spg Adpt W/Ss Ring Spgxfpt Spears	164.9685
8722-005	Spears Cold Water White PVC Ball Valve 1/2 in. Socket w/ Red Handle & EPDM O-Ri	12.3332
8722-007	Spears Cold Water White PVC Ball Valve 3/4 in. Socket w/ Red Handle & EPDM O-Ri	14.0157
8722-012	Spears Cold Water White PVC Ball Valve 1-1/4 in. Socket w/ Red Handle & EPDM O-	23.6452
8722-015	Spears Cold Water White PVC Ball Valve 1-1/2 in. Socket w/ Red Handle & EPDM O-	29.1383
8722-020	Spears Cold Water Ball Valve Socket 125 psi 2 in. PVC w/Red Handle & EPDM O-Rin	41.0790
8721-005	Spears Cold Water White PVC Ball Valve 1/2 in. FIPT w/ Red Handle & EPDM O-Ring	12.8797
8721-007	Spears Cold Water White PVC Ball Valve 3/4 in. FIPT w/ Red Handle & EPDM O-Ring	14.3467
8721-010	Spears Cold Water White PVC Ball Valve 1 in. FIPT w/ Red Handle & EPDM O-Rings	18.2749
8721-015	Spears Cold Water White PVC Ball Valve 1-1/2 in. FIPT w/ Red Handle & EPDM O-Ri	29.7992
8721-020	Spears Cold Water White PVC Ball Valve 2 in. FIPT w/ Red Handle & EPDM O-Rings	44.3579
2122-005	Spears Compact PVC Ball Valve 1/2 in. Socket w/ EPDM O-Ring	85.6543
721321-100	10 Butterfly Valve Buna Gear Op Sprs	9324.4358
ST732-100	Spears 3-Ell Turf Swivel Joint Kit PVC 3/4 in. Mipt x Mipt	44.4341
FL-50-1	50 Mesh Replacement Screen Only For 100Gpm	1482.0221
1883-030	Sch 80 PVC Nipple 3/4 in. x 3 in. MIPT Threaded One End	4.0422
GK2-025	Lasco Flange Gasket Kit EPDM 2-1/2 in.	41.4877
PD-800-005	1/2 Sch80 PVC Pe 20	5.9780
8172-040	4 PVC Tank Adp Fptxfpt W/Nprn Gasket Sprs	1383.2114
439-532	6X4 Thread To Thread Reducer Bushing	116.7623
58-015-1	1 1/2 PVC Swing Joint Coupling Fbt X Fbt M Sprs	35.8571
429-337	Spears Bushed Reducing Coupling Sch 40 PVC 3 in. x 1-1/2 in. Socket x Socket	39.4462
2121-012	Spears Compact PVC Ball Valve 1-1/4 in. FIPT w/ EPDM O-Ring	216.2915
429-030T	Spears Ever Tuff Coupling 3 in.	65.5181
436-010T	1 Evertuff Turf Male Adapter MIPT X Soc	4.8400
429-626	10 in. X 6 in. PVC Red Coup Soc Sch 40 Spears	1262.3689
S0304-10	Spears Pipe Extender Black Sch 40 PVC 1 in. Spigot x Spigot	18.8507
1822-080	Spears True Union 2000 PVC Ball Valve 8 in. Socket w/ EPDM O	9001.6085
809-025	2 1/2 PVC 90 St Ell Spigotxsoc Sch 80	42.7242
882-005M	Machined Nipple Sch 80 PVC 1/2 in. x Close	1.0702
5805-01010	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 10 in. Socket x MIPT	109.4890
1435-101	Spears Reducing Female Adapter PVC 3/4 in. x 1/2 in. Fpt x Insert	10.1667
1435-131	1 in. x 3/4 in. PVC Red Female Adapter Fptxinsert Sprs	6.4998
882-040M	Spears Machined Sch 80 TBE Nipple Gray PVC 1/2 in. x 4 in. Threaded	1.5690
882-020M	PVC Nipple Schedule 80 Machined Sprs 1/2 in. x 2 in.	1.0626
882-030M	Spears Machined Nipple Sch 80 PVC 1/2 in. x 3 in.	1.4093
5822-01512	Spear 1-1/2 X 12 Matxmat Swing Joint	169.1201
15010PVCNTOE	Sch 80 PVC Nipple Toe1 -1/2 in. x 10 in.	24.7114
722311K-030	Spears 3 Butterfly Valve	2469.0531
875-030	Spears Wye Sch 80 PVC 3 in. Socket	419.9312
479-005N	1/2" PVC Deep Scoket Couplings	1.1377
442-015	1-1/2 PVC 22-1/2 Street Ell Spigot x Soc	4.9256
S1580-40F	Spears White PVC Utility Spring Check Valve 4 in. FIPT w/ EPDM O-Rings	506.8369
S0304-12	Spears Pipe Extender PVC Class 200 1-1/4 in.	20.6279
S0304-15	Spears Pipe Extender Class 200 PVC 1-1/2 in.	22.5086
S0304-20	Spears Pipe Extender Class 200 PVC 2 in.	25.1647
GK1-060	Spears Flange Gasket 6 in. Buna	76.9739

P110-020	2 PVC Dwv Flush Cleanout Plug Mpt Sprs	17.1831
8058-025SR	Sch 80 PVC Special Reinforced Union 2000 w/ Stainless Steel	472.3368
5808-24910	Spears EverTUFF PVC Swing Joint Riser Assembly 2 in. x 1 in.	156.2763
59-010-16R	Spears EverTUFF PVC Swing Joint Riser Nipple 1 in. x 16 in.	31.3109
884-025	Spears Nipple Sch 80 PVC 1 in. x 2-1/2 in.	1.9840
497-015	1-1/2 PVC Union Soc EPDM Sprs	27.8128
S130-20	PVC Compression Male Adapter 2"	34.2500
4529-010	1 PVC Tu2Kindchkvlv Soc/Fpt EPDM Spears	251.2608
439-422	Spears Reducing Bushing PVC 4 in. x 3 in. Mpt x Fpt	67.5611
P110-025	2 1/2 PVC Dwv Flush Cleanout Pluf Mpt Spears	31.8362
6621-012	Spears Compact 2000 PVC Ball Valve 1-1/4 in. FIPT w/ EPDM O-Rings	199.7100
HK1-020	Ss316 Flange Hardware Kit Spears	270.8939
GK2-020	Spears Flange Gasket Kit 2 in. EPDM	32.2122
836-131	1-3/4 in. Reducing Male Adpt	21.4613
408-005UV	Sch 40 UV Resistant PVC 90 Degree Elbow 1/2 in. FIPT	8.8896
1883-040	Sch 40 PVC Nipple 3/4 in. x 4 in. MIPT Threaded One End	8.2998
GK2-100	Spears 10 EPDM Flange Gasket	168.3710
3978-060	6 Cleanout Adapter W/Plug (Spigotxcleanout)	790.8038
591-015-6A	90 Ell Outlet	53.6287
6622-005	1/2 PVC Compact 2000 Ball Valve	80.9973
HK-080	8 Hardware Kit	443.1130
HK-120	10 12 Hardware Kit	599.5601
429-020T	Spears EverTuff Coupling 2 in.	13.2237
429-010T	1 Ever Tuff Coupling	5.8745
3765-532	6 X 4 Stub Saddle	320.9038
548-012-28A	Spears EverTUFF PVC Swing Joint Cap 1-1/4 in. FAT	4.8190
464-420	4X2 Thread Saddle Tee	161.7081
429-007NS	3/4 PVC Coupling No/Stop Soc Sch 40	7.6387
S110E-20G	2 Compression Fitting Grey	66.9970
S0302-30	3" Pipe Extender Sch 40 Spg X Spg	80.9168
812-007	Sch 80 PVC 90 Degree Street Elbow 3/4 in. MIPT x FIPT	21.4514
435-015UV	1 1/2 PVC Uvr Female Adapter Fptxsoc Sch 40	11.6393
P106-030	Spears Clean Out Plug 3 in.	15.0180
806-030C	3 CPVC 90 Ell Sch 80 Soc	284.0003
P428-040	4 Double Sweeping Tee	142.1406
S112-10	Griploc Compression Coupling 1 in.	114.9814
887-060M	Spears Machined Nipple PVC 2 in. x 6 in.	6.3043
853-020	2 in. BLIND FLANGE	98.5113
883-120M	Genova Nipple Machined TBE Sch 80 PVC 3/4 in. x 12 in.	2.8092
HK2-060	6 in. 304SS FLANGE BOLT HARDWARE KIT	794.8171
HK2-030	Spears Flange Bolt Hardware Kit Stainless Stee 3 in.	323.1667
HK2-020	2 304SS FLANGE BOLT HARDWARE KIT	245.4477
5803-01010	Spears EverTUFF PVC Swing Joint Riser Assembly 1 in. x 10 in. MIPT x Socket	109.4850
834-010	1 in. male x female riser sch80	33.5973
884-015	1 X 1 1/2 PVC Nipple SCH 80	4.9702
475-664F	12 X 4 PVC Reducing Y Soc Sch 40 Sprs	4200.1632
SH118-20T	Spears EverTUFF Short Repair Coupling Blue PVC 2 in. Spigot x Socket	148.7542
8097-030	Spears Sch 80 PVC Union 2000 3 in. Socket w/ EPDM O-Rings	128.9720
0301-25	REPAIR PIPE EXTENDER PVC 2.50 PVC SCH40	26.6497
2022-010	Spears PVC Gate Valve 1 in. Socket w/ EPDM O-Rings	193.6280
406-030S	Elbow SWEEP 90 Degree SXS SCH40 WHITE	27.7010
429-335	RED COUPLING 3 x 1 SS SCH40	39.4463
449-060	PLUG 6 SCH40 SLIP WHITE	36.5648
458-040	Spears Union Sch 40 PVC 4 in. Fipt w/ Buna-N O-Rings	133.5366
854-012	FLANGE VAN STONE 2 pc. 1.25 SLIP GREY, SCH. 80	28.6838

866-338	SADDLE CLAMP 3X2 PVC PVC SOCKET/EPDM/ZINC HARDWARE	195.3566
866S-422	SADDLE CLAMP 4 X 3 SOCKET/EPDM/SS BOLT	394.1262
867S-338SR	SADDLE CLAMP 3 X 2 EPDM/THREAD/SS BOLT	311.6160
886-060M	Machined Nipple 1-1/2 in. x 6 in.	5.6524
3639-012	Spears True Union 2000 Standard PVC Ball Valve 1-1/4 in. Soc	212.2946
424PVCNTOE	Spears Nipple Sch 80 PVC 4 in. x 24 in. TOE	271.4139
P400-015	1-1/2 in. pvc dmv san tee hxxhx	10.5344
1401-169	Spears Reducing Tee 1-1/4 in. x 1-1/4 in. x 1-1/2 in. Insert	6.3394
GL429-010	Spears Griploc Push-On Coupling PVC 1 in.	67.3437
GL429-015	Spears Griploc Push-On Coupling PVC 1-1/2 in.	85.2480
GL429-020	Spears Griploc Push-On Coupling PVC 2 in.	88.8510
850-025	SCH 80 PLUG 21/2	47.5490
3621-012SR	Spears True Union 2000 Standard PVC Ball Valve 1-1/4 in. SR FIPT w/ EPDM O-Ring	398.6596
6621-007	Spears Ball Valve Compact 2000 Series FIPT 235 PSI 3/4 in. PVC w/ EPDM O-Rings	110.7654
8170E-040	4 PVC Tank Adpt SocxSoc W/epdm Gskt	1206.7921
439-337	reduce bushing 3 x 1 1/2 txt	70.3126
P441-100	10 PVC DWV VENT TEE HXHXH	1910.2063
P100-100	10 PVC DWV COUPLING HXH	577.1435
416-060	Sch 40 PVC 22.5 Degree Elbow 6 in. Socket	146.2286
446-053	3/8X1/2 PVC IPT ADAPTER MPTXFPT SCH40	2.4997
884-120M	Sch 80 PVC Machined Nipple 1 in. x 12 in.	5.2509
886-120M	PVC Machined Nipple 1-1/2 in. x 12 in.	9.2214
829-249	2x1 reducer coupling sxs	33.4040
722311-020	SPEARS BUTTERFLY VALVE, 2 EPDM LEVER HANDLE	1463.4493
406-292	Spears Reducing Elbow 90 Degree PVC 2-1/2 in. x 2 in. S x S	12.4754
8172-005	1/2 TANK ADAPT TXT NEW STYLE	185.0744
880-005M	1/4xCL PVC SCH 80 Nipple	9.1734
883-005M	PVC Sch 80 Nipples 3/4 in. x Cl	1.1520
883-025M	3/4x21/2 PVC SCH 80 NIPPLE	1.2623
884-120P	Spears Nipple Gray Sch 80 PVC 1 in. x 12 in. Threaded	16.8939
885-040M	Spears Machined Nipple Sch 80 PVC 1-1/4 in. x 4 in.	3.9804
885-060M	Spears Nipple Sch 80 PVC 1-1/4 in. x 6 in.	5.5008
886-005M	Spears Machined Nipple Sch 80 PVC 1-1/2 in.	18.9831
887-005M	Spears Machined Nipple Sch 80 PVC 2 in. x Close	7.4323
887-030M	PVC SCH 80 Nipple 2 in. x 3 in.	5.2694
887-040M	Spears Machined Nipple Sch 80 PVC 2 in. x 4 in.	6.1393
P107-422	Spears DWV Bushing 4 in. x 3 in.	31.2108
P130-040	4 in. REPAIR COUPLING	78.6736
P448-030	Spears 2-Way Clean Out Tee PVC 3 in. Hub x Hub	139.6394
P448-040	4 DWV TWO WAY CLEANOUT	180.7283
8058-030	Spears 2000 Union Sch 80 PVC 3 in. Fipt w/ FKM O-Rings	92.7274
882-100M	Spears Machined Nipple Sch 80 PVC 1/2 in. x 10 in.	6.6460
883-100M	Spears Machined Nipple Sch 80 PVC 3/4 in. x 10 in.	3.2207
884-100M	Spears Machined Nipple Sch 80 PVC 1 in. x 10 in.	4.6333
885-120M	PVC SCH 80 Nipple Machined 1-1/4 in. x 12 in.	8.1977
886-100M	Spears Machined Nipple Sch 80 PVC 1-1/2 in. x 10 in.	8.6047
S118-30T	3 EverTuff PVC Expansion Repair Coupling	196.3315
TAW2-040	Spears Compression Coupling Wrench 4 in.	109.9463
S1720C30	Spears Clear PVC True Union Swing Check Valve 3 in. Socket w	370.0094
GK2-010	FLANGE GASKET 1 FULL FACED EPDM	22.4062
GK2-012	FLANGE GASKET 1-1/4 FULL FACED EPDM	23.5054
BS23P6-010	1 PVC Basket Strainer FLG EPDM P6 Mesh	2353.3282
3775-582	8X4 PVC SCH40 DWV WYE	495.3988
3727-080	8 SCH40 DWV45 DEGREE STR ELL	548.2939
437-419	4x1-1/2 PVC RED BUSH SPGXSOC SCH 40	23.6608

P401-532	6 x 4 - P401 Reducing Sanitary Tee	304.2364
1827-025	Spears True Union 2000 PVC Ball Valve 2-1/2 in. Spigot w/ EP	1342.8793
1883-120	Spears Toe Nipple Gray Sch 80 PVC 3/4 in. x 12 in. Threaded	7.8344
474-020G	2 Insert Adapter Insert X Soc Grey Spears	38.0024
P116-060	Spears DWV Cap Sch 40 PVC 6 in.	120.2947
437-417	4x1 reducer bushing	23.4058
1883-005	Spears Nipple PVC 3/4 in. x Close TOE	8.0983
8170-020	2 SPEARS TANK ADAPTER SOC X SOC SCH80	342.7923
882-120M	Machined PVC Nipple Sch 80 Gray 1/2 in. x 12 in. TBE	2.2151
898-040	Sch 80 PVC Union (Old Style) 4 in. FIPT w/ EPDM O-Rings	126.3811
897-040	Spears Old Style Union Sch 80 PVC 4 in. Socket w/ EPDM O-Rings	169.2161
406-025S	2-1/2 SCH 40 SWEEP EL SOC 90	24.3402
S118-25T	2 1/2 EverTuff PVC Expansion Repair Coupling	215.7046
48PVCNTOE	4 X 8 PVC Nipple Toe Sch 80	151.2613
S130-12	1 1/4 Compression Male Adapter PVC	26.7273
855-060	6 stone flange FPT x flange	334.9141
S119-25T	Spears EverTuff Repair Coupling PVC 2-1/2 in. Socket x Socket	215.7046
S119-30T	3 in. Ever Tuff PVC Repair Coupling Soc x Soc	269.6261
S119-40T	4 in. Ever Tuff PVC Repair Coupling Soc x Soc	471.7714
836-251	Spears Reduction Adapter Sch 80 PVC 2 in. x 1-1/2 in. Mpt x Socket	76.8880
434-020	Spears Riser Extension Sch 40 PVC 2 in. Fpt x Mpt	36.0550
GK1-120	12 BUNA FULL-FACED FLANGE GASKET	226.2323
HK2-040	4" 304SS Flange Bolt Hardware Kit	647.9906
1886-180	Spears Nipple Sch 80 PVC 1-1/2 in. x 18 in. TOE	29.7204
852-012	1 1/4 PVC Flange One Piece FPT	82.4704
466E-291	2 1/2 X 1 1/2 Clamp Saddle Socket	159.2077
S119-15T	Spears Evertuff Repair Coupling 1-1/2 in. Socket	70.1859
S112-20	2 PVC GRIPLOC COMP COUPLING EPDM	167.2295
436-040T	4 EVER TUFF MALE ADAPTER	57.4389
479-012	1-1/4 Deep Well Couplings	4.2964
S14108	4 Swab and Handle; Fits QT and GAL containers	82.3657
GK1-012	1-1/4 BUNA FULL FACE FLANGE GASKET	20.6988
801-030C	3 CPVC Tee Sch 80 Soc	370.2503
BFHK-040	Standard Butterfly Bolt Kit Type 304	236.1969
802-025	Spears Standard Tee Sch 80 PVC 3 in. Slip x Slip x Thread w/ 2-1/2 in. Bushings	88.6752
PD-400-060	6 pvc sch40 pipe 20ft sprs	107.6441
899-020	Sch 80 PVC Union (Old Style) 2 in. Socket x FIPT w/ EPDM O-Rings	98.9877
15016PVCN	Sch 80 PVC Nipple 1 1/2 in. x 16 in. MIPT Threaded Both Ends	30.4387
59-015-10R	1-1/2X10 PVC SJR NPL MBT W/O-RINGS I	56.2456
437-292T	2 1/2 X 2 Evertuff Reducer Bushing	11.2149
ECS2-010	1 Spears End Connector Set (Socket)	49.3682
442-040	4 SCH40 STREET 22-1/2	72.2120
P116-040	Spears DWV Cap Sch 40 PVC 4 in.	47.3871
3627-010	Spears 1 PVC True Union Ball Valve SPG EPDM	195.1230
BPV-328	o ring for 857-015 or 858-015	109.9200
875-080	8 PVC WYE SCH80 SOC	1429.0821
S1580-10	1 PVC Utility Spring Check Valve Soc EPDM	174.7656
1413074	Dura Combo Elbow 1/2 in. x 3/4 in. Insert x Mipt	2.6219
P105-060	Spears DWV Adapter PVC 6 in. C/O Spigot x Fpt	151.5655
CLIC-007	3/4 in. PVC Pipe Hanger	9.0505
8058-007	Spears Union 2000 Viton Pvc 3/4 in. Fpt	25.8929
8057-020	Spears Union Sch 80 PVC 2 in. Socket	70.5019
8057-015	Spears Viton 2000 Union PVC 1-1/2 in. Socket	51.9913
459010	Dura Union Sch 40 PVC 1 in. Slip x Fipt	4.4412
884-040M	PVC Nipple TBE SCH 80 Machined 1 in. x 4 in	1.1497

S0301-25	2-1/2 Pipe Extender	26.6497
4047-120	12 in. Sdr35 Solvent Weld Cap SPEARS	592.2508
8057-007	Spears Union 2000 Viton PVC 3/4 in. Socket	20.2788
8057-010	Spears Viton 2000 Union PVC Socket	23.1293
8057-012	Spears Union PVC 1-1/4 in.	40.9086
1420-130	1 in. X 1/2 in. Poly Cross	11.3300
1436-130	Poly Male Adapter 1 in. x 1/2 in. TxI	4.2600
1420-101	3/4 in. x 1/2 in. Poly Cross	9.2200
P601-666	12X12X6 PVC DWV RED WYE HXHXH	1692.8198
1829-005	1/2 True Union 2000 Ind Ball Valve Soc Thread EPDM Sprs	161.9904
887-120M	2 x 12 Machined Nipple	8.3358
GK2-050	5 in. Flange Gaskets - Full-Faced EPDM	65.3539
216PVCN	2 X16 PVC Nipple	43.9649
1539-002	Spears Lab Cock Ball Valve w/ Barb 1/4 in.	101.5586
816-015	Spears Sch 80 Elbow Fitting 22-1/2 Degree 1-1/2 in.	32.8456
ES-443	Spears Hose Sled 1/2 in. x 1/2 in. x 3/8 in.	27.6207
HF-30-1W	Spears 30 Mesh Screen Stainless Steel	23.6488
BPV330	Spears Viton O-Ring for Unions 2 in. New Style	11.0928
M65-AA	M65 3/4Mht x 5/8 Irr Hose	8.2237
816-012	1-1/4 Ell 22-1/2 Degree Soc	25.8413
V07X360	3/4 in. x 36 in. Machined Nipple Schedule 80 PVC	11.6621
V05X300	1/2 in. x 30 in. Machined Nipple Schedule 80 PVC	5.0895
V05X360	1/2 in. x 36 in. Machined Nipple Schedule 80 PVC	5.8428
V10X360	1 in. x 36 in. Machined Nipple Schedule 80PVC	10.2503
V20X040	2 in. x 4 in. Machined Nipple Schedule 80 PVC TBE	3.6844
V10X240	1 in. x 24 in. Machined Nipple Schedule 80 PVC	6.7038
V20X080	2 in. x 8 in. Machined Nipple Schedule 80 PVC TBE	6.1493
V05X160	1/2 in. x 16 in. Machined Nipple Schedule 80 PVC	2.7351
V05X240	1/2 in. x 24 in. Machined Nipple Schedule 80 PVC	3.7333
V10X180	1 in. x 18 in. Machined Nipple Schedule 80 PVC	5.5831
V05X180	1/2 in. x 18 in. Machined Nipple Schedule 80 PVC	3.0413
V15X120	1-1/2 in. x 12 in. Machined Nipple Schedule 80	5.8830
V20X000	2 X Close Machined Nipple SCH80	4.4588
V07X180	3/4 in. x 18 in. Machined Nipple Schedule 80 PVC	3.6717
V20X040O	2 in. x 4 in. Machined Nipple Schedule 80 PVC TOE	7.5309
V07X240	3/4 in. x 24 in. Machined Nipple Schedule 80 PVC	4.6581
V10X080	1 in. x 8 in. Machined Nipple Schedule 80 PVC TBE	2.3854
V05X120	1/2 in. x 12 in. Machined Nipple Schedule 80 PVC	1.7794
V10X120	1 in. x 12 in. Machined Nipple Schedule 80 PVC	3.3502
V15X080	1-1/2nX 8 Machined Nipple SCH80 TBE	4.7341
V07X120	3/4 in. x 12 in. Machined Nipple Schedule 80 PVC	2.3308
V07X300	3/4 in. x 30 in. Machined Nipple Schedule 80 PVC	6.3182
V20X030	2 in. x 3 in. Machined Nipple Schedule 80 PVC TBE	3.1603
V15X040O	1-1/2 in. x 4 in. Machined Toe Nipple	3.4824
V05X140	1/2 in. x 14 in. Machined Nipple Schedule 80 PVC	2.4741
V15X030	1-1/2 in. x 3 in. Machined Nipple Schedule 80 PVC	2.4619
V10X100	1 in. x 10 in. Machined Nipple Schedule 80 PVC	2.9581
V15X100	1-1/2 in. x 10 in. Machined Nipple Schedule 80	5.4910
V07X080	3/4 in. x 8 in. Machined Nipple Schedule 80 TBE	1.7486
V15X060	1-1/2 in. x 6 in. Machined Nipple Schedule 80 PVC	3.6165
V07X100	3/4 in. x 10 in. Machined Nipple Schedule 80 TBE	2.0552
V07X040O	3/4 in. x 4 in. Machined Nipple Schedule 80 TOE	5.1503
V05X080	1/2 in. x 8 in. Machined Nipple Schedule 80 PVC	1.3165
V25X060	2-1/2 in. x 6 in. Machined Nipple Schedule 80 PVC	12.8717
V25X040	2-1/2 in. x 4 in. Machined Nipple Schedule 80 PVC	10.1032

V25X000	2-1/2 X Close Machined Nipple SCH80	7.9014
V12X0400	1-1/4 in. x 4 in. Machined Nipple Schedule 80 PVC	2.5390
BPB-031	Spears Swing Joint O-Ring Seal 1-1/2 in. (100/pack)	72.1476
BPB-129	Spears Swing Joint O-Ring 1-1/2 in. (100/pack)	65.9718
883-020M	Sch 80 PVC Machined Nipple 3/4 in. x 2 in. MIPT Threaded Both Ends	0.6462
C-439-101	Sch 40 Reducing Bushing 3/4 in. x 1 in. MPT x FPT (Custom -	6.7200
475-582	Spears Reducing Wye White Sch 40 PVC 8 in. x 4 in. Socket x Socket x Socket	657.4502
P102-337	Spears Increaser/Reducer Coupling Sch 40 DWV PVC 3 in. x 1-1/2 in. Hub x Hub	26.0409
882-060M	Spears Machined Nipple Sch 80 PVC 1/2 in. x 6 in. Mipt Threaded Both Ends	5.2598
4745RIV	Sch 80 PVC Nipple 1-1/4 in. x Close MIPT Threaded Both Ends	0.9292
837-580	Spears Reducer Bushing Sch 80 PVC 8 in. x 3 in. Spigot x Socket	652.5700
830-212SR	Spears Reducing Coupling PVC Sch 80 1-1/2 in. x 1-1/4 in. SRFPT	90.4455
884-030P	Spears Plain Nipple Sch 80 1 in. x 3 in.	5.2648
884-040P	Spears Plain Nipple Sch 80 1 in. x 4 in.	5.7426
429-131FE	Spears Eccentric Reducer Coupling Sch 40 1 in. x 3/4 in. Socket	85.0456
475-005	Spears Wye PVC Sch 40 1/2 in. Socket	2.1876
475-007	Spears Wye PVC Sch 40 3/4 in. Socket	3.4274