


# Product Pricelist

U.S. & Canada Effective Date: March 3, 2025



Experience a safer  
and more open world



**ASSA ABLOY**

# Product Pricelist

U.S. & Canada Effective Date: March 3, 2025

# 2025 Pricelist Adams Rite Architectural Hardware

| DEADLOCKS                                                    |    | ELECTRIC STRIKES                                           |    | CYLINDERS & ACCESSORIES CONT.                                 |    |
|--------------------------------------------------------------|----|------------------------------------------------------------|----|---------------------------------------------------------------|----|
| 1830 Bottom Rail Deadlock (Swingbolt)                        | 2  | 7100, 7101 Electric Strikes                                | 20 | <b>Thick Door Kits</b>                                        |    |
| MS1837 Series MS® Two-Point Deadlock                         | 2  | 7110, 7111 Electric Strikes                                | 20 | 2190, 2290 Dual Force® Interconnected                         |    |
| MS1847/MS1848 Series MS® Deadlock/Deadlatch                  | 2  | 7130, 7131 Electric Strikes                                | 21 | Deadbolt/Deadlatch Thick Door Kit                             | 41 |
| MS1850S Series MS® Deadlock                                  | 3  | 7140 Electric Strike                                       | 21 | 4568, 4569 Eurostyle Deadlatch Handles Thick Door Kits        | 41 |
| 1850S-X2X Series Short Throw Deadlock                        | 3  | 7160 Electric Strike                                       | 21 | <b>Faceplates</b>                                             |    |
| MS1850SN Series MS® Deadlock (ANSI Size)                     | 4  | 7170 Electric Strike                                       | 22 | MS1850S Deadlocks Faceplates                                  | 41 |
| MS1861 Series MS® Bottom Rail Deadlock                       | 4  | 7100 Series Electric Strike Components                     | 22 | MS1850S, MS1950P Deadlock (Standard Bolt) Faceplates          | 41 |
| 1875 Two-Point Deadlock                                      | 4  | 7240 Fire-Rated Electric Strike                            | 23 | MS1850S, MS1950P Deadlock                                     |    |
| MS+1890 Series MS® Deadlock/Deadlatch                        | 5  | 7270 Fire-Rated Electric Strike                            | 23 | (Hookbolt and Short Bolt) Faceplates                          | 42 |
| MS1950P Series MS® Deadlock                                  | 5  | 7400, 7401 UltraLine® Preload-Capable Electric Strikes     | 23 | MS1850SN410 Deadlock (Standard Bolt) Faceplates               | 42 |
| 2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch for |    | 7410, 7411 UltraLine® Preload-Capable Electric Strikes     | 24 | MS1850SN450 Deadlock (Hookbolt) Faceplates                    | 42 |
| Aluminum Stile Doors (2190); for Wood or Hollow Metal (2290) | 6  | 7430, 7431 UltraLine® Preload-Capable Electric Strikes     | 24 | 1870 Flushbolt Faceplates                                     | 42 |
| 2331 Heavy Duty Deadbolt                                     | 7  | 7440 UltraLine® Preload-Capable Electric Strike            | 24 | MS+1890 Deadlock Faceplates                                   | 42 |
| 4070 Series Short Throw Deadbolt (Projection Style)          | 7  | 74R1 UltraLine® Preload-Capable Electric Strike            | 25 | 2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates | 43 |
| 5017 Deadlock/Deadlatch for Wood Doors                       | 7  | 74R2 UltraLine® Preload-Capable Electric Strike            | 25 | 2331 Heavy Duty Deadbolt Faceplates                           | 43 |
| 5500 Deadlock for Sliding Wood Doors                         | 7  | 7400 UltraLine® Electric Strike Components                 | 25 | 3300 Fire-Rated Mortise Exit Device Faceplates                | 43 |
|                                                              |    | 7800 Series Electric Strike                                | 26 | 4070 Short Throw Deadbolt Faceplates                          | 43 |
|                                                              |    | 7800 Series Electric Strike Accessories                    | 26 | 4500 Standard Duty Deadlatch Faceplates                       | 43 |
|                                                              |    |                                                            |    | 4530 Standard Duty Deadlatch Faceplates                       | 43 |
| DEADLATCHES                                                  |    | TRIM                                                       |    | 4900 Heavy Duty Deadlatch Faceplates                          | 43 |
| DL100 Aperio® Wireless Deadlatch                             | 8  | 1000 Series Turns                                          | 27 | 4900 Heavy Duty Deadlatch Special Faceplates                  | 44 |
| 4300 Steel Hawk® Electrified Deadlatch                       | 8  | 3000 Fixed Pull                                            | 27 | 4920, 8300 Faceplates                                         | 44 |
| 4300 RITE Pack®                                              | 8  | 3080 Series Entry Trim                                     | 28 | 7100, 7160 Electric Strike Faceplates                         | 44 |
| 4510 Standard Duty Deadlatch                                 | 9  | 3090 eForce® Keyless Entry                                 | 29 | 7101 Electric Strike Faceplates                               | 44 |
| 4530 Standard Duty Deadlatch                                 | 9  | 4060 Turn                                                  | 29 | 7110 Electric Strike Faceplates                               | 44 |
| 4781 Two-Point Deadlatch with Paddle                         | 10 | 4550 MS® Deadlock Lever                                    | 29 | 7111 Electric Strike Faceplates                               | 44 |
| 4900 Heavy Duty Deadlatch                                    | 10 | 4560, 4565 Series Deadlatch Handles                        | 30 | 7130 Electric Strike Faceplates                               | 44 |
| 4920AN Heavy Duty Deadlatch (ANSI Size)                      | 10 | 4568, 4569 Eurostyle Deadlatch Handles                     | 30 | 7131 Electric Strike Faceplates                               | 44 |
|                                                              |    | 4570 ICU Latch Operator                                    | 31 | 7140, 7170 Electric Strike Faceplates                         | 44 |
|                                                              |    | 4576 ICU Flushbolt Latch Operator                          | 31 |                                                               |    |
|                                                              |    | 4590 Deadlatch Paddle                                      | 32 | POWER                                                         |    |
|                                                              |    | 4591 Deadlatch Paddle                                      | 33 | PS-EXIT Power Supply                                          | 45 |
|                                                              |    | 4600 Heavy Duty Designer Deadlatch Handles                 | 34 | 4612 Power Transfer Device                                    | 45 |
|                                                              |    |                                                            |    | Accessories for Power                                         | 45 |
| FLUSHLOCKS                                                   |    | CYLINDERS & ACCESSORIES                                    |    |                                                               |    |
| 1870 Cylinder-Operated Flushbolt                             | 11 | 4024, 4025, 4026 Cylinder Pulls                            | 35 | DEMO MOUNTS                                                   |    |
| 1870HM Cylinder-Operated Flushbolt                           | 11 | 4036 Mortise Cylinder                                      | 35 | <b>Deadlocks &amp; Deadlatches</b>                            |    |
| 1877 Cylinder-Operated Flushbolt                             | 11 | MS4043 Cylinder Guard                                      | 36 | 2190 Dual Force® Interconnected Deadbolt/Deadlatch            | 46 |
| MS1880, MS1881 Two-Point Flushbolts                          | 12 | 4066 Thumbturn                                             | 36 | 4300 Steel Hawk® Electrified Deadlatch                        | 46 |
| MS2180 Auto-Release Two-Point Flushbolt                      | 12 | 4580 Cam Plug                                              | 36 | DL100 Aperio® Wireless Deadlatch                              | 46 |
| 4189, 4190 Flush Locksets (Including Deadlock)               | 13 | 4581 Universal Cam Plug                                    | 36 | <b>Electric Strikes</b>                                       |    |
| 4430, 4431 Flush Locksets (Including Deadlock)               | 13 | 8650 Cylinder Escutcheon Kit                               | 37 | 7400 Ultraline® Electric Strikes                              | 46 |
|                                                              |    | 8736 Rim Cylinder                                          | 37 | <b>Trim</b>                                                   |    |
|                                                              |    | 4014 Two-Point Conversion Kit                              | 37 | 3090 eForce® Keyless Entry                                    | 46 |
|                                                              |    | 4015 Threshold Bolt                                        | 37 | 4600 Heavy Duty Designer Deadlatch Handles                    | 46 |
|                                                              |    | 4016 Header Bolt                                           | 37 |                                                               |    |
|                                                              |    | 4085 Header Bolt (Pairs of Doors Only)                     | 38 | GENERAL INFORMATION                                           |    |
|                                                              |    | 4089 Exit Indicator                                        | 38 | Adams Rite Limited Warranty/Terms and Conditions              | 47 |
|                                                              |    | 4104 Mounting Bridges                                      | 38 |                                                               |    |
|                                                              |    | 91-0965 Universal Mounting Tab Kits for Installing         |    |                                                               |    |
|                                                              |    | MS® Locks & Latches                                        | 38 |                                                               |    |
|                                                              |    | B1921, B1923 Reinforcing Pivots                            | 39 |                                                               |    |
|                                                              |    | <b>Strikes</b>                                             |    |                                                               |    |
|                                                              |    | 2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes | 39 |                                                               |    |
|                                                              |    | 2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes | 39 |                                                               |    |
|                                                              |    | 4000 Series MS® Deadlock Strikes                           | 39 |                                                               |    |
|                                                              |    | 4800, MS4804 Series Strikes                                | 40 |                                                               |    |
|                                                              |    | 4901, 4902 Deadlatch Strikes                               | 40 |                                                               |    |
|                                                              |    | 4304 Deadlatch Strike                                      | 40 |                                                               |    |

# DEADLOCKS

## 1830 Bottom Rail Deadlock (Swingbolt)

| MODEL | DESCRIPTION                                    | 313, 628 |
|-------|------------------------------------------------|----------|
| 1830  | Deadlock with 31/32" or 1-1/8" cylinder height | \$165    |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | DASH NO.<br>(SPECIFY FOR CYLINDER HEIGHT AND LOCK DEPTH) | FINISH                   |
|-------------|----------------------------------------------------------|--------------------------|
| 1830        | -02                                                      | -628                     |
|             | 02 Cylinder Height 31/32" Dim. "A" 1-5/8"                | 628 Clear Anodized       |
|             | 03 Cylinder Height 1-1/8" Dim. "A" 1-25/32"              | 313 Dark Bronze Anodized |

## MS1837 Series MS® Two-Point Deadlock

| MODELS | DESCRIPTION & FINISHES                                                                                                  | 313, 335, 628 | 605, 626 |
|--------|-------------------------------------------------------------------------------------------------------------------------|---------------|----------|
| MS1837 | Deadlock includes 4001-011 strike, 36" cylinder height                                                                  | \$290         | \$390    |
| MS1837 | Deadlock includes 4001-011 strike, contact factory for cylinder height other than 36" up to maximum cylinder height 65" | \$353         | \$453    |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FINISH                                    |
|-------------|-------------------------------------------|
| MS1837      | -313                                      |
|             | 313 Dark Bronze Anodized 626 Satin Chrome |
|             | 335 Black Anodized 628 Clear Anodized     |
|             | 605 Bright Brass                          |

*If cylinder height other than 36" is required, specify exact height from bottom of door to cylinder center. Maximum cylinder height 65".*

## MS1847/MS1848 Series MS® Deadlock/Deadlatch

| MODEL  | DESCRIPTION & FINISH                | 630  |
|--------|-------------------------------------|------|
| MS1847 | Deadlock/deadlatch, stainless steel | \$77 |
| MS1848 | Deadlock/deadlatch, steel           | \$46 |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO.      | FACE SHAPE, HUB ANGLE, LOCK OR LATCH   | FINISH                            |
|------------------|----------------------------------------|-----------------------------------|
| MS1847<br>MS1848 | -02<br>(See Configuration table below) | -630                              |
|                  |                                        | 630 Satin Stainless (MS1847 only) |

## MS1850S Series MS® Deadlock

| MODELS         | DESCRIPTION & BACKSETS                                                            | 7/8"  | 31/32", 1-1/8",<br>OR 1-1/2" |
|----------------|-----------------------------------------------------------------------------------|-------|------------------------------|
| MS1850S        | Flat faceplate, 313, 335, or 628 finish, without strike plate                     | \$96  | \$82                         |
| MS1851S        | Radius faceplate, 313, 335, or 628 finish, without strike plate                   | \$96  | \$82                         |
| MS1851SW       | Radius faceplate with weatherstrip, 313, 335, or 628 finish, without strike plate | \$101 | \$87                         |
| MS1852S        | Bevel faceplate, 313, 335, or 628 finish, without strike plate                    | \$96  | \$82                         |
| SPECIAL MODEL  |                                                                                   |       |                              |
| MS1853S-XXX-IB | Without faceplate, without strike plate                                           | \$85  | \$71                         |

Schoolhouse function for above deadlocks add \$41. Please contact factory for more information.

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE                    | BACKSET  | BOLT SHAPE      | HANDING       | FINISH                   |
|-------------|------------------------------|----------|-----------------|---------------|--------------------------|
| MS185       | OS                           | -2       | 1               | 0             | -628                     |
|             | 0S Flat                      | 1 7/8"   | 1 Straight bolt | 0 Non-Handed* | 313 Dark Bronze Anodized |
|             | 1S Radius                    | 2 31/32" | 5 Hookbolt      | 5 LH or RHR   | 335 Black Anodized       |
|             | 1SW Radius with weatherstrip | 3 1-1/8" |                 | 6 RH or LHR   | 628 Clear Anodized       |
|             | 2S Bevel                     | 4 1-1/2" |                 |               |                          |

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only. "SCHOOLHOUSE" version, also available, is modified so that operation from inside is "unlock only". This lock is handed and must be specified LH or RH. Specify SCH1850S or SCH1850S-X5X Series. Same faceplate and backset options as MS1850S and MS1850S-X5X Series.



## 1850S-X2X Series Short Throw Deadlock

| MODELS        | DESCRIPTION & FINISHES                                                      | 313, 335, 628 |
|---------------|-----------------------------------------------------------------------------|---------------|
| 1850S         | Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate     | \$82          |
| 1851S         | Radius faceplate, 313, 335, or 628 finish, without strike plate             | \$82          |
| 1852S         | Bevel faceplate, any handing, 313, 335, or 628 finish, without strike plate | \$82          |
| SPECIAL MODEL |                                                                             | PRICE         |
| 1853S-X20-IB  | WITHOUT faceplate, without strike plate                                     | \$71          |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE | BACKSET  | BOLT SHAPE    | HANDING       | FINISH                   |
|-------------|-----------|----------|---------------|---------------|--------------------------|
| 185         | OS        | -2       | 2             | 0             | -628                     |
|             | 0S Flat   | 2 31/32" | 2 Short Throw | 0 Non-Handed* | 313 Dark Bronze Anodized |
|             | 1S Radius | 3 1-1/8" |               | 5 LH or RHR   | 335 Black Anodized       |
|             | 2S Bevel  | 4 1-1/2" |               | 6 RH or LHR   | 628 Clear Anodized       |

\*Any flat or radius faceplate, except Schoolhouse. Select handing for bevel faceplate only. "SCHOOLHOUSE" version, also available, is modified so that operation from inside is "unlock only". This lock is handed and must be specified LH or RH. Specify SCH1850S-X2X Series. Same faceplate and backset options as MS1850S-X2X.



## MS1850SN Series MS® Deadlock (ANSI Size)

| MODELS         | DESCRIPTION & FINISH                                   | 313, 335, 628 |
|----------------|--------------------------------------------------------|---------------|
| MS1850SN410    | Flat faceplate, 1-1/2" backset, without strike plate   | \$128         |
| MS1850SN450    | Radius faceplate, 1-1/2" backset, without strike plate | \$128         |
| SPECIAL MODEL  | DESCRIPTION & FINISH                                   | PRICE         |
| MS1853SN410-IB | Without faceplate, without strike plate                | \$81          |
| MS1853SN450-IB | Without faceplate, without strike plate                | \$81          |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE | ANSI SIZE | BOLT SHAPE        | FINISH                   |
|-------------|-----------|-----------|-------------------|--------------------------|
| MS185       | 0         | SN        | 410               | -628                     |
|             | 0 Flat    |           | 410 Straight bolt | 313 Dark Bronze Anodized |
|             | 1 Radius  |           | 450 Hookbolt      | 335 Black Anodized       |
|             |           |           |                   | 628 Clear Anodized       |

"SCHOOLHOUSE" version, also available, is modified so that operation from inside is "unlock only". Specify SCH1850SN410 or SCH1850SN450 Series. Same faceplate and backset options as MS1850SN410 or MS1850SN450 Series.

## MS1861 Series MS® Bottom Rail Deadlock

| MODELS    | DESCRIPTION & FINISH                                  | 603   |
|-----------|-------------------------------------------------------|-------|
| MS1861-01 | One-point deadlock, vertical bolt operation only      | \$172 |
| MS1861-02 | Two-point deadlock, horizontal and vertical operation | \$215 |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | BOLT OPERATION                   | FINISH                | PACKAGING             |
|-------------|----------------------------------|-----------------------|-----------------------|
| MS1861      | -01                              | -603                  | -IB                   |
|             | 01 Vertical Bolt Only            | 603 Zinc plated steel | IB Individually Boxed |
|             | 02 Vertical and Horizontal Bolts |                       |                       |

If tube spacers (26-009) are required please specify quantity and length.

## 1875 Two-Point Deadlock

| MODEL | DESCRIPTION & FINISH                 | 603   |
|-------|--------------------------------------|-------|
| 1875  | Two-point deadlock for roll-up doors | \$219 |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | PACKAGING             |
|-------------|-----------------------|
| 1875        | -IB                   |
|             | IB Individually Boxed |

## MS+1890 Series MS® Deadlock/Deadlatch

| MODELS & FINISHES                                                                                                             |  | 313, 335, 628 |
|-------------------------------------------------------------------------------------------------------------------------------|--|---------------|
| <b>MS+1890</b> Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset                                                              |  | \$292         |
| <b>MS+1891</b> Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset                                                            |  | \$292         |
| <b>MS+1891W</b> Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset                                         |  | \$307         |
| <b>MS+1892</b> Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset                                                |  | \$292         |
| SPECIAL MODELS                                                                                                                |  |               |
| <b>MS+1890, MS+1891, MS+1892</b> Flat, radius, or bevel faceplate, complete with flat / center hung 4" or 4-1/2" strike plate |  | \$307         |
| <b>MS+1890-XX-XXX</b> Without strike plate                                                                                    |  | \$237         |
| <b>MS+1893-XX-IB</b> Without faceplate, without strike plate                                                                  |  | \$237         |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO.   | FACEPLATE                                        | BACKSET         | STRIKE SHAPE/LIP LENGTH                | HANDING            | FINISH                          |
|---------------|--------------------------------------------------|-----------------|----------------------------------------|--------------------|---------------------------------|
| <b>MS+189</b> | <b>1</b>                                         | <b>-3</b>       | <b>02</b>                              | <b>6</b>           | <b>-628</b>                     |
|               | <b>0</b> Flat                                    | <b>2</b> 31/32" | <b>01</b> Flat/Standard Jamb           | <b>5</b> LH or RHR | <b>313</b> Dark Bronze Anodized |
|               | <b>1</b> Radius                                  | <b>3</b> 1-1/8" | <b>02</b> Radius/Standard Stile        | <b>6</b> RH or LHR |                                 |
|               | <b>1W</b> Radius with weatherstrip               | <b>4</b> 1-1/2" | <b>17</b> Flat/Center Hung 4" Jamb     |                    | <b>335</b> Black Anodized       |
|               | <b>2</b> Bevel                                   |                 | <b>21</b> Flat/Center Hung 4-1/2" Jamb |                    | <b>628</b> Clear Anodized       |
|               | <b>3</b> Without faceplate, without strike plate |                 |                                        |                    |                                 |

*For door thickness other than 1-3/4" please contact factory.*

## MS1950P Series MS® Deadlock

| MODELS                                                                                                      |  | 313, 335, 628 |
|-------------------------------------------------------------------------------------------------------------|--|---------------|
| <b>MS1950P</b> Flat faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate                      |  | \$149         |
| <b>MS1951P</b> Radius faceplate, 31/32", 1-1/8", or 1-1/2" backset, without strike plate                    |  | \$149         |
| <b>MS1951WP</b> Radius faceplate with weatherstrip, 31/32", 1-1/8", or 1-1/2" backset, without strike plate |  | \$155         |
| <b>MS1952P</b> Bevel faceplate, any handing, 31/32", 1-1/8", or 1-1/2" backset, without strike plate        |  | \$149         |
| SPECIAL MODEL                                                                                               |  |               |
| <b>MS1953P-XXX-IB</b> Without faceplate, without strike plate                                               |  | \$140         |

*Schoolhouse function for above deadlocks add \$41. Please contact factory for more information.*

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO.  | FACEPLATE                                         | BACKSET         | BOLT SHAPE             | HANDING              | FINISH                          |
|--------------|---------------------------------------------------|-----------------|------------------------|----------------------|---------------------------------|
| <b>MS195</b> | <b>OP</b>                                         | <b>-2</b>       | <b>1</b>               | <b>0</b>             | <b>-628</b>                     |
|              | <b>OP</b> Flat                                    | <b>2</b> 31/32" | <b>1</b> Straight bolt | <b>0</b> Non-Handed* | <b>313</b> Dark Bronze Anodized |
|              | <b>1P</b> Radius                                  | <b>3</b> 1-1/8" | <b>5</b> Hookbolt      | <b>5</b> LH or RHR   | <b>335</b> Black Anodized       |
|              | <b>1WP</b> Radius with weatherstrip               | <b>4</b> 1-1/2" |                        | <b>6</b> RH or LHR   | <b>628</b> Clear Anodized       |
|              | <b>2P</b> Bevel                                   |                 |                        |                      |                                 |
|              | <b>3P</b> Without faceplate, without strike plate |                 |                        |                      |                                 |

*\*Any flat or radius faceplate, except Schoolhouse.*



## 2190, 2290 Dual Force®

Interconnected Deadbolt/Deadlatch for Aluminum Doors (2190); for Wood or Hollow Metal Doors (2290)

|                                                                                                          | MODELS & TRIM SETS                                                                                   | STANDARD TRIM SET |           | ELECTRIFIED TRIM SET |               | LOW PROFILE TRIM |           |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------------|-----------|----------------------|---------------|------------------|-----------|
|                                                                                                          |                                                                                                      | 10B, US4, US32D   | US3, US32 | 10B, US4, US32D      | US3, US32     | 10B, US4, US32D  | US3, US32 |
| DESIGNER LEVER<br>STANDARD LEVER                                                                         | 2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), complete with strike plate           | \$739             | \$840     | \$932                | \$1,033       | \$655            | \$756     |
|                                                                                                          | 2190, 2290 Deadbolt/Deadlatch with standard lever (01, 02, 03), without strike plate                 | \$706             | \$807     | \$899                | \$1,000       | \$622            | \$723     |
|                                                                                                          | 2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), complete with strike plate | \$796             | \$897     | \$989                | \$1,090       | \$712            | \$813     |
|                                                                                                          | 2190, 2290 Deadbolt/Deadlatch with designer lever series (MD through MW), without strike plate       | \$763             | \$864     | \$956                | \$1,057       | \$679            | \$780     |
| MODELS & FINISHES                                                                                        |                                                                                                      |                   |           |                      | 313, 335, 628 |                  | N/A       |
| 2190, 2290 Boxed lock less lever trim, with adjustable faceplate and choice of standard or radius strike |                                                                                                      |                   |           |                      | \$362         |                  |           |
| EK-2190 Electrification Kit for 2190, 2290; 12/24 VAC/VDC (not compatible with low profile trim)         |                                                                                                      |                   |           |                      |               |                  | \$217     |
| 2190-X0X-000 Less lever trim, with adjustable faceplates, less strike plate                              |                                                                                                      |                   |           |                      |               |                  | \$329     |



### How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | BACKSET  | STRIKE                             | FACEPLATE FINISH                                   | TRIM*                                                                | HANDLE DESIGNATION |    |             |             | TRIM AND HANDLE FINISH      |
|-------------|----------|------------------------------------|----------------------------------------------------|----------------------------------------------------------------------|--------------------|----|-------------|-------------|-----------------------------|
| 2190        | -3       | 1                                  | 1                                                  | -1                                                                   | 01                 |    |             |             | 32D                         |
|             | 3 1-1/8" | 0 None                             | 1 Clear Anodized 628                               | 0 None                                                               | 00 No Handle       |    |             |             | 03 Bright Brass (US3)       |
|             |          |                                    |                                                    |                                                                      | STANDARD SERIES:   |    |             |             | 04 Satin Brass (US4)        |
|             | 4 1-1/2" | 1 Standard Flat<br>2 Radius Strike | 2 Dark Bronze Anodized 313<br>3 Black Anodized 335 | 1 With Trim Set<br>2 With Electrified Trim Set<br>3 Low Profile Trim | 01 Curve           |    |             |             | 10B Dark Bronze             |
|             |          |                                    |                                                    |                                                                      | 02 Round           |    |             |             | 32 Bright Stainless (US32)  |
|             |          |                                    |                                                    |                                                                      | 03 Square          |    |             |             | 32D Satin Stainless (US32D) |
|             |          |                                    |                                                    |                                                                      | DESIGNER SERIES:   |    |             |             |                             |
|             |          |                                    |                                                    |                                                                      | MD                 | MG | MJ          | MV (Handed) |                             |
|             |          |                                    |                                                    |                                                                      | ME                 | MI | MN (Handed) | MW          |                             |

▲ Standard and electrified trim sets are for out-swinging doors only. Low profile trim set for in-swinging doors only.

### How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | BACKSET  | STRIKE          | FACEPLATE FINISH                                                           | TRIM*                                                                | HANDLE DESIGNATION |    |             |             | TRIM AND HANDLE FINISH      |
|-------------|----------|-----------------|----------------------------------------------------------------------------|----------------------------------------------------------------------|--------------------|----|-------------|-------------|-----------------------------|
| 2290        | -3       | 1               | 1                                                                          | -1                                                                   | 01                 |    |             |             | 32D                         |
|             | 3 1-1/8" | 0 None          | 0 US to match trim finish                                                  | 0 None                                                               | 00 No Handle       |    |             |             | 03 Bright Brass (US3)       |
|             |          |                 |                                                                            |                                                                      | STANDARD SERIES:   |    |             |             | 04 Satin Brass (US4)        |
|             | 4 1-1/2" | 1 Standard Flat | 1 Clear Anodized 628<br>2 Dark Bronze Anodized 313<br>3 Black Anodized 335 | 1 With Trim Set<br>2 With Electrified Trim Set<br>3 Low Profile Trim | 01 Curve           |    |             |             | 10B Dark Bronze             |
|             |          |                 |                                                                            |                                                                      | 02 Round           |    |             |             | 32 Bright Stainless (US32)  |
|             |          |                 |                                                                            |                                                                      | 03 Square          |    |             |             | 32D Satin Stainless (US32D) |
|             |          |                 |                                                                            |                                                                      | DESIGNER SERIES:   |    |             |             |                             |
|             |          |                 |                                                                            |                                                                      | MD                 | MG | MJ          | MV (Handed) |                             |
|             |          |                 |                                                                            |                                                                      | ME                 | MI | MN (Handed) | MW          |                             |

▲ Standard and electrified trim sets are for out-swinging doors only. Low profile trim set for in-swinging doors only.

## 2331 Heavy Duty Deadbolt

| MODEL & FINISHES                                    | 121, 626 | 605, 625 |
|-----------------------------------------------------|----------|----------|
| 2331 Deadbolt, 1-3/4" backset, complete with strike | \$369    | \$404    |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FINISH                                |
|-------------|---------------------------------------|
| 2331        | -626                                  |
|             | 121 To Match 313 Dark Bronze Anodized |
|             | 605 Bright Brass                      |
|             | 625 Bright Chrome                     |
|             | 626 Satin Chrome                      |



## 4070 Series Short Throw Deadbolt (Projection Style)

| MODELS & FINISHES                                                                        | 313, 335, 628 |
|------------------------------------------------------------------------------------------|---------------|
| 4070 Flat faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate               | \$203         |
| 4071 Radius faceplate, 7/8", 31/32", or 1-1/8" backset, without strike plate             | \$203         |
| 4072 Bevel faceplate, any handing, 7/8", 31/32", or 1-1/8" backset, without strike plate | \$203         |
| SPECIAL MODEL                                                                            |               |
| 4073-XX-IB Without faceplate, without strike plate                                       | \$192         |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE                                 | BACKSET  | HANDING       | FINISH                   |
|-------------|-------------------------------------------|----------|---------------|--------------------------|
| 407         | 2                                         | -2       | 6             | -628                     |
|             | 0 Flat                                    | 1 7/8"   | 0 Non-Handed* | 313 Dark Bronze Anodized |
|             | 1 Radius                                  | 2 31/32" | 5 LH or RHR   | 335 Black Anodized       |
|             | 2 Bevel                                   | 3 1-1/8" | 6 RH or LHR   | 628 Clear Anodized       |
|             | 3 Without faceplate, without strike plate |          |               |                          |

\*Any flat or radius faceplate. Select handing for bevel faceplate only.



## 5017 Deadlock/Deadlatch for Wood Doors

| MODELS & FINISH                           | 630  |
|-------------------------------------------|------|
| 5017-00 Standard stainless steel deadlock | \$75 |
| 5017-02 Self-latching deadlock/deadlatch  | \$75 |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LATCH CONFIGURATION |
|-------------|---------------------|
| 5017        | -00                 |
|             | 00 Standard         |
|             | 02 Self Latching    |



## 5500 Deadlock for Sliding Wood Doors

| MODELS                                                                    | 119, 626 |
|---------------------------------------------------------------------------|----------|
| 5500-20 Lockset, strike, and trim included for 1-1/4", sliding wood doors | \$162    |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | DOOR THICKNESS  | FINISH                          |
|-------------|-----------------|---------------------------------|
| 5500        | -20             | -626                            |
|             | 20 1-1/4" Thick | 626 Satin Chrome                |
|             |                 | 119 to Match 335 Black Anodized |



# DEADLATCHES

## DL100 Aperio® Wireless Deadlatch Kit

| MODELS & FINISHES |                                                                                                                    | 313, 335, 628 |
|-------------------|--------------------------------------------------------------------------------------------------------------------|---------------|
| <b>DL100</b>      | DL100 Pre-Paired Kit with AH20 Hub – IPS Credential Option Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset | \$1,700       |
| <b>ACC10</b>      | RFID Test Credentials                                                                                              | \$40          |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO.                                     | BACKSET  | STRIKE                     | STRIKE SHAPE/<br>LIP LENGTH        | OPTIONS                  | CREDENTIAL                                                                 | FACEPLATE<br>FINISH         |
|-------------------------------------------------|----------|----------------------------|------------------------------------|--------------------------|----------------------------------------------------------------------------|-----------------------------|
| DL100                                           | -3       | 2                          | 01                                 | H                        | -IPS                                                                       | -628                        |
| Monitoring<br>& DPS are<br>Standard<br>Features | 2 31/32" | 1 Surface<br>Mount (4304)  | 01 Flat/Standard Jamb              | (blank) Lock<br>& Reader | IPS (HID multiCLASS SE + HID<br>NFC Mobile Access Enabled)                 | 313 Dark Bronze<br>Anodized |
|                                                 | 3 1-1/8" | 2 Mortised<br>(4901) 4-5/8 | 02 Radius/Standard<br>Stiles       | H Wholesale Kit*         | IPEXXXXX** (HID iCLASS ELITE +<br>HID NFC Mobile Access Enabled)           | 335 Black<br>Anodized       |
|                                                 | 4 1-1/2" |                            | 17 Flat/Center<br>Hung 4" Jamb     |                          | BIPSEXXXXX** (HID BLE<br>multiCLASS SE + HID NFC<br>Mobile Access Enabled) | 628 Clear<br>Anodized       |
|                                                 |          |                            | 21 Flat/Center Hung<br>4-1/2" Jamb |                          | BIPEXXXXX** (HID iCLASS<br>ELITE + HID BLE & NFC<br>Mobile Access Enabled) |                             |

\*Available only with IPS option. \*\*XXXXX is a unique or customer specific key that is only re-orderable for that specific company.  
NOTE: Paddles and levers available separately, see 4591 and 4600 for more information.



## 4300 Steel Hawk® Electrified Deadlatch

| MODELS & FINISHES |                                                                                                         | 313, 335, 628 |
|-------------------|---------------------------------------------------------------------------------------------------------|---------------|
| <b>4300</b>       | Electrified deadlatch 31/32", 1-1/8", or 1-1/2" backset                                                 | \$520         |
| <b>4300M</b>      | Monitored option, 31/32", 1-1/8", or 1-1/2" backset                                                     | \$592         |
| SPECIAL MODELS    |                                                                                                         |               |
| <b>4300</b>       | Electrified deadlatch complete with flat / center hung 4" or 4-1/2" strike plate                        | \$542         |
| <b>4300M</b>      | Electrified deadlatch with monitored option, complete with flat / center hung 4" or 4-1/2" strike plate | \$615         |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | BACKSET  | MONITORING  | STRIKE                  | STRIKE SHAPE/LIP LENGTH           | FACEPLATE FINISH         |
|-------------|----------|-------------|-------------------------|-----------------------------------|--------------------------|
| 4300        | -3       | M           | -2                      | 01                                | -628                     |
|             | 2 31/32" | 0 None      | 1 Surface Mount (4304)* | 01 Flat/Standard Jamb             | 313 Dark Bronze Anodized |
|             | 3 1-1/8" | M Monitored | 2 Mortised (4901) 4-5/8 | 02 Radius/Standard Stiles**       | 335 Black Anodized       |
|             | 4 1-1/2" |             |                         | 17 Flat/Center Hung 4" Jamb**     | 628 Clear Anodized       |
|             |          |             |                         | 21 Flat/Center Hung 4-1/2" Jamb** |                          |

\*Only available as flat standard. \*\* See ACCESSORIES for available 4901 strike options.



## 4300 RITE Pack®

| MODELS         |                                                                                                 | 313, 628 |
|----------------|-------------------------------------------------------------------------------------------------|----------|
| <b>4300-20</b> | 31/32" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike | \$532    |
| <b>4300-30</b> | 1-1/8" backset, flat and radius, 313 and 628 finish faceplates, surface mount or mortise strike | \$532    |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | BACKSET   | MONITORING*       | STRIKE                   | RITE PACK |
|-------------|-----------|-------------------|--------------------------|-----------|
| <b>4300</b> | <b>-3</b> | <b>0</b>          | <b>-1</b>                | <b>RP</b> |
|             | 2 31/32"  | 0 None (Standard) | 1 Surface Mount (4304)   |           |
|             | 3 1-1/8"  |                   | 2 Mortised (4901) 4-5/8" |           |

\*Monitoring not available with RITE Pack.



## 4510 Standard Duty Deadlatch

| MODELS & FINISHES                                                                                                    | 313, 335, 628 |
|----------------------------------------------------------------------------------------------------------------------|---------------|
| <b>4510</b> Flat faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate                      | \$105         |
| <b>4511</b> Radius faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate                    | \$105         |
| <b>4511W</b> Radius faceplate with weatherstrip, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate | \$111         |
| <b>4512</b> Bevel faceplate, 7/8", 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate                     | \$105         |
| SPECIAL MODELS                                                                                                       |               |
| <b>4510, 4511, 4512</b> Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate   | \$126         |
| <b>4511W</b> Radius faceplate with weatherstrip complete with flat / center hung 4" or 4-1/2" strike plate           | \$132         |
| <b>4510, 4511, 4512</b> With faceplate, without strike plate                                                         | \$82          |
| <b>4511W</b> Radius faceplate with weatherstrip, without strike plate                                                | \$88          |
| <b>4513-XX-IB</b> Without faceplate, without strike plate                                                            | \$72          |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE                                 | BACKSET  | HANDING     | STRIKE SIZE              | STRIKE SHAPE/LIP LENGTH         | FACEPLATE FINISH         |
|-------------|-------------------------------------------|----------|-------------|--------------------------|---------------------------------|--------------------------|
| 451         | 1                                         | -3       | 6           | -2                       | 01                              | -628                     |
|             | 0 Flat                                    | 1 7/8"   | 5 LH or RHR | 1 Mortised (4901) 4-5/8" | 01 Flat/Standard Jamb           | 313 Dark Bronze Anodized |
|             | 1 Radius                                  | 2 31/32" | 6 RH or LHR | 2 Mortised (4902) 2-5/8" | 02 Radius/Standard Stiles       | 335 Black Anodized       |
|             | 1W Radius with weatherstrip               | 3 1-1/8" |             |                          | 17 Flat/Center Hung 4" Jamb     | 628 Clear Anodized       |
|             | 2 Bevel                                   | 4 1-1/2" |             |                          | 21 Flat/Center Hung 4-1/2" Jamb |                          |
|             | 3 Without faceplate, without strike plate |          |             |                          |                                 |                          |

## 4530 Standard Duty Deadlatch

| MODELS & FINISHES                                                                                                  | 313, 335, 628 |
|--------------------------------------------------------------------------------------------------------------------|---------------|
| <b>4530</b> Flat faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate                            | \$155         |
| <b>4531</b> Radius faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate                          | \$155         |
| <b>4532</b> Bevel faceplate, 7/8", 31/32", or 1-1/8" backset, complete with strike plate                           | \$155         |
| SPECIAL MODELS                                                                                                     |               |
| <b>4530, 4531, 4532</b> Flat, radius or bevel faceplate complete with flat / center hung 4" or 4-1/2" strike plate | \$186         |
| <b>4530, 4531, 4532</b> With faceplate without strike plate                                                        | \$129         |
| <b>4533-XX-IB</b> Without faceplate, without strike plate                                                          | \$77          |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE                                    | BACKSET  | HANDING     | STRIKE SIZE              | STRIKE SHAPE/LIP LENGTH         | FACEPLATE FINISH         |
|-------------|----------------------------------------------|----------|-------------|--------------------------|---------------------------------|--------------------------|
| 453         | 1                                            | -3       | 6           | -1                       | 01                              | -628                     |
|             | 0 Flat                                       | 1 7/8"   | 5 LH or RHR | 1 Mortised (4901) 4-5/8" | 01 Flat/Standard Jamb           | 313 Dark Bronze Anodized |
|             | 1 Radius                                     | 2 31/32" | 6 RH or LHR | 2 Mortised (4902) 2-5/8" | 02 Radius/Standard Stiles       | 335 Black Anodized       |
|             | 2 Bevel                                      | 3 1-1/8" |             |                          | 17 Flat/Center Hung 4" Jamb     | 628 Clear Anodized       |
|             | 3 Without faceplate,<br>without strike plate |          |             |                          | 21 Flat/Center Hung 4-1/2" Jamb |                          |

## 4781 Two-Point Deadlatch with Paddle

| MODEL & FINISHES                                        | 313, 335, 628 | US26D        |
|---------------------------------------------------------|---------------|--------------|
| <b>4781</b> Paddle includes dogging feature             | <b>\$392</b>  | <b>\$525</b> |
| <b>4781T</b> Paddle with top rod only (less bottom rod) | <b>\$355</b>  | <b>\$488</b> |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. |                       | OPERATION                | PADDLE FINISH                   |
|-------------|-----------------------|--------------------------|---------------------------------|
| <b>4781</b> | <b>T</b>              | <b>-021</b>              | <b>-628</b>                     |
|             | <b>T</b> Top rod only | <b>021</b> Push to LEFT  | <b>313</b> Dark Bronze Anodized |
|             | <b>-</b> Standard rod | <b>041</b> Push to RIGHT | <b>335</b> Black Anodized       |
|             |                       |                          | <b>628</b> Clear Anodized       |
|             |                       |                          | <b>US26D</b> Satin Chrome       |



## 4900 Heavy Duty Deadlatch

| MODELS & FINISHES                                                                                             | 313, 335, 628 |
|---------------------------------------------------------------------------------------------------------------|---------------|
| <b>4900</b> Flat and radius faceplates, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate         | <b>\$143</b>  |
| <b>4911W</b> Radius with weatherseal faceplate, 31/32", 1-1/8", or 1-1/2" backset, complete with strike plate | <b>\$151</b>  |
| SPECIAL MODELS                                                                                                |               |
| <b>4900</b> Flat and radius faceplates complete with flat / center hung 4" or 4-1/2" strike plate             | <b>\$166</b>  |
| <b>4911W</b> Radius with weatherstrip faceplate complete with flat / center hung 4" or 4-1/2" strike plate    | <b>\$174</b>  |
| <b>4900</b> Flat and radius faceplate, without strike plate                                                   | <b>\$119</b>  |
| <b>4911W</b> Radius with weatherstrip faceplate, without strike plate                                         | <b>\$127</b>  |
| <b>4913-XX-IB</b> Without faceplate, without strike plate                                                     | <b>\$100</b>  |



### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE                                         | BACKSET         | HANDING            | STRIKE SIZE                     | STRIKE SHAPE/LIP LENGTH                | FACEPLATE FINISH                |
|-------------|---------------------------------------------------|-----------------|--------------------|---------------------------------|----------------------------------------|---------------------------------|
| <b>49</b>   | <b>00</b>                                         | <b>-3</b>       | <b>5</b>           | <b>-2</b>                       | <b>01</b>                              | <b>-628</b>                     |
|             | <b>00</b> Standard                                | <b>2</b> 31/32" | <b>5</b> LH or RHR | <b>1</b> Mortised (4901) 4-5/8" | <b>01</b> Flat/Standard Jamb           | <b>313</b> Dark Bronze Anodized |
|             | <b>11W</b> Radius with Weatherstrip               | <b>3</b> 1-1/8" | <b>6</b> RH or LHR | <b>2</b> Mortised (4902) 2-5/8" | <b>02</b> Radius/Standard Stile        | <b>335</b> Black Anodized       |
|             | <b>13</b> Without faceplate, without strike plate | <b>4</b> 1-1/2" |                    |                                 | <b>17</b> Flat/Center Hung 4" Jamb     | <b>628</b> Clear Anodized       |
|             |                                                   |                 |                    |                                 | <b>21</b> Flat/Center Hung 4-1/2" Jamb |                                 |

## 4920AN Heavy Duty Deadlatch (ANSI Size)

| MODELS & FINISHES                                                                       | 313, 335, 628 |
|-----------------------------------------------------------------------------------------|---------------|
| <b>4920AN</b> Flat faceplate, 1-1/2" or 2-3/4" backset, complete with 4506 strike plate | <b>\$179</b>  |
| SPECIAL MODELS                                                                          |               |
| <b>4920AN</b> Flat faceplate, without strike plate                                      | <b>\$130</b>  |
| <b>4923AN-XX-IB</b> Without faceplate, without strike plate                             | <b>\$97</b>   |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE                                          | BACKSET         | HANDING            | STRIKE                 | FACEPLATE FINISH                |
|-------------|----------------------------------------------------|-----------------|--------------------|------------------------|---------------------------------|
| <b>492</b>  | <b>0AN</b>                                         | <b>4</b>        | <b>6</b>           | <b>-602</b>            | <b>-313</b>                     |
|             | <b>0AN</b> Flat                                    | <b>4</b> 1-1/2" | <b>5</b> LH or RHR | <b>000</b> Less Strike | <b>313</b> Dark Bronze Anodized |
|             | <b>3AN</b> Without faceplate, without strike plate | <b>5</b> 2-3/4" | <b>6</b> RH or LHR | <b>602</b> 4506 Strike | <b>335</b> Black Anodized       |
|             |                                                    |                 |                    |                        | <b>628</b> Clear Anodized       |



# FLUSHLOCKS

## 1870 Cylinder-Operated Flushbolt

| MODELS & CYLINDER HEIGHT                                          | STANDARD 12" CYLINDER HEIGHT | CYLINDER HEIGHT OVER 12" (SPECIFY) |
|-------------------------------------------------------------------|------------------------------|------------------------------------|
| 1870 Flat faceplate, 313, 335, or 628 finish                      | \$152                        | \$209                              |
| 1871 Radius faceplate, 313, 335, or 628 finish                    | \$152                        | \$209                              |
| 1871W Radius faceplate with weatherstrip, 313, 335, or 628 finish | \$159                        | \$216                              |
| 1872 Bevel faceplate, 313, 335, or 628 finish                     | \$152                        | \$209                              |

For cylinder height greater than 12" up to maximum cylinder height 65" please contact factory.

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE SHAPE             | BACKSET  | HANDING*      | FINISH                   |
|-------------|-----------------------------|----------|---------------|--------------------------|
| 187         | 0                           | -2       | 0             | -628                     |
|             | 0 Flat                      | 2 31/32" | 0 Non-Handed* | 313 Dark Bronze Anodized |
|             | 1 Radius                    | 3 1-1/8" | 5 LH or RHR   | 335 Black Anodized       |
|             | 1W Radius with weatherstrip |          | 6 RH or LHR   | 628 Clear Anodized       |
|             | 2 Bevel                     |          |               |                          |

\*Any flat or radius faceplate. Select handing for bevel faceplate only.



## 1870HM Cylinder-Operated Flushbolt

| MODEL & CYLINDER HEIGHT                                          | STANDARD 13-1/2" CYLINDER HEIGHT | CYLINDER HEIGHT OVER 13-1/2" (SPECIFY) |
|------------------------------------------------------------------|----------------------------------|----------------------------------------|
| 1870HM For hollow metal, 313, 335, or 628 finish, 1-1/4" backset | \$204                            | \$261                                  |

For cylinder height greater than 13-1/2" up to maximum cylinder height 65" please contact factory.

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE SHAPE | FINISH                   |
|-------------|-----------------|--------------------------|
| 187         | 0HM             | -628                     |
|             | 0HM Flat        | 313 Dark Bronze Anodized |
|             |                 | 335 Black Anodized       |
|             |                 | 628 Clear Anodized       |



## 1877 Cylinder-Operated Flushbolt

| MODEL & CYLINDER HEIGHT                          | STANDARD 13-1/2" CYLINDER HEIGHT | CYLINDER HEIGHT OVER 13-1/2" (SPECIFY) |
|--------------------------------------------------|----------------------------------|----------------------------------------|
| 1877 For wood, 313 or 628 finish, 1-1/4" backset | \$247                            | \$304                                  |
| 1877 For wood, 626 finish, 1-1/4" backset        | \$356                            | \$413                                  |

For cylinder height greater than 13-1/2" up to maximum cylinder height 57-1/2" please contact factory.

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FINISH                   |
|-------------|--------------------------|
| 1877        | -628                     |
|             | 313 Dark Bronze Anodized |
|             | 626 Satin Chrome         |
|             | 628 Clear Anodized       |



## MS1880, MS1881 Two-Point Flushbolts

| MODELS & FINISHES                                             |  | 119, 121, 682 |
|---------------------------------------------------------------|--|---------------|
| MS1880 Flushbolt with hourglass shaped turn                   |  | \$191         |
| MS1881 Flushbolt with teardrop shaped turn                    |  | \$191         |
| KITTED OPTION                                                 |  |               |
| MODEL                                                         |  |               |
| TDK-1880 Tall door kit for doors over 84", up to 144" maximum |  | \$37          |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | TURN SHAPE  | CYLINDER HEIGHT*   | FINISH                                |
|-------------|-------------|--------------------|---------------------------------------|
| MS188       | 0           | -01                | -682                                  |
| MS188       | 0 Hourglass | 01 31" to 35"      | 119 to Match 335 Black Anodized       |
|             | 1 Teardrop  | 02 35-1/16" to 39" | 121 to Match 313 Dark Bronze Anodized |
|             |             | 03 39-1/16" 43"    | 682 Satin Chrome                      |
|             |             | 04 43-1/16" to 47" |                                       |
|             |             | 05 47-1/16" to 51" |                                       |

\*Distance from floor to cylinder centerline.

## MS2180 Auto-Release Two-Point Flushbolt

| MODELS & FINISHES                                         |  | 119, 121, 130 | 000   |
|-----------------------------------------------------------|--|---------------|-------|
| MS2180 Hourglass shaped turn, 7', 8', 9', 10' door height |  | \$292         |       |
| MS2181 Teardrop shaped turn, 7', 8', 9', 10' door height  |  | \$292         |       |
| MS2182 Flush operator, 7', 8', 9', 10' door height        |  |               | \$292 |

**How to Order** Specify quantity and the following information. Order related products separately.

| *PRODUCT NO. | TURN SHAPE       | DOOR HEIGHT<br>(FROM FLOOR TO TOP OF DOOR) | FINISH TO MATCH                       |
|--------------|------------------|--------------------------------------------|---------------------------------------|
| MS218        | 0                | -07                                        | -130                                  |
|              | 0 Hourglass      | 07 Up to 7' Door                           | 119 to Match 335 Black Anodized       |
|              | 1 Teardrop       | 08 Up to 8' Door                           | 121 to Match 313 Dark Bronze Anodized |
|              | 2 Flush Operator | 09 Up to 9' Door                           | 130 to Match 628 Clear Anodized       |
|              |                  | 10 Up to 10' Door                          | 000 to Match Electroless Nickel*      |

\*MS2182 only available in Electroless Nickel finish (-000)



## 4189, 4190 Flush Locksets (Including Deadlock)

| MODELS & FINISHES                                                                       | STANDARD LOCK FACE | STAINLESS STEEL LOCK FACE | TRIM ONLY |
|-----------------------------------------------------------------------------------------|--------------------|---------------------------|-----------|
| <b>4189-IB</b> Flush lockset, 119, 121, or 130 finish, individually boxed               | \$127              | \$139                     |           |
| <b>4190-IB</b> Flush lockset, 119, 121, or 130 finish, individually boxed with cylinder | \$165              | \$177                     |           |
| <b>4195-IB</b> Dummy flushset, 119, 121, or 130 finish, individually boxed*             |                    |                           | \$87      |
| SPECIAL MODEL                                                                           |                    |                           |           |
| <b>4189-00</b> Flush operator without lock                                              |                    |                           | \$101     |
| <b>4190-00</b> Flush operator without lock                                              |                    |                           | \$139     |

\*4195 Furnished without lock.

### Kitted Options

| MODELS                                                                                               | GRAY |
|------------------------------------------------------------------------------------------------------|------|
| <b>4413-01, 4413-02</b> Grip pull for use with 4189, 4190 includes 1" and 1-1/4" screws respectively | \$37 |



### How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LOCKSET EXTERIOR    | LOCK FACE                  | STILE THICKNESS     | FINISH                                | KEYING OPTIONS      | PACKAGING                |
|-------------|---------------------|----------------------------|---------------------|---------------------------------------|---------------------|--------------------------|
| 41          | 90                  | -09                        | -1                  | -130                                  | -01                 | IB                       |
|             | 89 Without Cylinder | 00 Without Lock            | 1 1" to 1-3/8"      | 119 To match 335 Black Anodized       | 00 Without Cylinder | IB Individually<br>Boxed |
|             | 90 With Cylinder    | 09 Radius                  | 2 1-7/16" to 1-5/8" | 121 To match 313 Dark Bronze Anodized | 01 Keyed Different  |                          |
|             | 95 Dummy            | 09S Radius Stainless Steel | 3 1-11/16" to 2"    | 130 To match 628 Clear Anodized       |                     |                          |
|             |                     | 10 Square                  |                     |                                       |                     |                          |
|             |                     | 10S Square Stainless Steel |                     |                                       |                     |                          |

## 4430, 4431 Flush Locksets (Including Deadlock)

| MODELS & FINISH                                                    | STANDARD LOCK FACE | STAINLESS STEEL LOCK FACE | TRIM ONLY |
|--------------------------------------------------------------------|--------------------|---------------------------|-----------|
| <b>4430-IB</b> ABS flush lockset, individually boxed               | \$88               | \$101                     |           |
| <b>4431-IB</b> ABS flush lockset with cylinder, individually boxed | \$132              | \$146                     |           |
| <b>4432-IB</b> ABS dummy flushset, individually boxed*             |                    |                           | \$43      |
| SPECIAL MODEL                                                      |                    |                           |           |
| <b>4430-00</b> ABS operator without lock                           |                    |                           | \$63      |
| <b>4431-00</b> ABS operator without lock                           |                    |                           | \$107     |

\*4432 Furnished without lock

### Kitted Options

| MODELS & FINISHES                                       | 335  |
|---------------------------------------------------------|------|
| <b>4453-02-335-IB</b> Grip pull for use with 4430, 4431 | \$96 |



### How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LOCKSET EXTERIOR    | LOCK FACE                  | STILE THICKNESS     | PACKAGING             |
|-------------|---------------------|----------------------------|---------------------|-----------------------|
| 44          | 31                  | -09                        | -05                 | -IB                   |
|             | 30 Without Cylinder | 00 Without Lock            | 00 1" to 1-5/16"    | IB Individually Boxed |
|             | 31 With Cylinder    | 09 Radius                  | 05 1-3/8" to 1-5/8" | 10PK 10 Pack          |
|             | 32 Dummy            | 09S Radius Stainless Steel | 08 1-3/4" to 2"     |                       |
|             |                     | 10 Square                  |                     |                       |
|             |                     | 10S Square Stainless Steel |                     |                       |

# EXIT DEVICES

Alarm option cannot be combined with any other Device Option or Monitoring Option. Split finishes (faceplate/pushbar) are not available. Matching end cap option available for US finishes only. Please contact factory for specific ordering questions.

## 8099 Dummy Pushbar




| MODELS & FINISHES                                                                                                                                                                | 313, 335, 628 | US4, US32D | US3, US32 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|------------|-----------|
| <b>8099-M0</b> Active dummy bar without latching mechanism, without monitoring switches.                                                                                         | \$400         | \$755      | \$837     |
| <b>8099-M1</b> Active dummy bar with monitoring switch but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar.       | \$474         | \$829      | \$911     |
| <b>8099-M2</b> Active dummy bar with two monitoring switches but without latching mechanism. May be wired normally open or normally closed to operate maglock, alarm or similar. | \$558         | \$913      | \$995     |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | MONITOR                                             | DOOR TYPE              | PUSHBAR FINISH             | WIDTH        | US FINISH           | END CAPS OPTION FOR US FINISH |
|-------------|-----------------------------------------------------|------------------------|----------------------------|--------------|---------------------|-------------------------------|
| 8099        | -M1                                                 | -3                     | 0                          | 36           | -US32               | MEC                           |
|             | <b>M0</b> Active Dummy Bar, no monitoring switches  | 3 Aluminum             | 0 US Finish                | 30 30 inches | US3 Bright Brass    | MEC Matching END Caps         |
|             | <b>M1</b> Active Dummy Bar, one monitoring switch   | 4 Wood or hollow metal | 1 Clear Anodized 628       | 36 36 inches | US4 Satin Brass     |                               |
|             | <b>M2</b> Active Dummy Bar, two monitoring switches |                        | 2 Dark Bronze Anodized 313 | 42 42 inches | 32 Bright Stainless |                               |
|             |                                                     |                        | 3 Black Anodized 335       | 48 48 inches | 32D Satin Stainless |                               |

## 8100 | 3100 Surface Vertical Rod Exit Device

| MODELS & FINISHES                                                                 | 313, 335, 628 | US4, US32D | US3, US32 |
|-----------------------------------------------------------------------------------|---------------|------------|-----------|
| <b>8100</b> Surface vertical rod exit device for wood and hollow metal            | \$1,334       | \$1,754    | \$1,957   |
| <b>8100T</b> Top rod only (less bottom rod) SVR exit device                       | \$1,234       | \$1,654    | \$1,857   |
| <b>3100</b> Fire-rated surface vertical rod exit device for wood and hollow metal | \$1,590       | \$2,010    | \$2,213   |
| <b>3100T</b> Fire-rated top rod only (less bottom rod) SVR for metal doors        | \$1,490       | \$1,910    | \$2,113   |
| <b>3100W</b> Fire-rated top rod only (less bottom rod) SVR for wood doors         | \$1,490       | \$1,910    | \$2,113   |



### Kitted Options

| MODELS & FINISHES                                                              | 313, 335, 628 | US4, US32D | US3, US32 |
|--------------------------------------------------------------------------------|---------------|------------|-----------|
| <b>3055</b> Tall door kit for doors up to 10' tall, for use with 3100          | \$160         | \$196      | \$231     |
| <b>8055-01</b> Tall door kit for doors up to 10' tall, for use with 8100, 8200 | \$153         | \$204      | \$244     |


**How to Order** Specify quantity and the following information. Order related products separately.

| MODEL          | PUSHBAR FINISH              | ROD TYPE                    | DEVICE OPTIONS                                          | MONITORING OPTION     | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH             | END CAPS<br>OPTION<br>FOR US FINISH |
|----------------|-----------------------------|-----------------------------|---------------------------------------------------------|-----------------------|-----------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| 81             | 00                          | -                           | MLR                                                     | M2                    | -30                                                                               | -US32D                | MEC                                 |
| 31 Fire-Rated  | 00 US Finish                | T Top Rod only              | LR Electric Latch Retraction (solenoid)                 | M Single Switch       | 30 30 inches*                                                                     | US3 Bright Brass      | MEC Matching<br>END Caps            |
| 81 Life-Safety | 11 Clear Anodized 628       | W Top Rod only - Wood doors | MLR Motorized Latch Retraction                          | M2 Dual Switch        | 36 36 inches                                                                      | US4 Satin Brass       |                                     |
|                | 22 Dark Bronze Anodized 313 | - Standard rod              |                                                         | (BLANK)<br>NO Monitor | 42 42 inches                                                                      | US32 Bright Stainless |                                     |
|                | 33 Black Anodized 335       |                             | 48 48 inches                                            |                       | US32D Satin Stainless                                                             |                       |                                     |
|                |                             |                             | AXXB Alarmed Exit Device where XX is door opening width |                       |                                                                                   |                       |                                     |
|                |                             |                             |                                                         |                       |                                                                                   |                       |                                     |
|                |                             |                             | C Cylinder Dogging (non-fire rated devices ONLY)        |                       |                                                                                   |                       |                                     |
|                |                             |                             | A Alarm                                                 |                       |                                                                                   |                       |                                     |
|                |                             |                             | (BLANK) No Option                                       |                       |                                                                                   |                       |                                     |

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8200 Narrow Stile Surface Vertical Rod Exit Device

| MODELS & FINISHES                                           | 313, 335, 628 | US4, US32D | US3, US32 |
|-------------------------------------------------------------|---------------|------------|-----------|
| <b>8200</b> Narrow stile surface vertical rod exit device   | \$1,130       | \$1,549    | \$1,771   |
| <b>8200T</b> Top rod only (less bottom rod) SVR exit device | \$1,030       | \$1,449    | \$1,671   |
| SPECIAL MODELS                                              |               |            |           |
| <b>8200-99</b> SVR exit device, less rods                   | \$926         | \$1,345    | \$1,567   |



### Kitted Options

| MODELS & FINISHES                                                              | 313, 335, 628 | US4, US32D | US3, US32 |
|--------------------------------------------------------------------------------|---------------|------------|-----------|
| <b>8055-01</b> Tall door kit for doors up to 10' tall, for use with 8100, 8200 | \$153         | \$204      | \$244     |


### How to Order Specify quantity and the following information. Order related products separately.

| MODEL          | PUSHBAR FINISH              | ROD TYPE       | DEVICE OPTIONS                          | MONITORING OPTION    | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH                | END CAPS<br>OPTION<br>FOR US FINISH |  |
|----------------|-----------------------------|----------------|-----------------------------------------|----------------------|-----------------------------------------------------------------------------------|--------------------------|-------------------------------------|--|
| 82             | 00                          | -              | MLR                                     | M2                   | -36                                                                               | -US3                     |                                     |  |
| 82 Life-Safety | 00 US Finish                | T Top Rod only | LR Electric Latch Retraction (solenoid) | M Single Switch      | 30 30 inches                                                                      | US3 Bright Brass         | MEC Matching<br>END Caps            |  |
|                | 11 Clear Anodized 628       | - Standard rod |                                         | M2 Dual Switch       | 36 36 inches                                                                      | US4 Satin Brass          |                                     |  |
|                | 22 Dark Bronze Anodized 313 |                | MLR Motorized Latch Retraction          | (BLANK)<br>NO Option | 42 42 inches                                                                      | US32 Bright Stainless    |                                     |  |
|                | 33 Black Anodized 335       |                |                                         |                      | 48 48 inches                                                                      | US32D Satin<br>Stainless |                                     |  |
|                |                             |                | C Cylinder Dogging                      |                      | AXXB Alarmed Exit Device<br>where XX is door opening width                        |                          |                                     |  |
|                |                             |                | A Alarm                                 |                      |                                                                                   |                          |                                     |  |
|                |                             |                | (BLANK) No Option                       |                      |                                                                                   |                          |                                     |  |

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8300 | 3300 Mortise Exit Device

| MODELS & FINISHES                                                    | 313, 335, 628 | US4, US32D | US3, US32 |
|----------------------------------------------------------------------|---------------|------------|-----------|
| <b>8300</b> Mortise exit device for wood and hollow metal            | \$1,020       | \$1,441    | \$1,535   |
| <b>3300</b> Fire-rated mortise exit device for wood and hollow metal | \$1,301       | \$1,722    | \$1,816   |



### Kitted Options

| MODELS & FINISH                                                    | US32D | MODELS & FINISH                                                    | US32D |
|--------------------------------------------------------------------|-------|--------------------------------------------------------------------|-------|
| <b>4009-01</b> Open back strike for 1-3/4" thick doors             | \$178 | <b>91-0995-04-IP</b> 2-1/2" thick door kit for use with 8300, 8400 | \$28  |
| <b>91-0995-02-IP</b> 2" thick door kit for use with 8300, 8400     | \$24  | <b>91-0995-05-IP</b> 2-3/4" thick door kit for use with 8300, 8400 | \$33  |
| <b>91-0995-03-IP</b> 2-1/4" thick door kit for use with 8300, 8400 | \$24  | <b>91-0995-06-IP</b> 3" thick door kit for use with 8300, 8400     | \$33  |

For complete list of kitted options for mortise exit devices, please refer to 8400 Narrow Stile Mortise Exit Devices on next page.

### How to Order Specify quantity and the following information. Order related products separately.

| MODEL          | FACEPLATE FINISH                                 | FACE SHAPE | DEVICE OPTIONS                          | MONITORING OPTION          | DOOR HANDING | PUSHBAR FINISH                                          | DOOR OPENING WIDTH<br>ON PAIR OF DOORS,<br>SPECIFY HALF OF THE<br>TOTAL EXIT OPENING | US FINISH        | END CAPS<br>OPTION FOR<br>US FINISH |
|----------------|--------------------------------------------------|------------|-----------------------------------------|----------------------------|--------------|---------------------------------------------------------|--------------------------------------------------------------------------------------|------------------|-------------------------------------|
| 83             | 3                                                | 0          | MLR                                     | M                          | -7           | 3                                                       | A36B                                                                                 |                  |                                     |
| 33 Fire-Rated  | 0 US Finish                                      | 0 Flat     | LR Electric Latch Retraction (solenoid) | M Single Switch            | 7 RHR        | 0 US Finish                                             | 30 30 inches*                                                                        | US3 Bright Brass | MEC Matching End Caps               |
| 83 Life-Safety | 1 Clear Anodized 628                             |            | MLR Motorized Latch Retraction          | M2 Dual Switch             | 8 LHR        | 1 Clear Anodized 628                                    | 36 36 inches                                                                         | US4 Satin Brass  |                                     |
|                | 2 Dark Bronze Anodized 313                       |            | (BLANK) No Monitor                      | 42 42 inches               |              | US32 Bright Stainless                                   |                                                                                      |                  |                                     |
|                |                                                  |            |                                         | 2 Dark Bronze Anodized 313 |              | 48 48 inches                                            | US32D Satin Stainless                                                                |                  |                                     |
|                |                                                  |            |                                         | 3 Black Anodized 335       |              | AXXB Alarmed Exit Device where XX is door opening width |                                                                                      |                  |                                     |
|                | C Cylinder Dogging (non-fire rated devices ONLY) |            |                                         |                            |              |                                                         |                                                                                      |                  |                                     |
|                | A Alarm                                          |            |                                         |                            |              |                                                         |                                                                                      |                  |                                     |
|                | - Without Options                                |            |                                         |                            |              |                                                         |                                                                                      |                  |                                     |

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

US adamsrite.com | 800 626 7590 | customerservice.adamsrite@assaabloy.com  
CANADA assaabloydss.ca | 800 461 3007 | sales.dss.ca@assaabloy.com

Patent pending and/or patent www.assaabloydss.com/patents. Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025


## 8400 Narrow Stile Mortise Exit Device

| MODEL & FINISHES                      | 313, 335, 628 | US4, US32D | US3, US32 |
|---------------------------------------|---------------|------------|-----------|
| 8400 Narrow stile mortise exit device | \$842         | \$1,254    | \$1,393   |

Please contact factory for information on the 8475 Midpanel Mortise Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.

### Kitted Options

| MODELS                                                                                          | US32D | MODELS                                                        | US32D |
|-------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------|-------|
| 8455-01 Long face strike for covering MS strike prep                                            | \$128 | 91-0995-04-IP 2-1/2" thick door kit for use with 8300, 8400   | \$28  |
| 8460-17-630 Long lip strike for jambs that project outward 2-1/4" beyond the centerline of door | \$94  | 91-0995-05-IP 2-3/4" thick door kit for use with 8300, 8400   | \$33  |
|                                                                                                 |       | 91-0995-06-IP 3" thick door kit for use with 8300, 8400       | \$33  |
| 91-0995-02-IP 2" thick door kit for use with 8300, 8400                                         | \$24  | 91-0325-01 Thermal door kit, 1/4" cladding, for use with 8400 | \$101 |
| 91-0995-03-IP 2-1/4" thick door kit for use with 8300, 8400                                     | \$24  | 91-0325-02 Thermal door kit, 1/2" cladding, for use with 8400 | \$182 |



### How to Order

Specify quantity and the following information. Order related products separately.

| MODEL          | FACEPLATE FINISH           | FACE SHAPE                | DEVICE OPTIONS                          | MONITORING OPTION  | BACKSET  | DOOR HANDING | PUSHBAR FINISH             | DOOR OPENING WIDTH<br>ON PAIR OF DOORS,<br>SPECIFY HALF OF THE<br>TOTAL EXIT OPENING | US FINISH             | END CAPS<br>OPTION FOR<br>US FINISH |
|----------------|----------------------------|---------------------------|-----------------------------------------|--------------------|----------|--------------|----------------------------|--------------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| 84             | 1                          | 4                         | MLR                                     | M2                 | -4       | 7            | 1                          | 42                                                                                   |                       |                                     |
| 84 Life-Safety | 0 US Finish                | 0 Flat, Radius, Bevel     | LR Electric Latch Retraction (solenoid) | M Switch           | 2 31/32" | 7 RHR        | 0 US Finish                | 30 30 inches                                                                         | US3 Bright Brass      | MEC Matching End Caps               |
|                | 1 Clear Anodized 628       |                           |                                         | M2 Dual Switch     | 3 1-1/8" |              | 1 Clear Anodized 628       | 36 36 inches                                                                         |                       |                                     |
|                | 2 Dark Bronze Anodized 313 | 4 Radius w/ Weatherstrip* | MLR Motorized Latch Retraction          | (BLANK) No Monitor | 4 1-1/2" | 8 LHR        | 2 Dark Bronze Anodized 313 | 42 42 inches                                                                         | US4 Satin Brass       |                                     |
|                |                            |                           | C Cylinder Dogging                      |                    |          |              |                            | 48 48 inches                                                                         | US32 Bright Stainless |                                     |
|                | 3 Black Anodized 335       |                           | A Alarm                                 |                    |          |              | 3 Black Anodized 335       | AXXB Alarmed Exit Device where XX is door opening width                              | US32D Satin Stainless |                                     |
|                |                            |                           | — Without Options                       |                    |          |              |                            |                                                                                      |                       |                                     |


\*Radius with weatherstrip faceplate is not available in US finishes.

## 8500 | 3600 Metal Door Concealed Vertical Rod Exit Device

| MODELS & FINISHES                                                   | 313, 335, 628 | US4, US32D | US3, US32 |
|---------------------------------------------------------------------|---------------|------------|-----------|
| 8500 Concealed vertical rod exit device for hollow metal            | \$944         | \$1,360    | \$1,498   |
| 8500T Top rod only (less bottom rod) CVR exit device                | \$844         | \$1,260    | \$1,398   |
| 3600 Fire-rated concealed vertical rod exit device for hollow metal | \$1,449       | \$1,865    | \$2,003   |
| 3600T Fire-rated top rod only (less bottom rod) CVR exit device     | \$1,349       | \$1,765    | \$1,903   |

### Kitted Options

| MODEL                                                                                            | PRICE |
|--------------------------------------------------------------------------------------------------|-------|
| 3655 Tall door kit for doors taller than 66" above bar height, up to 10'                         | \$75  |
| 8655 Tall door kit for doors taller than 66" above bar height, up to 10' for use with 8500, 8600 | \$71  |



### How to Order

Specify quantity and the following information. Order related products separately.


| MODEL          | PUSHBAR FINISH                 | ROD TYPE       | DEVICE OPTIONS                             | MONITORING OPTION                                    | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH                                                  | END CAPS<br>OPTION FOR<br>US FINISH |
|----------------|--------------------------------|----------------|--------------------------------------------|------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------|-------------------------------------|
| 85             | 00                             | T              | MLR                                        | M                                                    | -36                                                                               | -US32D                                                     |                                     |
| 36 Fire-Rated  | 00 US Finish                   | T Top Rod only | LR Electric Latch<br>Retraction (solenoid) | M Single Switch                                      | 30 30 inches*                                                                     | US3 Bright Brass                                           | MEC Matching<br>End Caps            |
| 85 Life-Safety | 11 Clear Anodized 628          | — Standard rod | MLR Motorized<br>Latch Retraction          | M2 Dual Switch                                       | 36 36 inches                                                                      | US4 Satin Brass                                            |                                     |
|                | 22 Dark Bronze<br>Anodized 313 |                | (BLANK) No<br>Monitor                      | 42 42 inches                                         | US32 Bright<br>Stainless                                                          |                                                            |                                     |
|                | 33 Black Anodized 335          |                |                                            | 48 48 inches                                         | US32D Satin<br>Stainless                                                          |                                                            |                                     |
|                |                                |                |                                            | C Cylinder Dogging (non-<br>fire rated devices only) |                                                                                   | AXXB Alarmed Exit Device<br>where XX is door opening width |                                     |
|                |                                |                | A Alarm                                    |                                                      |                                                                                   |                                                            |                                     |
|                |                                |                | (BLANK) No Option                          |                                                      |                                                                                   |                                                            |                                     |

\* Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8600 Narrow Stile Concealed Vertical Rod Exit Device

| MODELS & FINISHES                                    | 313, 335, 628 | US4, US32D | US3, US32 |
|------------------------------------------------------|---------------|------------|-----------|
| 8600 Narrow stile concealed vertical rod exit device | \$809         | \$1,224    | \$1,362   |
| 8600T Top rod only (less bottom rod) CVR exit device | \$709         | \$1,124    | \$1,262   |
| SPECIAL MODELS                                       |               |            |           |
| 8600-99 CVR exit device, less rods                   | \$605         | \$1,020    | \$1,158   |

Please contact factory for information on the 8675 Midpanel CVR Exit Device. Pricing is standard pricing plus unique door cutting charge for custom cut length.



### Kitted Options

| MODEL                                                                                            | PRICE |
|--------------------------------------------------------------------------------------------------|-------|
| 8655 Tall door kit for doors taller than 66" above bar height, up to 10' for use with 8500, 8600 | \$71  |


### How to Order Specify quantity and the following information. Order related products separately.

| MODEL          | PUSHBAR FINISH                 | ROD TYPE       | DEVICE OPTIONS                             | MONITORING OPTION  | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH                                                  | END CAPS<br>OPTION FOR<br>US FINISH |
|----------------|--------------------------------|----------------|--------------------------------------------|--------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------|-------------------------------------|
| 86             | 22                             | T              | MLR                                        | M2                 | -36                                                                               |                                                            |                                     |
| 86 Life-Safety | 00 US Finish                   | T Top Rod only | LR Electric Latch Retraction<br>(solenoid) | M Single Switch    | 30 30 inches                                                                      | US3 Bright Brass                                           | MEC Matching<br>End Caps            |
|                | 11 Clear Anodized 628          | – Standard rod |                                            | M2 Dual Switch     | 36 36 inches                                                                      | US4 Satin Brass                                            |                                     |
|                | 22 Dark Bronze<br>Anodized 313 |                | MLR Motorized Latch Retraction             | (BLANK) No Monitor | 42 42 inches                                                                      | US32 Bright<br>Stainless                                   |                                     |
|                |                                |                | C Cylinder Dogging                         |                    | 48 48 inches                                                                      |                                                            |                                     |
|                | 33 Black Anodized 335          |                | A Alarm                                    |                    |                                                                                   | AXXB Alarmed Exit Device<br>where XX is door opening width |                                     |
|                |                                |                | (BLANK) No Option                          |                    |                                                                                   |                                                            |                                     |

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8700 | 3700 Starwheel Rim Exit Device

| MODELS & FINISHES                                         | 313, 335, 628 | US4, US32D | US3, US32 |
|-----------------------------------------------------------|---------------|------------|-----------|
| 8700 Rim exit device for hollow metal and wood            | \$782         | \$1,167    | \$1,278   |
| 3700 Fire-rated rim exit device for hollow metal and wood | \$986         | \$1,371    | \$1,482   |



### Kitted Options

| MODEL                                                      | PRICE |
|------------------------------------------------------------|-------|
| 3889-08 Mullion for doors up to 8' for use with 8700, 3700 | \$737 |

### How to Order Specify quantity and the following information. Order related products separately.

| MODEL             | PUSHBAR FINISH                 | DEVICE OPTIONS                                      | MONITORING OPTION  | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH                | END CAPS<br>OPTION FOR<br>US FINISH | VOLTAGE** |
|-------------------|--------------------------------|-----------------------------------------------------|--------------------|-----------------------------------------------------------------------------------|--------------------------|-------------------------------------|-----------|
| 87                | 00                             | EL                                                  | M2                 | -36                                                                               | -US32                    |                                     | -12       |
| 37 Fire-Rated     | 00 US Finish                   | EL Electric Latch<br>Retraction (solenoid)          | M Single Switch    | 30 30 inches*                                                                     | US3 Bright Brass         | MEC Matching<br>End Caps            | 12 Volts  |
| 87 Life-Safety    | 01 Clear Anodized 628          |                                                     | M2 Dual Switch     | 36 36 inches                                                                      | US4 Satin Brass          |                                     | 24 Volts  |
|                   | 02 Dark Bronze<br>Anodized 313 | MLR Motorized Latch Retraction                      | (BLANK) No Monitor | 42 42 inches                                                                      | US32 Bright<br>Stainless |                                     |           |
|                   |                                | C Cylinder Dogging<br>(non-fire rated devices only) |                    | 48 48 inches                                                                      |                          |                                     |           |
|                   | 03 Black Anodized 335          | A Alarm                                             |                    | AXXB Alarmed Exit Device where<br>XX is door opening width                        | US32D Satin<br>Stainless |                                     |           |
| (BLANK) No Option |                                |                                                     |                    |                                                                                   |                          |                                     |           |

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option. \*\*EL Option Only.

## 8800 Narrow Stile Starwheel Rim Exit Device

| MODEL & FINISHES                  | 313, 335, 628 | US4, US32D | US3, US32 | BSP   |
|-----------------------------------|---------------|------------|-----------|-------|
| 8800 Narrow stile rim exit device | \$578         | \$963      | \$1,074   | \$963 |

### Kitted Options

| MODELS                                                         | 313, 628 |
|----------------------------------------------------------------|----------|
| 3890-08 Aluminum mullion for doors up to 8' for use with 8800  | \$737    |
| 3890-10 Aluminum mullion for doors up to 10' for use with 8800 | \$768    |



### How to Order Specify quantity and the following information. Order related products separately.

| MODEL          | PUSHBAR FINISH                 | DEVICE OPTIONS                                                  | MONITORING<br>OPTION  | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH                | END CAPS<br>OPTION FOR<br>US FINISH | VOLTAGE** |                           |  |
|----------------|--------------------------------|-----------------------------------------------------------------|-----------------------|-----------------------------------------------------------------------------------|--------------------------|-------------------------------------|-----------|---------------------------|--|
| 88             | 01                             | C                                                               | M2                    | -36                                                                               |                          |                                     | -12       |                           |  |
| 88 Life-Safety | 00 US Finish                   | EL Electric Latch<br>Retraction (solenoid)                      | M Single Switch       | 30 30 inches                                                                      | US3 Bright Brass         | MEC Matching<br>End Caps            | 12 Volts  |                           |  |
|                | 01 Clear Anodized 628          |                                                                 | M2 Dual Switch        | 36 36 inches                                                                      | US4 Satin Brass          |                                     | 24 Volts  |                           |  |
|                | 02 Dark Bronze<br>Anodized 313 | MLR Motorized Latch Retraction<br>(non-fire rated devices only) | (BLANK) No<br>Monitor | 42 42 inches                                                                      | US32 Bright<br>Stainless |                                     |           |                           |  |
|                | 03 Black Anodized 335          |                                                                 |                       | 48 48 inches                                                                      | US32D Satin<br>Stainless |                                     |           |                           |  |
|                |                                |                                                                 |                       | AXXB Alarmed Exit Device<br>where XX is door<br>opening width                     |                          |                                     |           | BSP Black Suede<br>Powder |  |
|                |                                |                                                                 |                       |                                                                                   |                          |                                     |           |                           |  |
|                | A Alarm                        |                                                                 |                       |                                                                                   |                          |                                     |           |                           |  |
|                | (BLANK) No Option              |                                                                 |                       |                                                                                   |                          |                                     |           |                           |  |

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option. \*\*EL Option Only.

## P8800 | P8700 Pullman Narrow Stile Rim Exit Device

| MODEL & FINISHES                                | 313, 335, 628 | US4, US32D | US3, US32 |
|-------------------------------------------------|---------------|------------|-----------|
| P8800 Narrow stile rim exit device              | \$568         | \$953      | \$1,064   |
| P8700 Rim exit device for wood and hollow metal | \$740         | \$1,125    | \$1,236   |

### Kitted Options

| MODELS                                                          | 313, 628 |
|-----------------------------------------------------------------|----------|
| 3890-08 Aluminum mullion for doors up to 8' for use with P8800  | \$737    |
| 3890-10 Aluminum mullion for doors up to 10' for use with P8800 | \$768    |
| 3889-08 Mullion for doors up to 8' for use with P8700           | \$737    |
| 3889-10 Mullion for doors up to 10' for use with P8700          | \$768    |




### How to Order Specify quantity and the following information. Order related products separately.

| MODEL     | PUSHBAR FINISH              | DEVICE OPTIONS                                      | MONITORING OPTION  | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH             | END CAPS<br>OPTION FOR<br>US FINISH |
|-----------|-----------------------------|-----------------------------------------------------|--------------------|-----------------------------------------------------------------------------------|-----------------------|-------------------------------------|
| P88       | 01                          | C                                                   | M2                 | -36                                                                               |                       |                                     |
| P88   P87 | 00 US Finish                | MLR Motorized Latch Retraction                      | M Single Switch    | 30 30 inches                                                                      | US3 Bright Brass      | MEC Matching<br>End Caps            |
|           | 01 Clear Anodized 628       | C Cylinder Dogging<br>(non-fire rated devices only) | M2 Dual Switch     | 36 36 inches                                                                      | US4 Satin Brass       |                                     |
|           | 02 Dark Bronze Anodized 313 |                                                     | (BLANK) No Monitor | 42 42 inches                                                                      | US32 Bright Stainless |                                     |
|           | 03 Black Anodized 335       | A Alarm                                             |                    | 48 48 inches                                                                      | US32D Satin Stainless |                                     |
|           |                             | (BLANK) No Option                                   |                    | AXXB Alarmed Exit Device where<br>XX is door opening width                        |                       |                                     |

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## 8900 | 3900 Wood Door Surface Concealed Vertical Rod Exit Device

| MODELS & FINISHES                                               | 313, 335, 628 | US4, US32D | US3, US32 |
|-----------------------------------------------------------------|---------------|------------|-----------|
| <b>8900</b> Surface concealed vertical rod exit device for wood | \$1,019       | \$1,435    | \$1,573   |
| <b>3900</b> Fire-rated surface concealed vertical rod for wood  | \$1,510       | \$1,926    | \$2,064   |



### Kitted Options

| MODEL                                                              | PRICE |
|--------------------------------------------------------------------|-------|
| <b>8955-01</b> Tall door kit for doors up to 10' for use with 8900 | \$74  |
| <b>3955-01</b> Tall door kit for doors up to 10' for use with 3900 | \$74  |

### How to Order Specify quantity and the following information. Order related products separately.

| MODEL                 | PUSHBAR FINISH                     | DEVICE OPTIONS                                             | MONITORING OPTION         | DOOR OPENING WIDTH<br>ON PAIR OF DOORS, SPECIFY HALF<br>OF THE TOTAL EXIT OPENING | US FINISH                    | END CAPS<br>OPTION FOR<br>US FINISH |
|-----------------------|------------------------------------|------------------------------------------------------------|---------------------------|-----------------------------------------------------------------------------------|------------------------------|-------------------------------------|
| <b>89</b>             | <b>00</b>                          | <b>LR</b>                                                  | <b>M2</b>                 | <b>-36</b>                                                                        | <b>-US32</b>                 |                                     |
| <b>39</b> Fire-Rated  | <b>00</b> US Finish                | <b>LR</b> Electric Latch<br>Retraction (solenoid)          | <b>M</b> Single Switch    | <b>30</b> 30 inches*                                                              | <b>US3</b> Bright Brass      | <b>MEC</b> Matching<br>End Caps     |
| <b>89</b> Life-Safety | <b>11</b> Clear Anodized 628       |                                                            | <b>M2</b> Dual Switch     | <b>36</b> 36 inches                                                               | <b>US4</b> Satin Brass       |                                     |
|                       | <b>22</b> Dark Bronze Anodized 313 | <b>MLR</b> Motorized Latch Retraction                      | <b>(BLANK)</b> No Monitor | <b>42</b> 42 inches                                                               | <b>US32</b> Bright Stainless |                                     |
|                       | <b>33</b> Black Anodized 335       | <b>C</b> Cylinder Dogging<br>(non-fire rated devices only) |                           | <b>48</b> 48 inches                                                               | <b>US32D</b> Satin Stainless |                                     |
|                       |                                    | <b>A</b> Alarm                                             |                           | <b>AXXB</b> Alarmed Exit Device where<br>XX is door opening width                 |                              |                                     |
|                       |                                    | <b>(BLANK)</b> No Option                                   |                           |                                                                                   |                              |                                     |

\*Please note that 30" exit devices cannot accommodate monitoring options EXCEPT when ordered in conjunction with the MLR option.

## Accessories for 8000 | 3000 Series Exit Devices

| OPTIONS & FINISHES                                                                                                                    | N/A   |
|---------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>ALARM</b> Battery-operated alarmed exit device. Alarm option cannot be combined with any other device option or monitoring options | \$594 |
| <b>C</b> Cylinder dogging NOT available with electrified or fire-rated options                                                        | \$65  |
| <b>EL</b> Electric latch retraction (solenoid) for use with 3700, 8700, 8800 Starwheel rim exit devices only                          | \$473 |
| <b>ELD</b> Electric latch retraction (solenoid) with mechanical dogging for rim exit devices only                                     | \$539 |
| <b>LR</b> Electric latch retraction (solenoid) for use with CVR, Mortise and SVR exit devices                                         | \$843 |

| OPTIONS & FINISHES                                                                      | N/A   |
|-----------------------------------------------------------------------------------------|-------|
| <b>MLR</b> Motorized latch retraction                                                   | \$871 |
| <b>MEC</b> Matching end caps. For US finishes only, not applicable to anodized finishes | \$107 |
| <b>M1</b> Monitor/single signal switch                                                  | \$165 |
| <b>M2</b> Monitor/dual signal switch                                                    | \$244 |

## Kitted Options for 8000 | 3000 Series Exit Devices

| MODELS & FINISHES                                                                                                                                              | N/A   | 313, 335, 628 | US4, US32D | US3, US32 | 119, 121, 652 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------|------------|-----------|---------------|
| <b>ALARM EXIT KIT</b> Kit for retrofitting an alarm function to an existing Adams Rite exit device<br>Includes new pushbar, end caps and installation hardware |       | \$770         | \$1,072    | \$1,150   |               |
| <b>91-0897-01</b> Single signal switch kit, retrofits to 3000/8000                                                                                             | \$143 |               |            |           |               |
| <b>91-0897-02</b> Dual signal switch kit, retrofits to 3000/8000                                                                                               | \$223 |               |            |           |               |
| <b>26-0584-XXX-MP</b> Sex bolts, 2 per bag, 2 kits required per exit device                                                                                    |       |               |            |           | \$36          |

## Modification Options for 8000 | 3000 Series Exit Devices Please contact factory for all product modifications.

| MODELS                                                                                                                                                                                                    | ADD   |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>THICK DOOR</b> For doors thicker than 1-3/4" and/or door skins plus reinforcement thicker than those specified in the Adams Rite Master Reinforcement Sheet template, for CVR and Mortise Exit Devices | \$87  |
| <b>UNIQUE DOOR</b> Cutting charges for non-standard custom cut lengths between 30" and 48"                                                                                                                | \$113 |
| <b>CA</b> California 5lb to unlatch done by exitmod only; not available with MLR option                                                                                                                   | \$113 |
| <b>INSULCLAD</b> Modification specify cladding thickness to be 1/4"                                                                                                                                       | \$105 |
| <b>INSULCLAD</b> Modification specify cladding thickness to be 1/2"                                                                                                                                       | \$190 |

Please note that thick door modification options are available for 8300, 8400, and 8600 series exit devices only.

US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents). Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.  
All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025



## ELECTRIC STRIKES

## 7100, 7101 Electric Strikes

| MODELS & FINISHES                                    | 313, 335, 628 | 626   |
|------------------------------------------------------|---------------|-------|
| <b>7100</b> For aluminum jambs                       | \$229         | \$261 |
| <b>7101</b> For radius aluminum stiles               | \$229         |       |
| <b>7100-XX7, 7100-XX9</b> Monitoring signal switches | \$354         | \$386 |

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE SHAPE | VOLTAGE   | CURRENT AND DUTY                | FEATURES*                | FINISH**                 | LIP EXTENSIONS (DIM. A)***<br>(DOOR CENTERLINE TO JAMB EDGE) |           |
|-------------|-----------------|-----------|---------------------------------|--------------------------|--------------------------|--------------------------------------------------------------|-----------|
| 710         | 0               | -3        | 1                               | 0                        | -628                     | -00                                                          |           |
|             | 0 Flat          | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/Fail-Secure   | 313 Dark Bronze Anodized | 00 1-1/16" or less                                           | 05 2"     |
|             | 1 Radius        | 4 16 Volt |                                 | 5 Fail-Safe              | 335 Black Anodized       | 01 1-1/2"                                                    | 07 2-1/4" |
|             |                 | 5 24 Volt | 2 DC with 4603 Rectifier†       | 7 Monitored/ Fail-Safe   | 626 Satin Chrome         | 02 1-5/8"                                                    | 09 2-1/2" |
|             |                 |           | 4 AC Intermittent               | 9 Monitored/ Fail-Secure | 628 Clear Anodized       | 03 1-3/4"                                                    | 12 2-7/8" |

\*Fail-secure can be converted to fail-safe and vice versa. \*\*7101 available in 313, 335, 628 only. \*\*\*Lip Extensions not available on 7101. †For -2 add \$23.

## 7110, 7111 Electric Strikes

| MODELS & FINISHES                                    | 652   |
|------------------------------------------------------|-------|
| <b>7110</b> For wood jambs                           | \$271 |
| <b>7111</b> For wood jambs, long faceplate           | \$271 |
| <b>7110-XX7, 7110-XX9</b> Monitoring signal switches | \$396 |

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE LENGTH | VOLTAGE   | CURRENT AND DUTY                | FEATURES*                | FINISH           | LIP EXTENSIONS (DIM. A)<br>(DOOR CENTERLINE TO JAMB EDGE) |           |
|-------------|------------------|-----------|---------------------------------|--------------------------|------------------|-----------------------------------------------------------|-----------|
| 711         | 0                | -3        | 1                               | 0                        | -652             | -00                                                       |           |
|             | 0 7-15/16"       | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/Fail-Secure   | 652 Satin Chrome | 00 1-1/16" or less                                        | 05 2"     |
|             | 1 10-1/4"        | 4 16 Volt |                                 | 5 Fail-Safe              |                  | 01 1-1/2"                                                 | 07 2-1/4" |
|             |                  | 5 24 Volt | 2 DC with 4603 Rectifier†       | 7 Monitored/ Fail-Safe   |                  | 02 1-5/8"                                                 | 09 2-1/2" |
|             |                  |           | 4 AC Intermittent               | 9 Monitored/ Fail-Secure |                  | 03 1-3/4"                                                 | 12 2-7/8" |

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.

## 7130, 7131 Electric Strikes

| MODELS & FINISHES         |                                                              | 313, 335, 628 |
|---------------------------|--------------------------------------------------------------|---------------|
| <b>7130</b>               | For aluminum jambs, pre-cut for MS lock strike plate         | \$229         |
| <b>7131</b>               | For radius aluminum stiles, pre-cut for MS lock strike plate | \$229         |
| <b>7130-XX7, 7130-XX9</b> | Monitoring signal switch                                     | \$354         |

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE SHAPE | VOLTAGE   | CURRENT AND DUTY                | FEATURES*                | FINISH                   | LIP EXTENSIONS (DIM. A)<br>(DOOR CENTERLINE TO JAMB EDGE) |           |
|-------------|-----------------|-----------|---------------------------------|--------------------------|--------------------------|-----------------------------------------------------------|-----------|
| 713         | 0               | -3        | 1                               | 0                        | -313                     | -00                                                       |           |
|             | 0 Flat          | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/Fail-Secure   | 313 Dark Bronze Anodized | 00 1-1/16" or less                                        | 05 2"     |
|             | 1 Radius        | 4 16 Volt | 2 DC with 4603 Rectifier†       | 5 Fail-Safe              | 335 Black Anodized       | 01 1-1/2"                                                 | 07 2-1/4" |
|             |                 | 5 24 Volt | 4 AC Intermittent               | 7 Monitored/ Fail-Safe   | 628 Clear Anodized       | 02 1-5/8"                                                 | 09 2-1/2" |
|             |                 |           |                                 | 9 Monitored/ Fail-Secure |                          | 03 1-3/4"                                                 | 12 2-7/8" |

\*Fail-secure can be converted to fail-safe and vice versa. \*\*Lip extensions not available on 7131. †For -2 add \$23.



## 7140 Electric Strike

| MODEL & FINISHES          |                                           | 313, 335, 628 | 626   |
|---------------------------|-------------------------------------------|---------------|-------|
| <b>7140</b>               | ANSI size for hollow metal and wood jambs | \$229         | \$261 |
| <b>7140-XX7, 7140-XX9</b> | Monitoring signal switch                  | \$354         | \$386 |

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | VOLTAGE   | CURRENT AND DUTY                | FEATURES*               | FINISH                   | LIP EXTENSIONS (DIM. A)<br>(DOOR CENTERLINE TO JAMB EDGE) |           |
|-------------|-----------|---------------------------------|-------------------------|--------------------------|-----------------------------------------------------------|-----------|
| 7140        | -3        | 1                               | 0                       | -628                     | -00                                                       |           |
|             | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/ Fail-Secure | 313 Dark Bronze Anodized | 00 1-1/16" or less                                        | 05 2"     |
|             | 4 16 Volt | 2 DC with 4603 Rectifier†       | 5 Fail-Safe             | 335 Black Anodized       | 50 1-3/8"                                                 | 07 2-1/4" |
|             | 5 24 Volt | 4 AC Intermittent               | 7 Monitor/Fail-Safe     | 626 Satin Chrome         | 01 1-1/2"                                                 | 09 2-1/2" |
|             |           |                                 | 9 Monitor/Fail-Secure   | 628 Clear Anodized       | 02 1-5/8"                                                 | 12 2-7/8" |
|             |           |                                 |                         |                          | 03 1-3/4"                                                 |           |

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.



## 7160 Electric Strike

| MODELS & FINISHES         |                            | 313, 335, 628 | 626   |
|---------------------------|----------------------------|---------------|-------|
| <b>7160</b>               | For aluminum jambs         | \$290         | \$322 |
| <b>7160-XX7, 7160-XX9</b> | Monitoring signal switches | \$415         | \$490 |

Lip Extensions up to 3" for center-hung or non-flush doors add \$43.

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | VOLTAGE   | CURRENT AND DUTY                | FEATURES*              | FINISH                   | LIP EXTENSIONS (DIM. A)<br>(DOOR CENTERLINE TO JAMB EDGE) |           |
|-------------|-----------|---------------------------------|------------------------|--------------------------|-----------------------------------------------------------|-----------|
| 7160        | -3        | 1                               | 0                      | -628                     | -00                                                       |           |
|             | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/Fail-Secure | 313 Dark Bronze Anodized | 00 1-1/16" or less                                        | 05 2"     |
|             | 4 16 Volt | 2 DC with 4603 Rectifier†       | 5 Fail-Safe            | 335 Black Anodized       | 01 1-1/2"                                                 | 07 2-1/4" |
|             | 5 24 Volt | 4 AC Intermittent               | 7 Monitor/Fail-Safe    | 626 Satin Chrome         | 02 1-5/8"                                                 | 09 2-1/2" |
|             |           |                                 | 9 Monitor/Fail-Secure  | 628 Clear Anodized       | 03 1-3/4"                                                 | 12 2-7/8" |

\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.



## 7170 Electric Strike

| MODELS & FINISHES                                    | 313, 335, 628 | 626          |
|------------------------------------------------------|---------------|--------------|
| <b>7170</b> For hollow metal and wood jambs          | <b>\$290</b>  | <b>\$322</b> |
| <b>7170-XX7, 7170-XX9</b> Monitoring signal switches | <b>\$415</b>  | <b>\$490</b> |

*Lip Extensions up to 3" for center-hung or non-flush doors add \$43.*



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | VOLTAGE   | CURRENT AND DUTY                | FEATURES*              | FINISH                   | LIP EXTENSIONS (DIM. A)<br>DOOR CENTERLINE TO JAMB EDGE |
|-------------|-----------|---------------------------------|------------------------|--------------------------|---------------------------------------------------------|
| <b>7170</b> | <b>-3</b> | <b>1</b>                        | <b>0</b>               | <b>-628</b>              | <b>-00</b>                                              |
|             | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/Fail-Secure | 313 Dark Bronze Anodized | 00 1-1/16" or less                                      |
|             | 4 16 Volt |                                 | 5 Fail-Safe            | 335 Black Anodized       | 50 1-3/8"                                               |
|             | 5 24 Volt | 2 DC with 4603 Rectifier†       | 7 Monitor/Fail-Safe    | 626 Satin Chrome         | 01 1-1/2"                                               |
|             |           | 4 AC Intermittent               | 9 Monitor/Fail-Secure  | 628 Clear Anodized       | 02 1-5/8"                                               |
|             |           |                                 |                        |                          | 03 1-3/4"                                               |

*\*Fail-secure can be converted to fail-safe and vice versa. †For -2 add \$23.*

## 7100 Series Electric Strike Components

| STRIKE BODY KITS                                                | PRICE        |
|-----------------------------------------------------------------|--------------|
| <b>7103A</b> For use with 7100/7101, 7110/7111, 7130/7131, 7140 | <b>\$191</b> |
| <b>7173A</b> For use with 7160, 7170                            | <b>\$246</b> |

*One strike body kit matched with one faceplate kit makes a complete electric strike assembly.*

| FACEPLATE KITS & FINISHES                                                                                            | 313, 335, 628 | 626         | 605         |
|----------------------------------------------------------------------------------------------------------------------|---------------|-------------|-------------|
| <b>FPK00</b> For use with body kits: 7103A, 7173A                                                                    | <b>\$39</b>   | <b>\$69</b> | <b>\$77</b> |
| <b>FPK01</b> For use with body kit: 7103A                                                                            | <b>\$38</b>   |             |             |
| FACEPLATE KITS & FINISHES                                                                                            |               |             | 652         |
| <b>FPK10</b> For use with body kit: 7103A                                                                            |               |             | <b>\$80</b> |
| <b>FPK11</b> For use with body kits: 7103A                                                                           |               |             | <b>\$80</b> |
| FACEPLATE KITS & FINISHES                                                                                            | 313, 335, 628 | 626         | 605         |
| <b>FPK30</b> For use with body kit: 7103A                                                                            | <b>\$44</b>   |             |             |
| <b>FPK31</b> For use with body kits: 7103A                                                                           | <b>\$44</b>   |             |             |
| <b>FPK40</b> For use with body kit: 7103A, 7173A                                                                     | <b>\$38</b>   | <b>\$69</b> | <b>\$77</b> |
| <b>FPK45</b> For use with body kit: 7103A, for installing electric strike in previous prep, 4901, 4501 strike cover. | <b>\$44</b>   |             |             |

*Faceplate kits contain all hardware to mount electric strike.*

## Kitted Options

| MODELS                                                                                       | PRICE       |
|----------------------------------------------------------------------------------------------|-------------|
| <b>91-0171-01 THROUGH -13</b> Lip extension kits for use with 7100 through 7140              | <b>\$43</b> |
| <b>91-0171-50</b> Lip extension kits for use with 7100 through 7140 interior framing systems | <b>\$43</b> |
| <b>91-0172-01 THROUGH -13</b> Lip extension kits for use with 7160 and 7170                  | <b>\$43</b> |
| <b>91-0172-50</b> Lip extension kits for use with 7160 and 7170 interior framing systems     | <b>\$43</b> |

## How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO.  | VOLTAGE   | CURRENT AND DUTY                | FEATURES*              |
|--------------|-----------|---------------------------------|------------------------|
| <b>7103A</b> | <b>3</b>  | <b>1</b>                        | <b>0</b>               |
| <b>7103A</b> | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Standard/Fail-Secure |
| <b>7173A</b> | 4 16 Volt | 4 AC Intermittent               | 5 Fail-Safe            |
|              | 5 24 Volt |                                 |                        |

*\*Fail-secure can be field converted to fail-safe or vice versa.*



US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents). Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025

## 7240 Fire-Rated Electric Strike

| MODELS & FINISH                                         | 630          |
|---------------------------------------------------------|--------------|
| <b>7240</b> Fire-rated, for cylindrical latches         | <b>\$469</b> |
| <b>7240-50</b> Lip extension for interior frame systems | <b>\$515</b> |
| <b>7240-XX9</b> Monitoring signal switches              | <b>\$604</b> |



How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | VOLTAGE   | CURRENT AND DUTY                | FEATURES*             | FINISH              | LIP EXTENSIONS (DIM. A)<br>DOOR CENTERLINE TO JAM<br>EDGE FOR INTERIOR FRAMES |
|-------------|-----------|---------------------------------|-----------------------|---------------------|-------------------------------------------------------------------------------|
| <b>7240</b> | <b>-3</b> | <b>1</b>                        | <b>0</b>              | <b>-630</b>         | <b>-50</b>                                                                    |
|             | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Fail-Secure         | 630 Satin Stainless | 00 1-1/16" or less                                                            |
|             | 5 24 Volt | 2 DC with 4603 Rectifier†       | 9 Monitor/Fail-Secure |                     | 50 1-3/8"                                                                     |
|             |           | 4 AC Intermittent               |                       |                     |                                                                               |

\*Not available in fail-safe. †For -2 add \$23.

## 7270 Fire-Rated Electric Strike

| MODELS & FINISH                                         | 630          |
|---------------------------------------------------------|--------------|
| <b>7270</b> Fire-rated, for mortise latches             | <b>\$544</b> |
| <b>7270-50</b> Lip extension for interior frame systems | <b>\$587</b> |
| <b>7270-XX9</b> Monitoring signal switches              | <b>\$679</b> |




How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | VOLTAGE   | CURRENT AND DUTY                | FEATURES*             | FINISH              | LIP EXTENSIONS (DIM. A)<br>DOOR CENTERLINE TO JAM<br>EDGE FOR INTERIOR FRAMES |
|-------------|-----------|---------------------------------|-----------------------|---------------------|-------------------------------------------------------------------------------|
| <b>7270</b> | <b>-3</b> | <b>1</b>                        | <b>0</b>              | <b>-630</b>         | <b>-50</b>                                                                    |
|             | 3 12 Volt | 1 DC Continuous or Intermittent | 0 Fail-Secure         | 630 Satin Stainless | 00 1-1/16" or less                                                            |
|             | 5 24 Volt | 2 DC with 4603 Rectifier†       | 9 Monitor/Fail-Secure |                     | 50 1-3/8"                                                                     |
|             |           | 4 AC Intermittent               |                       |                     |                                                                               |

\*Not available in fail-safe. †For -2 add \$23.

## 7400, 7401 UltraLine® Preload-Capable Electric Strikes

| MODELS & FINISHES                       | 313, 335, 628 | 630          | 605, 606, 629 | 119, 121, 130 |
|-----------------------------------------|---------------|--------------|---------------|---------------|
| <b>7400</b> For radius jambs            | <b>\$312</b>  | <b>\$351</b> | <b>\$366</b>  |               |
| <b>7400M</b> Monitoring signal switches | <b>\$442</b>  | <b>\$481</b> | <b>\$496</b>  |               |
| <b>7401</b> For radius aluminum stiles  |               |              |               | <b>\$312</b>  |
| <b>7401M</b> Monitoring signal switches |               |              |               | <b>\$442</b>  |



How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE<br>SHAPE | FEATURES                                                   | FINISH                   |                      |                                          |
|-------------|--------------------|------------------------------------------------------------|--------------------------|----------------------|------------------------------------------|
| <b>740</b>  | <b>0</b>           | <b>M</b>                                                   | <b>628</b>               |                      |                                          |
|             | 0 Flat             | - None                                                     | <b>7400 ONLY</b>         |                      | <b>7401 ONLY</b>                         |
|             | 1 Radius           | <b>M</b> Monitored<br><b>A</b> Modular Pack<br>- Body Kit* | 313 Dark Bronze Anodized | 628 Clear Anodized   | 119 To match 335 Black Anodized          |
|             |                    |                                                            | 335 Black Anodized       | 629 Bright Stainless | 121 To match 313 Dark<br>Bronze Anodized |
|             |                    |                                                            | 605 Bright Brass         | 630 Satin Stainless  | 130 To match 628 Clear Anodized          |
|             |                    |                                                            | 606 Satin Brass          |                      |                                          |

Fail-secure can be converted to fail-safe and vice versa. \* See page 25 for body or faceplate options.

US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

Patent pending and/or patent [www.assaabloydss.com/patents](http://www.assaabloydss.com/patents). Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company.  
All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited.

UPDATED January 15, 2025

**Adams  
Rite**  
**ASSA ABLOY**

## 7410, 7411 UltraLine® Preload-Capable Electric Strikes

| MODELS & FINISHES                                                          | 313, 335, 628 | 630   |
|----------------------------------------------------------------------------|---------------|-------|
| <b>7410</b> For wood jambs, 7-15/16" faceplate                             | \$351         | \$382 |
| <b>7410M</b> Monitoring signal switches                                    | \$481         | \$512 |
| <b>7411</b> For wood jambs, 10-1/4" faceplate, not available in 335 Finish | \$357         | \$389 |
| <b>7411M</b> Monitoring signal switches                                    |               | \$519 |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE LENGTH | FEATURES    | FINISH                   |                     |
|-------------|------------------|-------------|--------------------------|---------------------|
| 741         | 0                | -           | 628                      |                     |
|             | 0 7-15/16"       | - None      | 313 Dark Bronze Anodized | 628 Clear Anodized  |
|             | 1 10-1/4"        | M Monitored | 335 Black Anodized       | 630 Satin Stainless |

*Fail-secure can be converted to fail-safe and vice versa.*



## 7430, 7431 UltraLine® Preload-Capable Electric Strikes

| MODELS & FINISHES                                                     | 313, 335, 628 | 119, 121, 130 |
|-----------------------------------------------------------------------|---------------|---------------|
| <b>7430</b> For aluminum jambs, flat faceplate                        | \$320         |               |
| <b>7430M</b> Monitoring signal switches                               | \$450         |               |
| <b>7431</b> For aluminum stiles, radius faceplate                     |               | \$320         |
| <b>7431M</b> Monitoring signal switches, not available in 119 finish. |               | \$450         |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FACEPLATE SHAPE | FEATURES    | FINISH                   |                                       |
|-------------|-----------------|-------------|--------------------------|---------------------------------------|
| 743         | 0               | M           | 628                      |                                       |
|             | 0 Flat          | - None      | 313 Dark Bronze Anodized | 119 To match 335 Black Anodized       |
|             | 1 Radius        | M Monitored | 335 Black Anodized       | 121 To match 313 Dark Bronze Anodized |
|             |                 |             | 628 Clear Anodized       | 130 To match 628 Clear Anodized       |

*Fail-secure can be converted to fail-safe and vice versa.*



## 7440 UltraLine® Preload-Capable Electric Strike

| MODELS & FINISHES                                      | 313, 335, 628 | 630   | 605, 606, 629 |
|--------------------------------------------------------|---------------|-------|---------------|
| <b>7440</b> For hollow metal and wood, jambs and doors | \$312         | \$351 | \$366         |
| <b>7440M</b> Monitoring signal switches                | \$442         | \$481 | \$496         |

*Fail-secure can be converted to fail-safe and vice versa.*

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FEATURES    | FINISH                   |                    |                      |
|-------------|-------------|--------------------------|--------------------|----------------------|
| 7440        | M           | 628                      |                    |                      |
|             | - None      | 313 Dark Bronze Anodized | 606 Satin Brass    | 629 Bright Stainless |
|             | M Monitored | 335 Black Anodized       | 628 Clear Anodized | 630 Satin Stainless  |
|             |             | 605 Bright Brass         |                    |                      |

*Fail-secure can be converted to fail-safe and vice versa.*



## 74R1 UltraLine® Preload-Capable Electric Strike

| MODELS & FINISHES                                             | 119, 121, 130 |
|---------------------------------------------------------------|---------------|
| <b>74R1</b> For use with rim exit devices with 3/4" latchbolt | <b>\$436</b>  |
| <b>74R1M</b> Monitoring signal switches                       | <b>\$566</b>  |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FEATURES           | FINISH                                       |
|-------------|--------------------|----------------------------------------------|
| <b>74R1</b> | <b>M</b>           | <b>-130</b>                                  |
|             | - None             | <b>119</b> To match 335 Black Anodized       |
|             | <b>M</b> Monitored | <b>121</b> To match 313 Dark Bronze Anodized |
|             |                    | <b>130</b> To match 628 Clear Anodized       |

*Fail-secure can be converted to fail-safe and vice versa.*



## 74R2 UltraLine® Preload-Capable Electric Strike

| MODELS & FINISHES                                                          | 119, 121, 130 |
|----------------------------------------------------------------------------|---------------|
| <b>74R2</b> For use with narrow stile rim exit devices with 1/2" latchbolt | <b>\$436</b>  |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | FINISH                                       |
|-------------|----------------------------------------------|
| <b>74R2</b> | <b>-130</b>                                  |
|             | <b>119</b> To match 335 Black Anodized       |
|             | <b>121</b> To match 313 Dark Bronze Anodized |
|             | <b>130</b> To match 628 Clear Anodized       |

*Fail-secure can be field converted to fail-safe or vice-versa.*



**MODULAR PACKING PROGRAM** — match strike body kit with faceplate kit for complete electric strike.  
Select 7400A for standard jambs and 7401A for radius stile mounting. No finish designation required for strike body kits.

## 7400 UltraLine® Electric Strike Components

| STRIKE BODY KITS                                                      | PRICE        |
|-----------------------------------------------------------------------|--------------|
| <b>7400A</b> Standard body, for use in single door applications       | <b>\$288</b> |
| <b>7401A</b> Radius body, for use in applications with pairs of doors | <b>\$288</b> |

*Match one strike body kit with one faceplate kit to make a complete electric strike assembly.*

| FACEPLATE KITS & FINISHES                                                                                                                              | 313, 335, 628 | 630          | 605, 606, 629 | 119, 121, 130 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|---------------|---------------|
| <b>FPK7400</b> For use with body kit: 7400A                                                                                                            | <b>\$32</b>   | <b>\$64</b>  | <b>\$76</b>   |               |
| <b>FPK7401</b> For use with body kit: 7401A                                                                                                            |               |              |               | <b>\$32</b>   |
| <b>FPK7410</b> For use with body kit: 7400A                                                                                                            | <b>\$71</b>   | <b>\$100</b> |               |               |
| <b>FPK7411</b> For use with body kit: 7400A, not available in 335 finish                                                                               | <b>\$76</b>   | <b>\$105</b> |               |               |
| <b>FPK7430</b> For use with body kit: 7400A                                                                                                            | <b>\$37</b>   |              |               |               |
| <b>FPK7431</b> For use with body kit: 7401A                                                                                                            |               |              |               | <b>\$37</b>   |
| <b>FPK7440</b> For use with body kit: 7400A                                                                                                            | <b>\$32</b>   | <b>\$64</b>  | <b>\$76</b>   |               |
| <b>FPK7445</b> For use with body kit: 7400A, not available in 335 finish.<br>For installing electric strike in previous prep 4901, 4501, strike cover. | <b>\$44</b>   |              |               |               |

*Faceplate kits contain all hardware to mount electric strike.*

Kitted Options

| MODELS                                                                                                                                  | PRICES |
|-----------------------------------------------------------------------------------------------------------------------------------------|--------|
| LEK7400 Lip extension kits for use with 7400 series electric strikes, for flat faceplates only                                          | \$57   |
| VA7400-12 12 VDC adapter cable for 7400 electric strikes                                                                                | \$17   |
| VA7400-16VDC 16 VDC adapter kit for 7400 electric strikes                                                                               | \$27   |
| VA7400-24 24 VDC adapter cable for 7400 electric strikes                                                                                | \$17   |
| WDC7400 Wood door cover plate for use when mounting 7400 in the inactive leaf of a wood door pair (to simplify the mortising operation) | \$17   |
| ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system                                                       | \$40   |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LIP EXTENSIONS (DISTANCE FROM VERTICAL CENTERLINE OF THE DOOR<br>IN THE CLOSED POSITION TO THE EDGE OF THE JAMB) |           |           |           |           |           |           |
|-------------|------------------------------------------------------------------------------------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| LEK7400     | -00                                                                                                              |           |           |           |           |           |           |
|             | 01 1-1/2"                                                                                                        | 03 1-3/4" | 05 2"     | 07 2-1/4" | 09 2-1/2" | 11 2-3/4" | 13 3"     |
|             | 02 1-5/8"                                                                                                        | 04 1-7/8" | 06 2-1/8" | 08 2-3/8" | 10 2-5/8" | 12 2-7/8" | 50 1-3/8" |

7800 Series Electric Strike

| MODELS                                                         | 630   | 613E, 628E, BSP | 606   | 605, 629 |
|----------------------------------------------------------------|-------|-----------------|-------|----------|
| 7800 For use with Starwheel and Interlocking rim exit devices. | \$717 | \$810           | \$857 | \$872    |

Accessories

| MODELS                            | 630  | 613E | 628E | BSP  | N/A   |
|-----------------------------------|------|------|------|------|-------|
| 7800-116-XXX 1/16" Spacer plate   | \$40 | \$56 | \$56 | \$56 |       |
| 7800-108-XXX 1/8" Spacer plate    | \$40 | \$56 | \$56 | \$56 |       |
| 7800-SMB HES Surface Mounting Box |      |      |      |      | \$250 |

How to Order  
Specify quantity and the following information.  
Order related products separately.

| PRODUCT NO. | FINISH                                 |
|-------------|----------------------------------------|
| 7800        | — 630                                  |
|             | 605 Bright Brass                       |
|             | 606 Satin Brass                        |
|             | 613E Dark Oxidized Satin Bronze Powder |
|             | 628E Satin Aluminum Clear Anodized     |
|             | 629 Bright Stainless                   |
|             | 630 Satin Stainless                    |
|             | BSP Black Suede Powder                 |

*\*Fail-secure can be field converted to fail-safe and vice versa.*



# TRIM

## 1000 Series Turns

| MODELS & FINISHES                                                                        | 119, 121, 130 |
|------------------------------------------------------------------------------------------|---------------|
| <b>1000-01, 1000-02</b> Turn for use with MS1847 deadlock                                | \$35          |
| <b>1000-11, 1000-21</b> Stainless steel turn and escutcheon for use with MS1847 deadlock | \$43          |
| <b>1004</b> Turn for use with 5015, 5017 deadlock                                        | \$43          |
| <b>1015</b> Turn for use with 5015, 5017 deadlock                                        | \$43          |
| <b>1016</b> Outside escutcheon                                                           | \$35          |



How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO.                                                                       | TURN TYPE                                                                         |                                                                                   | SPINDLE LENGTH                                                                    |                                   |         |        |     |         | FINISH                          |    |                                       |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------|---------|--------|-----|---------|---------------------------------|----|---------------------------------------|
| 1000                                                                              | -21                                                                               |                                                                                   | -14                                                                               |                                   |         |        |     |         | -130                            |    |                                       |
|                                                                                   | <b>TURN WITHOUT ESCUTCHEON</b><br>FURNISHED Unassembled                           |                                                                                   | <div>DASH CHART</div>                                                             |                                   |         |        |     |         | 119 To match 335 Black Anodized |    |                                       |
|                                                                                   |  | <b>-01</b><br>PARALLEL Drive                                                      |  | <b>-02</b><br>PERPENDICULAR Drive | NO.     | "L"    | MM  | NO.     | "L"                             | MM | 121 To match 313 Dark Bronze Anodized |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -11     | 17/32  | 13  | -22     | 1-15/64                         | 31 | 130 To match 628 Clear Anodized       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -12     | 39/64  | 15  | -23     | 1-19/64                         | 33 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -13     | 43/64  | 17  | -24     | 1-23/64                         | 35 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -14     | 47/64  | 19  | -25     | 1-27/64                         | 36 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -15     | 51/64  | 20  | -26     | 1-31/64                         | 38 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -16     | 55/64  | 22  | -27     | 1-33/64                         | 39 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -17     | 59/64  | 23  | -28     | 1-39/64                         | 41 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -18     | 63/64  | 25  | -29     | 1-43/64                         | 42 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -19     | 1-3/64 | 26  | -30     | 1-47/64                         | 44 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                   | -20     | 1-7/64 | 28  | -31     | 1-51/64                         | 46 |                                       |
|                                                                                   |                                                                                   |                                                                                   |                                                                                   | -21                               | 1-11/64 | 30     | -32 | 1-55/64 | 47                              |    |                                       |
| <b>TURN WITH ESCUTCHEON</b><br>FURNISHED Assembled                                |                                                                                   |                                                                                   |                                                                                   |                                   |         |        |     |         |                                 |    |                                       |
|  | <b>-11</b><br>PARALLEL Drive                                                      |  | <b>-21*</b><br>PERPENDICULAR Drive                                                |                                   |         |        |     |         |                                 |    |                                       |

\* -21 option not available for 1015 and 1016 turns

## 3000 Fixed Pull

| MODELS & FINISH                                               | US32D |
|---------------------------------------------------------------|-------|
| <b>3001</b> Tubular fixed pull for hollow metal or wood doors | \$248 |
| <b>3002</b> Flat fixed pull for hollow metal or wood doors    | \$276 |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | HANDLE  | CYLINDER HOLE  | EXIT DEVICE    | FINISH                |
|-------------|---------|----------------|----------------|-----------------------|
| 300         | 1       | -1             | 1              | -US32D                |
|             | 1 Round | 1 Without Hole | 1 Mortise, Rim | US32D Satin Stainless |
|             | 2 Flat  | 2 With Hole    | 2 CVR          |                       |
|             |         |                | 3 SVR          |                       |

Not for use with the following narrow stile exit devices: 8200 SVR, 8400 Mortise, 8600 CVR, 8800 Rim Exit Devices.

## 3080 Series Entry Trim

|                   |                                                                                                                                                        | STANDARD TRIM   |               | ELECTRIFIED TRIM |               |
|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|------------------|---------------|
| MODELS & FINISHES |                                                                                                                                                        | US4, US32D, 10B | US3, US32 119 | US4, US32D, 10B  | US3, US32 119 |
| STANDARD LEVER    | 3080 Entry trim with standard lever (01, 02, 03)                                                                                                       | \$436           | \$484         | \$843            | \$891         |
|                   | 3080-M Entry trim with standard lever (01, 02, 03) with matching trim cover finish                                                                     | \$550           | \$598         | \$957            | \$1,005       |
|                   | 3080-U Entry trim with standard lever (01, 02, 03) with universal trim kit includes tailpieces and trimplates for use with all Adams Rite exit devices | \$468           | \$516         | \$875            | \$923         |
|                   | 3080-U, M Entry trim with standard lever (01, 02, 03), matching trim cover and universal trim kit                                                      | \$582           | \$630         | \$989            | \$1,037       |
| DESIGNER LEVER    | 3080-MX Entry trim with designer lever series (MD through MW)                                                                                          | \$495           | \$543         | \$902            | \$950         |
|                   | 3080-MX, M Entry trim with designer lever series (MD through MW) with matching trim cover                                                              | \$609           | \$657         | \$1,016          | \$1,064       |
|                   | 3080-MX, U Entry trim with designer lever series (MD through MW) with universal trim kit                                                               | \$527           | \$575         | \$934            | \$982         |
|                   | 3080-MX, U, M Entry trim with designer lever series (MD through MW), universal trim kit and matching trim cover                                        | \$641           | \$689         | \$1,048          | \$1,096       |

*Tactile strip now available as a Kitted Option (below) for standard levers 01 and 03.*



### Kitted Options

| MODELS                                                | PRICE |
|-------------------------------------------------------|-------|
| 91-0686 Adaptor kit for 3080 trim and G86 exit device | \$38  |
| 91-0118 Tactile strip for 3080 standard levers 01, 03 | \$47  |

**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | ELECTRIFIED        | HANDLE           | HANDING      | CYLINDER HOLE  | EXIT DEVICE  | VOLTAGE               | FEATURES              | TRIM COVER FINISH  | FINISH                |  |                       |
|-------------|--------------------|------------------|--------------|----------------|--------------|-----------------------|-----------------------|--------------------|-----------------------|--|-----------------------|
| 3080        | E                  | -01              | -0           | -3             | 7            | -3                    | 0                     | M                  | US32D                 |  |                       |
|             | (BLANK) Standard   | STANDARD Handles | 0 No Handing | 3 With Hole    | 1 SVR        | ELECTRIFIED Trim Only | ELECTRIFIED Trim Only | — Standard (Black) | US3 Bright Brass      |  |                       |
|             | E Electrified Trim | 01 Curve         | 7 RHR*       | 9 Without Hole | 3 Mortise    | 3 12 Volt DC          | 0 Fail-Secure         | M Matching Finish  | US4 Satin Brass       |  |                       |
|             |                    | 02 Round         | 8 LHR*       |                | 4 SCVR       | 5 24 Volt DC          | 5 Fail-Safe           |                    | 10B Dark Bronze       |  |                       |
|             |                    | 03 Square        |              |                | 6 CVR        |                       |                       |                    | US32 Bright Stainless |  |                       |
|             |                    | DESIGNER Series  |              |                | 7 Rim        |                       |                       |                    | US32D Satin Stainless |  |                       |
|             |                    | MD               |              |                | MJ           |                       |                       |                    | U Universal Kit       |  | 119 Black Powder Coat |
|             |                    | ME               |              |                | MN* (Handed) |                       |                       |                    |                       |  |                       |
|             |                    | MG               |              |                | MV* (Handed) |                       |                       |                    |                       |  |                       |
|             |                    | MI               |              |                | MW           |                       |                       |                    |                       |  |                       |

*\* Handing must be specified for MN and MV Designer Levers.*

## 3090 eForce® Keyless Entry

| MODELS & FINISHES                                 | FOR DEADLATCHES & EXITS | FOR DEADLOCKS  |
|---------------------------------------------------|-------------------------|----------------|
|                                                   | 626, 121                | 626, 121       |
| 3090-01, 3090-02 eForce keyless entry with keypad | <b>3090-01</b>          | <b>3090-02</b> |
|                                                   | <b>\$959</b>            | <b>\$987</b>   |

### Kitted Options

| MODELS                                        | PRICE       |
|-----------------------------------------------|-------------|
| <b>RSK-3090</b> Remote switch input connector | <b>\$24</b> |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | COMPATIBLE PRODUCTS                                      | FINISH                                       |
|-------------|----------------------------------------------------------|----------------------------------------------|
| <b>3090</b> | <b>-01</b>                                               | <b>-626</b>                                  |
|             | <b>01</b> Adams Rite latches or 8000 Series Exit Devices | <b>121</b> To match 313 Dark Bronze Anodized |
|             | <b>02</b> Adams Rite MS® deadlocks                       | <b>626</b> Satin Chrome                      |




## 4060 Turn

| MODEL & FINISH                                                           | 130          |
|--------------------------------------------------------------------------|--------------|
| <b>4060</b> Turn for 1875 deadlock, 1-1/2", 1-3/4", or 2" door thickness | <b>\$101</b> |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | DOOR THICKNESS   | FINISH                                 |
|-------------|------------------|----------------------------------------|
| <b>4060</b> | <b>-05</b>       | <b>-130</b>                            |
|             | <b>05</b> 1-1/2" | <b>130</b> To match 628 Clear Anodized |
|             | <b>06</b> 1-3/4" |                                        |
|             | <b>07</b> 2"     |                                        |

Please contact factory regarding mounting spacers, bolts, guides and strikes for particular door designs.



## 4550 MS® Deadlock Lever

| MODEL & FINISHES                                            | 119, 121, 130 |
|-------------------------------------------------------------|---------------|
| <b>4550, 01</b> Deadlock lever, 1-3/4" to 2" door thickness | <b>\$243</b>  |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | DOOR HAND          | DOOR THICKNESS         | FINISH                                       |
|-------------|--------------------|------------------------|----------------------------------------------|
| <b>4550</b> | <b>R</b>           | <b>-01</b>             | <b>-130</b>                                  |
|             | <b>R</b> RH or RHR | <b>01</b> 1-3/4" to 2" | <b>119</b> To match 335 Black Anodized       |
|             | <b>L</b> LH or LHR |                        | <b>121</b> To match 313 Dark Bronze Anodized |
|             |                    |                        | <b>130</b> To match 628 Clear Anodized       |



## 4560, 4565 Series Deadlatch Handles for 4300, 4500, 4900 Deadlatches

| MODELS & FINISHES                                 | 119, 121, 130 |
|---------------------------------------------------|---------------|
| 4560-X01 For door thickness (01) 1-3/4" to 2"     | \$66          |
| 4560-X02 For door thickness (02) 2-1/4" to 2-1/2" | \$93          |
| 4560-X03 For door thickness (03) 2-3/4" to 3"     | \$93          |
| 4560-X04 For door thickness (04) 3-1/4"           | \$93          |
| 4565-X01 For door thickness (01) 1-3/4" to 2"     | \$71          |
| 4565-X02 For door thickness (02) 2-1/4" to 2-1/2" | \$98          |
| 4565-X03 For door thickness (03) 2-3/4" to 3"     | \$98          |
| 4565-X04 For door thickness (04) 3-1/4"           | \$98          |



## 4560-010, 4565-010 Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

| MODELS & FINISHES                                   | 119, 121, 130 |
|-----------------------------------------------------|---------------|
| 4560-011 For door thickness (11) 1-3/4"             | \$48          |
| 4560-012 For door thickness (12) 1-3/4" to 2-1/4"   | \$60          |
| 4560-013 For door thickness (13) 2-15/16" to 2-3/4" | \$60          |
| 4565-011 For door thickness (11) 1-3/4"             | \$53          |
| 4565-012 For door thickness (12) 1-3/4" to 2-1/4"   | \$65          |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | HANDLE TYPE | HANDING         | DOOR THICKNESS                             |                      | FINISH                                |
|-------------|-------------|-----------------|--------------------------------------------|----------------------|---------------------------------------|
| 456         | 0           | -5              | 01                                         |                      | -130                                  |
|             | 0 Lever     | 0 Using MS+1890 | FOR 4300, 4500, 4900<br>Series Deadlatches | FOR MS+1890          | 119 To match 335 Black Anodized       |
|             | 5 Turn      | 5 LH or LHR     |                                            |                      | 121 To match 313 Dark Bronze Anodized |
|             |             | 6 RH or RHR     | 01 1-3/4" to 2"                            | 11 1-3/4"            | 130 To match 628 Clear Anodized       |
|             |             |                 | 02 2-1/4" to 2-1/2"                        | 12 1-3/4" to 2-1/4"  |                                       |
|             |             |                 | 03 2-3/4" to 3"                            | 13 2-5/16" to 2-3/4" |                                       |
|             | 04 3-1/4"   |                 |                                            |                      |                                       |

## 4568, 4569 Eurostyle Deadlatch Handles for 4300, 4500, 4900 Deadlatches

| MODELS & FINISHES                                 | 119, 121, 130 |
|---------------------------------------------------|---------------|
| 4568-X01 For door thickness (01) 1-3/4" to 2"     | \$79          |
| 4568-X02 For door thickness (02) 2-1/4" to 2-1/2" | \$99          |
| 4568-X03 For door thickness (03) 2-3/4" to 3"     | \$99          |
| 4568-X04 For door thickness (04) 3-1/4"           | \$99          |
| 4569-X01 For door thickness (01) 1-3/4" to 2"     | \$91          |
| 4569-X02 For door thickness (02) 2-1/4" to 2-1/2" | \$111         |
| 4569-X03 For door thickness (03) 2-3/4" to 3"     | \$111         |
| 4569-X04 For door thickness (04) 3-1/4"           | \$111         |



## 4568-010, 4569-010 Series Deadlatch Handles for MS+1890 Deadlock/Deadlatch

| MODELS & FINISHES                                   | 119, 121, 130 |
|-----------------------------------------------------|---------------|
| 4568-011 For door thickness (11) 1-3/4" to 1-15/16" | \$66          |
| 4568-012 For door thickness (12) 2" to 2-1/4"       | \$77          |
| 4568-013 For door thickness (13) 2-15/16" to 2-3/4" | \$77          |
| 4568-014 For door thickness (14) 3"                 | \$77          |
| 4569-011 For door thickness (11) 1-3/4" to 1-15/16" | \$72          |
| 4569-012 For door thickness (12) 2" to 2-1/4"       | \$83          |
| 4569-013 For door thickness (13) 2-15/16" to 2-3/4" | \$83          |
| 4569-014 For door thickness (14) 3"                 | \$83          |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LEVER TYPE   | HANDING         | DOOR THICKNESS                          |                      | FINISH                                |
|-------------|--------------|-----------------|-----------------------------------------|----------------------|---------------------------------------|
| 456         | 8            | -5              | 01                                      |                      | -130                                  |
|             | 8 Straight   | 0 Using MS+1890 | FOR 4300, 4500, 4900 Series Deadlatches | FOR MS+1890          | 119 To match 335 Black Anodized       |
|             | 9 Return End | 5 LH or LHR     |                                         |                      | 121 To match 313 Dark Bronze Anodized |
|             |              | 6 RH or RHR     | 02 2-1/4" to 2-1/2"                     | 12 2" to 2-1/4"      | 130 To match 628 Clear Anodized       |
|             |              |                 | 03 2-3/4" to 3"                         | 13 2-5/16" to 2-3/4" |                                       |
|             |              |                 | 04 3-1/4"                               | 14 3"                |                                       |

## 4570 ICU Latch Operator

| MODELS & FINISHES                       | 119, 121, 130 |
|-----------------------------------------|---------------|
| 4570-01 For door thickness 1-3/4" to 2" | \$230         |

How to Order Specify quantity and the following information. Order related products separately.

| MODEL   | FINISH                                |
|---------|---------------------------------------|
| 4570-01 | -130                                  |
|         | 119 To match 335 Black Anodized       |
|         | 121 To match 313 Dark Bronze Anodized |
|         | 130 To match 628 Clear Anodized       |



## 4576 ICU Flushbolt with Latch Operator

| MODELS & FINISHES                        | 130   |
|------------------------------------------|-------|
| 4576-X01 For door thickness 1-3/4" to 2" | \$195 |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | HANDING        | FINISH                          |
|-------------|----------------|---------------------------------|
| 4576        | -601           | -130                            |
|             | 501 Left Hand  | 130 To match 628 Clear Anodized |
|             | 601 Right Hand |                                 |



US [adamsrite.com](http://adamsrite.com) | 800 626 7590 | [customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)  
 CANADA [assaabloydss.ca](http://assaabloydss.ca) | 800 461 3007 | [sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

4590 Deadlatch Paddle for 4300, 4500, 4900 Deadlatches





| MODELS & FINISHES                                   | 313, 335, 628 |
|-----------------------------------------------------|---------------|
| 4590-0X-00 For door thickness (00) 1-3/4"           | \$128         |
| 4590-0X-01 For door thickness (01) 1-13/16" to 2"   | \$154         |
| 4590-0X-02 For door thickness (02) 2-1/4" to 2-1/2" | \$154         |
| 4590-0X-03 For door thickness (03) 2-3/4" to 3"     | \$154         |
| 4590-0X-04 For door thickness (04) 3-1/4"           | \$154         |



4590 Deadlatch Paddle for MS+1890, 2190 Deadlocks

| MODELS & FINISHES                                    | 313, 335, 628 |
|------------------------------------------------------|---------------|
| 4590-1X-00 For door thickness (00) 1-3/4"            | \$109         |
| 4590-1X-01 For door thickness (01) 1-3/4" to 2-1/4"  | \$135         |
| 4590-1X-02 For door thickness (02) 2-5/16" to 2-1/2" | \$135         |
| 4590-1X-03 For door thickness (03) 2-9/16" to 2-3/4" | \$135         |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO.                                                                         | OPERATION                              |                  |                                                                                     | DOOR THICKNESS                             |                                              | FINISH*                                                              |  |  |  |
|-------------------------------------------------------------------------------------|----------------------------------------|------------------|-------------------------------------------------------------------------------------|--------------------------------------------|----------------------------------------------|----------------------------------------------------------------------|--|--|--|
| 4590                                                                                | 02                                     |                  |                                                                                     | -00                                        |                                              | -313                                                                 |  |  |  |
|                                                                                     | FIRST DASH<br>FOR LATCH SERIES         | OPERATION        | USE                                                                                 | FOR 4300, 4500, 4900<br>SERIES Deadlatches | FOR MS+1890, 2190                            | 313 Dark Bronze Anodized<br>335 Black Anodized<br>628 Clear Anodized |  |  |  |
|                                                                                     | -01 4300/4500/4900<br>-11 MS+1890/2190 | PULL<br>TO LEFT  |   | 00 1-3/4"<br>01 1-13/16" to 2"             | 00 1-3/4"<br>01 1-3/4" to 2-1/4"             |                                                                      |  |  |  |
|                                                                                     | -02 4300/4500/4900<br>-12 MS+1890/2190 | PUSH<br>TO LEFT  |  | 02 2-1/4" to 2-1/2"<br>03 2-3/4" to 3"     | 02 2-5/16" to 2-1/2"<br>03 2-9/16" to 2-3/4" |                                                                      |  |  |  |
|                                                                                     | -03 4300/4500/4900<br>-13 MS+1890/2190 | PULL<br>TO RIGHT |  | 04 3-1/4"                                  |                                              |                                                                      |  |  |  |
|                                                                                     | -04 4300/4500/4900<br>-14 MS+1890/2190 | PUSH<br>TO RIGHT |  |                                            |                                              |                                                                      |  |  |  |
|  |                                        |                  |  |                                            |                                              |                                                                      |  |  |  |
|  |                                        |                  |  |                                            |                                              |                                                                      |  |  |  |

\*Finish applied to paddle assembly only, not escutcheon.

## 4591 Deadlatch Paddle for 4300, 4500, 4900 Deadlatches

| MODELS & FINISHES                                   | 313, 335, 628 | US3, US26D |
|-----------------------------------------------------|---------------|------------|
| 4591-0X-00 For door thickness (00) 1-3/4"           | \$157         | \$294      |
| 4591-0X-01 For door thickness (01) 1-13/16" to 2"   | \$182         | \$319      |
| 4591-0X-02 For door thickness (02) 2-1/4" to 2-1/2" | \$182         | \$319      |
| 4591-0X-03 For door thickness (03) 2-3/4" to 3"     | \$182         | \$319      |
| 4591-0X-04 For door thickness (04) 3-1/4"           | \$182         | \$319      |



## 4591 Deadlatch Paddle for MS+1890, 2190 Deadlocks

| MODELS & FINISHES                                    | 313, 335, 628 | US3, US26D |
|------------------------------------------------------|---------------|------------|
| 4591-1X-00 For door thickness (00) 1-3/4"            | \$134         | \$273      |
| 4591-1X-01 For door thickness (01) 1-3/4" to 2-1/4"  | \$162         | \$298      |
| 4591-1X-02 For door thickness (02) 2-5/16" to 2-1/2" | \$162         | \$298      |
| 4591-1X-03 For door thickness (03) 2-9/16" to 2-3/4" | \$162         | \$298      |

### Options

| MODELS                                                    | PRICES    |
|-----------------------------------------------------------|-----------|
| 4591MA Active paddle, latch activator with monitor switch | Add \$135 |
| 4591M Paddle with switch, no latch activator              | Add \$117 |
| 91-0914 Monitor switch kit for 4591, field installation   | \$140     |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | OPTIONS*                      | OPERATION                      |                  |                                                                                     | DOOR THICKNESS**                                                |                                            | FINISH***            |                             |  |  |  |
|-------------|-------------------------------|--------------------------------|------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|--------------------------------------------|----------------------|-----------------------------|--|--|--|
| 4591        | M                             | 02                             |                  |                                                                                     | -00                                                             |                                            | -313                 |                             |  |  |  |
|             | – Standard Paddle             | FIRST DASH<br>FOR LATCH SERIES | OPERATION        |                                                                                     | USE                                                             | FOR 4300, 4500, 4900<br>SERIES DEADLATCHES | FOR MS+1890, 2190    | 313 Dark Bronze<br>Anodized |  |  |  |
|             | M Paddle w/<br>switch only    |                                |                  |                                                                                     |                                                                 |                                            |                      | 335 Black Anodized          |  |  |  |
|             | MA Active paddle<br>w/ switch | -01 4300/4500/4900             | PULL<br>TO LEFT  |  | OUTSIDE of left hand<br>reverse door or inside<br>OF right hand | 00 1-3/4"                                  | 00 1-3/4"            | 628 Clear Anodized          |  |  |  |
|             |                               | -11 MS+1890/2190               | PUSH<br>TO LEFT  |  | OUTSIDE of left hand<br>door or inside of<br>right hand reverse | 01 1-13/16" to 2"                          | 01 1-3/4" to 2-1/4"  | US3 Bright Brass            |  |  |  |
|             |                               | -02 4300/4500/4900             |                  |                                                                                     |                                                                 | 02 2-1/4" to 2-1/2"                        | 02 2-5/16" to 2-1/2" | US26D Satin Chrome          |  |  |  |
|             |                               | -12 MS+1890/2190               | PULL<br>TO RIGHT |  | OUTSIDE of right hand<br>reverse door or inside<br>OR left hand | 03 2-3/4" to 3"                            | 03 2-9/16" to 2-3/4" |                             |  |  |  |
|             |                               | -03 4300/4500/4900             |                  |                                                                                     |                                                                 | 04 3-1/4"                                  |                      |                             |  |  |  |
|             |                               | -13 MS+1890/2190               | PUSH<br>TO RIGHT |  | OUTSIDE of right<br>hand door or inside<br>of left hand reverse |                                            |                      |                             |  |  |  |
|             |                               | -04 4300/4500/4900             |                  |                                                                                     |                                                                 |                                            |                      |                             |  |  |  |
|             |                               | -14 MS+1890/2190               |                  |                                                                                     |                                                                 |                                            |                      |                             |  |  |  |

\*M and MA options available on push paddles only, not pull paddles. \*\* M monitor option, switch only, door thickness is not required. \*\*\*Finish applied to paddle assembly only, not escutcheon.

4600 Heavy Duty Designer Deadlatch Handles

|                   |                                                                                                             | LEVER OPERATOR FOR<br>4300, 4500, 4900 SERIES<br>DEADLATCHES |           | LEVER OPERATOR FOR<br>2190, 2290 INTERCONNECTED<br>DEADBOLT/DEADLATCH |           |
|-------------------|-------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|-----------|-----------------------------------------------------------------------|-----------|
| MODELS & FINISHES |                                                                                                             | 10B, US4, US32D                                              | US3, US32 | 10B, US4, US32D                                                       | US3, US32 |
| STANDARD LEVER    | 4600 Trim with standard lever (01, 02, 03)                                                                  | \$185                                                        | \$230     | \$163                                                                 | \$208     |
|                   | 4600-M Trim with standard lever (01, 02, 03) with form 'C' switch option to indicate when lever is actuated | \$250                                                        | \$295     | \$228                                                                 | \$273     |
|                   | 4600 THICK DOOR Trim with standard lever (01, 02, 03) for door thickness greater than 1-7/8"                | \$213                                                        | \$258     | \$191                                                                 | \$236     |
|                   | 4600-M THICK DOOR Trim with standard lever series (01, 02, 03) for door thickness greater than 1-7/8"       | \$278                                                        | \$323     | \$256                                                                 | \$301     |
| DESIGNER LEVER    | 4600-MX Trim with designer lever series (MD through MW)                                                     | \$239                                                        | \$284     | \$217                                                                 | \$262     |
|                   | 4600-MX, M Trim with designer lever series (MD through MW) with form 'C' switch option                      | \$304                                                        | \$349     | \$282                                                                 | \$327     |
|                   | 4600-MX THICK DOOR Trim with designer lever series (MD through MW) for door thickness greater than 1-7/8"   | \$267                                                        | \$312     | \$245                                                                 | \$290     |
|                   | 4600-MX, M THICK DOOR Trim with designer lever series (MD through MW) or door thickness greater than 1-7/8" | \$332                                                        | \$377     | \$310                                                                 | \$355     |



Kitted Options

| MODELS                                                                                                 | PRICES |
|--------------------------------------------------------------------------------------------------------|--------|
| REX-4600 Request to exit kit                                                                           | \$55   |
| DTK-4600 Fixed lever (dummy) kit                                                                       | \$17   |
| TDK-4600-XX Thick door kit. Specify door thickness*                                                    | \$37   |
| TBK-4600-XX Through-bolt mounting kit for back-to-back mounting on wood doors. Specify door thickness* | \$37   |

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2" and (05) 2-3/4".

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | REX              | HANDLE           | HANDING**   | DOOR THICKNESS     | COMPATIBLE PRODUCTS                            | FINISH                |
|-------------|------------------|------------------|-------------|--------------------|------------------------------------------------|-----------------------|
| 4600        | M                | -01              | -5          | 1                  | 1                                              | -32D                  |
|             | (BLANK) Standard | STANDARD HANDLES | 5 LH or LHR | 1 1-3/4" to 1-7/8" | 1 2190, 2290 Interconnected Deadbolt/Deadlatch | US3 Bright Brass      |
|             | M Switch Option  | 01 Curve         | 6 RH or RHR | 2 2" to 2-1/8"     | 2 4300, 4500, 4900 Series Deadlatches          | US4 Satin Brass       |
|             |                  | 02 Round         |             | 3 2-1/4" to 2-3/8" |                                                | 10B Dark Bronze       |
|             |                  | 03 Square        |             | 4 2-1/2" to 2-5/8" |                                                | US32 Bright Stainless |
|             |                  | DESIGNER SERIES  |             | 5 2-3/4" to 2-7/8" |                                                | US32D Satin Stainless |
|             |                  | MD MJ            |             |                    |                                                |                       |
|             |                  | ME MN* (Handed)  |             |                    |                                                |                       |
|             |                  | MG MV* (Handed)  |             |                    |                                                |                       |
|             |                  | MI MW            |             |                    |                                                |                       |

\*Handing must be specified for MN and MV Designer Levers. \*\*Handing - assuming lever on interior of door.

# CYLINDERS & ACCESSORIES

## 4024, 4025, 4026 Cylinder Pulls

| MODELS & FINISHES                                                                           | 119, 121, 130 |
|---------------------------------------------------------------------------------------------|---------------|
| 4024-00-01, 02 Cylinder pull, Schlage "C" keyway                                            | \$84          |
| 4024-06-01, -02 Cylinder pull, Weiser keyway                                                | \$91          |
| 4025-00-01, 02 Cylinder pull, Schlage "C" keyway                                            | \$91          |
| 4025-06-01, 02 Standard cylinder pull, Weiser keyway                                        | \$91          |
| 4025-100-02, CYL X CYL Cylinder both sides pull set, Schlage "C" keyway                     | \$180         |
| 4025-106-02, CYL X CYL Cylinder both sides pull set, Weiser keyway                          | \$184         |
| 4026-00-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Schlage "C" keyway | \$93          |
| 4026-06-01, 02 Cylinder pull for use with 5015, 5017 Wood Door Deadlock, Weiser keyway      | \$93          |

Please contact factory for special cylinder requirements.



How to Order Specify quantity and the following information. Order related products separately.

| PULL TYPE                                | PULL NO./CYLINDER INCLUDED | KEYING                  | FINISH                                |
|------------------------------------------|----------------------------|-------------------------|---------------------------------------|
| 4024                                     | -00                        | -01                     | -130                                  |
| 4024 Trim Plate Mounted                  | 00 Schlage "C" Keyway      | 01 Keyed Different      | 119 To match 335 Black Anodized       |
| 4025 Stile Mounted with through - screws | 06 Weiser Keyway           | 02 Keyed Alike in Pairs | 121 To match 313 Dark Bronze Anodized |
| 4026 For Wood Applications               |                            |                         | 130 To match 628 Clear Anodized       |

## 4036 Mortise Cylinder

| MODEL & FINISHES                                                                                                                                                                     | 313, 335, 628 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 4036 Five pin cylinder. 2 keys and 1/4" ring, KD, KA2 only<br>For 3300, 3600, 8300, 8400, 8500, 8600, or entry trim. Can be installed directly in latch case of 8400, 8300, or 3300. | \$57          |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LOCK TYPE                          | KEY OPTIONS*            | FINISH                   |
|-------------|------------------------------------|-------------------------|--------------------------|
| 4036        | -01                                | -01                     | -628                     |
|             | 01 For MS Locks, Deadlatches, 2190 | 01 Keyed different      | 313 Dark Bronze Anodized |
|             | 02 For 4070 Deadlock               | 02 Keyed alike in pairs | 335 Black Anodized       |
|             | 03 For 2331 Deadlock               |                         | 628 Clear Anodized       |

\* Keyed alike 50 (KA50) are available by special order in quantity of 50 cylinders only. Please contact factory for ordering information.



## MS4043 Cylinder Guard

| MODELS & FINISHES                                                                  | 119, 121, 130 |
|------------------------------------------------------------------------------------|---------------|
| <b>MS4043-00</b> Cylinder guard, 1/8" stile wall, 5 or 6 pin cylinder              | <b>\$47</b>   |
| <b>MS4043-01</b> Cylinder guard, 1/4" stile wall, 5 or 6 pin cylinder              | <b>\$54</b>   |
| <b>MS4043-02</b> Cylinder guard, 1/8" stile wall, 1-5/16" to 1-7/16" long cylinder | <b>\$75</b>   |



### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO.   | STILE WALL & CYLINDER | FINISH                                       |
|---------------|-----------------------|----------------------------------------------|
| <b>MS4043</b> | <b>-01</b>            | <b>-130</b>                                  |
|               | <b>STILE WALL</b>     | <b>CYLINDER</b>                              |
|               | <b>00</b> 1/8"        | <b>5 or 6 pin</b>                            |
|               | <b>01</b> 1/4"        | <b>5 or 6 pin</b>                            |
|               | <b>02</b> 1/8"        | <b>1-5/16" to 1-7/16" long</b>               |
|               |                       | <b>119</b> To match 335 Black Anodized       |
|               |                       | <b>121</b> To match 313 Dark Bronze Anodized |
|               |                       | <b>130</b> To match 628 Clear Anodized       |

## 4066 Thumbturn

| MODEL & FINISHES                              | 130, 313, 335 |
|-----------------------------------------------|---------------|
| <b>4066</b> Thumbturn cylinder with 1/4" ring | <b>\$57</b>   |



### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LOCK TYPE                           | FINISH                                 |
|-------------|-------------------------------------|----------------------------------------|
| <b>4066</b> | <b>-01</b>                          | <b>-130</b>                            |
|             | <b>01</b> For MS Locks, Deadlatches | <b>130</b> To match 628 Clear Anodized |
|             | <b>02</b> For 4070 Deadlock         | <b>313</b> Dark Bronze Anodized        |
|             | <b>03</b> For 2331 Deadlock         | <b>335</b> Black Anodized              |

## 4580 Cam Plug

| MODELS                                                             | PRICES      |
|--------------------------------------------------------------------|-------------|
| <b>4580-X00</b> Included with lever handles, 1-3/4" door thickness | <b>\$25</b> |
| <b>4580-X01</b> Included with lever handles, 2" door thickness     | <b>\$25</b> |
| <b>4580-X02</b> Included with lever handles, 2-1/4" door thickness | <b>\$35</b> |
| <b>4580-X03</b> Included with lever handles, 2-3/4" door thickness | <b>\$35</b> |

For "X" specify 5 for LH Door and 6 for RH Door. Contact factory for door thickness exceeding 2-3/4".



## 4581 Universal Cam Plug (used In 4300, 4600, DL100)

| MODELS                                                                                      | PRICES      |
|---------------------------------------------------------------------------------------------|-------------|
| <b>4581-01</b> Universal cam plug, non-handed, for 1-3/4" door thickness (included in 4600) | <b>\$34</b> |
| <b>4581-02</b> Universal cam plug, non-handed, for 2" door thickness                        | <b>\$43</b> |
| <b>4581-03</b> Universal cam plug, non-handed, for 2-1/4" door thickness                    | <b>\$43</b> |

Contact factory for door thickness exceeding 2-1/4".



## 8650 Cylinder Escutcheon Kit

| MODELS & FINISHES                                              | US32  | US4, US32D | 119, 121, 130 |
|----------------------------------------------------------------|-------|------------|---------------|
| 8650 Cylinder escutcheon kit for 3600, 8500, 8600 exit devices | \$104 | \$91       | \$46          |
| 8650 For wall thickness over 1/8" *                            | \$145 | \$132      | \$87          |


\*Please contact factory for wall thickness greater than 1/8".



## 8736 Rim Cylinder

| MODEL & FINISHES                                                                         | 313, 335, 628 |
|------------------------------------------------------------------------------------------|---------------|
| 8736 Five-pin Rim cylinder for use with 3100, 3700, 8100, 8200, 8700, 8800 exit devices. | \$59          |

Available keyed different, keyed alike, sets of 2.



## 4014 Two-Point Conversion Kit

| MODEL                                                            | PRICE |
|------------------------------------------------------------------|-------|
| 4014-01 Two-point conversion kit for MS1861 Bottom Rail Deadlock | \$48  |

## 4015 Threshold Bolt

| MODEL & FINISHES                                                                                       | 603  |
|--------------------------------------------------------------------------------------------------------|------|
| 4015-18-1B Two-point converter, threshold bolt, standard cylinder height.                              | \$59 |
| 4015-XX-1B Two-point converter, threshold bolt, specify cylinder height greater than 53", 60" maximum. | \$88 |

Please contact factory for cylinder heights above 53".

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | ADD DASH NUMBER FOR "UNIVERSAL SIZE" | PACKAGING             |
|-------------|--------------------------------------|-----------------------|
| 4015        | -18                                  | -1B                   |
|             |                                      | 1B Individually Boxed |

Please specify cylinder height if ordering in volume quantity.



## 4016 Header Bolt

| MODEL                                                                     | PRICE |
|---------------------------------------------------------------------------|-------|
| 4016 Three-point converter, provides upper bolt for MS1850/1870 Deadlocks | \$76  |

### How to Order

Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | LOCK BACKSET | DOOR HEIGHT |
|-------------|--------------|-------------|
| 4016        | -30          | -01         |
|             | 10 1-1/2"    | 01 7' Door  |
|             | 20 31/32"    | 02 10' Door |
|             | 30 1-1/8"    |             |



## 4085 Header Bolt (Pairs of Doors Only)

| MODELS & FINISHES                                                                                                                                              | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>4085-01-IB</b> Positioner bolt and header strike, specify cylinder height for 7' door height                                                                | \$112 |
| <b>4085-02-IB, 4085-03-IB, 4085-04-IB</b> Positioner bolt and header strike, specify cylinder height for door height greater than 7', door height 10' maximum. | \$138 |


How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | DIMENSION 'A' | PACKAGING             |
|-------------|---------------|-----------------------|
| <b>4085</b> | <b>-02</b>    | <b>-IB</b>            |
|             | 01 30" - 52"  | IB Individually Boxed |
|             | 02 52" - 67"  |                       |
|             | 03 67" - 79"  |                       |
|             | 04 79" - 92"  |                       |

Contact factory for door height greater than 7'.

| EXAMPLE     |                 |       |
|-------------|-----------------|-------|
| DOOR Height | CYLINDER Height | A     |
| 96"         | - 40"           | = 56" |

7' Door is 84"  
8' Door is 96"  
9' Door is 108"  
10' Door is 120"



## 4089 Exit Indicator

| MODELS & FINISHES                                                                  | 119, 121, 130 |
|------------------------------------------------------------------------------------|---------------|
| <b>4089-00, 4089-01</b> Indicator for 1-3/4" door, includes both UBC and IBC signs | \$73          |
| <b>4089-20</b> Indicator for 2" to 2-1/2" door, includes both UBC and IBC signs    | \$120         |

### Accessories

| MODELS                                                                                                                                  | PRICES |
|-----------------------------------------------------------------------------------------------------------------------------------------|--------|
| <b>91-0912</b> Adapter plate for converting MS1850/4089 installation to deadlatch and lever handle or paddle. Select 121 or 130 finish. | \$44   |
| <b>20-0255-IP</b> Header sign "...During Business Hours"                                                                                | \$11   |
| <b>20-0256-IP</b> IBC header sign "...Building is Occupied"                                                                             | \$11   |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO  | OPTIONS                   | FINISH                                |
|-------------|---------------------------|---------------------------------------|
| <b>4089</b> | <b>-01</b>                | <b>-130</b>                           |
|             | 00 Standard 1-3/4" Door   | 119 To match 335 Black Anodized       |
|             | 01 For Inverted Lock      | 121 To match 313 Dark Bronze Anodized |
|             | 20 For Doors up to 2-1/2" | 130 To match 628 Clear Anodized       |



## 4104 Mounting Bridges

| MODELS                                          | PRICE |
|-------------------------------------------------|-------|
| <b>4104-01</b> Radius mounting bridge           | \$15  |
| <b>4104-02</b> Flat mounting bridge             | \$15  |
| <b>4104-03</b> Left hand bevel mounting bridge  | \$15  |
| <b>4104-04</b> Right hand bevel mounting bridge | \$15  |



## 91-0965 Universal Mounting Tab Kits for Installing MS® Locks & Latches

| MODELS                                                                                                                                                     | PRICE |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| <b>91-0965</b> Mounting tab kits for flat/radius stiles                                                                                                    | \$22  |
| <b>91-0966</b> Mounting tab kits for beveled stiles, includes tabs for right hand and left hand bevel doors and mounting screws for clear and dark bronze. | \$22  |



## B1921, B1923 Reinforcing Pivots

| MODELS & FINISH                                                         | PRICE |
|-------------------------------------------------------------------------|-------|
| <b>B1921</b> 1/2" offset to match pivot point of 4" wide butt hinge     | \$113 |
| <b>B1923</b> 3/4" offset to match pivot point of 4-1/2" wide butt hinge | \$99  |



**How to Order** Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | MODEL    |
|-------------|----------|
| <b>B192</b> | <b>1</b> |
|             | 1 4"     |
|             | 3 4-1/2" |

## STRIKES

### 2190 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

| MODELS & FINISHES                                                   | 630  | 119, 121 |
|---------------------------------------------------------------------|------|----------|
| <b>2101-01</b> Standard flat strike with dust box                   | \$35 | \$45     |
| <b>2101-02</b> Standard radius strike with dust box                 | \$35 | \$45     |
| MODELS & FINISHES                                                   | 630  | 121      |
| <b>2101-21*</b> Strike with extended lip, 4.5" only, flat strike    | \$54 | \$64     |
| <b>2102-01</b> Retrofit strike extended height 7-5/8" with dust box | \$49 | \$59     |

\*Contact factory for available sizes.

### 2290 Dual Force® Interconnected Deadbolt/Deadlatch Strikes

| MODELS & FINISHES                                                                                                                   | 630  | 119, 121 |
|-------------------------------------------------------------------------------------------------------------------------------------|------|----------|
| <b>2206-01</b> Standard flat strike with dust box                                                                                   | \$35 | \$43     |
| <b>2206-21*</b> Strike with extended lip, specify dimension from strike centerline to frame face, to 4.5" maximum, flat strike only | \$54 |          |

\*Contact factory for available sizes.

### 4000 Series MS® Deadlock Strikes

| MODELS & FINISHES                                                                  | 630   | 313, 335, 628 | US3, US26D | 119, 121 |
|------------------------------------------------------------------------------------|-------|---------------|------------|----------|
| <b>4000</b> Trim Strike                                                            |       | \$37          |            |          |
| <b>4001</b> Box Strike, includes dust box                                          |       | \$47          | \$75       |          |
| <b>MS4002</b> Armored Strike                                                       |       | \$74          | \$100      |          |
| <b>4003</b> ANSI strike, available in 121 or US26D only                            |       |               | \$90       | \$90     |
| <b>4005</b> Strike for 4015 Threshold Bolt                                         | \$28  |               |            |          |
| <b>4006</b> Strike for 1830 Bottom Rail Deadlock                                   | \$57  |               |            | \$66     |
| <b>4009-01</b> Open back strike for 3300, 8300 Series Mortise Exit Device          | \$178 |               |            |          |
| <b>4170</b> Trim strike for 4070 Short Throw Deadbolt, not available in 335 finish |       | \$38          |            | \$38     |
| <b>4505-01</b> Flat armored box strike for MS+1890 Deadlock/Deadlatch              | \$64  |               |            | \$72     |
| <b>4505-02</b> Radius armored box strike for MS+1890 Deadlock/Deadlatch            | \$64  |               |            | \$72     |
| <b>4505-17, 4505-21</b> Flat long lip armored box strike, 4" or 4.5" Respectively  | \$80  |               |            | \$88     |



**How to Order** Specify quantity and the following information. Order related products separately.

| STRIKE MODEL                 | TRIM PLATE SHAPE | COMPATIBLE DEADLOCK                                    | TRIM PLATE CORNERS | FINISH                          |
|------------------------------|------------------|--------------------------------------------------------|--------------------|---------------------------------|
| <b>4001</b>                  | <b>-0</b>        | <b>1</b>                                               | <b>1</b>           | <b>-313</b>                     |
| <b>4000</b> Trim Strike      | <b>0</b> Flat    | <b>1</b> All Standard MS® locks with 1-3/8" Bolt Throw | <b>1</b> Square    | <b>03</b> Bright Brass (US3)    |
| <b>4001</b> Box Strike       | <b>1</b> Radius  | <b>2</b> 1850A-020 with 3/4" Bolt Throw Only           | <b>2</b> Round     | <b>313</b> Dark Bronze Anodized |
| <b>MS4002</b> Armored Strike |                  | <b>3</b> All MS-050 Hookbolt locks                     |                    | <b>335</b> Black Anodized       |
|                              |                  |                                                        |                    | <b>628</b> Clear Anodized       |
|                              |                  |                                                        |                    | <b>US26D</b> Satin Chrome       |

## 4800, MS4804 Series Strikes

| MODELS & FINISHES                                                                                     | 603  | 630  |
|-------------------------------------------------------------------------------------------------------|------|------|
| MS4804-10-630 Reinforcing strike and screws, two-part with reinforcement for strengthening metal jamb |      | \$28 |
| 4801 Metal strike, specify dash number indicating shim quantity                                       | \$24 | \$31 |
| 4802 Wood strike, specify dash number indicating shim quantity                                        | \$24 |      |
| 4810-01, 4810-02 Box strike for 5017 Wood Door Deadlock/Deadlatch                                     | \$24 |      |

How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | TYPE OF JAMB | DIMENSION 'A' | FINISH                |
|-------------|--------------|---------------|-----------------------|
| 480         | 1            | -02           | -630                  |
|             | 1 Metal      | 01 3/32"      | 603 Zinc Plated Steel |
|             | 2 Wood       | 02 3/16"      | 630 Satin Stainless   |
|             |              | 03 9/32"      |                       |

4802 only available in 603 finish.



## 4901, 4902 Deadlatch Strikes

| MODELS & FINISHES                                                   | 630  | 119, 121 |
|---------------------------------------------------------------------|------|----------|
| 4901-01 Flush mount flat strike, mortised with dust box             | \$25 | \$31     |
| 4901-02 Flush mount radius strike, mortised with dust box           | \$25 | \$31     |
| 4901-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*     | \$48 | \$53     |
| 4902-01 Short box strike, flat with dust box, mounting plate        | \$25 | \$31     |
| 4902-02 Short type box strike, radius with dust box, mounting plate | \$25 | \$31     |
| 4902-XX Extended lip strike, specify lip dim 'A', 2.5" maximum*     | \$48 | \$61     |
| 4506-02 Strike for use with 4920AN, not available in 119 finish     | \$48 | \$57     |

\*See dim. 'A' dash chart table below.



How to Order Specify quantity and the following information. Order related products separately.

| PRODUCT NO. | STRIKE TYPE | FACEPLATE SHAPE               |          |                               |          | FINISH                                |
|-------------|-------------|-------------------------------|----------|-------------------------------|----------|---------------------------------------|
| 490         | 1           | -02                           |          |                               |          | 630                                   |
|             |             | STANDARD LIP                  |          |                               |          | 119 To match 335 Black Anodized       |
|             | 1 Long      | 01                            | Flat     |                               |          | 121 To match 313 Dark Bronze Anodized |
|             | 2 Short     | 02                            | Radius   |                               |          | 630 Satin Stainless Steel             |
|             |             | LONG LIP FOR CENTER HUNG DOOR |          | LONG LIP FOR CENTER HUNG DOOR |          |                                       |
|             |             |                               | DIM. 'A' |                               | DIM. 'A' |                                       |
|             |             | 03 2-1/4" Wide Jamb           | 1-1/8"   | 13 3-1/2" Wide Jamb           | 1-3/4"   |                                       |
|             |             | 05 2-1/2" Wide Jamb           | 1-1/4"   | 15 3-3/4" Wide Jamb           | 1-7/8"   |                                       |
|             |             | 07 2-3/4" Wide Jamb           | 1-3/8"   | 17 4" Wide Jamb               | 2"       |                                       |
|             |             | 09 3" Wide Jamb               | 1-1/2"   | 19 4-1/4" Wide Jamb           | 2-1/8"   |                                       |
|             |             | 11 3-1/4" Wide Jamb           | 1-5/8"   | 21 4-1/2" Wide Jamb           | 2-1/4"   |                                       |

## 4304 Deadlatch Strikes

| MODEL & FINISHES                                         | 630  | 119, 121 |
|----------------------------------------------------------|------|----------|
| 4304 Surface mount strike for 4300 Electrified Deadlatch | \$28 | \$36     |

## THICK DOOR KITS

### 2190, 2290 Dual Force® Interconnected Deadbolt/Deadlatch Thick Door Kit

| MODELS                                                                                                                                                                           | PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 2190-TDK-XX Thick door kit for 2190, 2290 standard exterior trim set. Specify door thickness.*                                                                                   | \$79  |
| 2190-TDK-CL1, -CL2 Thick door kit for 2190, 2290 clad doors. CL-1 for a standard 1-3/4" thick door with 1/4" cladding. CL-2 for a standard 1-3/4" thick door with 1/2" cladding. | \$79  |
| TDK-4600-XX Thick door kit for 2190, 2290 low profile trim set. Specify door thickness.*                                                                                         | \$37  |

\*For door thickness (01) 1-3/4", (02) 2", (03) 2-1/4", (04) 2-1/2", (05) 2-3/4", (06) 3", (07) 3-1/4".

### 4568, 4569 Eurostyle Deadlatch Handle Thick Door Kits

| MODELS                                                                  | PRICE |
|-------------------------------------------------------------------------|-------|
| 91-0128-02, 91-0128-03, 91-0128-04 Thick door kits for 4568, 4569       | \$27  |
| 26-0203-01, 26-0203-02, 26-0203-03 Thick door kits for 4568-11, 4569-11 | \$27  |

## FACEPLATES

### MS1850S Deadlock Faceplates

| MODELS & FINISHES                                      | 313, 628 |
|--------------------------------------------------------|----------|
| BFK-MS1850-10 Blank faceplate kit, flat, 1" x 6-7/8"   | \$30     |
| BFK-MS1850-11 Blank faceplate kit, radius, 1" x 6-7/8" | \$30     |

### MS1850S, MS1950P Deadlock (Standard Bolt) Faceplates

| MODELS & FINISHES                                                                                         | 313, 335, 628 |
|-----------------------------------------------------------------------------------------------------------|---------------|
| 24-0384-010 Flat faceplate                                                                                | \$11          |
| 24-0384-110 Radius faceplate                                                                              | \$11          |
| 24-0384-210 Left hand bevel faceplate                                                                     | \$11          |
| 24-0384-310 Right hand bevel faceplate                                                                    | \$11          |
| 24-0384-410 Radius with weatherstrip                                                                      | \$16          |
| SPECIAL MODELS                                                                                            | 313, 628      |
| 24-0384-110-313-B100, 24-0384-110-628-B100 Radius faceplates, bulk package of 100 units                   | \$867         |
| 24-0384-210-313-B100, 24-0384-210-628-B100 Left hand bevel faceplates, bulk package of 100 units          | \$867         |
| 24-0384-310-313-B100, 24-0384-310-628-B100 Right hand bevel faceplates, bulk package of 100 units         | \$867         |
| 24-0384-410-313-B100, 24-0384-410-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units | \$1,191       |

Please note that all 100 faceplates in the bulk package are of the same finish.

## MS1850S, MS1950P Deadlock (Hookbolt and Short Bolt) Faceplates

| MODELS & FINISHES                                                                                         | 313, 335, 628 |
|-----------------------------------------------------------------------------------------------------------|---------------|
| 24-0384-020 Flat faceplate                                                                                | \$11          |
| 24-0384-120 Radius faceplate                                                                              | \$11          |
| 24-0384-220 Left hand bevel faceplate                                                                     | \$11          |
| 24-0384-320 Right hand bevel faceplate                                                                    | \$11          |
| 24-0384-420 Radius with weatherstrip                                                                      | \$16          |
| SPECIAL MODELS                                                                                            | 313, 628      |
| 24-0384-020-313-B100, 24-0384-020-628-B100 Flat faceplates, bulk package of 100 units                     | \$867         |
| 24-0384-120-313-B100, 24-0384-120-628-B100 Radius faceplates, bulk package of 100 units                   | \$867         |
| 24-0384-220-313-B100, 24-0384-220-628-B100 Left hand bevel faceplates, bulk package of 100 units          | \$867         |
| 24-0384-320-313-B100, 24-0384-320-628-B100 Right hand bevel faceplates, bulk package of 100 units         | \$867         |
| 24-0384-420-313-B100, 24-0384-420-628-B100 Radius with weatherstrip faceplates, bulk package of 100 units | \$1,191       |

Please note that all 100 faceplates in the bulk package are of the same finish.

## MS1850SN410 Deadlock (Standard Bolt) Faceplates

| MODELS & FINISHES            | 313, 335, 628 |
|------------------------------|---------------|
| 24-0226-010 Flat faceplate   | \$16          |
| 24-0226-110 Radius faceplate | \$16          |

## MS1850SN450 Deadlock (Hookbolt) Faceplates

| MODELS & FINISHES            | 313, 335, 628 |
|------------------------------|---------------|
| 24-0226-020 Flat faceplate   | \$16          |
| 24-0226-120 Radius faceplate | \$16          |

## 1870 Flushbolt Faceplates

| MODELS & FINISHES                     | 313, 335, 628 |
|---------------------------------------|---------------|
| 24-0168-00 Flat faceplate             | \$24          |
| 24-0168-01 Radius faceplate           | \$24          |
| 24-0168-02 Left hand bevel faceplate  | \$24          |
| 24-0168-03 Right hand bevel faceplate | \$24          |
| 24-0168-04 Radius with weatherstrip   | \$27          |

## MS+1890 Deadlock Faceplates

| MODELS & FINISHES                      | 313, 335, 628 |
|----------------------------------------|---------------|
| 24-0270-020 Flat faceplate             | \$15          |
| 24-0270-120 Radius faceplate           | \$15          |
| 24-0270-220 Left hand bevel faceplate  | \$15          |
| 24-0270-320 Right hand bevel faceplate | \$15          |
| 24-0270-420 Radius with weatherstrip   | \$20          |

## 2190 Dual Force® Interconnected Deadbolt/Deadlatch Faceplates

| MODELS & FINISHES                                                                                            | 313, 628 |
|--------------------------------------------------------------------------------------------------------------|----------|
| 91-0266-01-313-IP, 91-0266-01-628-IP Flat faceplate and radius faceplate kit for aluminum (2190)             | \$49     |
| 91-0266-04-313-IP, 91-0266-04-628-IP Flat faceplate and radius faceplate kit for wood or hollow metal (2290) | \$49     |

## 2331 Heavy Duty Deadbolt Faceplates

| MODELS & FINISHES      | 121  | US26D | US3  |
|------------------------|------|-------|------|
| 22-0170 Flat faceplate | \$49 | \$49  | \$55 |
| 22-0032 Strike plate   | \$49 | \$49  | \$55 |

## 3300 Fire-Rated Mortise Exit Device Faceplates

| MODEL & FINISHES           | 335, 628 |
|----------------------------|----------|
| 24-0015-020 Flat faceplate | \$14     |

## 4070 Short Throw Deadbolt Faceplates

| MODELS & FINISHES                     | 313, 335, 628 |
|---------------------------------------|---------------|
| 24-0136-00 Flat faceplate             | \$15          |
| 24-0136-10 Radius faceplate           | \$15          |
| 24-0136-20 Left hand bevel faceplate  | \$15          |
| 24-0136-30 Right hand bevel faceplate | \$15          |

## 4500 Standard Duty Deadlatch Faceplates

| MODELS & FINISHES                       | 313, 335, 628 |
|-----------------------------------------|---------------|
| 24-0017-0220 Flat faceplate             | \$11          |
| 24-0017-1220 Radius faceplate           | \$11          |
| 24-0017-2220 Left hand bevel faceplate  | \$11          |
| 24-0017-3220 Right Hand bevel faceplate | \$11          |
| 24-0017-4220 Radius with weatherstrip   | \$16          |

## 4530 Standard Duty Deadlatch Faceplates

| MODELS & FINISHES                      | 313, 335, 628 |
|----------------------------------------|---------------|
| 24-0016-020 Flat faceplate             | \$20          |
| 24-0016-120 Radius faceplate           | \$20          |
| 24-0016-220 Left hand bevel faceplate  | \$20          |
| 24-0016-320 Right hand bevel faceplate | \$20          |

## 4900 Heavy Duty Deadlatch Faceplates

| MODELS & FINISHES                   | 313, 335, 628 | US4, US26D | US3, US26 |
|-------------------------------------|---------------|------------|-----------|
| 24-0137-01 Flat or bevel faceplate  | \$11          | \$40       | \$45      |
| 24-0137-02 Radius faceplate         | \$11          | \$40       | \$45      |
| 24-0137-03 Radius with weatherstrip | \$16          |            |           |

## 4900 Heavy Duty Deadlatch Special Faceplates

| MODELS & FINISHES                                       | 313, 628 |
|---------------------------------------------------------|----------|
| 24-0140 Radius with weatherstrip seal (1-1/8" x 6-7/8") | \$24     |
| 24-0144-01 Flat or beveled doors (1-1/8" x 7-1/4")      | \$20     |

## 4920, 8300 Faceplates

| MODEL & FINISHES                   | 313, 335, 628 |
|------------------------------------|---------------|
| 24-0138-01 Flat or bevel faceplate | \$31          |

## 7100, 7160 Electric Strike Faceplates

| MODEL & FINISHES                                    | 313, 335, 628 |
|-----------------------------------------------------|---------------|
| 24-0685-01 Round corner faceplate (1-1/4" x 4-7/8") | \$29          |

## 7101 Electric Strike Faceplates

| MODEL & FINISHES                              | 313, 335, 628 |
|-----------------------------------------------|---------------|
| 24-0685-02 Radius faceplate (1-1/4" x 4-7/8") | \$29          |

## 7110 Electric Strike Faceplates

| MODEL & FINISH                                      | 652  |
|-----------------------------------------------------|------|
| 22-0558 Round corner faceplate (1-7/16" x 7-15/16") | \$29 |

## 7111 Electric Strike Faceplates

| MODEL & FINISH                                            | 652  |
|-----------------------------------------------------------|------|
| 22-0557-01-652 Round corner faceplate (1-7/16" x 10-1/4") | \$29 |

## 7130 Electric Strike Faceplates

| MODEL & FINISHES                                    | 313, 335, 628 |
|-----------------------------------------------------|---------------|
| 24-0686-01 Round corner faceplate (1-1/4" x 6-7/8") | \$35          |

## 7131 Electric Strike Faceplates

| MODEL & FINISHES                              | 313, 335, 628 |
|-----------------------------------------------|---------------|
| 24-0686-02 Radius faceplate (1-1/4" x 6-7/8") | \$35          |

## 7140, 7170 Electric Strike Faceplates

| MODEL & FINISHES                              | 313, 335, 628 |
|-----------------------------------------------|---------------|
| 24-0687-01 Radius faceplate (1-1/4" x 4-7/8") | \$29          |

# POWER

## PS-EXIT Power Supply

| MODEL                                                                                                                   | PRICE |
|-------------------------------------------------------------------------------------------------------------------------|-------|
| PS-EXIT Power Supply for exit devices with Motorized Latch Retraction (MLR) and Electric Latch Retraction (LR) options. | \$760 |

Contact factory for Power Supply options.



## 4612 Power Transfer Device

| MODELS                                                           | PRICE |
|------------------------------------------------------------------|-------|
| 4612-1 Wire transfer, 105° swing                                 | \$197 |
| 4612-2 Wire transfer, 180° swing                                 | \$252 |
| 4612-1SC Wire transfer, swing clear 90° swing                    | \$338 |
| 4612EL-1 Wire transfer, 105° swing with ElectroLynx(TM) Adapter  | \$231 |
| 4612EL-1SC Wire transfer, 90° swing with ElectroLynx(TM) Adapter | \$370 |



## Accessories for Power

| MODELS                                                                            | PRICE |
|-----------------------------------------------------------------------------------|-------|
| 4603 Rectifier                                                                    | \$23  |
| 4605 Transformer, 115 VAC to 12/24 VAC                                            | \$71  |
| 4606 Plug-in transformer, 115 VAC to 24 VAC only                                  | \$114 |
| 29-0218 Piezo electric horn                                                       | \$28  |
| ELX ElectroLynx™ Adapter to connect Adams Rite products to the ElectroLynx system | \$40  |

# DEMO MOUNTS

## DEADLOCKS & DEADLATCHES

### 2190 Dual Force® Interconnected Deadbolt/Deadlatch

| MODELS & FINISH                                                                                          | US32D   |
|----------------------------------------------------------------------------------------------------------|---------|
| 2190-MOUNT Dual Force® 2190 Interconnected Deadbolt/Deadlatch mounted complete with electrified trim set | \$1,219 |

### 4300 Steel Hawk® Electrified Deadlatch

| MODELS & FINISH                                                                                                                                  | US32D   |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| DEMO-4300-01, DEMO-4300-02 Electrified Deadlatch with mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever | \$1,046 |

### DL100 Aperio® Wireless Deadlatch

| MODELS & FINISH                                                                                                                                        | PRICE   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| DL100-MOUNT Electrified Deadlatch with EcoLatch® technology mounted complete with 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer lever | \$1,485 |

## ELECTRIC STRIKES

### 7400 UltraLine® Preload-Capable Electric Strike

| MODELS & FINISH                                                                                                        | PRICE |
|------------------------------------------------------------------------------------------------------------------------|-------|
| 7440-MOUNT UltraLine® 7440 Electric Strike mounted complete with 4-7/8" faceplate, 628 finish                          | \$945 |
| 74R1-MOUNT UltraLine® 74R1 Electric Strike for rim exit devices with 3/4" Pullman latches mounted complete, 130 finish | \$998 |
| 74R2-MOUNT UltraLine® 74R2 Electric Strike for rim exit devices with 1/2" Pullman latches mounted complete, 130 finish | \$998 |

## TRIM

### 3090 eForce® Keyless Entry

| MODELS & FINISH                                                                                | 626     |
|------------------------------------------------------------------------------------------------|---------|
| 3090-MOUNT eForce® 3090-150 Keyless Entry Trim mounted complete with 4900 Heavy Duty Deadlatch | \$1,698 |

### 4600 Heavy Duty Designer Deadlatch Handles

| MODELS & FINISH                                                                                                                                    | US32D   |
|----------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| 4600-MOUNT 4600 Heavy Duty Designer Deadlatch Lever Trim with MN designer levers, mounted complete with Dual Force® 2190 Deadbolt/Deadlatch (lock) | \$1,187 |

# GENERAL INFORMATION

## Limited Warranty

Adams Rite warrants that its products sold under the Adams Rite brand in the United States of America are warranted free from defects in workmanship and materials under normal use and service. This warranty does not cover defects or damage arising from improper installation, lack of or improper maintenance, improper storage, shipping and handling, corrosion, erosion, ordinary wear and tear, misuse, abuse, accident, unauthorized service, or use with unauthorized non-Adams Rite products or parts. This warranty is void if any modification is made to the product, regardless of whether the modification causes or contributes to the alleged defect. All modifications are made at the risk of the party making the modification.

Should any defect of manufacture (in material or workmanship) occur in its products, Adams Rite, upon prompt notification and proof to its satisfaction that the product was defective in manufacture for the use intended by Adams Rite, will at its option, exchange the product, repair the product, or refund the price charged by Adams Rite, FOB factory within the stated time frame listed below.

- **10 years** on all mechanical products from the date of manufacture
- **5 years** on the following electromechanical product categories from the date of manufacture, deadlocks, dead latches, exit devices\*, electric strikes, trims, power supply & accessories
- \* **NOTE:** The MLR option (motorized electric latch retraction) is supported by a 1-year electro mechanical warranty. When powered by an Adams Rite PS-EXIT power supply the 1-year warranty is upgraded to 5 years
- **3 years** on the following access control products from the date of manufacture, DL100 Aperio Wireless Dead Latch, 3090-150.

THIS WARRANTY IS IN LIEU OF ALL OTHER EXPRESS WARRANTIES. TO THE EXTENT PERMITTED BY LAW, ALL IMPLIED WARRANTIES ARE LIMITED TO THE DURATION OF THIS WARRANTY. ADAMS RITE IS A DIVISION OF HANCHETT ENTRY SYSTEMS, INC. HANCHETT ENTRY SYSTEMS, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES. SOME STATES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY LASTS OR THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THE ABOVE LIMITATION OR EXCLUSIONS MAY NOT APPLY TO YOU. THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY ALSO HAVE OTHER RIGHTS WHICH VARY FROM STATE TO STATE.

## Terms & Conditions

**PRICES:** All prices are subject to change without notice. Prices listed on the Adams Rite website will serve as the most current list price. All shipments will be made at prices in effect at the time of order. The customer shall be responsible for payment of all applicable sales and/or use taxes and freight costs.

**MINIMUM ORDER:** Minimum product charge per invoice is \$150.00 USD.

**PAYMENT TERMS:** Net thirty (30) days from date of invoice. Interest at the rate of up to 1-1/2% per month may be charged on all past due accounts. An order received on an account which has not been paid within 45 days of the date of invoice may not be processed until the account is current. Custom orders may require a deposit.

**DELIVERY TERMS:** All prices are Ex-works factory. Purchaser assumes the risk of loss or damage to the goods while in transit from the point of shipment. Adams Rite reserves the right to make delivery in installments. Installments shall be separately invoiced and paid for when due. Delay in delivery of an installment shall not relieve the purchaser of its obligation to accept remaining deliveries.

**FREIGHT POLICY:** All Purchase Orders received with a minimum net value of \$ 3,500 will qualify automatically for free standard freight within the continental United States. This minimum amount applies per Purchase Order to qualify and does not include free expedited freight. Qualified orders may ship partial or ship complete at your preference. Qualified orders that ship partial will not incur freight charges. All shipments that do not qualify for free freight will be charged for freight based upon our terms in effect at the time of shipment. Customers may provide their own carrier account number for expedited freight methods or for any Purchase Order to be used to cover freight costs. Minimum amounts are subject to change without notice.

**SHORTAGE:** Any claim for shortages must be made to Adams Rite in writing within one (1) week of receipt of merchandise.

**WARRANTY RETURNS:** A Customer Care Form (CCF) for defective product must be obtained from Alarm Controls before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Goods returned under the terms of Adams Rite Warranties may require a copy of the original invoice.

**RETURNS:** A Customer Care Form (CCF) must be obtained from Adams Rite before any merchandise can be returned. CCF's are valid for sixty (60) days from date of issuance. Items returned are subject to restocking fees.

**CANCELLATIONS:** Any order may be subject to a 5% cancellation charge for catalog items. Cancellation of non-catalog or custom items will be subject to a 20% cancellation charge plus all costs (both direct and indirect) incurred by manufacturing at the point of cancellation that are properly allocated to the canceled item(s).

**LIMITATION OF LIABILITY:** Neither party will be liable to the other for any delay or failure in performance arising directly out of war, sabotage, insurrection, riot, and any other act of civil disobedience, act of public enemy, fire, explosion, flood, storm, or other act of God or nature, or similar cause beyond its reasonable control, including shortage or unavailability of labor or materials. If, notwithstanding the foregoing limitations, Adams Rite has any liability to the purchaser, the purchaser agrees that the total liability to the purchaser for all losses, damages, and causes of action, whether in contract, equity, tort (including without limitation, negligence and gross negligence), or otherwise, will not exceed the amount the purchaser paid to Adams Rite for the products (including, without limitation, incidental or consequential damages, damages for lost profits or business interruption, and punitive damages).

**NO THIRD PARTY LIABILITY:** If the purchaser uses the Adams Rite Products on behalf of others or provides to others any products referenced herein, the Adams Rite Parties shall have no liability to such persons whatsoever, and the purchaser agrees to defend and indemnify the Adams Rite Parties from any and all claims and demands asserted against them, and from any legal fees, costs and other expenses that the Adams Rite Parties incur therewith.

**EXPORT CONTROL AND SANCTIONS:**

The Customer represents and warrants to Adams Rite that it will always act in compliance with Economic Sanctions and Export Control Laws, and that:

(a) neither the Customer, its affiliates, or any of their respective directors, officers, employees nor, so far as the Customer is aware, any agents or other persons acting on behalf of any of the foregoing:

- is, or has been, a Listed Person;
- has engaged in any business dealings or activities that would reasonably be expected to result in it becoming a Listed Person;
- directly or indirectly, has conducted or is conducting any business dealings or activities with or for the benefit of, or is otherwise involved in any business with a Listed Person, or otherwise acting in violation of Economic Sanctions and Export Control Laws;
- has engaged or is engaging in any transaction that circumvents, evades or avoids, or has the purpose or effect of circumvention, evading or avoiding, or attempts to violate, any Economic Sanctions and Export Control Laws; or
- is, or has been, in violation of, or subject to, any investigation or enquiry by, or on behalf of, any governmental or other regulatory body relating to Economic Sanctions and Export Control Laws.

(b) the Customer shall act in compliance with Economic Sanctions and Export Control Laws, and shall not sell nor re-export the Product without all requisite licenses and approvals under Economic Sanctions and Export Control Laws;

(c) the Customer shall not sell, export or re-export, the Product, directly or indirectly, to the Russian Federation or Belarus or for use in the Russian Federation or Belarus (whether or not permitted under Economic Sanctions and Export Control Laws applicable to the Customer);

(d) the Customer shall undertake its best efforts to ensure that the purpose of this Clause is not frustrated by any third parties further down the commercial chain, including by possible resellers;

(e) the Customer agrees to (i) cascade the contractual obligations set forth in this Clause, in contracts with third parties, including possible resellers, further down the commercial chain.; and (ii) set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of this Clause;

(f) the representations and warranties set forth in Clause 10 above shall always remain true and correct;

(g) the Customer will provide written notice to Adams Rite as promptly as possible and in any event within five business days, if (i) any representation or warranty should cease to be true at any time., or


(ii) the Customer should encounter any problems in applying Clauses b)- e), above, including any relevant activities by third parties that could frustrate the purpose of said clause; and

(h) the Customer will not engage in any transaction for Military End-Use unless explicitly approved by Adams Rite.

(i) The Customer will provide all information relating to requests for Products, that the Customer suspects could violate or circumvent Economic Sanctions and Export Control Laws, including requests from or on behalf of a Listed Person, and other attempts to acquire Adams Rite products in violation of Economic Sanctions and Export Control Laws. The Customer will, to the best of its abilities, cooperate with Adams Rite to facilitate compliance with Economic Sanctions and Export Control Laws and will upon Adams Rite's request provide Adams Rite with true, complete and correct copies of all documentation relating to any business dealings involving the Product, including but not limited to, end-user certifications, information concerning compliance with the obligations under Clause. b)- e), and other information as may be required by Adams Rite within two weeks of the simple request of such information. Adams Rite shall not be obliged to make any payment or take any other action if Adams Rite believes in good faith that such action may constitute a violation, contribute to a violation, or constitute a circumvention of any Economic Sanctions and Export Control Laws.

**COMPLIANCE WITH ANTI-TRUST, ANTI-CORRUPTION AND DATA PRIVACY LAWS:**

The Customer, its directors, officers, and employees shall perform their obligations under these Terms and Conditions in full compliance with the ASSA ABLOY Code of Conduct which is accessible online at: <https://www.assaabloy.com/group/en/sustainability/code-of-conduct/code-of-conduct-business-partners>



[adamsrite.com](https://adamsrite.com)



**ASSA ABLOY**

[adamsrite.com](https://adamsrite.com)

## USA

800.626.7590 | f: 800.232.7329 | [adamsrite.com](https://adamsrite.com)

[customerservice.adamsrite@assaabloy.com](mailto:customerservice.adamsrite@assaabloy.com)

[techsupport.adamsrite@assaabloy.com](mailto:techsupport.adamsrite@assaabloy.com)

[orders.adamsrite@assaabloy.com](mailto:orders.adamsrite@assaabloy.com)

## Canada

800.461.3007 | f: 800.461.8989 | [assaabloydss.ca](https://assaabloydss.ca)

[sales.dss.ca@assaabloy.com](mailto:sales.dss.ca@assaabloy.com)

[orders.dss.ca@assaabloy.com](mailto:orders.dss.ca@assaabloy.com)

Printed in the U.S. A.

Patent pending and/or patent [www.assaabloydss.com/patents](https://www.assaabloydss.com/patents)

Copyright © 2025, Hanchett Entry Systems, Inc., an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Hanchett Entry Systems, Inc. is prohibited. AR-087-0325