

# Price List

## Simplex Mechanical Locks

United States | PL77 | February 2025



page blank intentionally

## General information

### Terms and conditions of sale

Acceptance. The following Terms and Conditions of sale are applicable to all Quotations, Contract, Purchase Orders, Order Acknowledgement Forms, and sales of Seller's services and products, and are the only applicable terms and conditions thereto, except for terms establishing prices, quantities, delivery schedules, terms of payment, invoicing, shipping instructions, and the identification of the products associated with each transaction. If any conflict exists between the Terms and Conditions and a Quotation, Purchase Order, Order Acknowledgement form, or sale, these Terms and Conditions shall prevail BY REQUESTING A QUOTATION OF ORDERING ANY PRODUCTS OR SERVICES FROM SELLER, BUYER AGREES TO ALL THE FOLLOWING TERMS AND CONDITIONS. If a written contract signed by both parties is in existence covering the sale of the goods and services, the terms and conditions of the contract shall control to the extent they are inconsistent with these Terms and Conditions.

1. **Order Procedure.** Buyer may or may not request the preparation of a Quotation prior to ordering any products or services from Seller. Buyer then shall place a Purchase Order with Seller. By placing a Purchase Order, Buyer makes an offer to purchase products or services from Seller pursuant to these Terms and Conditions. Seller, in its discretion, may accept or reject the Purchase Order. If Seller accepts the Purchase Order, Seller shall issue an Order Acknowledgement Form confirming Buyer's order. No Purchase Order is binding on Seller unless accepted by Seller as provided in these Terms and Conditions.

2. **Quotations.** All Quotations by Seller are subject to change or withdrawal without prior notice to Buyer unless otherwise specifically stated in the Quotation. Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in the quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. Seller reserves the right to discontinue manufacture of any products or change products materials, design, or specifications without notice.

Quotation prices are valid on Purchase Orders placed within 90 days of the quote being issued, unless otherwise specifically stated in this quotation. If no order is placed within the stated time frame, prices may be adjusted to reflect the then-current published prices, surcharges, escalators, or other pricing adjustment due to, among other things, costs of materials, labor, transportation, taxes, duties, and other cost increases to Seller. All resulting Purchase Orders become effective only if and when approved and accepted in writing by Seller by the issuance of its Order Acknowledgement Form. All Quotations and resulting orders are subject to Seller's Terms and Conditions set forth in the price book.

#### 3. Site Requirements.

- a. The Quotation is contingent upon all work being performed during normal business hours unless otherwise negotiated and a mutually agreeable schedule. The Quotation is calculated on one continuous installation engagement based on acceptable site conditions where other dependent scopes have completed preparation for proposed materials (i.e. electrical work, floor work, adjacent construction). When Buyer has given authorization for work to begin, no other scopes may impede Seller's ability to complete installation in agreed upon area. Seller reserves the right to invoice for costs that are incurred due to unacceptable site conditions or delays by others resulting in additional installation visits.
- b. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer. Work shall not begin nor shall orders be placed for any projects until all shop drawings and submittals have been approved in writing by Buyer.

4. **Warranty.** Seller warrants only that all products sold pursuant to a Quotation or Purchase Order will conform to the description in the Price Book and will be free from defects in workmanship and materials. The duration of each product warranty is dependent on the particular product. Refer to EAD & DHW warranty statement. Extended warranties may be available for an additional cost. Seller is not responsible for defects or damages caused by wear and tear, consumable materials, vandalism, fires, storms, floods, acts of God, misuse, abuse or alteration by any company other than Seller. Seller further warrants that Buyer will receive good and valid title to the products. Any claim on account of nonconforming or defective products or for any other cause whatsoever shall conclusively be deemed waived by Buyer unless written notice thereof is given to Seller promptly after discovery but no later than sixty (60) days from date of shipment. Seller shall have the right either to replace or repair any nonconforming or defective products, to refund the purchase price upon return of the products, or to grant a reasonable allowance on account of such nonconformance or defect Seller's liability and Buyer's exclusive remedy for nonconforming or defective products shall be limited solely to replacement, repair, refund, or allowance as Seller may elect. Seller shall be given reasonable opportunity to investigate all claims and no materials shall be returned to Seller until after inspection and approval by Seller and receipt by Buyer of written shipping instructions from Seller. Buyer acknowledges and agrees that the remedies set forth in this paragraph are Buyer's exclusive remedies for the delivery of nonconforming or defective products.

#### Additional Warranties

- a) No credit will be provided for any work completed by others during warranty term.
- b) Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable.
- c) Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

**DISCLAIMER OF FURTHER WARRANTIES.** EXCEPT AS SET FORTH ABOVE, THERE IS NO WARRANTY, REPRESENTATION, OR CONDITION OF ANY KIND, EXPRESS OR IMPLIED (INCLUDING NO WARRANTY OF MERCHANTABILITY OR FITNESS OF THE PRODUCTS FOR ANY USE CONTEMPLATED BY BUYER) CONCERNING

SELLER'S PRODUCTS OR SERVICES AND NONE SHALL BE IMPLIED BY LAW.

5. **LIMITATION OF LIABILITY AND REMEDIES.** SELLER SHALL NOT BE LIABLE, AND BUYER WAIVES ALL CLAIMS AGAINST SELLER FOR ANY INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES AND PROFITS EVEN IF SELLER HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BUYER'S EXCLUSIVE REMEDY FOR ANY CAUSE OF ACTION UNDER THESE TERMS AND CONDITIONS IS A CLAIM FOR DAMAGES AND IN NO EVENT WILL DAMAGES OR ANY OTHER RECOVERY OF ANY KIND AGAINST SELLER EXCEED THE PURCHASE PRICE OF THE SPECIFIC PRODUCTS OR SERVICES AS TO WHICH THE CLAIM IS MADE. SELLER WILL NOT BE LIABLE TO BUYER FOR ANY LOSS, DAMAGE, OR INJURY TO PERSONS OR PROPERTY RESULTING FROM THE HANDLING, STORAGE, TRANSPORTATION, RESALE, OR USE OF THE PRODUCTS IN MANUFACTURING PROCESSES, OR IN COMBINATION WITH OTHER SUBSTANCES, OR OTHERWISE.

6. **Intellectual Property Indemnification.** (a) Seller agrees to defend, indemnify and hold Buyer harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the selling or use of any part or product that is owned by Seller and that pertains to the subject matter of a Quotation, Purchase Order, or sale of products or services (provided that the product is not modified in anyway by Buyer or any other party, and that the product is used in the manner intended by Seller). If a suit or claim results in any injunction or any other order that would prevent Seller from supplying any product falling under a Quotation,

## General information

### Terms and conditions of sale

Purchase Order, or sale, or if the result of such a suit or claim would, in the reasonable opinion of Seller, otherwise cause Seller to be unable to supply such products, Seller shall have the right, at its option, if it so chooses, to do one or more of the following: (i) secure an appropriate license to permit Seller to continue supplying the products to Buyer; (ii) modify the relevant product so that it becomes non-infringing, provided that any modification does not cause any material change to the operation or performance of the product; or (iii) replace the relevant product with a non-infringing but practically equivalent product. (b) Buyer agrees to defend, indemnify, and hold Seller harmless against any claims, costs, damages, liability and expenses resulting from actual or alleged patent, trademark, or copyright infringement, misappropriation of confidential information, or violation of any other intellectual property right, domestic or foreign, in the making, using or selling of any product or using any process that is owned by Buyer or is designed or specified by Buyer and that pertains to the subject matter of a Quotation, Purchase Order, or sale.

7. **Ownership of Inventions.** All drawings, know-how, designs, confidential information, and the like disclosed to Buyer by Seller and all rights therein will remain the property of Seller. Buyer shall have no claim to, ownership interest in, no license to, or no rights to any information provided or communicated by Seller.

8. **Lead Times.** If applicable, lead times are based on standard requirements by factory to provide materials proposed. Ship dates will be provided as estimate only once order is placed with the factory. Adequate packaging will be provided for any normal shipping circumstance such that materials will be protected and labeled as required. Special packaging may be provided for an additional expense. Shipping will be cost effective unless expedited fees are accepted by Buyer. If materials are to be provided to job site or Buyer location, Seller will make an informed decision as to the best instruction to provide the shipping company. If materials are not required to have direct delivery, materials will be brought to branch for pickup by Buyer. All freight terms shall be FOB. Any claims for damage in transit or lost freight, receiving, and inspection of materials is the responsibility of Buyer. It is a requirement of Buyer to inspect and review all materials prior to accepting shipment.

9. **Title/Risk of Loss.** All products shall be shipped FOB Seller's manufacturing facility to Buyer's designated delivery location. Unless otherwise agreed by the parties, Seller shall select the method of and carrier for the products. Seller reserves the right to ship items in a single or in multiple shipments. Title and risk of loss to products ordered passes to Buyer upon delivery of the products to the freight carrier. Unless mutually agreed upon in writing, shipping dates are approximate and are based upon prompt receipt of all necessary information.

10. **Prices.** Quoted price is valid for 90 days. Seller reserve the right to revise quotations after the 90 days. All accepted Purchase Orders are subject to Seller's price in effect at time of shipment. Buyer shall be responsible for any increase in freight rates or transportation charges occurring after Seller prepared the Order Acknowledgment Form. on the Order Acknowledgment Form. Buyer shall pay to Seller in addition to the purchase price the amount of all fees, duties, licenses, and all sales, use, privilege, occupation, excise, or other taxes, federal, state, local, or foreign which Seller is required to pay or collect in connection with products or services sold to Buyer.

11. **Payments.** Unless otherwise agreed in writing between the parties, all Seller's invoices are payable within thirty (30) days of their date. Time is of the essence. Interest on past due amounts will be assessed at the rate of 2% per month (24% per annum), or the maximum allowable by law.

Seller reserves the right to full payment upon completion of work unless credit is pre-established. For any work requiring materials purchase or scheduling, a 50% deposit is due at time of proposal acceptance. Twenty percent (20%) of the Quotation, Purchase Order value may be billed after job award. Joint check agreements may be requested at the discretion of Seller. If payment is outstanding for any one account, work may be stopped and outstanding orders cancelled until account is restored. Should Seller require the use of collection, attorney's fees, or fees for insufficient funds, Buyer agrees that these funds will be repaid to Seller. Seller retains the right to file

a lien against all or part of the property being improved. Seller reserves the right to add a 2.5% charge if invoice becomes delinquent beyond terms.

12. **Cancellation.** In the event a Buyer's Purchase Order and the issuance of an Order Acceptance Form is cancelled, it will be subject to standard 35% restocking fees, cancellation fees, engineering fees, materials & freight costs incurred, and administrative fees. Standard cancellation is 20% of order as long as no materials have been ordered. Should Buyer release material orders, Buyer will be liable for that portion of the job and 20% of the remaining amount of work unperformed/unordered.

13. **Storage.** If applicable, Seller reserves the right to implement a storage fee if delivery is delayed after agreed upon date. Should project timeline require storage of materials, Seller reserves the right to bill for those materials at the time they have been received at a Seller location, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Signed acceptance by Buyer of shop drawings and/or submittals shall be interpreted as acceptance that proposed scope is the correct interpretation of construction documents. Any field verification and/or work required by others as detailed in the submittal will be provided and coordinated by Buyer.

14. **Insolvency.** Seller may, at any time or times, suspend performance of any order or require payment in cash, security, or other adequate assurance satisfactory to Seller when, in Seller's opinion, the financial condition of Buyer or other grounds for insecurity, including the filing of a petition for bankruptcy, warrant such action.

15. **Force Majeure.** Seller shall not be liable for any delay in fulfilling any order due to (a) fires, floods, strikes, or other labor disputes, accidents to machinery, acts of sabotage, riots, precedence or priorities granted at the request or for the benefit, directly or indirectly, of the federal or any state government or any subdivision or agency thereof, delays in transportation or lack of transportation facilities, restrictions imposed by federal or state legislation or rules of regulations thereunder; or (b) any cause beyond the control of Seller.

16. **Ownership of Equipment.** Unless otherwise agreed in a writing, all material, equipment, facilities, and special tooling, which term includes but is not limited to jigs, dies, fixtures, molds, patterns, special taps, special gauges, special test equipment, and manufacturing aids and replacements thereof, used in the manufacture of the products covered by any order shall remain the property of Seller. Any material, tooling, and equipment furnished to Seller by Buyer shall be and remain the personal property of Buyer with the title to and right of possession remaining in Buyer.

17. **Confidential Information.** All information furnished or made available by Seller to Buyer in connection with a transaction shall be held in confidence by Buyer. Buyer agrees not to use such information or disclose such information to others without Seller's prior written consent. The obligations of this paragraph does not apply to any information which (a) at the time of disclosure was, or thereafter becomes, generally available to the public by publication or otherwise through no breach by Buyer of any obligation herein, (b) Buyer can show by written records was in Buyer's possession prior to disclosure by the disclosing party, (c) is legally made available to Buyer by or through a third party having no direct or indirect confidentiality obligation to Seller with respect to such information, (d) was independently developed by Buyer without use of any of Seller's confidential information, or (e) is required to be disclosed pursuant to applicable law.

18. **Waiver.** No waiver by Seller of any of these Terms and Conditions shall be effective unless explicitly set forth in writing and signed by Seller. No failure to exercise, or delay in exercising, any rights, remedy, power, or privilege arising from these Terms and Conditions shall operate or be construed as a waiver thereof, nor shall any single or partial exercise of any right, remedy, power, or privilege hereunder preclude any other or further exercise thereof or the exercise of any other right, remedy, power or privilege.

19. **Assignment.** No assignment of any right or interest or delegation of any obligation or performance of Buyer under this order may be made without

## General information

### Terms and conditions of sale

the prior written consent of Seller. Any attempted assignment or delegation will be wholly void and totally ineffective for all purposes.

20. Choice of Law. All sales, agreements for sale, offers to sell, proposals, acknowledgments and contracts of sale, including, but not limited to, Purchase Orders accepted by Seller, shall be considered a contract under the laws of the State of Delaware, and the rights and duties of all persons, and the construction and effect of all provisions hereof, shall be governed by and construed according to the laws of the State of Delaware.

21. Integration Clause. These Terms and Conditions constitute the entirety of terms and conditions, except as set forth in paragraph one, governing the sale and purchase of products and services sold by Seller. No modification of these Terms and Conditions shall be of any force or effect unless in writing and signed Seller and Buyer. Buyer may desire to utilize its own form of acknowledgment or acceptance of these Terms and Conditions. However, the use of any such form shall be for convenience only. No modification of these Terms and Conditions shall be affected by the acknowledgment or acceptance of purchase orders, shipping instruction forms, bills of lading or any other document containing terms or conditions at variance with or in addition to those set forth herein, all such varying or additional terms being hereby objected to and rejected by Seller and deemed to be waived by Buyer.

22. Installation Projects. Communication: Buyer shall communicate all of these installation terms to any end-user receiving installation services from dormakaba. Work Execution: Any installation quote is prepared with the understanding that openings within the scope of work ("Work") have doors and frames in good working order. dormakaba will perform the Work in the order set forth in a field survey conducted by an end-user, an end-user consultant, or Buyer prior to beginning the installation. Work shall occur weekdays during normal business hours (M-F, 8am – 5pm, local time). Work performed outside of normal business hours is available at a rate of 135% of the normal base rate. Any Work requested to be performed outside of normal business hours will require start and stop time confirmation with installation site, such start and stop time to be obtained by the Buyer or the end-user. Installation Projects are performed as one continuous installation event, from commencement until the completion of the installation. Unless specifically noted otherwise in writing, there will be additional charges for delays or additional trips not caused by dormakaba. Commencement of installation is conditioned on acceptable site conditions, including the completion of dependent scopes of work (e.g., electrical work, keying meetings, distribution of credentials). When Buyer or end-user has given authorization for work to begin, Buyer or end-user shall ensure no other scopes may impede dormakaba's ability to complete installation in agreed upon area. dormakaba reserves the right to assess a fee for costs incurred due to unacceptable site conditions or delays by others resulting in additional installation visits. Union labor, prevailing wage, and certified payroll are excluded from the installation quote unless otherwise set forth in writing. Insurance certificates will be provided upon request. Coverage is limited to the types and amounts set forth on the insurance certificate. Includes execution of materials only as detailed within proposal. Additional Charges: Additional charges may be assessed for delays or additional install time to correct any deficiencies or discrepancies between scope of work and actual jobsite. Any dormakaba materials delivered to Buyer but missing from installation site will be reordered at customer's expense. Any hardware changes or change orders shall be quoted on a separate proposal and timeline. Storage: dormakaba reserves the right to assess a storage fee if Buyer or end-user causes delivery to be delayed after the agreed upon delivery date. Should project timeline require storage of

materials after delivery to Buyer or end-user, through no act or omission of dormakaba, dormakaba reserves the right to assess a storage fee, Buyer location, or at job site. Certificate of insurance for stored materials can be provided to Buyer upon request. Exclusions: Unless explicitly included in the installation quote, these are excluded: Distribution to staff of any form of keys, fobs or cards or credentials; any temporary security, barricades, or signage; all carpentry work outside of this specification including drywall, paint, framing, patching of existing holes, etc.; union labor, prevailing wage & certified payroll unless noted otherwise; permits are the responsibility of the end-user; Any special consideration for asbestos and lead paint hazards; any bonds; any NFPA or other certification of tolerances or rating concerning product, door, and frame configuration; disposal of material and packaging; damage from negligence, vandalism or Force Majeure; cleaning of site beyond broom clean; cost for special insurance requirements; consumable materials (e.g., batteries); any electrical work including 120v connections and low voltage wiring pulls; and other similar categories of labor and materials not included in the installation quote.

23. Installation Warranty dormakaba will provide one (1) year warranty on materials to be free from manufacturer defects and on installation labor performed. Extended warranties are available for an additional cost. dormakaba is not responsible for defects or damages caused by wear and tear, consumable materials (e.g., batteries), vandalism, fires, storms, floods, acts of God, misuse, abuse, or alteration on by any company other than dormakaba. No credit will be provided for any work completed by others during warranty term. dormakaba reserves the right to withhold the performance of warranty work if Buyer payments have become past due. Warranty work will be performed during normal business hours with our standard response times. Any warranty work taking place beyond normal business hours or with expedited response time may be billable. In the event that Buyer, its agents, employees, successors, and/or assigns tampers with, misuses, removes any parts, or adds any parts or equipment, Buyer agrees to indemnify, save and hold harmless dormakaba, its agents, employees, successors, and/or assigns, from any and all liability, damages, or losses, including reasonable attorney's fees, arising out of, or incidental to, the aforementioned conduct. dormakaba warrants that all goods manufactured by dormakaba and all services provided by dormakaba hereunder will be free from defects in workmanship and materials for twelve (12) months from the date of final project invoice to the carrier, unless sold as "With All Faults", "Shop", "As Is", "As They Stand" or other similar designation. Products repaired or replaced under the warranty are warranted only through the remainder of the original warranty period.

REV April 2024

# Table of Contents

|    |                       |    |                             |
|----|-----------------------|----|-----------------------------|
| i  | What's New            | 17 | Simplex 2015 Series         |
| 2  | Terms & Conditions    | 18 | Simplex 3000 Series         |
| 6  | How to Order          | 19 | Simplex 6200 Series         |
| 6  | Door Handing          | 20 | Simplex 7100 Series         |
| 6  | Where to Order        | 21 | Simplex 900 Series          |
| 7  | Simplex 5000 Series   | 23 | Simplex 9600 Series         |
| 9  | Simplex 1000 Series   | 25 | Simplex File Guard          |
| 11 | Simplex L1000 Series  | 26 | Simplex Accessories         |
| 13 | Simplex EE1000 Series | 29 | Simplex Features Comparison |
| 15 | Simplex 8100 Series   |    |                             |
| 16 | Simplex LP1000 Series |    |                             |

How to Order

To order any of the products in this catalog, a part number must be provided. In most situations the part number has to be assembled to specify the desired product, as various options are available.

Example

1011

-

26D

-

41

-

10

-

-

\*41


ModelFunctionLocking DeviceKey OverrideFinishPackaging

Build the model number with the desired options

\*41—refers to one lock per cardboard box

Door Handing

Some locks also require you to specify door handing. To determine handing, face the door from the exterior (access) side and select the corresponding diagram below.



Where to Order

Contact your local supplier or call 1.800.849.8324 or 1.336.725.1331

For More Information


www.dormakaba.us

The following are registered names and/or trademarks:  
Abloy®, Adams Rite®, Arrow®, ASSA®, Best®, Black & Decker®, Cal Royal®, Corbin Russwin®, Detex®, Dorma®, Precision®, Kaba®, Marks®, Medeco®, Monarch®, Precision®, Sargent®, Schlage®, Simplex®, Von Duprin®, Weiser®, Yale®



# Simplex® 5000 Series

## Example



## Build the model number with the desired options

| Base Model    | Description                                        | Base Price |
|---------------|----------------------------------------------------|------------|
| 5021XKWL26D41 | Cylindrical Lock with Lever, Key-in-Lever Cylinder | \$810.00   |

## Choose One Option from Each Category

| Function Options | Description                                                   | Price        |
|------------------|---------------------------------------------------------------|--------------|
| 1+               | Exit Trim (E.T.) (available with lever only)                  | Add \$100.00 |
| 2                | Cylindrical Lock                                              | No Charge    |
| 3                | Cylindrical Lock, Interior Combination Change—D.O.D.          | Add \$50.00  |
| 4                | Cylindrical Lock, Passage                                     | Add \$50.00  |
| 5                | Cylindrical Lock, Passage, Interior Combination Change—D.O.D. | Add \$100.00 |
| 6*               | American Steel/Mortise (ASM) (available with lever only)      | Add \$120.00 |

| Locking Device Options | Description                                                                              | Price       |
|------------------------|------------------------------------------------------------------------------------------|-------------|
| 0+                     | Exit Trim (available with E.T. only)                                                     | No Charge   |
| 1                      | Cylindrical ½" (13 mm) throw latch, floating face plate, 2¾" (70 mm) backset (UL listed) | No Charge   |
| 2                      | Cylindrical ½" (13 mm) throw latch, floating face plate, 2¾" (60 mm) backset (UL listed) | No Charge   |
| 5                      | Cylindrical ¾" (19 mm) throw latch, beveled face plate, 2¾" (70 mm) backset (UL listed)  | No Charge   |
| 6                      | Std Mortise, 1¼" (32 mm) face plate, no deadbolt (non-handed)                            | No Charge   |
| 7                      | Std Mortise, 1¼" (32 mm) face plate, with deadbolt and lockout (non-handed)              | Add \$30.00 |
| 8                      | Std Mortise, 1¼" (32 mm) face plate, no deadbolt with passage (non-handed)               | Add \$30.00 |

| Key Override Options | Description                                                         | Price     |
|----------------------|---------------------------------------------------------------------|-----------|
| XK                   | K-I-L, Kaba Cylinder (Kaba 90 Keyway) included                      | No Charge |
| XS                   | K-I-L, Kaba Cylinder (Schlage "C" Keyway) included                  | No Charge |
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge |
| C                    | LFIC, Corbin Russwin (6 or 7-pin length); core not included         | No Charge |
| M                    | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge |
| R                    | LFIC, Sargent; core not included                                    | No Charge |
| S                    | LFIC, Schlage; core not included                                    | No Charge |

# Simplex<sup>®</sup>

## 5000 Series



| Lever / Knob Options | Description                                                                  | Price     |
|----------------------|------------------------------------------------------------------------------|-----------|
| WL                   | Winston Lever                                                                | No Charge |
| WK                   | Winston Knob (626 Satin Chrome only for XK, XS) <b>(while supplies last)</b> | No Charge |

| Finish Options | Description                                        | Price        |
|----------------|----------------------------------------------------|--------------|
| 026            | Bright Chrome (625)                                | Add \$25.00  |
| 03             | Bright Brass (605)                                 | Add \$25.00  |
| 04             | Satin Brass (606)                                  | Add \$25.00  |
| 26D            | Satin Chrome (626)                                 | No Charge    |
| 744            | Dark Bronze with Brass Accents (simulated 10B/613) | Add \$100.00 |

### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware
- Tailpiece for Specified Key Override

### NOTES: Exit Device Compatibility

|                                 |                       |                    |                    |
|---------------------------------|-----------------------|--------------------|--------------------|
| Arrow S1250                     | dormakaba 9300/F9300  | Precision 21/FL21  | Von Duprin 22/22F  |
| Arrow S3883F/S3800              | Detex 1001 BP1        | Sargent 2828       | Von Duprin 99/99F  |
| Black & Decker (K-2) QED111/112 | Detex 10/F10 Series   | Sargent 3828       | Von Duprin XP98/99 |
| Cal Royal 9800                  | Dorex 8500R/8500F     | Sargent 8810E/8800 | Yale YME2100/2100  |
| Cal Royal 2200                  | Dorex 9500PR/9500FR   | Sargent 8888       | Yale 7100          |
| Corbin Russwin ED5200/5200A     | Monarch 18R**, F18R** |                    |                    |

**\*\* Requires special K-Hub Adapter, not supplied by dormakaba. Cannot be used with mortise design or vertical rod exit devices. Exit Devices are not included (sold separately).**


**ATTENTION: Compatibility is subject to change if modifications are made by Exit Device manufacturers without dormakaba's knowledge**

### Exit Device not included (sold separately)

For mortise applications where additional door support is needed, order a mortise stabilizer for a hollow metal door from the accessories section.



# Simplex® 1000 Series



| Base Model | Description                                 | Base Price |
|------------|---------------------------------------------|------------|
| 101126D41  | Cylindrical Lock with Knob, No Key Override | \$665.00   |

## Choose One Option from Each Category

| Function Options | Description                                                    | Price        |
|------------------|----------------------------------------------------------------|--------------|
| 1                | Cylindrical Lock, Combination Entry Only                       | No Charge    |
| 2                | Cylindrical Lock, Combination Entry, and Key Override          | Add \$70.00  |
| 3                | Cylindrical Lock, Combination Entry, and Passage               | Add \$50.00  |
| 4                | Cylindrical Lock, Combination Entry, Key Override, and Passage | Add \$120.00 |

| Locking Device Options | Description                                                                                | Price     |
|------------------------|--------------------------------------------------------------------------------------------|-----------|
| 1                      | Cylindrical ½" (13 mm) throw latch, floating face plate<br>2¾" (70 mm) backset (UL listed) | No Charge |
| 2                      | Cylindrical ½" (13 mm) throw latch, floating face plate<br>2⅝" (60 mm) backset (UL listed) | No Charge |
| 5                      | Cylindrical ¾" (19 mm) throw latch, beveled face plate<br>2¾" (70 mm) backset (UL listed)  | No Charge |

| Key Override Options | Description                                                         | Price     |
|----------------------|---------------------------------------------------------------------|-----------|
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge |
| C                    | LFIC, Corbin Russwin (6-pin length); core not included              | No Charge |
| M <sup>+</sup>       | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge |
| R                    | LFIC, Sargent; core not included                                    | No Charge |
| S                    | LFIC, Schlage; core not included                                    | No Charge |

# Simplex<sup>®</sup>

## 1000 Series



| Finish Options | Description         | Price       |
|----------------|---------------------|-------------|
| 026            | Bright Chrome (625) | Add \$25.00 |
| 03             | Bright Brass (605)  | Add \$25.00 |
| 05             | Antique Brass (609) | No Charge   |
| 26D            | Satin Chrome (626)  | No Charge   |

| Lockout Option** | Description                                     | Price        |
|------------------|-------------------------------------------------|--------------|
| LO               | Lockout (available on key override models only) | Add \$100.00 |

### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

### Notes

**\* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)**

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

**\*\* Lockout Option**


This field can be left blank if no optional features are required

**Knob locks are factory-handed for left-hand operation unless otherwise pre-arranged with manufacturing facility.  
Minimum of 50 required**



# Simplex®

## L1000 Series



| Base Model  | Description                                  | Base Price |
|-------------|----------------------------------------------|------------|
| LL101126D41 | Cylindrical Lock with Lever, No Key Override | \$797.00   |

### Choose One Option from Each Category

| Handing Options | Description                      | Price     |
|-----------------|----------------------------------|-----------|
| L               | Left Hand or Left Hand Reverse   | No Charge |
| R               | Right Hand or Right Hand Reverse | No Charge |

| Function Options | Description                                                                                                                                      | Price        |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 1                | Cylindrical Lock, Combination Entry Only                                                                                                         | No Charge    |
| 2                | Cylindrical Lock, Combination Entry, and Key Override                                                                                            | Add \$70.00  |
| 3                | Cylindrical Lock, Combination Entry, and Passage                                                                                                 | Add \$50.00  |
| 4                | Cylindrical Lock, Combination Entry, Key Override, and Passage                                                                                   | Add \$120.00 |
| 7                | Cylindrical Lock, Combination Entry, Key Override, and Privacy (lockout) (requires "6" Locking Device Option) 1 3/4" (44 mm) door thickness only | Add \$90.00  |

| Locking Device Options | Description                                                                                                                                    | Price     |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 1                      | Cylindrical 1/2" (13 mm) throw latch, floating face plate 2 3/4" (70 mm) backset (UL listed)                                                   | No Charge |
| 2                      | Cylindrical 1/2" (13 mm) throw latch, floating face plate 2 3/8" (60 mm) backset (UL listed)                                                   | No Charge |
| 5                      | Cylindrical 3/4" (19 mm) throw latch, beveled face plate 2 3/4" (70 mm) backset (UL listed)                                                    | No Charge |
| 6                      | Cylindrical 3/4" (19 mm) throw latch, beveled face plate—(for 1076 only) 2 3/4" (70 mm) backset (UL listed) 1 3/4" (44 mm) door thickness only | No Charge |

# Simplex®

## L1000 Series



| Key Override Options | Description                                                         | Price       |
|----------------------|---------------------------------------------------------------------|-------------|
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge   |
| C                    | LFIC, Corbin Russwin (6-pin length); core not included              | No Charge   |
| M+                   | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge   |
| R                    | LFIC, Sargent; core not included                                    | No Charge   |
| S                    | LFIC, Schlage; core not included                                    | No Charge   |
| Finish Options       | Description                                                         | Price       |
| 026                  | Bright Chrome (625)                                                 | Add \$25.00 |
| 03                   | Bright Brass (605)                                                  | Add \$25.00 |
| 05                   | Antique Brass (609)                                                 | No Charge   |
| 26D                  | Satin Chrome (626)                                                  | No Charge   |

### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

### Notes

**\* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)**


5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

Privacy option is available on L\*1076 only. Fits 1¾" (44 mm) doors only



# Simplex® EE1000 Series

## Example



**Build the model number with the desired options**

| Base Model     | Description                                                               | Base Price |
|----------------|---------------------------------------------------------------------------|------------|
| 1011/101126D41 | Cylindrical Lock with Knobs, Entry/Egress (Back-to-Back), No Key Override | \$1435.00  |

## Choose One Option from Each Category

| Access Function Options | Description                                           | Price       |
|-------------------------|-------------------------------------------------------|-------------|
| 1                       | Cylindrical Lock, Combination Entry Only              | No Charge   |
| 2                       | Cylindrical Lock, Combination Entry, and Key Override | Add \$70.00 |

| Locking Device Options | Description                                                                                | Price     |
|------------------------|--------------------------------------------------------------------------------------------|-----------|
| 1                      | Cylindrical ½" (13 mm) throw latch, floating face plate<br>2¾" (70 mm) backset (UL listed) | No Charge |
| 5                      | Cylindrical ¾" (19 mm) throw latch, beveled face plate<br>2¾" (70 mm) backset (UL listed)  | No Charge |

| Key Override Options | Description                                                         | Price     |
|----------------------|---------------------------------------------------------------------|-----------|
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge |
| C                    | LFIC, Corbin Russwin (6-pin length); core not included              | No Charge |
| M*                   | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge |
| R                    | LFIC, Sargent; core not included                                    | No Charge |
| S                    | LFIC, Schlage; core not included                                    | No Charge |

| Egress Function Options | Description                                           | Price       |
|-------------------------|-------------------------------------------------------|-------------|
| 1                       | Cylindrical Lock, Combination Entry Only              | No Charge   |
| 2                       | Cylindrical Lock, Combination Entry, and Key Override | Add \$70.00 |

| Locking Device Options | Description                                                                                | Price     |
|------------------------|--------------------------------------------------------------------------------------------|-----------|
| 1                      | Cylindrical ½" (13 mm) throw latch, floating face plate<br>2¾" (70 mm) backset (UL listed) | No Charge |
| 5                      | Cylindrical ¾" (19 mm) throw latch, beveled face plate<br>2¾" (70 mm) backset (UL listed)  | No Charge |

# Simplex®

## EE1000 Series



| Key Override Options | Description                                                         | Price     |
|----------------------|---------------------------------------------------------------------|-----------|
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge |
| C                    | LFIC, Corbin Russwin (6-pin length); core not included              | No Charge |
| M*                   | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge |
| R                    | LFIC, Sargent; core not included                                    | No Charge |
| S                    | LFIC, Schlage; core not included                                    | No Charge |

| Finish Options | Description         | Price       |
|----------------|---------------------|-------------|
| 026            | Bright Chrome (625) | Add \$50.00 |
| 03             | Bright Brass (605)  | Add \$50.00 |
| 05             | Antique Brass (609) | No Charge   |
| 26D            | Satin Chrome (626)  | No Charge   |

### Items Supplied with the Lock

---

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

### Notes

---

**\* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)**

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)



# Simplex® 8100 Series

**Example**

|   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|
| L | R | 8 | 1 | 4 | 6 | B | 2 | 6 | D | 4 | 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|

Diagram illustrating the components of the model number LR8146B26D41:

- HANDING:** L (Left Hand), R (Right Hand)
- MODEL:** 814 (Combination Entry, Key Override, Passage, Lockout)
- FUNCTION:** 6 (Combination Entry, Key Override, Passage, Lockout, Deadbolt)
- KEY OVERRIDE:** B (SFIC, Best and Equivalents (6 or 7-pin length); core not included)
- FINISH:** 26D (Satin Chrome (626))
- PACKAGING:** 41 (Special knob spacer)

**Build the model number with the desired options**

| Base Model   | Description                                             | Base Price |
|--------------|---------------------------------------------------------|------------|
| LR8146B26D41 | Mortise Lock with Lever, Key Override, Passage, Lockout | \$1025.00  |

## Choose One Option from Each Category

| Handing Options | Description        | Price     |
|-----------------|--------------------|-----------|
| L               | Left Hand          | No Charge |
| LR              | Left Hand Reverse  | No Charge |
| R               | Right Hand         | No Charge |
| RR              | Right Hand Reverse | No Charge |

| Function Options | Description                                                 | Price       |
|------------------|-------------------------------------------------------------|-------------|
| 6                | Combination Entry, Key Override, Passage, Lockout           | No Charge   |
| 8                | Combination Entry, Key Override, Passage, Lockout, Deadbolt | Add \$30.00 |

| Key Override Options | Description                                                         | Price     |
|----------------------|---------------------------------------------------------------------|-----------|
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge |
| C                    | LFIC, Corbin Russwin (6-pin length); core not included              | No Charge |
| M*                   | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge |
| R                    | LFIC, Sargent; core not included                                    | No Charge |
| S                    | LFIC, Schlage; core not included                                    | No Charge |

| Finish Options | Description         | Price       |
|----------------|---------------------|-------------|
| 026            | Bright Chrome (625) | Add \$25.00 |
| 03             | Bright Brass (605)  | Add \$25.00 |
| 05             | Antique Brass (609) | No Charge   |
| 26D            | Satin Chrome (626)  | No Charge   |

## Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware


## Notes

### \* Medeco/ASSA/Yale/Abloy (5 and 6-pin length)

5 and 6-pin Medeco/ASSA/Abloy cylinders require a special knob spacer (included in package)

# Simplex®

## LP1000 Series



| Base Model    | Description                                | Base Price |
|---------------|--------------------------------------------|------------|
| LLP101026D41+ | Exit Trim Lock with Lever, No Key Override | \$899.00   |

### Choose One Option from Each Category

| Handing Options      | Description                                                         | Price       |
|----------------------|---------------------------------------------------------------------|-------------|
| L                    | Left Hand or Left Hand Reverse                                      | No Charge   |
| R                    | Right Hand or Right Hand Reverse                                    | No Charge   |
| Function Options     | Description                                                         | Price       |
| 10                   | Combination Entry Only                                              | No Charge   |
| 20                   | Combination Entry and Key Override                                  | Add \$70.00 |
| Key Override Options | Description                                                         | Price       |
| B                    | SFIC, Best and Equivalents (6 or 7-pin length); core not included   | No Charge   |
| C                    | LFIC, Corbin Russwin (6-pin length); core not included              | No Charge   |
| M++                  | LFIC, Medeco/ASSA/Yale/Abloy (5 or 6-pin length); core not included | No Charge   |
| R                    | LFIC, Sargent; core not included                                    | No Charge   |
| S                    | LFIC, Schlage; core not included                                    | No Charge   |
| Finish Options       | Description                                                         | Price       |
| 026                  | Bright Chrome (625)                                                 | Add \$25.00 |
| 03                   | Bright Brass (605)                                                  | Add \$25.00 |
| 05                   | Antique Brass (609)                                                 | No Charge   |
| 26D                  | Satin Chrome (626)                                                  | No Charge   |

### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware


#### NOTES: Exit Device Compatibility

|                                              |                                       |
|----------------------------------------------|---------------------------------------|
| Black & Decker (K-12) QED111/112             | Dorex 9500PR/9500FR                   |
| Cal Royal 5000/F5000                         | Monarch XX-R*, FXX-R, 18-R*, F-18-R*, |
| dorma 9100/9300                              | 17-R, F-17-R, XX-V*, F-XX-V*, 18-V*,  |
| Detex Advantex Series 10, 20, 21, 40, 50, 51 | F-18-V*, F-XX-V*, 11-R*, 11-V*        |
| Detex 10/F10 Series                          | Von Duprin 22, 88 NL, 98, 99          |
| Dorex 8500R/8500F                            |                                       |

**\*\* Requires special K-Hub Adapter, not supplied by dormakaba. Cannot be used with mortise design or vertical rod exit devices. Exit Devices are not included (sold separately).**



# Simplex<sup>®</sup> 2015 Series



| Base Model | Description                                                                        | Base Price |
|------------|------------------------------------------------------------------------------------|------------|
| 201526D41  | Combination Entry with Thumbturn Style Knob <sup>+</sup> (clockwise rotation only) | \$621.00   |

## Notes

Key override orders will consist of all locks on the order being keyed alike, unless there is a specific key cut called out or the locks on the order are requested to be keyed differently

### NOTES: Exit Device Compatibility

American Device 6300 Series, 6303 Series  
 Corbin 21, 22, 25, 26NT, 27K, 29, 29-1/4, 29M2, 29-1/2M2, 29NTM2, 29D20, LA29, 39, 39EL, 39LLD, 390, LA39  
 Detex Advantex Series 10, 20, 21, 40, 50, 51  
 Dorex 8500R/8500F  
 Dorex 9500R/9500FR  
 Magno Krom LHR only: 500-4, 550-4, 650-4, 1500-4, 1550-4, 1650-4; RHR only: 600-3  
 Monarch 18RBA, 18RP, 18VP, F18RBA, F18RP, F18VP, FXXRBA, FXXRP, FXXVP, XXRBA, XXRP, XXVP  
 Precision Hardware FL-D103; RHRB only 810-H; RH or LH: 103, R103, D203, H-203, 1103, D1203, H1203  
 Russwin 365, 3651/4, LT365, 370, 372, LA372, 375, LT375, 377, 382, 384, 385, 388, 572, 572EL, 572ELD, U572, LA572  
 Sargent 2813, 2804, 6804, 12-6804, 9804RHRB, 12-9804LHRB, 9898E, 9898K  
 Von Duprin 22 Rim, 22 Rim-F, 88 Rim, 88 Rim-F, 98 Rim, 98 Rim-F, 99 Rim, 99 Rim-F; 2227, 2227-F, 9827, 9827-F, 9847, 9847-F, 9927-F, 9947-F; Yale 1500 Series, 7000 Series

**Cannot be used with surface-mounted Exit Devices with counterclockwise rotating hubs, thumb-operated Mortise design Exit Devices, or vertical rod Exit Devices**


**ATTENTION: Compatibility is subject to change if modifications are made by Exit Device manufacturers without dormakaba's knowledge**

**Exit Device not included (sold separately)**

# Simplex® 3000 Series



## Example



**Build the model number with the desired options**

| Base Model | Description                                                                                            | Base Price |
|------------|--------------------------------------------------------------------------------------------------------|------------|
| 300126D41  | Narrow Stile Lock with Thumbturn, Key Override, Passage, Lockout (drive assembly required - see below) | \$401.00   |

## Choose One Option from Each Category

| Function Options | Description                                                       | Price       |
|------------------|-------------------------------------------------------------------|-------------|
| 1                | Combination Entry, Key Override, Passage, Lockout                 | No Charge   |
| 2                | Combination Entry, Key Override, Passage, Lockout, Cylinder Guard | Add \$16.00 |

| Finish Options | Description                  | Price     |
|----------------|------------------------------|-----------|
| 26D            | Satin Chrome (626)           | No Charge |
| 55             | Duranodic—Powder Paint (695) | No Charge |

**For complete installation, a housing and drive assembly are required (drive assembly sold separately)**

## Choose a Drive Assembly

| Model Options | Description                                                                | Price   |
|---------------|----------------------------------------------------------------------------|---------|
| 3010-19-41    | $\frac{31}{32}$ " (25 mm) Backset/Handing Right Hand or Right Hand Reverse | \$97.00 |
| 3020-19-41    | $\frac{31}{32}$ " (25 mm) Backset/Handing Left Hand or Left Hand Reverse   | \$97.00 |
| 3030-19-41*   | $\frac{1}{8}$ " (29 mm) Backset/Handing Right Hand or Right Hand Reverse   | \$97.00 |
| 3040-19-41*   | $\frac{1}{8}$ " (29 mm) Backset/Handing Left Hand or Left Hand Reverse     | \$97.00 |

\* Also accommodates equivalent  $\frac{1}{2}$ " (38 mm) backset

## Items Supplied with the Lock


- Installation Manual
- Full-Scale Template
- Required Installation Hardware

## Note

**Cylinder not included - 15/16" length minimum - if longer cylinder is required, use of spacers may also be required.**



# Simplex® 6200 Series



| Base Model | Description                                                                  | Base Price |
|------------|------------------------------------------------------------------------------|------------|
| 62046041   | Cylindrical Lock with Exterior Thumbturn, Internal Knob, 2¾" (70 mm) Backset | \$331.00   |

## Choose One Option from Each Category

| Function Options | Description                                                                              | Price     |
|------------------|------------------------------------------------------------------------------------------|-----------|
| 02               | Cylindrical ½" (13 mm) throw latch, floating face plate, 2¾" (60 mm) backset (UL listed) | No Charge |
| 04               | Cylindrical ½" (13 mm) throw latch, floating face plate, 2¾" (70 mm) backset (UL listed) | No Charge |


| Finish Options | Description                                                    | Price     |
|----------------|----------------------------------------------------------------|-----------|
| 60             | Gold Tone—Powder Paint (060) (inside trim/plated Bright Brass) | No Charge |
| 85             | Black—Powder Paint (083) (inside trim/plated Satin Chrome)     | No Charge |
| 86             | Gray—Powder Paint (086) (inside trim/plated Satin Chrome)      | No Charge |

## Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

# Simplex®

## 7100 Series



| Base Model | Description                                                                | Base Price |
|------------|----------------------------------------------------------------------------|------------|
| 710826D41  | Auxiliary Lock with Thumbturn, Deadbolt, 2 $\frac{3}{8}$ " (60 mm) Backset | \$221.00   |

### Choose One Option from Each Category

| Function Options | Description                                                                                                                                     | Price     |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| 2                | 1" (25 mm) Tubular Deadbolt, flat front face plate<br>2 $\frac{3}{4}$ " (70 mm) backset                                                         | No Charge |
| 4                | 1 $\frac{1}{2}$ " (13 mm) Deadlocking Latch, flat front face plate<br>Adjustable 2 $\frac{3}{8}$ " (60 mm) to 2 $\frac{3}{4}$ " (70 mm) backset | No Charge |
| 6*               | 5 $\frac{5}{8}$ " (16 mm) Rim Deadlocking Latch (for wood doors only)<br>2 $\frac{3}{8}$ " (60 mm) backset (Black or Satin Chrome lock only)    | No Charge |
| 8                | 1" (25 mm) Tubular Deadbolt, flat front face plate<br>2 $\frac{3}{8}$ " (60 mm) backset                                                         | No Charge |

| Finish Options | Description                    | Price       |
|----------------|--------------------------------|-------------|
| 26D            | Satin Chrome (626)             | No Charge   |
| 05             | Antique Brass (609)            | Add \$25.00 |
| 03             | Bright Brass (605)             | Add \$25.00 |
| GV             | Gold Vein (Powder Paint) (060) | No Charge   |
| 19*            | Black (Powder Paint)           | No Charge   |

### Items Supplied with the Lock

- Installation Manual
- Full-Scale Template
- Required Installation Hardware

### Notes

\*7106 model available as shown below:  
 Black outside housing with black inside trim.  
 Satin chrome outside housing with black inside trim.

7102, 7104, 7108  
 Black outside housing comes with satin chrome inside trim.



# Simplex® 900 Series

**Example**

|   |   |   |   |   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 9 | 0 | 2 | 0 | 0 | 0 | 0 | 2 | 6 | D | 4 | 1 |
|---|---|---|---|---|---|---|---|---|---|---|---|

MODEL      OPTIONS      FINISH      PACKAGING

**Build the model number with the desired options**

| Base Model   | Description                                                                                                      | Base Price |
|--------------|------------------------------------------------------------------------------------------------------------------|------------|
| 902000026D41 | Auxiliary Lock with Thumbturn, 1" (25 mm) Deadbolt, Fits 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick | \$227.00   |

## Choose One Option from This Category

| Model Options | Description                                                                                                                                         | Price        |
|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 02            | 1" (25 mm) Deadbolt Latch, 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick                                                                  | No Charge    |
| 04            | 1" (25 mm) Deadbolt Latch, 1 $\frac{3}{4}$ "–2 $\frac{1}{8}$ " (44 mm–54 mm) thick                                                                  | No Charge    |
| 06*           | 1" (25 mm) Deadbolt Latch, 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick, key override                                                    | Add \$58.00  |
| 10*           | 1" (25 mm) Deadbolt Latch, 1 $\frac{3}{4}$ "–2 $\frac{1}{8}$ " (44 mm–54 mm) thick, key override                                                    | Add \$58.00  |
| 17            | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick, latch holdback               | Add \$25.00  |
| 19            | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{4}$ "–2 $\frac{1}{8}$ " (44 mm–54 mm) thick, latch holdback               | Add \$25.00  |
| 20            | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick, no latch holdback            | Add \$25.00  |
| 22            | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{4}$ "–2 $\frac{1}{8}$ " (44 mm–54 mm) thick, no latch holdback            | Add \$25.00  |
| 27+           | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick                               | Add \$114.00 |
| 29+           | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{4}$ "–2 $\frac{1}{8}$ " (44 mm–54 mm) thick                               | Add \$114.00 |
| 35*           | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{8}$ "–1 $\frac{1}{2}$ " (35 mm–38 mm) thick, latch holdback, key override | Add \$82.00  |
| 38*           | $\frac{5}{8}$ " (16 mm) Deadlocking Spring Latch, flat front, 1 $\frac{3}{4}$ "–2 $\frac{1}{8}$ " (44 mm–54 mm) thick, latch holdback, key override | Add \$82.00  |

\* Key override orders will consist of all locks on the order being keyed alike, unless there is a specific key cut called out or the locks on the order are requested to be keyed differently (applies to key override models that call out key override.)

# Simplex®

## 900 Series



Choose up to Four Options - Insert 0 if Less than Four Options are required.

| Options        | Description                                                                                                                                                                                                                                                                                                                                                                                   | Price        |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 1              | Substitutes a surface-mounted strike box for metal door frames in place of the standard strike box (part number 74464) (see 900 Series Accessories—Adapter Kit)                                                                                                                                                                                                                               | Add \$5.00   |
| 2              | Deletes the key cylinder from key override models. Recessed escutcheon recommended for standard rim cylinder installation. Rim cylinder tailpiece must be reduced in width to accommodate the tail receptacle. Specify the position of the cylinder tailpiece (vertical or horizontal) to mate with the standard size rim cylinder (not supplied).                                            | Less \$21.00 |
| 3              | Substitutes a 2½" (64 mm) lever in place of the standard inside thumbturn (part number 74437) (cannot be used with option 5)                                                                                                                                                                                                                                                                  | Add \$32.00  |
| 4*             | Master Keyed (key override models)                                                                                                                                                                                                                                                                                                                                                            | Add \$12.00  |
| 5              | Adds the panic bar release kit to a spring latch model (part number 74438) (cannot be used with option 3)                                                                                                                                                                                                                                                                                     | Add \$34.00  |
| 6              | Deletes latch holdback (935 and 938 models)                                                                                                                                                                                                                                                                                                                                                   | No Charge    |
| 7              | Deletes the key cylinder from key override models and changes gear plate to a 100 Series. Recessed escutcheon recommended for standard rim cylinder installation. The rim cylinder tailpiece must be reduced in width to accommodate the tail receptacle. Specify the position of the cylinder tailpiece (vertical or horizontal) to mate with the standard size rim cylinder (not supplied). | Less \$21.00 |
| 8              | Changes gear plate to accept a horizontal tailpiece (key override models)                                                                                                                                                                                                                                                                                                                     | No Charge    |
| Finish Options | Description                                                                                                                                                                                                                                                                                                                                                                                   | Price        |
| 26D            | Satin Chrome (Powder Paint)                                                                                                                                                                                                                                                                                                                                                                   | No Charge    |
| 04**           | Satin Brass (Powder Paint)                                                                                                                                                                                                                                                                                                                                                                    | No Charge    |

### Notes


\* D.O.D. Compliant

\*\* 04 Finish not available on Model 927/929

\* Key override orders will consist of all locks on the order being keyed alike, unless there is a specific key cut called out or the locks on the order are requested to be keyed differently.

# Simplex®

## 9600 Series



| Base Model   | Description                                                                                      | Base Price |
|--------------|--------------------------------------------------------------------------------------------------|------------|
| 9662C1026D41 | Cabinet Lock, Sheet Metal, End Throw, Clutch Ball Bearing Knob, No Trim Plate, Standard Deadbolt | \$135.00   |

### Choose One Option from Each Category

| Function Options | Description                                                   | Price      |
|------------------|---------------------------------------------------------------|------------|
| 2                | Wood Application, 5/8" (16 mm) to 7/8" (27 mm) door thickness | Add \$2.00 |
| 6                | Sheet Metal, 14 to 20 gauge door thickness                    | No Charge  |
| 7                | Sheet Metal, 1/8" (3 mm) door thickness                       | No Charge  |
| 8                | Sheet Metal, 3/16" (5 mm) door thickness                      | No Charge  |
| 9                | Sheet Metal, 1/4" (6 mm) door thickness                       | No Charge  |

| Bolt Throw Options | Description                      | Price     |
|--------------------|----------------------------------|-----------|
| 1                  | Cross Throw                      | No Charge |
| 2                  | End Throw                        | No Charge |
| 3                  | End Throw with Cross Throw Parts | No Charge |

| Knob Style | Description              | Price     |
|------------|--------------------------|-----------|
| C          | Clutch Ball Bearing Knob | No Charge |

| Trim Plate Options | Description                                  | Price     |
|--------------------|----------------------------------------------|-----------|
| 1                  | Without Trim Plate                           | No Charge |
| 2                  | With Trim Plate (not available on 969 Model) | No Charge |

| Latch Bolt Options | Description                                         | Price       |
|--------------------|-----------------------------------------------------|-------------|
| 0                  | Standard Deadbolt                                   | No Charge   |
| 1                  | Spring Loaded Latch                                 | Add \$6.00  |
| 2                  | Spring Loaded Latch with Key Override (keyed alike) | Add \$14.00 |

| Finish Options | Description        | Price     |
|----------------|--------------------|-----------|
| 04             | Satin Brass (606)  | No Charge |
| 26D            | Satin Chrome (626) | No Charge |

# Simplex<sup>®</sup>

## 9600 Series




**Cabinet Locks, no options available**

| Model                       | Description                                                                                                                | Price    |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------|----------|
| C9601-04-41<br>C9601-26D-41 | Wood, 5/8" (16 mm) to 7/8" (27 mm), door thickness, end throw, deadbolt, trim plate included, ball bearing clutch knob     | \$144.00 |
| C9602-04-41<br>C9602-26D-41 | Wood, 5/8" (16 mm) to 7/8" (27 mm), door thickness, end throw, spring latch, trim plate included, ball bearing clutch knob | \$144.00 |



# Simplex® File Guard

## FG10, F2500, F2570, F2580 Series



| Base Model | Description                            | Length | Base Price |
|------------|----------------------------------------|--------|------------|
| FG12 - B   | Pushbutton Fileguard, 2-Drawer Cabinet | 29"    | \$227.00   |

**Available in Black (B) only.**

| Models                     | Description                                                          | Length | Price    |
|----------------------------|----------------------------------------------------------------------|--------|----------|
| FG12 - B                   | Pushbutton, 2-Drawer Cabinet                                         | 29"    | \$227.00 |
| FG14 - B                   | Pushbutton, 4-Drawer Cabinet                                         | 51¼"   | \$238.00 |
| FG15 - B                   | Pushbutton, 5-Drawer Cabinet                                         | 59"    | \$241.00 |
| FG16 - B*                  | Pushbutton, special length (indicate length when ordering)           |        | \$266.00 |
| F2502 <sup>+</sup>         | Accessory Pack (provides additional / replacement mounting hardware) |        | \$29.00  |
| F2502 - B                  | Padlock, 2-Drawer Cabinet (padlock not included)                     | 29"    | \$102.00 |
| F2504 - B                  | Padlock, 4-Drawer Cabinet (padlock not included)                     | 51¼"   | \$108.00 |
| F2505 - B                  | Padlock, 5-Drawer Cabinet (padlock not included)                     | 59"    | \$116.00 |
| F2506 - B*                 | Padlock, special length (indicate length when ordering)              |        | \$131.00 |
| F2572 - B                  | Self-storing Lock, 2-Drawer Cabinet                                  | 29"    | \$124.00 |
| F2574 - B                  | Self-storing Lock, 4-Drawer Cabinet                                  | 51¼"   | \$136.00 |
| F2575 - B                  | Self-storing Lock, 5-Drawer Cabinet                                  | 59"    | \$141.00 |
| F2576 - B <sup>++</sup> ,* | Self-storing Lock, special length (indicate length when ordering)    |        | \$149.00 |
| F25703 <sup>+</sup>        | Accessory Pack (provides additional / replacement mounting hardware) |        | \$29.00  |
| F2582 - B                  | Key Lock, 2-Drawer Cabinet, specify Schlage "C" or Weiser Keyway     | 29"    | \$124.00 |
| F2584 - B                  | Key Lock, 4-Drawer Cabinet, specify Schlage "C" or Weiser Keyway     | 51¼"   | \$136.00 |
| F2585 - B                  | Key Lock, 5-Drawer Cabinet, specify Schlage "C" or Weiser Keyway     | 59"    | \$141.00 |
| F2586 - B*                 | Key Lock, special length (indicate length when ordering)             |        | \$155.00 |
| F25804 <sup>+</sup>        | Accessory Pack (provides additional / replacement mounting hardware) |        | \$27.00  |

### Notes

\* **Includes:** Mounting Hardware: Notch Pins, Clevis Pins, Lock Washers, Screw Nuts, and Screws as required

\* **Special Lengths:** Available with minimum quantity of 12 per length; Maximum 66", Minimum 17"

\*\* F2576—Self-storing lock, special length has extended lead time

# Simplex®

## Accessories

### Simplex® 900 Series

| Item#        | Description                                                                                                                                                                       | Price    |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 800-04-41    | Adapter Kit for doors with metal frames. Includes riser plates and surface mounted strike. Finish 04 Satin Brass; packaged one per box. (old #74464/74468)                        | \$56.00  |
| 800-26D-41   | Adapter Kit for doors with metal frames. Includes riser plates and surface mounted strike. Finish 26D Satin Chrome; packaged one per box. (old #74464/74468)                      | \$56.00  |
| 805-26D-41   | Face Plate Shield. Not for use with key override models. Inhibits unauthorized observation of the combination. Finish 26D Satin Chrome; packaged one per box. (old #24081-000-01) | \$48.00  |
| 74437-26D-01 | Inside Lever Handle (lock not included)                                                                                                                                           | \$56.00  |
| 74437-04-01  | Inside Lever Handle (lock not included)                                                                                                                                           | \$56.00  |
| 74438-26D-01 | Panic Bar Release Kit (lock not included)                                                                                                                                         | \$56.00  |
| 74438-04-01  | Panic Bar Release Kit (lock not included)                                                                                                                                         | \$56.00  |
| 24095-04-10  | Strike Spacers (10 pack)                                                                                                                                                          | \$19.00  |
| 74301-000-01 | Metal Template for varying backsets                                                                                                                                               | \$143.00 |

# Simplex®

## Accessories

### Simplex® 1000, L1000, and 5000 Series

| Item#           | Description                                                                 | Price    |
|-----------------|-----------------------------------------------------------------------------|----------|
| 204231-03-41    | Wrap Plate, (h)10 ½" (267 mm) x (d)5" (127 mm), Bright Brass (605)          | \$102.00 |
| 204231-05-41    | Wrap Plate, (h)10 ½" (267 mm) x (d)5" (127 mm), Antique Brass (609)         | \$102.00 |
| 204231-26D-41   | Wrap Plate, (h)10 ½" (267 mm) x (d)5" (127 mm), Satin Chrome (626)          | \$102.00 |
| 204232-03-41    | Wrap Plate, (h)15" (381 mm) x (d)5" (127 mm), Bright Brass (605)            | \$144.00 |
| 204232-05-41    | Wrap Plate, (h)15" (381 mm) x (d)5" (127 mm), Antique Brass (609)           | \$144.00 |
| 204232-26D-41   | Wrap Plate, (h)15" (381 mm) x (d)5" (127 mm), Satin Chrome (626)            | \$144.00 |
| 201484-03-01    | Best Equivalent Small Format Interchangeable Core, Bright Brass (605)       | \$93.00  |
| 201484-05-01    | Best Equivalent Small Format Interchangeable Core, Antique Brass (609)      | \$93.00  |
| 201484-26D-01   | Best Equivalent Small Format Interchangeable Core, Satin Chrome (626)       | \$93.00  |
| 54843-000-01    | Anti-Spy Shield (1000/L1000 models only)<br>(old part number 201600-083-01) | \$68.00  |
| 204022-000-01   | Latch Extension Assembly converts to 3¾" (10 cm) backset                    | \$52.00  |
| 204023-000-01   | Latch Extension Assembly converts to 5" (13 cm) backset                     | \$46.00  |
| 54644-000-41    | Weather Cover (smoke colored)                                               | \$89.00  |
| 64684-26D-01    | Installation Jig (1000/L1000/5000/E5000)                                    | \$576.00 |
| 50567701-000-01 | Mortise stabilizer for hollow metal door-1¾" only                           | \$36.00  |
| 54720-000-01    | Mortise Mounting Bracket for Hollow Metal Doors                             | \$27.00  |

# Simplex®

## Accessories

**Simplex® Mounts\***—Hardwood product demonstration mount, packaged 1 per box

|                                                                                   | Item#         | Description                               | Price    |
|-----------------------------------------------------------------------------------|---------------|-------------------------------------------|----------|
|  | 204083-000-41 | 8100 Series                               | \$236.00 |
|                                                                                   | 204087-000-41 | LP1000 Series                             | \$236.00 |
|                                                                                   | 203053-000-41 | 900 Series—904 and 919 Dual Mount         | \$236.00 |
|                                                                                   | 204189-000-41 | 7100 Series—7108 and 7104 Dual Mount      | \$236.00 |
|                                                                                   | 203044-000-41 | 1000, L1000, 5000, and E-Plex 5x00 Series | \$236.00 |
|                                                                                   | 203056-000-41 | 5010 Series (Exit Trim only)              | \$236.00 |
|                                                                                   |               |                                           |          |

\* Mounts do not include locks

# Strong, Powerful Security Solutions Since 1862.

| SIMPLEX®<br>Mechanical<br>Pushbutton Locks |                               | 5000                                                                              | 1000                                                                              | L1000                                                                             | LP1000                                                                            | 8100                                                                               | 3000                                                                                | 6200                                                                                | 7100                                                                                | 900                                                                                 |
|--------------------------------------------|-------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                            |                               |  |  |  |  |  |  |  |  |  |
| ACCESS                                     | PIN Access (Single User)      | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Mechanical Key Override       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |                                                                                     |                                                                                     | ✓                                                                                   |
| LOCKING DEVICES                            | Cylindrical Latch             | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 |                                                                                    |                                                                                     | ✓                                                                                   |                                                                                     |                                                                                     |
|                                            | Mortise (ASM)                 | ✓                                                                                 |                                                                                   |                                                                                   |                                                                                   | ✓                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | Exit Trim                     | ✓                                                                                 |                                                                                   |                                                                                   | ✓                                                                                 |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | AR Latch                      |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                                            | Tubular Latch                 |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | ✓                                                                                   |                                                                                     |
|                                            | Tubular Deadbolt              |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | ✓                                                                                   |                                                                                     |
|                                            | Auxiliary Latch               |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   |
| MECHANICAL FEATURES                        | No Wire Installation          | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | No Computer Programming       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | No Software Programming       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Mechanical Key Override       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |                                                                                     |                                                                                     | ✓                                                                                   |
|                                            | Interchangeable Core (Best)   | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | Removable Core (Large Format) | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | Removable Mortise Cylinder    |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | ✓                                                                                   |                                                                                     |                                                                                     | ✓                                                                                   |
|                                            | Key-in-Lever                  | ✓                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | Non-handed (Field Reversible) | ✓                                                                                 | ✓                                                                                 |                                                                                   |                                                                                   |                                                                                    | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Vandal Resistant Clutch       |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Fits 1 3/8" to 2 1/4" *       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     | ✓                                                                                   | ✓                                                                                   |                                                                                     |
|                                            | No Batteries                  | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Indoor/Outdoor (Approved)     | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Latch Holdback                |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   |
|                                            | Passage                       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                                            | Lockout/Privacy               | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 |                                                                                   | ✓                                                                                  | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                                            | Programmed at Keypad          | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | Various Finishes Available    | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| WARRANTY<br>CERTIFICATION                  | 3-Year Warranty               | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | 1-Year Warranty               |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                            | BHMA Grade 1 Certified        | ✓                                                                                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                                            | 3 Hr UL/ULC Fire Rated Latch  | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     | ✓                                                                                   |                                                                                     |                                                                                     |
|                                            | ADA Compliant Levers          | ✓                                                                                 |                                                                                   | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     |                                                                                     |                                                                                     | ✓                                                                                   |

\* 8100 and EE1000 series fit 1 3/4" to 2 1/4" door thickness

\* L1076 model fits 1 3/4" door thickness only

# A Solution for Every Access Point...and Every Budget.

| SIMPLEX® | 5000                                                                              | 1000/<br>EE1000                                                                   | L1000                                                                             | LP1000                                                                            | 8100                                                                              | 3000                                                                              | 6200                                                                                | 7100                                                                                | 900                                                                                 |
|----------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|          |  |  |  |  |  |  |  |  |  |
|          | Pushbutton<br>Key override                                                        | Pushbutton<br>Key override                                                        | Pushbutton<br>Key override                                                        | Pushbutton<br>Key override                                                        | Pushbutton<br>Key override                                                        | Pushbutton<br>Key override                                                        | Pushbutton                                                                          | Pushbutton                                                                          | Pushbutton<br>Key override                                                          |
|          | Single<br>Code                                                                    | Single<br>Code                                                                    | Single<br>Code                                                                    | Single<br>Code                                                                    | Single<br>Code                                                                    | Single<br>Code                                                                    | Single<br>Code                                                                      | Single<br>Code                                                                      | Single<br>Code                                                                      |
|          | Cylindrical<br>Exit Trim<br>Mortise<br>Dead-bolt                                  | Cylindrical                                                                       | Cylindrical                                                                       | Cylindrical                                                                       | Mortise<br>Mortise Dead-bolt                                                      | AR Narrow Stile<br>Latch                                                          | Cylindrical                                                                         | RIM deadlocking<br>latch<br>Tubular Latch                                           | Surface Mount<br>Latch - Deadbolt<br>or Deadlocking<br>Latch                        |
|          | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/4"    | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/4"    | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/4"    | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires                       | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/2"    | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/4"             | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/4"      | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/4"      | Fully Mechanical<br>No Software<br>No Batteries<br>No Wires<br>1-3/8" - 2-1/2"      |
|          | Privacy/Lockout<br>Exterior/Interior<br>Combo Change<br>Passage                   | Privacy/Lockout<br>Passage<br>Interior Combo<br>Change                            | Privacy/Lockout<br>Passage<br>Interior Combo<br>Change                            | Exterior Code<br>Change                                                           | Privacy/Lockout<br>Passage<br>Interior Combo<br>Change<br>Exterior Code<br>Change | Privacy/Lockout<br>Passage<br>Interior Combo<br>Change                            |                                                                                     | Latch Holdback<br>Interior Combo<br>Change                                          | Latch Holdback<br>Panic Bar Kit<br>Long Lever<br>Inside                             |
|          | UL<br>ADA<br>BHMA Grade 1<br>D.O.D. Compli-<br>ant                                | UL<br>D.O.D. Compli-<br>ant                                                       | UL<br>ADA<br>D.O.D. Compli-<br>ant                                                | UL<br>ADA<br>D.O.D. Compli-<br>ant                                                | UL<br>ADA                                                                         |                                                                                   | UL                                                                                  |                                                                                     | ADA<br>D.O.D. Compli-<br>ant                                                        |
|          | SFIC<br>LFIC<br>K-I-L                                                             | SFIC<br>LFIC<br>No Key Override                                                   | SFIC<br>LFIC<br>No Key Override                                                   | SFIC<br>LFIC<br>No Key Override                                                   | SFIC<br>LFIC                                                                      | Mortise Cylinder                                                                  |                                                                                     |                                                                                     | RIM Cylinder                                                                        |

\* 8100 and EE1000 series fit 1 3/4" to 2 1/4" door thickness

\* L1076 model fits 1 3/4" door thickness only

For more detailed information, please visit [www.dormakaba.us](http://www.dormakaba.us)



Door  
Hardware



Electronic  
Access & Data



Mechanical  
Key Systems



Lodging  
Systems



Entrance  
Systems



Safe  
Locks



Service

## Our Sustainability Commitment

We are committed to fostering a sustainable development along our entire value chain in line with our economic, environmental and social responsibilities toward current and future generations.

KAA1026 PL77 02-25

dormakaba USA  
6161 E. 75th Street  
Indianapolis, IN 46250

T: 1.800.849.8324  
**dormakaba.us**



dormakaba.us