

AGRICULTURE PRICE LIST

EFFECTIVE JANUARY 1, 2019

ORDERING INFORMATION

Ordering Information	4
Terms and Conditions	5
Product Warranty	7
Irrigation Consumer Bill of Rights	10

ORDERING INFORMATION

Netafim USA appreciates your business and we maintain a policy of continued product improvement. For any ordering or pricing questions, contact our Customer Service Representatives at:

NETAFIM USA CUSTOMER SERVICE
888-638-2346 (888-NETAFIM) ORDERS FAX 800-695-4753 SUPPORT FAX 866-253-2550
5:00 AM - 5:00 PM PST

PRICES AND SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.

ORDERING GUIDELINES

Use the following guidelines when placing an order with Netafim USA to ensure all the necessary information is provided.

1. Company Name and Netafim Account Number
2. Name of Person Placing Order and Phone Number
3. Shipping Information
Name of Company or Individual Job Name or Reference (optional)
Address (no PO Boxes) Contact Name and Phone Number (optional for parcels)
City, State, Zip Code
4. Purchase Order Number
5. Requested Ship Date
If a precise date is not known, provide an approximate date. If no date is given, the order will be placed at the first available time slot in scheduling and it will ship as soon as it is complete. If you have a precise ship date, we will make every effort to target that date and time. If a specific date is given, the order will ship automatically and you will not receive a call prior to pulling/packing/loading. For truck loads, the driver will call for an appointment. Please let us know if we are required to hold the order until we are notified to ship. Any changes to the original ship date must be communicated to Netafim Customer Service 48 hours prior to shipping. NOTE: Held orders are subject to restrictions and/or may incur extra fees.
6. Ship Method
If no preferences are specified, the order will ship best method at Netafim's discretion.
7. Netafim Item or Model Number for Products Needed
Use the correct item or model number and do not use a number with a different description. Consult your price list for the appropriate number or call Customer Service for assistance.
8. Specials or Price Quotes
If any specials or price quotes apply to the order, include this information on the purchase order.
9. Ship Order Complete
Indicate if the order is to ship complete. If not indicated on the order, it will be at Netafim's discretion to ship and backorder or ship complete.
10. Combining Orders
If order is to be combined with other orders for shipping, indicate the other order numbers.

ADDITIONAL GUIDELINES FOR TRUCKLOAD ORDERS

1. Ship to Address or Nearest City
Is a delivery map required? If yes, map is required 24 hours prior to loading.
2. Requested Delivery Date and Time of Arrival for Delivery Site
3. Contact Name and Phone Number
4. Multiple Trucks for Delivery
If order requires multiple trucks for delivery, please indicate how they should arrive; all at once or staggered and time between trucks and indicate the other order numbers.
5. Specific Loading, Trailer Type or Carrier Requirements
Carriers, trailer types and loading method are at Netafim's discretion unless otherwise specified. Note any of these specifics on the order. Your request may incur additional charges. Palletized product typically requires a forklift or similar equipment to unload. Equipment/labor are the responsibility of the receiver.
6. Loading Instructions
If applicable, indicate what product should be placed in the nose, middle and tail end of the trailer.

TERMS AND CONDITIONS

PRICING

All prices shown are recommended retail prices. Wholesale prices are net pricing discounted from list prices. All prices are subject to change without notice. Orders will be invoiced at the prices and discounts in effect at the time of order. Prices do not include taxes, freight, or other surcharges.

PRODUCT CLASSIFICATION

Netafim USA's Agriculture Price List represents our most commonly ordered products as well as some reference to options, which may be available. If you have a product requirement for something you do not see listed, please call Customer Service for availability, price, and delivery times. We will make every effort to fill your order and will work with you on Special Order or Custom requests. In the case of Special Orders or Custom requests, prices and delivery will be quoted and the order will not be eligible for cancellation or return. Also, Special Orders or Custom requested products, manufactured or ordered to "non-standard" specifications, will be shipped immediately upon availability.

TERMS

All invoices are payable in United States Dollars at net thirty (30) days from the date of invoice, unless otherwise stated. All past due balances will be assessed a three quarter of one percent (0.75%) monthly finance charge. Any check or remittance received from or for the account of buyer may be accepted and applied by Netafim USA against any indebtedness owed by buyer to Netafim USA without prejudice to or the discharge of the remainder of such indebtedness of any condition, provision, statement, legend or notation appearing on or referring to or accompanying such check or remittance.

ACCOUNT STATUS

All orders are subject to credit review. Shipments may be held until account is current.

MINIMUM ORDER

Minimum invoice order amount is one hundred (\$100). This minimum order applies to whole good orders only and not for non-standard items liked extruded products with special flows and/or pricing. A twenty dollar (\$20) per order charge will be assessed on all whole good orders less than the one hundred (\$100) minimum.

ACCEPTANCE

The customer acknowledges responsibility for inspecting all goods shipped by Netafim USA to determine whether said goods are conforming to the customer's order, including whether all goods listed on the packing list have been shipped and whether the shipment contains any damaged goods. The customer agrees that fourteen (14) days from receipt of said shipment is a reasonable time in which to perform the inspection and notify Netafim USA of any nonconformity. If Netafim USA has not received notice of nonconformity within fourteen (14) days of the customer's receipt of the shipment, the customer agrees that the customer has accepted the goods, as that term is defined by the California Commercial Code, and the customer's right to reject the shipment will be terminated. Also, if notice of nonconformity is not received within fourteen (14) days of the customer's receipt of the shipment, Netafim USA will be relieved of any obligation concerning the shipment, other than warranty obligations, and the customer will pay for the shipment in full. The customer shall bear the complete cost of the inspection in all circumstances. The customer agrees that Netafim USA will have an opportunity to cure any nonconforming shipment. The customer further agrees that, in the event that notice of nonconformity is received by Netafim USA, the time for Netafim USA's performance under the purchase agreement will be extended for a reasonable time to allow Netafim USA to tender conforming goods.

RETURNS

No merchandise may be returned without Netafim USA's written consent and authorization. Requests to return merchandise must be made within 120 days of receipt of shipment from Netafim USA and reference the Netafim USA invoice number. Any approved return must be accompanied by a return goods authorization (RGA) issued by Netafim USA, clearly marked on the exterior of the parcel and shipped freight prepaid within 30 days of RGA issue date. All merchandise must be new, in original packaging and in salable condition. Non-standard, Custom or Special Order items are not eligible for return. All approved returns are subject to a fifteen (15%) restocking fee. Any shipment not meeting these criteria will not be accepted.

TERMS AND CONDITIONS

RETURN OF DEFECTIVE GOODS

Netafim USA will be responsible for the return shipping of goods that are defective upon arrival, other than goods damaged in transport by the carrier. Notice of Defect must be received by Netafim USA within fourteen (14) days of the customer's receipt of said goods. The buyer agrees that failure to give notice of defects within such time is a waiver of any defect. Prior approval from the customer's District Sales Manager and an RGA must accompany all returns. Credit will not be given until the product has been received by Netafim USA and approved for warranty.

FREIGHT TERMS

F.O.B./C.I.F. shipping location. Standard shipping method is our choice of carrier, shipped prepaid and added to the customer invoice. Shipments will be made within a one hundred fifty (150) mile radius of the dealer's store.

FREIGHT POLICY

Mixed Goods: A maximum freight allowance of three percent (3%) of invoice amount, not to exceed the total freight charge, will be paid on single purchases of ten thousand dollars (\$10,000) or greater. Polyethylene tubing and Thinwall Driplines not included. The three percent (3%) freight allowance will be given on invoice. Freight allowance does not apply to Will Call orders and only shipments in the continental United States.

Thinwall Driplines: Freight will be prepaid by Netafim USA on minimum orders of four (4) pallets of any combination of Streamline, Typhoon and DripNet PC. Product must be purchased in pallet increments to qualify.

Polyethylene Tubing: Complete truckloads of Polyethylene tubing will be shipped freight free in California only.

FREIGHT DAMAGES

The customer acknowledges that risk of loss during transport is on the customer. Netafim USA is not liable for damage or loss occurring during shipment. Claims for such damages must be filed with the freight carrier directly.

EXPORT COMPLIANCE

These commodities, technology, or software (the "Products") when exported from the United States are subject to the Export Administration Regulations ("EAR"). Diversion contrary to U.S. law is prohibited. Purchaser hereby certifies that it understands its obligations to comply with U.S. export controls and trade sanctions including the EAR and the laws and regulations implemented by the U.S. Department of the Treasury Office of Foreign Assets Control ("OFAC"). Purchaser agrees to obtain any necessary authorization to transfer the Products outside the U.S. or to non-U.S. persons within the U.S., and will not transfer Products to any entity or country prohibited under U.S. law including countries subject to U.S. economic sanctions administered under the EAR or by OFAC or to entities prohibited for export under the EAR or the laws and regulations implemented by OFAC.

REEL DEPOSITS

A seven hundred dollar (\$700) deposit per reel will apply to cover the cost of the reel. The reel must be returned in good condition for the deposit to be credited back to the dealer. Damaged reels will not be accepted for credit. Dealer will be responsible for return freight.

PRODUCT CHANGES

Netafim USA reserves the right to redesign, alter, or modify its products at any time, without notice. Any catalog, design manual, price sheets, and/or other written material are subject to withdrawal or change at any time without prior notice. Possession of the current catalog or price sheets does not constitute an offer to sell.

BAGGED PRODUCTS

Netafim USA has a number of products that are packaged and sold in bagged or case quantities. Bagged parts are designated by placing a "-B" at the end of the product number. The quantities have been developed to provide the best value for the most standard quantities ordered and are intended for sale in the quantities listed.

PARTIAL SHIPMENTS/COMPLETE SHIPMENTS

Netafim USA's goal is to ship customer orders complete and within the requested delivery time. Netafim USA will ship orders from any available warehouse unless otherwise specified by the customer and will "Ship and Backorder" to meet requested delivery dates unless otherwise specified by the Customer.

PRODUCT WARRANTY

NETAFIM USA'S LIMITED WARRANTY/LIMITATION OF BUYER'S REMEDIES

(A) BASIC MANUFACTURER'S LIMITED WARRANTY

Except as to products described in Subsections (B), (C), (D), (E), (F), (G), (H) and (I), products sold and/or manufactured by Netafim Irrigation, Inc. (Netafim USA) are warranted to be free from original defects in material and workmanship for a period of one (1) year from the date of delivery to the buyer unless (a) otherwise specified by and subject to the terms and conditions of any Warranty Supplements pertaining to specific products or, (b) expressly disclaimed in writing by Netafim USA. Within the warranty period, Netafim USA at its sole discretion shall have the option to repair or replace part or all of a defective product, or refund part or all of the original purchase price, if any part proves to be defective in material or workmanship after return of such product customer's expense and after such return has been authorized in writing by Netafim USA. THIS BASIC MANUFACTURER'S LIMITED WARRANTY IS SUBJECT TO THE TERMS AND PROVISIONS IN SUBSECTION (i), (LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES) SET FORTH BELOW IN THE EVENT OF ANY INCONSISTENCY BETWEEN SUBSECTION (A) AND SUBSECTION (i) OF THIS PRODUCT WARRANTY, THE PROVISIONS OF SUBSECTION (i) SHALL PREVAIL.

(B) DRIPPERS

Drippers are warranted to be free from original defects in materials and workmanship for a period of five (5) years.

(C) HEAVYWALL DRIPLINES AND BLANK POLYETHYLENE TUBING

Heavywall driplines and blank polyethylene tubing are warranted to be free from original defects in materials and workmanship for a period of seven (7) years and ten (10) years for environmental stress cracking. This warranty shall apply only to products with a wall thickness of 35 mil or greater.

(D) FLEXIBLE PIPE AND OVAL TUBE

FlexNet flexible pipe is warranted for three (3) years. Oval tube: 42 psi (pro-rated) is warranted for seven (7) years and 21 or 29 psi (pro-rated) is warranted for two (2) years.

(E) THINWALL DRIPLINES

Warranted to be free from original defects in materials and workmanship as follows:

5, 6 and 8 mil dripline - 1 year 10, 13, 15, 18, 25 mil, 1 1/8 and 1 3/8 dripline - 2 years

(F) FILTERS

Disc filters are warranted to be free from original defects in materials and workmanship for a period of five (5) years. AGF media tanks are warranted to be free from original defects in materials and workmanship for a period of two (2) years. If the AGF media tank system is installed with a Quick Reacting Pressure Relief Valve and Netafim manifolds, warranty is five (5) years. This warranty specifically excludes gaskets, seals and o-rings, which are subject to the basic one (1) year warranty. Steel screen filters are warranted for five (5) years.

(G) VALVES AND WATER METERS

Valve and water meter bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Water meter metering components (register and metering assembly) are warranted for three (3) years. Valve and Hydrometer diaphragms are warranted for a period of two (2) years. This warranty specifically excludes pilots, pilot accessories, relays, solenoids, solenoid components/fittings, which are subject to the basic one (1) year warranty.

Octave water meters are warranted to be free from original defects in materials and workmanship for a period up to five (5) years. If the meter encounters a problem, Netafim USA will choose to cover the cost of repair or replacement based on a five (5) year pro-rated schedule as follows:

Year 0 through Year 2: 100%	Year 2 through Year 3: 75%
Year 3 through Year 4: 50%	Year 4 through Year 5: 25%

All Octave water meters must be installed with a Netafim branded Combination Air/Vacuum or Continuous Acting Air Vents to qualify for the five (5) year pro-rated product warranty.

PRODUCT WARRANTY

(H) AIR VENTS

Nylon air vent bodies are warranted to be free from original defects in materials and workmanship for a period of five (5) years. Polypropylene air vent bodies are warranted for two (2) years. This warranty specifically excludes internal seals, gaskets or o-rings which are subject to the basic one (1) year warranty.

(I) SPRINKLERS

MegaNet Sprinklers are warranted to be free from original defects in material and workmanship for a period of one (1) year. SuperNet Sprinklers, Spray Jets and NetJet Spray Jets are warranted for a period of five (5) years. Under a special extended warranty, buyer's remedy shall be limited to and pro-rated as follows:

APPLICABLE REMEDY FROM DATE OF PURCHASE

Within 1 Year	Within 2 Years	Within 3 Years	Within 4 Years	Within 5 Years
100%	80%	60%	40%	20%

(i) LIMITATION OF REMEDIES AND DISCLAIMER OF WARRANTIES

EXCEPT AS EXPRESSLY PROVIDED HEREIN, ALL WARRANTIES EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR USE, ARE HEREBY EXCLUDED AND DISCLAIMED.

THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDY OF THE BUYER. NO OTHER EXPRESS WARRANTY IS GIVEN AND NO AFFIRMATION BY NETAFIM USA, BY WORDS OR ACTION, WILL CONSTITUTE A WARRANTY. NO OTHER EXPRESS WARRANTY NOR ANY OTHER REMEDY SHALL BE AVAILABLE TO THE BUYER AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR ANY DAMAGES, INCLUDING ANY LOSS OF PROFIT, LOST SAVINGS, LOSS OF SALES, OR OTHER DIRECT, INDIRECT, INCIDENTAL, SPECIAL OR CONSEQUENTIAL DAMAGES, INJURY OR DAMAGES TO ANY PERSON OR PROPERTY ARISING OUT OF THE USE OR INABILITY TO USE THE PRODUCTS OR THE BREACH OF ANY EXPRESS WARRANTY, EVEN IF NETAFIM USA HAS BEEN ADVISED OF THE POSSIBILITY OF THOSE DAMAGES OR CLAIMS. NETAFIM USA SHALL NOT BE RESPONSIBLE FOR THE AFORESAID DAMAGES, CLAIMS OR LOSSES DUE TO LATE DELIVERY OR DELIVERY OR NON-DELIVER, OR OTHERWISE. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION AS SET FORTH HEREIN. IF NETAFIM USA SHALL FURNISH TECHNICAL ADVICE OR ASSISTANCE WITH RESPECT TO THE PRODUCTS SOLD HEREUNDER, IT SHALL BE GIVEN WITHOUT CHARGE TO BUYER AND SHALL BE GIVEN AND ACCEPTED AT BUYER'S SOLE RISK WITHOUT ANY EXPRESS OR IMPLIED WARRANTY AND NETAFIM USA SHALL NOT BE RESPONSIBLE OR LIABLE FOR THE ADVICE OR THE RESULTS THEREOF BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM USE OF THE PRODUCT PURCHASED.

This warranty is expressly conditioned upon proper storage, installation, application and normal agriculture use and service as recommended by Netafim USA. Such recommendations may be updated from time to time. Any misuse, neglect, modifications, unauthorized repairs or replacement or uses of the product and/or any of its components for non-agriculture purposes not recommended by Netafim USA, including but not limited to the following, shall completely void this warranty:

- (I) Irrigation water which has not been filtered or treated to the levels specified for individual components of the product by Netafim.
- (II) Chemical concentrates, used or applied internally or externally to the product, or mechanical abuse which is harmful to the product or its components.
- (III) Operating pressures greater than those specified by Netafim's individual component specifications.
- (IV) Damage or plugging caused by insects, rodents, other animals, improper installation or other mechanical damage.

THE EXPRESS WARRANTY PROVIDED HEREIN IS EFFECTIVE ONLY IF CLAIM IS MADE BY WRITTEN NOTICE WITHIN THE APPLICABLE WARRANTY PERIOD AND POSTMARKED WITHIN THIRTY (30) DAYS AFTER DISCOVERY OF THE DEFECT ON WHICH THE CLAIM IS BASED. SUCH NOTICE SHALL BE DELIVERED TO NETAFIM USA AT THE FOLLOWING ADDRESS:

**NETAFIM USA ATTN: PRODUCT MANAGEMENT
5470 EAST HOME AVENUE FRESNO, CA 93727**

The buyer shall, together with its notice of claim, offer Netafim USA in writing prompt opportunity to examine the defective product and correct the defect, if possible. This warranty shall be void unless buyer delivers the defective product to Netafim USA at buyer's sole cost and in accordance with Netafim USA's instructions.

PRODUCT WARRANTY

PRODUCT WARRANTIES

Product Description	Warranty Length
AGF MEDIA FILTERS (DISCONTINUED)	2 Years
With Quick Reacting Pressure Relief Valve	5 Years
and Netafim Manifolds	
Gaskets, Seals, O-Rings	1 Year
AIR VENTS	
Nylon Bodies	5 Years
Polypropylene Bodies	2 Years
Gaskets, Seals, O-Rings	1 Year
DISC FILTERS	5 Years
Gaskets, Seals, O-Rings	1 Year
DRIPPERS	5 Years
WATER METERS	
Metering Component	3 Years
Bodies	5 Years
Octave (Pro-Rated Schedule Applies)	5 Years
HEAVYWALL DRIPLINES	
Manufacturer's Defects	
UniRam, Aries, DripNet PC	7 Years
Environmental Stress Cracking (35 mil/greater)	
UniRam, Aries, DripNet PC	10 Years
HEAVYWALL FITTINGS	1 Year
SPRINKLERS & SPRAY JETS	
(Pro-Rated Schedule Applies)	5 Years
Sprinkler Components	5 Years
MegaNet	1 Year
STEEL SAND MEDIA FILTERS	5 Years
STEEL SCREEN FILTERS	5 Years
SCAN-KLEEN SCREEN FILTERS	1 Year
POLYETHYLENE TUBING	
Manufacturer's Defects	7 Years
Environmental Stress Cracking (35 mil/greater)	10 Years
FLEXNET FLEXIBLE PIPE	3 Years
OVAL TUBE	
42 psi pro-rated	7 Years
21 or 29 psi pro-rated	2 Years
PRESSURE REGULATORS	1 Year
THINWALL DRIPLINES	
5, 6 or 8 mil Streamline Plus 630/820/875	1 Year
8 mil Typhoon Plus (all)	1 Year
10, 13 or 15 mil Streamline Plus 630/820/875	2 Years
10, 13 or 15 mil Typhoon Plus 630/875	2 Years
13 or 15 mil Aries 638/875	2 Years
13 or 15 mil Aries and Typhoon Plus 990	2 Years
Aries and Typhoon Plus 1 1/8 and 1 3/8	2 Years
DripNet PC	2 Years
Splicer	1 Year
THINWALL FITTINGS	1 Year
VALVES	
Bodies	5 Years
Diaphragms	2 Years
ALL PRODUCTS NOT LISTED	1 Year

IRRIGATION CONSUMER BILL OF RIGHTS

AGRICULTURE

Note: This supplements various bills written for specific irrigation methods. Discuss these items with your irrigation dealer before purchasing your irrigation system. The discussion will help you to make wiser selections of design options and to appreciate the obligations of both yourself and the dealer in creating your irrigation system.

Designer Qualifications

- What are the dealer credentials (formal training, references, designer certification by the Irrigation Association, contractor's license, and/or professional agricultural engineer registration)?

Design Features

- What is the life expectancy of system components?
- What safety features have been included?
- What are the options for future upgrades?
- What is the recommended list of spare parts?

Specific Operation/Design Parameters

- What will be the distribution uniformity of the whole field when brand new?
- Does the system provide climate control?
- Water requirements?
 - What are the peak daily needs (acre-inches) for a normal year?
 - What is the system delivery capacity in 24 hours (acre-inches)?
 - What is the anticipated amount of water to be used per year (acre-feet)?
 - If the field has plants with different spacings, ages or varieties, what is the recommended procedure to provide the appropriate amount of water per acre per week to each block?
- Energy consumption
 - Is it possible to pump all water during off-peak hours?
 - What are the pump and motor/engine efficiencies?
 - Are you provided with a pump curve showing the GPM and pressure?
 - What is the sensitivity of pump flow rates to well water level changes?
 - What is the energy cost per acre-foot?



Filtration

- Is filtration necessary, and if so, what type is provided?

Chemical Injection

- Are locally required backflow prevention and safety devices provided?
- What is the capacity of the injector, in gallons per hour?
- Can the equipment inject both fertilizers and other chemicals?

Flow Meter

- Does it measure both flow rate (GPM) and/or volume (acre-feet) applied?
- Does installation follow the manufacturer's recommendations with regard to lengths of straight pipe, pipe diameter and straightening vanes?

Pressure, Air and Flushing

- Are there adequate continuous air vents, vacuum relief valves and flushout?
- What are the number, type and size of pressure relief valves?
- Is the pressure rating of all system components sufficiently high for the anticipated water temperature, surge pressure and normal pressures?

Warranties

- Who provides equipment installation, start-up and adjustments?
- What are the warranties on individual components and "system" design performance?
- Who is providing warranties and what do the warranties cover and exclude?
- Are the providers financially capable of standing behind their warranties?
- What is the availability of replacement parts?
- Is a packet provided containing manufacturer's literature, warranties and operation instructions for the system?
- Is the irrigation dealer a "full service" dealer?

THINWALL DRIPLINES

Quick Selection Guide for Commonly Sold Products	12
Streamline™ Plus 630 Series	14
Streamline™ Plus 820 Series	16
Streamline™ Plus 875 Series	17
Typhoon™ Plus 638 Series	19
Typhoon™ Plus 875 Series	21
Typhoon™ Plus 990 Series	23
Typhoon™ Plus 1 1/8 Series	24
Typhoon™ Plus 1 3/8 Series	24
Aries™ 638 Series	25
Aries™ 875 Series	26
Aries™ 990 Series	27
Aries™ 1 1/8 Series	28
Aries™ 1 3/8 Series	28
DripNet PC™ 636 Series	
Non-Anti Siphon	29
With Anti-Siphon	30
DripNet PC™ 875 Series	
Non-Anti Siphon	31
With Anti-Siphon	32
DripNet PC™ 990 Series	
With Anti-Siphon	33

TWD = Thinwall Dripline
MIPT = Male Pipe Thread

PE = Polyethylene Tubing
FIPT = Female Pipe Thread

THINWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD THINWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

Netafim USA has a wide selection of thinwall driplines to fit numerous applications. Some driplines are stocking items which are not subject to minimum order quantity requirements and the following charts list those driplines.

THINWALL REELS PER PALLET

Product	Series	Reels Per Pallet
Streamline Plus	630, 820, 875, 990	16
Typhoon Plus	630, 820, 875, 990, 1 1/8	16
Typhoon Plus	1 3/8	12
Aries	630, 875, 990	16
Aries	1 1/8, 1 3/8	12
DripNet PC	636, 876, 990	12

STREAMLINE™ PLUS 630 SERIES

With Flap Outlet Protection



Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
5 Mil Wall Thickness - 0.638" Diameter							
SPF63805.16-12	12" dripper spacing	0.16	13,000'	58 lbs.	973 lbs.	54.30	705.90
SPF63805.2-12	12" dripper spacing	0.24	13,000'	58 lbs.	973 lbs.	54.30	705.90
6 Mil Wall Thickness - 0.638" Diameter							
SPF63806.2-08	08" dripper spacing	0.24	10,500'	59 lbs.	989 lbs.	69.26	727.23
SPF63806.16-08	08" dripper spacing	0.16	10,500'	59 lbs.	989 lbs.	69.26	727.23
SPF63806.16-12	12" dripper spacing	0.16	10,500'	63 lbs.	1,053 lbs.	58.10	668.15
SPF63806.2-12	12" dripper spacing	0.24	10,500'	63 lbs.	1,053 lbs.	58.10	668.15
8 Mil Wall Thickness - 0.638" Diameter							
SPF63808.16-08	08" dripper spacing	0.16	8,000'	54 lbs.	909 lbs.	79.50	636.00
SPF63808.2-08	08" dripper spacing	0.24	8,000'	54 lbs.	909 lbs.	79.50	636.00
SPF63808.16-12	12" dripper spacing	0.16	9,000'	61 lbs.	1,021 lbs.	66.70	600.30
SPF63808.2-12	12" dripper spacing	0.24	9,000'	61 lbs.	1,021 lbs.	66.70	600.30
SPF63808.4-12	12" dripper spacing	0.36	9,000'	61 lbs.	1,021 lbs.	66.70	600.30
SPF63808.4-16	16" dripper spacing	0.36	9,000'	61 lbs.	1,021 lbs.	64.39	579.51
SPF63808.2-18	18" dripper spacing	0.24	9,000'	61 lbs.	1,021 lbs.	63.42	570.78
SPF63808.4-18	18" dripper spacing	0.36	9,000'	61 lbs.	1,021 lbs.	63.42	570.78
10 Mil Wall Thickness - 0.638" Diameter							
SPF63810.2-12	12" dripper spacing	0.24	7,500'	65 lbs.	1,085 lbs.	73.13	548.48

STREAMLINE™ PLUS 630 SERIES

Without Flap Outlet Protection

Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
8 Mil Wall Thickness - 0.638" Diameter							
SP63808.2-12	12" dripper spacing	0.24	9,000'	61 lbs.	1,021 lbs.	66.70	867.10

THINWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD THINWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

STREAMLINE™ PLUS 875 SERIES

With Flap Outlet Protection



Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
Single Use - 0.875" Diameter							
SP875SU.16-08	08" dripper spacing	0.16	10,000'	65 lbs.	1,085 lbs.	84.45	844.50
SP875SU.2-12	12" dripper spacing	0.24	12,000'	75 lbs.	1,245 lbs.	67.82	678.20
6 Mil Wall Thickness - 0.875" Diameter							
SPF87506.16-12	12" dripper spacing	0.16	8,000'	60 lbs.	1,005 lbs.	74.12	592.96
SPF87506.16-14	14" dripper spacing	0.16	8,000'	60 lbs.	1,005 lbs.	72.63	581.04
8 Mil Wall Thickness - 0.875" Diameter							
SPF87508.16-12	12" dripper spacing	0.16	6,000'	56 lbs.	941 lbs.	87.17	523.02
SPF87508.2-12	12" dripper spacing	0.24	6,000'	56 lbs.	941 lbs.	87.17	523.02
10 Mil Wall Thickness - 0.875" Diameter							
SPF87510.16-12	12" dripper spacing	0.16	5,500'	65 lbs.	1,085 lbs.	94.92	522.06
13 Mil Wall Thickness - 0.875" Diameter							
SPF87513.16-14	14" dripper spacing	0.16	4,000'	64 lbs.	1,069 lbs.	112.72	450.88

TYPHOON™ PLUS 638 SERIES

With Flap Outlet Protection



Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 0.638" Diameter							
TSF63815.4-12	12" dripper spacing	0.36	4,300'	57 lbs.	973 lbs.	113.18	486.67

TYPHOON™ PLUS 875 SERIES

With Flap Outlet Protection



Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.875" Diameter							
TSF87513.16-12	12" dripper spacing	0.16	3,600'	60 lbs.	1,005 lbs.	145.79	524.84
TSF87513.16-14	14" dripper spacing	0.16	3,600'	60 lbs.	1,005 lbs.	142.92	514.51
TSF87513.16-24	24" dripper spacing	0.16	4,000'	66 lbs.	1,101 lbs.	133.89	482.00

TYPHOON™ PLUS 990 SERIES

With Flap Outlet Protection



Model Number	Description	Flow Rate (GPH)	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.990" Diameter							
TSF99013.16-14	14" dripper spacing	0.16	3,300'	60 lbs.	1,005 lbs.	160.06	528.20

THINWALL DRIPLINES



SPF	638	08	.16	-12
	Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Streamline Plus 638, 8 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: SPF63808.16-12

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.16	16
0.24	2
0.36	4

Substitute Flow Code listed above for X in the Model Number.

STREAMLINE™ PLUS 630 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
5 Mil Wall Thickness - 0.638" Diameter						
SPF63805.X-08	8" dripper spacing	13,000'	58 lbs.	973 lbs.	64.70	841.10
SPF63805.X-09	9" dripper spacing	13,000'	58 lbs.	973 lbs.	62.86	817.18
SPF63805.X-10	10" dripper spacing	13,000'	58 lbs.	973 lbs.	61.02	793.26
SPF63805.X-12	12" dripper spacing	13,000'	58 lbs.	973 lbs.	54.30	705.90
SPF63805.X-14	14" dripper spacing	13,000'	58 lbs.	973 lbs.	53.21	691.73
SPF63805.X-16	16" dripper spacing	13,000'	58 lbs.	973 lbs.	52.43	681.59
SPF63805.X-18	18" dripper spacing	13,000'	58 lbs.	973 lbs.	51.63	671.19
SPF63805.X-24	24" dripper spacing	13,000'	58 lbs.	973 lbs.	49.86	648.18
6 Mil Wall Thickness - 0.638" Diameter						
SPF63806.X-08	8" dripper spacing	10,500'	59 lbs.	989 lbs.	69.26	727.23
SPF63806.X-09	9" dripper spacing	10,500'	59 lbs.	989 lbs.	67.24	706.02
SPF63806.X-10	10" dripper spacing	11,500'	63 lbs.	1,053 lbs.	65.29	750.84
SPF63806.X-12	12" dripper spacing	11,500'	63 lbs.	1,053 lbs.	58.10	668.15
SPF63806.X-14	14" dripper spacing	11,500'	63 lbs.	1,053 lbs.	56.93	654.70
SPF63806.X-16	16" dripper spacing	11,500'	63 lbs.	1,053 lbs.	56.11	645.27
SPF63806.X-18	18" dripper spacing	11,500'	63 lbs.	1,053 lbs.	55.25	635.38
SPF63806.X-24	24" dripper spacing	11,500'	63 lbs.	1,053 lbs.	53.37	613.76
8 Mil Wall Thickness - 0.638" Diameter						
SPF63808.X-08	8" dripper spacing	8,000'	54 lbs.	909 lbs.	79.50	636.00
SPF63808.X-09	9" dripper spacing	8,000'	54 lbs.	909 lbs.	77.17	617.36
SPF63808.X-10	10" dripper spacing	9,000'	61 lbs.	1,021 lbs.	74.94	674.46
SPF63808.X-12	12" dripper spacing	9,000'	61 lbs.	1,021 lbs.	66.70	600.30
SPF63808.X-14	14" dripper spacing	9,000'	61 lbs.	1,021 lbs.	65.38	588.42
SPF63808.X-16	16" dripper spacing	9,000'	61 lbs.	1,021 lbs.	64.39	579.51
SPF63808.X-18	18" dripper spacing	9,000'	61 lbs.	1,021 lbs.	63.42	570.78
SPF63808.X-24	24" dripper spacing	9,000'	61 lbs.	1,021 lbs.	61.25	551.25
10 Mil Wall Thickness - 0.638" Diameter						
SPF63810.X-08	8" dripper spacing	7,500'	65 lbs.	1,085 lbs.	87.19	653.93
SPF63810.X-09	9" dripper spacing	7,500'	65 lbs.	1,085 lbs.	84.65	634.88
SPF63810.X-10	10" dripper spacing	7,500'	65 lbs.	1,085 lbs.	82.19	616.43
SPF63810.X-12	12" dripper spacing	7,500'	65 lbs.	1,085 lbs.	73.13	548.48
SPF63810.X-14	14" dripper spacing	7,500'	65 lbs.	1,085 lbs.	71.71	537.83
SPF63810.X-16	16" dripper spacing	7,500'	65 lbs.	1,085 lbs.	70.62	529.65
SPF63810.X-18	18" dripper spacing	7,500'	65 lbs.	1,085 lbs.	69.58	521.85
SPF63810.X-24	24" dripper spacing	7,500'	65 lbs.	1,085 lbs.	67.18	503.85

NOTES: Streamline Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

SPF = Streamline Plus 630 Series with flap SP = Streamline Plus 630 Series without flap
For GPM per 100' pressure comparisons- refer to the Streamline Plus Technical Brochure.
16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

THINWALL DRIPLINES

STREAMLINE™ PLUS 630 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.638" Diameter						
SPF63813.X-08	8" dripper spacing	5,000'	54 lbs.	909 lbs.	98.35	491.75
SPF63813.X-10	10" dripper spacing	5,000'	53 lbs.	893 lbs.	92.68	463.40
SPF63813.X-12	12" dripper spacing	5,000'	53 lbs.	893 lbs.	82.49	412.45
SPF63813.X-14	14" dripper spacing	5,000'	53 lbs.	893 lbs.	80.84	404.20
SPF63813.X-16	16" dripper spacing	5,000'	53 lbs.	893 lbs.	79.65	398.25
SPF63813.X-18	18" dripper spacing	5,000'	53 lbs.	893 lbs.	78.44	392.20
SPF63813.X-20	20" dripper spacing	5,000'	53 lbs.	893 lbs.	77.28	386.40
SPF63813.X-24	24" dripper spacing	5,000'	53 lbs.	893 lbs.	75.76	378.80
SPF63813.X-27	27" dripper spacing	5,000'	53 lbs.	893 lbs.	74.62	373.10
15 Mil Wall Thickness - 0.638" Diameter						
SPF63815.X-08	8" dripper spacing	4,100'	54 lbs.	909 lbs.	110.84	454.44
SPF63815.X-12	12" dripper spacing	4,100'	54 lbs.	909 lbs.	92.97	381.18
SPF63815.X-14	14" dripper spacing	4,100'	54 lbs.	909 lbs.	91.15	373.72
SPF63815.X-16	16" dripper spacing	4,100'	54 lbs.	909 lbs.	89.76	368.02
SPF63815.X-18	18" dripper spacing	4,100'	54 lbs.	909 lbs.	88.43	362.56
SPF63815.X-20	20" dripper spacing	4,100'	54 lbs.	909 lbs.	87.12	357.19
SPF63815.X-24	24" dripper spacing	4,100'	54 lbs.	909 lbs.	85.38	350.06
SPF63815.X-27	27" dripper spacing	4,100'	54 lbs.	909 lbs.	84.11	344.85

NOTES: Streamline Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.
 SPF = Streamline Plus 630 Series with flap SP = Streamline Plus 630 Series without flap
 For GPM per 100' pressure comparisons- refer to the Streamline Plus Technical Brochure.
 16 reels per pallet. Nominal pallet weight per pallet weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



SPF	820	08	.16	-12
	Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Streamline Plus 820, 8 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: SPF82008.16-12

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.16	16
0.24	2
0.36	4

Substitute Flow Code listed above for X in the Model Number.

STREAMLINE™ PLUS 820 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
6 Mil Wall Thickness - 0.820" Diameter						
SPF82006.X-08	8" dripper spacing	9,000'	59 lbs.	989 lbs.	85.75	771.75
SPF82006.X-10	10" dripper spacing	9,000'	59 lbs.	989 lbs.	80.84	727.56
SPF82006.X-12	12" dripper spacing	9,000'	59 lbs.	989 lbs.	71.95	647.55
SPF82006.X-14	14" dripper spacing	9,000'	59 lbs.	989 lbs.	70.52	634.68
SPF82006.X-16	16" dripper spacing	9,000'	59 lbs.	989 lbs.	69.50	625.50
SPF82006.X-18	18" dripper spacing	9,000'	59 lbs.	989 lbs.	68.45	616.05
8 Mil Wall Thickness - 0.820" Diameter						
SPF82008.X-08	8" dripper spacing	7,000'	62 lbs.	1,037 lbs.	100.85	705.95
SPF82008.X-10	10" dripper spacing	7,000'	62 lbs.	1,037 lbs.	95.06	665.42
SPF82008.X-12	12" dripper spacing	7,000'	62 lbs.	1,037 lbs.	84.63	592.41
SPF82008.X-14	14" dripper spacing	7,000'	62 lbs.	1,037 lbs.	82.93	580.51
SPF82008.X-16	16" dripper spacing	7,000'	62 lbs.	1,037 lbs.	81.69	571.83
SPF82008.X-18	18" dripper spacing	7,000'	62 lbs.	1,037 lbs.	80.46	563.22
10 Mil Wall Thickness - 0.820" Diameter						
SPF82010.X-08	8" dripper spacing	6,000'	66 lbs.	1,101 lbs.	109.84	659.04
SPF82010.X-10	10" dripper spacing	6,000'	66 lbs.	1,101 lbs.	103.55	621.30
SPF82010.X-12	12" dripper spacing	6,000'	66 lbs.	1,101 lbs.	92.15	552.90
SPF82010.X-14	14" dripper spacing	6,000'	66 lbs.	1,101 lbs.	90.33	541.98
SPF82010.X-16	16" dripper spacing	6,000'	66 lbs.	1,101 lbs.	88.99	533.94
SPF82010.X-18	18" dripper spacing	6,000'	66 lbs.	1,101 lbs.	87.67	526.02

NOTES: Streamline Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

SPF = Streamline Plus 820 Series with flap SP = Streamline Plus 820 Series without flap

For GPM per 100' pressure comparisons- refer to the Streamline Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



SPF	875	08	.16	-12
	Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Streamline Plus 875, 8 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: SPF87508.16-12

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.16	16
0.24	2
0.36	4

Substitute Flow Code listed above for X in the Model Number.

STREAMLINE™ PLUS 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
6 Mil Wall Thickness - 0.875" Diameter						
SPF87506.X-08	8" dripper spacing	8,000'	60 lbs.	1,005 lbs.	88.32	706.56
SPF87506.X-10	10" dripper spacing	8,000'	60 lbs.	1,005 lbs.	83.26	666.08
SPF87506.X-12	12" dripper spacing	8,000'	60 lbs.	1,005 lbs.	74.12	592.96
SPF87506.X-14	14" dripper spacing	8,000'	60 lbs.	1,005 lbs.	72.63	581.04
SPF87506.X-16	16" dripper spacing	8,000'	60 lbs.	1,005 lbs.	71.57	572.56
SPF87506.X-18	18" dripper spacing	8,000'	60 lbs.	1,005 lbs.	70.51	564.08
8 Mil Wall Thickness - 0.875" Diameter						
SPF87508.X-08	8" dripper spacing	6,000'	56 lbs.	941 lbs.	103.87	623.22
SPF87508.X-10	10" dripper spacing	6,000'	56 lbs.	941 lbs.	97.90	587.40
SPF87508.X-12	12" dripper spacing	6,000'	56 lbs.	941 lbs.	87.17	523.02
SPF87508.X-14	14" dripper spacing	6,000'	56 lbs.	941 lbs.	85.40	512.40
SPF87508.X-16	16" dripper spacing	6,000'	56 lbs.	941 lbs.	84.13	504.78
SPF87508.X-18	18" dripper spacing	6,000'	56 lbs.	941 lbs.	82.88	497.28
10 Mil Wall Thickness - 0.875" Diameter						
SPF87510.X-08	8" dripper spacing	5,000'	59 lbs.	989 lbs.	113.13	565.65
SPF87510.X-10	10" dripper spacing	5,000'	59 lbs.	989 lbs.	106.65	533.25
SPF87510.X-12	12" dripper spacing	5,500'	65 lbs.	1,085 lbs.	94.92	522.06
SPF87510.X-14	14" dripper spacing	5,500'	65 lbs.	1,085 lbs.	93.03	511.67
SPF87510.X-16	16" dripper spacing	5,500'	65 lbs.	1,085 lbs.	91.64	504.02
SPF87510.X-18	18" dripper spacing	5,500'	65 lbs.	1,085 lbs.	90.29	496.60

NOTES: Streamline Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

SPF = Streamline Plus 875 Series with flap SP = Streamline Plus 875 Series without flap

For GPM per 100' pressure comparisons- refer to the Streamline Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

STREAMLINE™ PLUS 875 SERIES - SINGLE USE

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
Single Use, 0.875" Diameter						
SP875SU.16-08	8" dripper spacing	10,000'	65 lbs.	1,085 lbs.	84.45	844.50
SP875SU.16-10	10" dripper spacing	12,000'	76 lbs.	1,261 lbs.	73.09	730.90
SP875SU.16-12	12" dripper spacing	12,000'	75 lbs.	1,245 lbs.	67.82	678.20
SP875SU.2-08	8" dripper spacing	10,000'	65 lbs.	1,085 lbs.	84.45	844.50
SP875SU.2-10	10" dripper spacing	12,000'	76 lbs.	1,261 lbs.	73.09	730.90
SP875SU.2-12	12" dripper spacing	12,000'	75 lbs.	1,245 lbs.	67.82	678.20

THINWALL DRIPLINES

STREAMLINE™ PLUS 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
12 Mil Wall Thickness - 0.875" Diameter						
SPF87512.X-08	8" dripper spacing	4,000'	57 lbs.	957 lbs.	127.84	511.36
SPF87512.X-12	12" dripper spacing	4,000'	57 lbs.	957 lbs.	107.26	429.04
SPF87512.X-14	14" dripper spacing	4,000'	57 lbs.	957 lbs.	105.12	420.48
SPF87512.X-16	16" dripper spacing	4,000'	57 lbs.	957 lbs.	103.56	414.24
SPF87512.X-18	18" dripper spacing	4,000'	57 lbs.	957 lbs.	102.02	408.08
SPF87512.X-20	20" dripper spacing	4,000'	57 lbs.	957 lbs.	100.52	402.08
SPF87512.X-24	24" dripper spacing	4,000'	57 lbs.	957 lbs.	98.51	394.04
SPF87512.X-27	27" dripper spacing	4,000'	57 lbs.	957 lbs.	97.05	388.20
13 Mil Wall Thickness - 0.875" Diameter						
SPF87513.X-08	8" dripper spacing	4,000'	64 lbs.	1,069 lbs.	137.09	548.36
SPF87513.X-12	12" dripper spacing	4,000'	64 lbs.	1,069 lbs.	115.01	460.04
SPF87513.X-14	14" dripper spacing	4,000'	64 lbs.	1,069 lbs.	112.72	450.88
SPF87513.X-16	16" dripper spacing	4,000'	64 lbs.	1,069 lbs.	111.04	444.16
SPF87513.X-18	18" dripper spacing	4,000'	64 lbs.	1,069 lbs.	109.38	437.52
SPF87513.X-20	20" dripper spacing	4,000'	64 lbs.	1,069 lbs.	107.77	431.08
SPF87513.X-24	24" dripper spacing	4,000'	64 lbs.	1,069 lbs.	105.60	422.40
SPF87513.X-27	27" dripper spacing	4,000'	64 lbs.	1,069 lbs.	104.05	416.20
15 Mil Wall Thickness - 0.875" Diameter						
SPF87515.X-08	8" dripper spacing	2,700'	49 lbs.	829 lbs.	155.50	419.85
SPF87515.X-12	12" dripper spacing	2,700'	49 lbs.	829 lbs.	130.45	352.22
SPF87515.X-14	14" dripper spacing	2,700'	49 lbs.	829 lbs.	127.86	345.22
SPF87515.X-16	16" dripper spacing	2,700'	49 lbs.	829 lbs.	125.94	340.04
SPF87515.X-18	18" dripper spacing	2,700'	49 lbs.	829 lbs.	124.06	334.96
SPF87515.X-20	20" dripper spacing	2,700'	49 lbs.	829 lbs.	122.22	329.99
SPF87515.X-24	24" dripper spacing	2,700'	49 lbs.	829 lbs.	119.81	323.49
SPF87515.X-27	27" dripper spacing	2,700'	49 lbs.	829 lbs.	118.01	318.63

NOTES: Streamline Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

SPF = Streamline Plus 875 Series with flap SP = Streamline Plus 875 Series without flap
For GPM per 100' pressure comparisons- refer to the Streamline Plus Technical Brochure.
16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



TPF638

08	.16	-18
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 638, 8 mil wall thickness, 0.16 GPH flow rate, 18" dripper spacing

- Model Number: TPF6388.16-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 638 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
8 Mil Wall Thickness - 0.638" Diameter						
TPF63808.X-08	8" dripper spacing	8,000'	59 lbs.	989 lbs.	110.41	883.28
TPF63808.X-10	10" dripper spacing	8,000'	59 lbs.	989 lbs.	96.45	771.60
TPF63808.X-12	12" dripper spacing	8,200'	60 lbs.	1,005 lbs.	81.19	665.76
TPF63808.X-14	14" dripper spacing	8,200'	60 lbs.	1,005 lbs.	79.59	652.64
TPF63808.X-16	16" dripper spacing	8,200'	60 lbs.	1,005 lbs.	78.39	642.80
TPF63808.X-18	18" dripper spacing	8,200'	60 lbs.	1,005 lbs.	77.21	633.12
TPF63808.X-24	24" dripper spacing	8,200'	60 lbs.	1,005 lbs.	74.54	611.23
10 Mil Wall Thickness - 0.638" Diameter						
TPF63810.X-8	8" dripper spacing	6,300'	58 lbs.	957 lbs.	121.11	762.99
TPF63810.X-10	10" dripper spacing	6,300'	58 lbs.	957 lbs.	105.77	666.35
TPF63810.X-12	12" dripper spacing	6,600'	59 lbs.	989 lbs.	89.04	587.66
TPF63810.X-14	14" dripper spacing	6,600'	59 lbs.	989 lbs.	87.29	576.11
TPF63810.X-16	16" dripper spacing	6,600'	59 lbs.	989 lbs.	85.98	567.47
TPF63810.X-18	18" dripper spacing	6,600'	59 lbs.	989 lbs.	84.69	558.95
TPF63810.X-24	24" dripper spacing	6,600'	59 lbs.	989 lbs.	81.78	539.75
TPF63810.X-36	36" dripper spacing	6,600'	59 lbs.	989 lbs.	78.77	519.88
13 Mil Wall Thickness - 0.638" Diameter						
TPF63813.X-8	8" dripper spacing	5,000'	58 lbs.	973 lbs.	136.58	682.90
TPF63813.X-10	10" dripper spacing	5,000'	58 lbs.	973 lbs.	119.30	596.50
TPF63813.X-12	12" dripper spacing	5,300'	58 lbs.	973 lbs.	100.42	532.23
TPF63813.X-14	14" dripper spacing	5,300'	58 lbs.	973 lbs.	98.43	521.68
TPF63813.X-16	16" dripper spacing	5,300'	58 lbs.	973 lbs.	96.96	513.89
TPF63813.X-18	18" dripper spacing	5,300'	58 lbs.	973 lbs.	95.49	506.10
TPF63813.X-20	20" dripper spacing	5,300'	58 lbs.	973 lbs.	94.09	498.68
TPF63813.X-24	24" dripper spacing	5,300'	58 lbs.	973 lbs.	92.21	488.71
TPF63813.X-27	27" dripper spacing	5,300'	58 lbs.	973 lbs.	90.85	481.51
TPF63813.X-30	30" dripper spacing	5,300'	58 lbs.	973 lbs.	90.15	477.80
TPF63813.X-36	36" dripper spacing	5,300'	58 lbs.	973 lbs.	88.82	470.75

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 638 Series with flap TP = Typhoon Plus 638 Series without flap
For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.
16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES

TYPHOON™ PLUS 638 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 0.638" Diameter						
TPF63815.X-8	8" dripper spacing	4,000'	58 lbs.	973 lbs.	153.95	661.99
TPF63815.X-10	10" dripper spacing	4,000'	58 lbs.	973 lbs.	134.48	578.26
TPF63815.X-12	12" dripper spacing	4,300'	57 lbs.	957 lbs.	113.18	486.67
TPF63815.X-14	14" dripper spacing	4,300'	57 lbs.	957 lbs.	110.93	477.00
TPF63815.X-16	16" dripper spacing	4,300'	57 lbs.	957 lbs.	109.28	469.90
TPF63815.X-18	18" dripper spacing	4,300'	57 lbs.	957 lbs.	107.63	462.81
TPF63815.X-20	20" dripper spacing	4,300'	57 lbs.	957 lbs.	106.01	455.84
TPF63815.X-24	24" dripper spacing	4,300'	57 lbs.	957 lbs.	103.95	446.99
TPF63815.X-27	27" dripper spacing	4,300'	57 lbs.	957 lbs.	102.39	440.28
TPF63815.X-30	30" dripper spacing	4,300'	57 lbs.	957 lbs.	101.62	436.97

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 638 Series with flap TP = Typhoon Plus 638 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS


Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



TPF875

10

Wall
Thickness

.16

Flow
Code

-18

Dripper
Spacing

ORDERING EXAMPLE

Typhoon Plus 875, 10 mil wall thickness, 0.16 GPH flow rate, 18" dripper spacing

- Model Number: TPF87510.16-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
8 Mil Wall Thickness - 0.875" Diameter						
TPF87508.X-08	8" dripper spacing	6,000'	59 lbs.	989 lbs.	131.68	790.08
TPF87508.X-10	10" dripper spacing	6,000'	59 lbs.	989 lbs.	124.15	744.90
TPF87508.X-12	12" dripper spacing	6,200'	61 lbs.	1,021 lbs.	110.48	684.98
TPF87508.X-14	14" dripper spacing	6,200'	61 lbs.	1,021 lbs.	108.29	671.40
TPF87508.X-16	16" dripper spacing	6,200'	61 lbs.	1,021 lbs.	106.67	661.35
TPF87508.X-18	18" dripper spacing	6,200'	61 lbs.	1,021 lbs.	105.07	651.43
TPF87508.X-24	24" dripper spacing	6,200'	61 lbs.	1,021 lbs.	101.47	629.11
10 Mil Wall Thickness - 0.875" Diameter						
TPF87510.X-8	8" dripper spacing	4,600'	57 lbs.	957 lbs.	143.44	659.82
TPF87510.X-10	10" dripper spacing	4,600'	57 lbs.	957 lbs.	135.20	621.92
TPF87510.X-12	12" dripper spacing	5,000'	60 lbs.	1,005 lbs.	120.33	601.65
TPF87510.X-14	14" dripper spacing	5,000'	60 lbs.	1,005 lbs.	117.95	589.75
TPF87510.X-16	16" dripper spacing	5,000'	60 lbs.	1,005 lbs.	116.19	580.95
TPF87510.X-18	18" dripper spacing	5,000'	60 lbs.	1,005 lbs.	114.45	572.25
TPF87510.X-24	24" dripper spacing	5,000'	60 lbs.	1,005 lbs.	110.52	552.60
TPF87510.X-36	36" dripper spacing	5,000'	60 lbs.	1,005 lbs.	106.42	532.10
13 Mil Wall Thickness - 0.875" Diameter						
TPF87513.X-8	8" dripper spacing	3,600'	59 lbs.	989 lbs.	173.81	625.72
TPF87513.X-10	10" dripper spacing	3,600'	59 lbs.	989 lbs.	163.83	589.79
TPF87513.X-12	12" dripper spacing	3,600'	60 lbs.	1,005 lbs.	145.79	524.84
TPF87513.X-14	14" dripper spacing	3,600'	60 lbs.	1,005 lbs.	142.92	514.51
TPF87513.X-16	16" dripper spacing	3,600'	60 lbs.	1,005 lbs.	140.79	506.84
TPF87513.X-18	18" dripper spacing	3,600'	60 lbs.	1,005 lbs.	138.70	499.32
TPF87513.X-20	20" dripper spacing	3,600'	60 lbs.	1,005 lbs.	136.62	491.83
TPF87513.X-24	24" dripper spacing	3,600'	60 lbs.	1,005 lbs.	133.89	482.00
TPF87513.X-27	27" dripper spacing	3,600'	60 lbs.	1,005 lbs.	131.92	474.91
TPF87513.X-30	30" dripper spacing	3,600'	60 lbs.	1,005 lbs.	130.92	471.31
TPF87513.X-36	36" dripper spacing	3,600'	60 lbs.	1,005 lbs.	128.98	464.33

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 875 Series with flap TP = Typhoon Plus 875 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES

TYPHOON™ PLUS 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 0.875" Diameter						
TPF87515.X-8	8" dripper spacing	3,300'	61 lbs.	1,021 lbs.	197.15	650.60
TPF87515.X-10	10" dripper spacing	3,300'	61 lbs.	1,021 lbs.	185.81	613.17
TPF87515.X-12	12" dripper spacing	3,300'	60 lbs.	1,005 lbs.	165.43	545.92
TPF87515.X-14	14" dripper spacing	3,300'	60 lbs.	1,005 lbs.	162.11	534.96
TPF87515.X-16	16" dripper spacing	3,300'	60 lbs.	1,005 lbs.	159.69	526.98
TPF87515.X-18	18" dripper spacing	3,300'	60 lbs.	1,005 lbs.	157.30	519.09
TPF87515.X-20	20" dripper spacing	3,300'	60 lbs.	1,005 lbs.	154.94	511.30
TPF87515.X-24	24" dripper spacing	3,300'	60 lbs.	1,005 lbs.	151.86	501.14
TPF87515.X-27	27" dripper spacing	3,300'	60 lbs.	1,005 lbs.	149.63	493.78
TPF87515.X-30	30" dripper spacing	3,300'	60 lbs.	1,005 lbs.	148.50	490.05

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 875 Series with flap TP = Typhoon Plus 875 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



06T990F	13	.18	-18
	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 990, 13 mil wall thickness, 0.16 GPH flow rate, 18" dripper spacing

- Model Number: TPF99013.16-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 990 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.990" Diameter						
TPF99013.X-12	12" dripper spacing	3,300'	60 lbs.	1,005 lbs.	163.33	538.99
TPF99013.X-14	14" dripper spacing	3,300'	60 lbs.	1,005 lbs.	160.06	528.20
TPF99013.X-16	16" dripper spacing	3,300'	60 lbs.	1,005 lbs.	157.69	520.38
TPF99013.X-18	18" dripper spacing	3,300'	60 lbs.	1,005 lbs.	155.29	512.46
TPF99013.X-20	20" dripper spacing	3,300'	60 lbs.	1,005 lbs.	152.99	504.87
TPF99013.X-24	24" dripper spacing	3,300'	60 lbs.	1,005 lbs.	149.95	494.84
TPF99013.X-36	36" dripper spacing	3,300'	60 lbs.	1,005 lbs.	144.42	476.59
15 Mil Wall Thickness - 0.990" Diameter						
TPF99015.X-12	12" dripper spacing	3,000'	60 lbs.	1,005 lbs.	193.51	580.53
TPF99015.X-14	14" dripper spacing	3,000'	60 lbs.	1,005 lbs.	189.66	568.98
TPF99015.X-16	16" dripper spacing	3,000'	60 lbs.	1,005 lbs.	186.82	560.46
TPF99015.X-18	18" dripper spacing	3,000'	60 lbs.	1,005 lbs.	184.01	552.03
TPF99015.X-20	20" dripper spacing	3,000'	60 lbs.	1,005 lbs.	181.31	543.93
TPF99015.X-24	24" dripper spacing	3,000'	60 lbs.	1,005 lbs.	177.67	533.01
TPF99015.X-36	36" dripper spacing	3,000'	60 lbs.	1,005 lbs.	171.15	513.45

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

TPF = Typhoon Plus 990 Series with flap TP = Typhoon Plus 990 Series without flap

For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



TPF113
OR
TPF138

15	.16	-24
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Typhoon Plus 1 1/8 or 1 3/8, 15 mil wall thickness, 0.16 GPH flow rate, 24" dripper spacing

- Model Number: TPF11315.16-24 or
- Model Number: TPF13815.16-24

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.10
0.16	.16
0.22	.2
0.36	.4
0.49	.5

Substitute Flow Code listed above for **X** in the Model Number.

TYPHOON™ PLUS 1 1/8 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 1.125" Diameter						
TPF11313.X-12	12" dripper spacing	3,300'	58 lbs.	973 lbs.	199.04	656.83
TPF11313.X-14	14" dripper spacing	3,300'	58 lbs.	973 lbs.	195.10	643.83
TPF11313.X-16	16" dripper spacing	3,300'	58 lbs.	973 lbs.	192.21	634.29
TPF11313.X-18	18" dripper spacing	3,300'	58 lbs.	973 lbs.	189.36	624.89
TPF11313.X-20	20" dripper spacing	3,300'	58 lbs.	973 lbs.	186.53	615.55
TPF11313.X-24	24" dripper spacing	3,300'	58 lbs.	973 lbs.	182.87	603.47
TPF11313.X-36	36" dripper spacing	3,300'	58 lbs.	973 lbs.	176.20	581.46
15 Mil Wall Thickness - 1.125" Diameter						
TPF11315.X-12	12" dripper spacing	2,700'	64 lbs.	1,069 lbs.	235.44	635.69
TPF11315.X-14	14" dripper spacing	2,700'	64 lbs.	1,069 lbs.	226.78	612.31
TPF11315.X-16	16" dripper spacing	2,700'	64 lbs.	1,069 lbs.	220.33	594.89
TPF11315.X-18	18" dripper spacing	2,700'	64 lbs.	1,069 lbs.	215.34	581.42
TPF11315.X-20	20" dripper spacing	2,700'	64 lbs.	1,069 lbs.	211.33	570.59
TPF11315.X-24	24" dripper spacing	2,700'	64 lbs.	1,069 lbs.	205.30	554.31

TYPHOON™ PLUS 1 3/8" SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 1.375" Diameter						
TPF13815.X-12	12" dripper spacing	2,700'	77 lbs.	969 lbs.	243.59	657.69
TPF13815.X-14	14" dripper spacing	2,700'	77 lbs.	969 lbs.	238.78	644.71
TPF13815.X-24	24" dripper spacing	2,700'	77 lbs.	969 lbs.	223.78	604.21

NOTES: Typhoon Plus is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.
 TPF = Typhoon Plus 1 1/8" and 1 3/8" Series with flap TP = Typhoon Plus 1 1/8" and 1 3/8" Series without flap
 For GPM per 100' pressure comparisons- refer to the Typhoon Plus Technical Brochure.
 Typhoon 1 1/8" - 16 reels per pallet. Typhoon Plus 1 3/8" - 12 reels per pallet.
 Nominal pallet weight per pallet includes weight of pallet at 45 lbs.


MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16 or 24) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is one (1) pallet or (16 or 24) reels. No returns on Custom Products.

THINWALL DRIPLINES



ARF638

13
Wall
Thickness

.18
Flow
Code

-18
Dripper
Spacing

ORDERING EXAMPLE

Aries 638, 13 mil wall thickness, 0.18 GPH flow rate, 18" dripper spacing

- Model Number: ARF63813.18-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 638 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.638" Diameter						
ARF63813.X-12	12" dripper spacing	3,600'	47 lbs.	797 lbs.	105.45	379.62
ARF63813.X-14	14" dripper spacing	3,600'	47 lbs.	797 lbs.	103.36	372.10
ARF63813.X-16	16" dripper spacing	3,600'	47 lbs.	797 lbs.	101.81	366.52
ARF63813.X-18	18" dripper spacing	3,600'	47 lbs.	797 lbs.	100.27	360.97
ARF63813.X-20	20" dripper spacing	3,600'	47 lbs.	797 lbs.	98.80	355.68
ARF63813.X-24	24" dripper spacing	3,600'	47 lbs.	797 lbs.	96.83	348.59
ARF63813.X-27	27" dripper spacing	3,600'	47 lbs.	797 lbs.	95.40	343.44
ARF63813.X-30	30" dripper spacing	3,600'	47 lbs.	797 lbs.	94.66	340.78
ARF63813.X-36	36" dripper spacing	3,600'	47 lbs.	797 lbs.	93.27	335.77
15 Mil Wall Thickness - 0.638" Diameter						
ARF63815.X-12	12" dripper spacing	3,300'	47 lbs.	797 lbs.	118.84	392.17
ARF63815.X-14	14" dripper spacing	3,300'	47 lbs.	797 lbs.	116.48	384.38
ARF63815.X-16	16" dripper spacing	3,300'	47 lbs.	797 lbs.	114.75	378.68
ARF63815.X-18	18" dripper spacing	3,300'	47 lbs.	797 lbs.	113.02	372.97
ARF63815.X-20	20" dripper spacing	3,300'	47 lbs.	797 lbs.	111.32	367.36
ARF63815.X-24	24" dripper spacing	3,300'	47 lbs.	797 lbs.	109.15	360.20
ARF63815.X-27	27" dripper spacing	3,300'	47 lbs.	797 lbs.	107.51	354.78
ARF63815.X-30	30" dripper spacing	3,300'	47 lbs.	797 lbs.	106.71	352.14
ARF63815.X-36	36" dripper spacing	3,300'	47 lbs.	797 lbs.	105.13	346.93

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 638 Series with flap AR = Aries 638 Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS


Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



ARF875	15	.2	-18
	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Aries 875, 15 mil wall thickness, 0.21 GPH flow rate, 18" dripper spacing

- Model Number: ARF87515.2-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 875 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.875" Diameter						
ARF87513.X-12	12" dripper spacing	3,000'	51 lbs.	861 lbs.	153.08	459.24
ARF87513.X-14	14" dripper spacing	3,000'	51 lbs.	861 lbs.	150.07	450.21
ARF87513.X-16	16" dripper spacing	3,000'	51 lbs.	861 lbs.	147.83	443.49
ARF87513.X-18	18" dripper spacing	3,000'	51 lbs.	861 lbs.	145.64	436.92
ARF87513.X-20	20" dripper spacing	3,000'	51 lbs.	861 lbs.	143.46	430.38
ARF87513.X-24	24" dripper spacing	3,000'	51 lbs.	861 lbs.	140.59	421.77
ARF87513.X-27	27" dripper spacing	3,000'	51 lbs.	861 lbs.	138.52	415.56
ARF87513.X-30	30" dripper spacing	3,000'	51 lbs.	861 lbs.	137.47	412.41
ARF87513.X-36	36" dripper spacing	3,000'	51 lbs.	861 lbs.	135.43	406.29
15 Mil Wall Thickness - 0.875" Diameter						
ARF87515.X-12	12" dripper spacing	2,700'	51 lbs.	861 lbs.	173.71	469.02
ARF87515.X-14	14" dripper spacing	2,700'	51 lbs.	861 lbs.	170.22	459.59
ARF87515.X-16	16" dripper spacing	2,700'	51 lbs.	861 lbs.	167.68	452.74
ARF87515.X-18	18" dripper spacing	2,700'	51 lbs.	861 lbs.	165.17	445.96
ARF87515.X-20	20" dripper spacing	2,700'	51 lbs.	861 lbs.	162.69	439.26
ARF87515.X-24	24" dripper spacing	2,700'	51 lbs.	861 lbs.	159.46	430.54
ARF87515.X-27	27" dripper spacing	2,700'	51 lbs.	861 lbs.	157.12	424.22
ARF87515.X-30	30" dripper spacing	2,700'	51 lbs.	861 lbs.	155.93	421.01
ARF87515.X-36	36" dripper spacing	2,700'	51 lbs.	861 lbs.	153.60	414.72

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 875 Series with flap AR = Aries 875 Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS


Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



ARF990	13	.18	-18
	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Aries 990, 13 mil wall thickness, 0.18 GPH flow rate, 18" dripper spacing

- Model Number: ARF99013.18-18

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 990 SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.990" Diameter						
ARF99013.X-12	12" dripper spacing	3,000'	52 lbs.	877 lbs.	171.50	514.50
ARF99013.X-14	14" dripper spacing	3,000'	52 lbs.	877 lbs.	168.07	504.21
ARF99013.X-16	16" dripper spacing	3,000'	52 lbs.	877 lbs.	165.58	496.74
ARF99013.X-18	18" dripper spacing	3,000'	52 lbs.	877 lbs.	163.06	489.18
ARF99013.X-20	20" dripper spacing	3,000'	52 lbs.	877 lbs.	160.64	481.92
ARF99013.X-24	24" dripper spacing	3,000'	52 lbs.	877 lbs.	157.45	472.35
ARF99013.X-27	27" dripper spacing	3,000'	52 lbs.	877 lbs.	155.12	465.36
ARF99013.X-30	30" dripper spacing	3,000'	52 lbs.	877 lbs.	153.92	461.76
ARF99013.X-36	36" dripper spacing	3,000'	52 lbs.	877 lbs.	151.65	454.95
15 Mil Wall Thickness - 0.990" Diameter						
ARF99015.X-12	12" dripper spacing	2,700'	48 lbs.	813 lbs.	203.19	548.61
ARF99015.X-14	14" dripper spacing	2,700'	48 lbs.	813 lbs.	199.15	537.71
ARF99015.X-16	16" dripper spacing	2,700'	48 lbs.	813 lbs.	196.17	529.66
ARF99015.X-18	18" dripper spacing	2,700'	48 lbs.	813 lbs.	193.22	521.69
ARF99015.X-20	20" dripper spacing	2,700'	48 lbs.	813 lbs.	190.38	514.03
ARF99015.X-24	24" dripper spacing	2,700'	48 lbs.	813 lbs.	186.56	503.71
ARF99015.X-27	27" dripper spacing	2,700'	48 lbs.	813 lbs.	183.79	496.23
ARF99015.X-30	30" dripper spacing	2,700'	48 lbs.	813 lbs.	182.42	492.53
ARF99015.X-36	36" dripper spacing	2,700'	48 lbs.	813 lbs.	179.71	485.22

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 990 Series with flap AR = Aries 990 Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

16 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES



ARF113
OR
ARF138

15	.3	-24
Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

Aries 1 1/8 or 1 3/8, 15 mil wall thickness, 0.30 GPH flow rate, 24" dripper spacing

- Model Number: ARF11315.3-24 or
- Model Number: ARF13815.3-24

NOMINAL FLOW RATES

Based on 10 psi inlet

Flow Rate (GPH)	Flow Code
0.11	.1
0.18	.18
0.21	.2
0.30	.3
0.41	.4
0.62	.6

Substitute Flow Code listed above for **X** in the Model Number.

ARIES™ 1 1/8" SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 1.125" Diameter						
ARF11315.X-12	12" dripper spacing	2,300'	52 lbs.	669 lbs.	209.00	480.70
ARF11315.X-14	14" dripper spacing	2,300'	52 lbs.	669 lbs.	204.86	471.18
ARF11315.X-16	16" dripper spacing	2,300'	52 lbs.	669 lbs.	201.83	464.21
ARF11315.X-18	18" dripper spacing	2,300'	52 lbs.	669 lbs.	198.83	457.31
ARF11315.X-20	20" dripper spacing	2,300'	52 lbs.	669 lbs.	195.86	450.48
ARF11315.X-24	24" dripper spacing	2,300'	51 lbs.	669 lbs.	192.02	441.65
ARF11315.X-27	27" dripper spacing	2,300'	52 lbs.	669 lbs.	189.17	435.09
ARF11315.X-30	30" dripper spacing	2,300'	52 lbs.	669 lbs.	187.78	431.89
ARF11315.X-36	36" dripper spacing	2,300'	52 lbs.	669 lbs.	185.01	425.52

ARIES™ 1 3/8" SERIES

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
15 Mil Wall Thickness - 1.375" Diameter						
ARF13815.X-12	12" dripper spacing	2,700'	71 lbs.	897 lbs.	255.77	690.58
ARF13815.X-14	14" dripper spacing	2,700'	71 lbs.	897 lbs.	250.72	676.94
ARF13815.X-16	16" dripper spacing	2,700'	71 lbs.	897 lbs.	247.02	666.95
ARF13815.X-18	18" dripper spacing	2,700'	71 lbs.	897 lbs.	243.31	656.94
ARF13815.X-20	20" dripper spacing	2,700'	71 lbs.	897 lbs.	239.69	647.16
ARF13815.X-24	24" dripper spacing	2,700'	71 lbs.	897 lbs.	234.97	634.42
ARF13815.X-27	27" dripper spacing	2,700'	71 lbs.	897 lbs.	231.49	625.02
ARF13815.X-30	30" dripper spacing	2,700'	71 lbs.	897 lbs.	229.76	620.35
ARF13815.X-36	36" dripper spacing	2,700'	71 lbs.	897 lbs.	226.41	611.31

NOTES: Aries is available with or without flap outlet protection. Flap recommended for subsurface row crop applications.

ARF = Aries 1 1/8" or 1 3/8" Series with flap AR = Aries 1 1/8" or 1 3/8" Series without flap

For GPM per 100' pressure comparisons- refer to the Aries Technical Brochure.

12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (12) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (12) reels. No returns on Custom Products.

THINWALL DRIPLINES



**06DF, 06D,
06DFA
OR
06DA**

636	13	.16	-12
Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

DripNet PC, .636" ID, 13 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: 06DF63613.16-12 (Non Anti-Siphon)
- Model Number: 06DFA63613.16-12 (With Anti-Siphon)

NOMINAL FLOW RATES

Pressure Range 6-36 psi

Flow Rate (GPH)	Flow Code
0.16	16
0.26	26
0.32	32
0.42	42

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC™ 636 SERIES NON ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.636" Diameter						
06DF63613.X-12	12" dripper spacing	4,000'	50 lbs.	645 lbs.	165.44	711.39
06DF63613.X-14	14" dripper spacing	4,000'	50 lbs.	645 lbs.	163.76	704.17
06DF63613.X-16	16" dripper spacing	4,000'	50 lbs.	645 lbs.	160.75	691.23
06DF63613.X-18	18" dripper spacing	4,000'	50 lbs.	645 lbs.	158.05	679.62
06DF63613.X-24	24" dripper spacing	4,000'	50 lbs.	645 lbs.	150.14	645.60
06DF63613.X-27	27" dripper spacing	4,000'	50 lbs.	645 lbs.	146.34	629.26
06DF63613.X-30	30" dripper spacing	4,000'	50 lbs.	645 lbs.	145.26	624.62
06DF63613.X-36	36" dripper spacing	4,000'	50 lbs.	645 lbs.	143.10	615.33
15 Mil Wall Thickness - 0.636" Diameter						
06DF63615.X-12	12" dripper spacing	3,600'	50 lbs.	645 lbs.	189.04	680.54
06DF63615.X-14	14" dripper spacing	3,600'	50 lbs.	645 lbs.	187.15	673.74
06DF63615.X-16	16" dripper spacing	3,600'	50 lbs.	645 lbs.	183.71	661.36
06DF63615.X-18	18" dripper spacing	3,600'	50 lbs.	645 lbs.	180.58	650.09
06DF63615.X-24	24" dripper spacing	3,600'	50 lbs.	645 lbs.	171.58	617.69
06DF63615.X-27	27" dripper spacing	3,600'	50 lbs.	645 lbs.	167.26	602.14
06DF63615.X-30	30" dripper spacing	3,600'	50 lbs.	645 lbs.	165.99	597.56
06DF63615.X-36	36" dripper spacing	3,600'	50 lbs.	645 lbs.	163.51	588.64
25 Mil Wall Thickness - 0.636" Diameter (DRILLED OUTLET)						
06D63625.X-12	12" dripper spacing	2,600'	55 lbs.	705 lbs.	302.45	786.37
06D63625.X-14	14" dripper spacing	2,600'	55 lbs.	705 lbs.	296.39	770.61
06D63625.X-16	16" dripper spacing	2,600'	55 lbs.	705 lbs.	284.67	740.14
06D63625.X-18	18" dripper spacing	2,600'	55 lbs.	705 lbs.	279.01	725.43
06D63625.X-20	20" dripper spacing	2,600'	55 lbs.	705 lbs.	273.46	711.00
06D63625.X-24	24" dripper spacing	2,600'	55 lbs.	705 lbs.	265.36	689.94
06D63625.X-27	27" dripper spacing	2,600'	55 lbs.	705 lbs.	257.47	669.42
06D63625.X-30	30" dripper spacing	2,600'	55 lbs.	705 lbs.	254.39	661.41
06D63625.X-36	36" dripper spacing	2,600'	55 lbs.	705 lbs.	248.35	645.71

NOTES: DripNet PC 636 13 and 15 mil are standard with flap outlet protection. Flap and/or Anti-Siphon are recommended for subsurface row crop applications.

For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

THINWALL DRIPLINES

DRIPNET PC™ 636 SERIES WITH ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13 Mil Wall Thickness - 0.636" Diameter						
06DFA63613.X-12	12" dripper spacing	3,700'	47 lbs.	609 lbs.	165.44	711.39
06DFA63613.X-14	14" dripper spacing	3,700'	47 lbs.	609 lbs.	163.76	704.17
06DFA63613.X-16	16" dripper spacing	3,700'	47 lbs.	609 lbs.	160.75	691.23
06DFA63613.X-18	18" dripper spacing	3,700'	47 lbs.	609 lbs.	158.05	679.62
06DFA63613.X-24	24" dripper spacing	3,700'	47 lbs.	609 lbs.	150.14	645.60
06DFA63613.X-27	27" dripper spacing	3,700'	47 lbs.	609 lbs.	146.34	629.26
06DFA63613.X-30	30" dripper spacing	3,700'	47 lbs.	609 lbs.	145.26	624.62
06DFA63613.X-36	36" dripper spacing	3,700'	47 lbs.	609 lbs.	143.10	615.33
15 Mil Wall Thickness - 0.636" Diameter						
06DFA63615.X-12	12" dripper spacing	3,200'	44 lbs.	573 lbs.	189.04	604.93
06DFA63615.X-14	14" dripper spacing	3,200'	44 lbs.	573 lbs.	187.15	598.88
06DFA63615.X-16	16" dripper spacing	3,200'	44 lbs.	573 lbs.	183.71	587.87
06DFA63615.X-18	18" dripper spacing	3,200'	44 lbs.	573 lbs.	180.58	577.86
06DFA63615.X-24	24" dripper spacing	3,200'	44 lbs.	573 lbs.	171.58	549.06
06DFA63615.X-27	27" dripper spacing	3,200'	44 lbs.	573 lbs.	167.26	535.23
06DFA63615.X-30	30" dripper spacing	3,200'	44 lbs.	573 lbs.	165.99	531.17
06DFA63615.X-36	36" dripper spacing	3,200'	44 lbs.	573 lbs.	163.51	523.23
25 Mil Wall Thickness - 0.636" Diameter (DRILLED OUTLET)						
06DA63625.X-12	12" dripper spacing	2,600'	54 lbs.	693 lbs.	302.45	786.37
06DA63625.X-14	14" dripper spacing	2,600'	54 lbs.	693 lbs.	296.39	770.61
06DA63625.X-16	16" dripper spacing	2,600'	54 lbs.	693 lbs.	284.67	740.14
06DA63625.X-18	18" dripper spacing	2,600'	54 lbs.	693 lbs.	279.01	725.43
06DA63625.X-20	20" dripper spacing	2,600'	54 lbs.	693 lbs.	273.46	711.00
06DA63625.X-24	24" dripper spacing	2,600'	54 lbs.	693 lbs.	265.36	689.94
06DA63625.X-27	27" dripper spacing	2,600'	54 lbs.	693 lbs.	257.47	669.42
06DA63625.X-30	30" dripper spacing	2,600'	54 lbs.	693 lbs.	254.39	661.41
06DA63625.X-36	36" dripper spacing	2,600'	54 lbs.	693 lbs.	248.35	645.71

NOTES: DripNet PC 636 13 and 15 mil are standard with flap outlet protection. Flap and/or Anti-Siphon are recommended for subsurface row crop applications.

For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.

12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (12) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (12) reels. No returns on Custom Products.

THINWALL DRIPLINES



**06DF, 06D,
06DFA
OR
06DA**

875	13	.16	-12
Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

DripNet PC, .875" ID, 13.5 mil wall thickness, 0.16 GPH flow rate, 12" dripper spacing

- Model Number: 06DF87513.16-12 (Non Anti-Siphon)
- Model Number: 06DFA87513.16-12 (With Anti-Siphon)

NOMINAL FLOW RATES

Pressure Range 6-36 psi

Flow Rate (GPH)	Flow Code
0.16	16
0.26	26
0.32	32
0.42	42

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC™ 875 SERIES NON ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13.5 Mil Wall Thickness - 0.875" Diameter						
06DF87513.X-12	12" dripper spacing	3,600'	59 lbs.	753 lbs.	198.08	713.09
06DF87513.X-14	14" dripper spacing	3,600'	59 lbs.	753 lbs.	194.14	698.90
06DF87513.X-16	16" dripper spacing	3,600'	59 lbs.	753 lbs.	191.23	688.43
06DF87513.X-18	18" dripper spacing	3,600'	59 lbs.	753 lbs.	188.38	678.17
06DF87513.X-24	24" dripper spacing	3,600'	59 lbs.	753 lbs.	181.87	654.73
06DF87513.X-27	27" dripper spacing	3,600'	59 lbs.	753 lbs.	179.19	645.08
06DF87513.X-30	30" dripper spacing	3,600'	59 lbs.	753 lbs.	177.88	640.37
06DF87513.X-36	36" dripper spacing	3,600'	59 lbs.	753 lbs.	175.17	630.61
15 Mil Wall Thickness - 0.875" Diameter						
06DF87515.X-12	12" dripper spacing	3,000'	56 lbs.	717 lbs.	224.68	674.04
06DF87515.X-14	14" dripper spacing	3,000'	56 lbs.	717 lbs.	220.21	660.63
06DF87515.X-16	16" dripper spacing	3,000'	56 lbs.	717 lbs.	216.93	650.79
06DF87515.X-18	18" dripper spacing	3,000'	56 lbs.	717 lbs.	213.67	641.01
06DF87515.X-24	24" dripper spacing	3,000'	56 lbs.	717 lbs.	206.31	618.93
06DF87515.X-27	27" dripper spacing	3,000'	56 lbs.	717 lbs.	203.23	609.69
06DF87515.X-30	30" dripper spacing	3,000'	56 lbs.	717 lbs.	201.72	605.16
06DF87515.X-36	36" dripper spacing	3,000'	56 lbs.	717 lbs.	198.71	596.13
25 Mil Wall Thickness - 0.875" Diameter (DRILLED OUTLET)						
06D87525.X-12	12" dripper spacing	1,640'	49 lbs.	633 lbs.	337.00	552.68
06D87525.X-14	14" dripper spacing	1,640'	49 lbs.	633 lbs.	330.27	541.64
06D87525.X-16	16" dripper spacing	1,640'	49 lbs.	633 lbs.	317.20	520.21
06D87525.X-18	18" dripper spacing	1,640'	49 lbs.	633 lbs.	310.88	509.84
06D87525.X-20	20" dripper spacing	1,640'	49 lbs.	633 lbs.	304.69	499.69
06D87525.X-24	24" dripper spacing	1,640'	49 lbs.	633 lbs.	295.67	484.90
06D87525.X-27	27" dripper spacing	1,640'	49 lbs.	633 lbs.	286.90	470.52
06D87525.X-30	30" dripper spacing	1,640'	49 lbs.	633 lbs.	283.47	464.89
06D87525.X-36	36" dripper spacing	1,640'	49 lbs.	633 lbs.	276.73	453.84

NOTES: DripNet PC 875 13.5 and 15 mil are standard with flap outlet protection. Flap and/or Anti-Siphon are recommended for subsurface row crop applications.

For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

THINWALL DRIPLINES

DRIPNET PC™ 875 SERIES WITH ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
13.5 Mil Wall Thickness - 0.875" Diameter						
06DFA87513.X-12	12" dripper spacing	3,500'	58 lbs.	741 lbs.	198.08	693.28
06DFA87513.X-14	14" dripper spacing	3,500'	58 lbs.	741 lbs.	194.14	679.49
06DFA87513.X-16	16" dripper spacing	3,500'	58 lbs.	741 lbs.	191.23	669.31
06DFA87513.X-18	18" dripper spacing	3,500'	58 lbs.	741 lbs.	188.38	659.33
06DFA87513.X-24	24" dripper spacing	3,500'	58 lbs.	741 lbs.	181.87	636.55
06DFA87513.X-27	27" dripper spacing	3,500'	58 lbs.	741 lbs.	179.19	627.17
06DFA87513.X-30	30" dripper spacing	3,500'	58 lbs.	741 lbs.	177.88	622.58
06DFA87513.X-36	36" dripper spacing	3,500'	58 lbs.	741 lbs.	175.17	613.10
15 Mil Wall Thickness - 0.875" Diameter						
06DFA87515.X-12	12" dripper spacing	2,800'	53 lbs.	681 lbs.	224.68	629.10
06DFA87515.X-14	14" dripper spacing	2,800'	53 lbs.	681 lbs.	220.21	616.59
06DFA87515.X-16	16" dripper spacing	2,800'	53 lbs.	681 lbs.	216.93	607.40
06DFA87515.X-18	18" dripper spacing	2,800'	53 lbs.	681 lbs.	213.67	598.28
06DFA87515.X-24	24" dripper spacing	2,800'	53 lbs.	681 lbs.	206.31	577.67
06DFA87515.X-27	27" dripper spacing	2,800'	53 lbs.	681 lbs.	203.23	569.04
06DFA87515.X-30	30" dripper spacing	2,800'	53 lbs.	681 lbs.	201.72	564.82
06DFA87515.X-36	36" dripper spacing	2,800'	53 lbs.	681 lbs.	198.71	556.39
25 Mil Wall Thickness - 0.875" Diameter (DRILLED OUTLET)						
06DA87525.X-12	12" dripper spacing	1,640'	48 lbs.	621 lbs.	337.00	552.68
06DA87525.X-14	14" dripper spacing	1,640'	48 lbs.	621 lbs.	330.27	541.64
06DA87525.X-16	16" dripper spacing	1,640'	48 lbs.	621 lbs.	317.20	520.21
06DA87525.X-18	18" dripper spacing	1,640'	48 lbs.	621 lbs.	310.88	509.84
06DA87525.X-20	20" dripper spacing	1,640'	48 lbs.	621 lbs.	304.69	499.69
06DA87525.X-24	24" dripper spacing	1,640'	48 lbs.	621 lbs.	295.67	484.90
06DA87525.X-27	27" dripper spacing	1,640'	48 lbs.	621 lbs.	286.90	470.52
06DA87525.X-30	30" dripper spacing	1,640'	48 lbs.	621 lbs.	283.47	464.89
06DA87525.X-36	36" dripper spacing	1,640'	48 lbs.	621 lbs.	276.73	453.84

NOTES: DripNet PC 875 13.5 and 15 mil are standard with flap outlet protection. Flap and/or Anti-Siphon are recommended for subsurface row crop applications.

For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.

12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (12) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines.

Minimum order requirement is one (1) pallet or (12) reels. No returns on Custom Products.

THINWALL DRIPLINES



06DA

990	18	.42	-12
Inside Diameter	Wall Thickness	Flow Code	Dripper Spacing

ORDERING EXAMPLE

DripNet PC, .990" ID, 18 mil wall thickness, 0.42 GPH flow rate, 12" dripper spacing

- Model Number: 06DA99018.42-12 (With Anti-Siphon)

NOMINAL FLOW RATES

Pressure Range 6-36 psi

Flow Rate (GPH)	Flow Code
0.16	16
0.26	26
0.32	32
0.42	42

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC™ 990 SERIES WITH ANTI-SIPHON

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Reel Length	Weight per Reel	Weight per Pallet	Price Per 1,000'	Price Per Reel
18 Mil Wall Thickness - 0.990" Diameter						
06DA99018.X-12	12" dripper spacing	1,900'				
06DA99018.X-14	14" dripper spacing	1,900'				
06DA99018.X-16	16" dripper spacing	1,900'				
06DA99018.X-18	18" dripper spacing	1,900'	Call	Call	Call	Call
06DA99018.X-20	20" dripper spacing	1,900'	for	for	for	for
06DA99018.X-24	24" dripper spacing	1,900'	Info	Info	Quote	Quote
06DA99018.X-27	27" dripper spacing	1,900'				
06DA99018.X-30	30" dripper spacing	1,900'				
06DA99018.X-36	36" dripper spacing	1,900'				

NOTES: DripNet PC 990 18 mil is standard with hole outlet and Anti-Siphon feature. No flap outlet available.
For GPM per 100' pressure comparisons- refer to the DripNet PC Technical Brochure.
12 reels per pallet. Nominal pallet weight per pallet includes weight of pallet at 45 lbs.

MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Thinwall Driplines. Minimum order requirement is one (1) pallet or (16) reels.

CUSTOM PRODUCTS

Products not listed in this Price List. Call Netafim USA Customer Service for quote and delivery timelines. Minimum order requirement is one (1) pallet or (16) reels. No returns on Custom Products.

THINWALL DRIPLINES

HEAVYWALL DRIPLINES

Quick Selection Guide for Commonly Sold Products	36
UniRam Pressure Compensating	38
DripNet PC™ Pressure Compensating	39
Aries™ Non-Pressure Compensating	41
Accessories	43

HWD = Heavywall Dripline
 PE = Polyethylene Tubing
 MIPT = Male Pipe Thread
 FIPT = Female Pipe Thread

VineLine Vineyard Solution:
 Pre-installed dripline ring not
 recommended below the following
 standard wall thickness:
 16mm = 45 wall
 17mm = 45 wall
 18mm = 45 wall
 20mm - 48 wall

HEAVYWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD HEAVYWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

Netafim USA has a wide selection of heavywall driplines to fit numerous applications. Some driplines are stocking items which are not subject to minimum order quantity requirements and the following charts list those driplines.

HEAVYWALL COILS PER PALLET

Product	Coils Per Pallet
UniRam	20
DripNet PC	20
Aries	20

UNIRAM PRESSURE COMPENSATING



Model Number	Description	Flow Rate (GPH)	Coil Length	Weight per Coil	Price Per 1,000' or Coil
UNIRAM 570 - 17mm 45 mil Mil Wall Thickness - 0.570" Diameter					
08UR17.4-24	24" dripper spacing	0.42	1,000'	36 lbs.	350.25
08UR17.6-24	24" dripper spacing	0.61	1,000'	36 lbs.	350.25
08UR17.6-30	30" dripper spacing	0.61	1,000'	36 lbs.	323.48
UNIRAM 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter					
08UR18.4-12	12" dripper spacing	0.42	1,000'	39 lbs.	506.47
08UR18.5-15	15" dripper spacing	0.53	1,000'	39 lbs.	449.05
08UR18.5-18	18" dripper spacing	0.53	1,000'	39 lbs.	412.43
08UR18.4-24	24" dripper spacing	0.42	1,000'	39 lbs.	361.79
08UR18.5-24	24" dripper spacing	0.53	1,000'	39 lbs.	361.79
08UR18.6-24	24" dripper spacing	0.61	1,000'	39 lbs.	361.79
08UR18.5-30	30" dripper spacing	0.53	1,000'	39 lbs.	335.02
08UR18.5-36	36" dripper spacing	0.53	1,000'	39 lbs.	317.16
08UR18.6-36	36" dripper spacing	0.61	1,000'	39 lbs.	317.16
08UR1810-36	36" dripper spacing	1.00	1,000'	39 lbs.	317.16
08UR18.5-48	48" dripper spacing	0.53	1,000'	39 lbs.	294.87
UNIRAM 690 - 20mm 48 mil Mil Wall Thickness - 0.690" Diameter					
08UR20.4-24	24" dripper spacing	0.42	1,000'	46 lbs.	395.30
08UR20.5-24	24" dripper spacing	0.53	1,000'	46 lbs.	395.30
08UR20.9-36	36" dripper spacing	0.92	1,000'	46 lbs.	350.71
08UR2010-36	36" dripper spacing	1.00	1,000'	46 lbs.	350.71

HEAVYWALL DRIPLINES

QUICK SELECTION GUIDE FOR COMMONLY SOLD HEAVYWALL DRIPLINES NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)



DRIPNET PC™ PRESSURE COMPENSATING

Model Number	Description	Flow Rate (GPH)	Coil Length	Weight per Coil	Price Per 1,000' or Coil
DRIPNET PC 570 - 17mm 45 mil Mil Wall Thickness - 0.570" Diameter					
08D5704510-18	18" dripper spacing	1.00	1,000'	36 lbs.	339.21
08D57045.6-24	24" dripper spacing	0.61	1,000'	36 lbs.	296.36
DRIPNET PC 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter					
08D62045.26-18	18" dripper spacing	0.26	1,000'	39 lbs.	348.98
08D62045.42-18	18" dripper spacing	0.42	1,000'	39 lbs.	348.98
08D62045.53-18	18" dripper spacing	0.53	1,000'	39 lbs.	348.98
08D62045.42-24	24" dripper spacing	0.42	1,000'	39 lbs.	306.12
08D62045.53-24	24" dripper spacing	0.53	1,000'	39 lbs.	306.12
08D62045.6-24	24" dripper spacing	0.61	1,000'	39 lbs.	306.12
08D62045.42-30	30" dripper spacing	0.42	1,000'	39 lbs.	283.48
08D62045.53-30	30" dripper spacing	0.53	1,000'	39 lbs.	283.48
08D6204510-30	30" dripper spacing	1.00	1,000'	39 lbs.	283.48
08D62045.53-36	36" dripper spacing	0.53	1,000'	39 lbs.	268.37
08D6204510-36	36" dripper spacing	1.00	1,000'	39 lbs.	268.37
08D62045.53-42	42" dripper spacing	0.53	1,000'	39 lbs.	257.62
DRIPNET PC 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter - ANTI SIPHON					
08DA62045.53-24	24" dripper spacing	0.53	1,000'	36 lbs.	306.12
DRIPNET PC 690 - 20mm 60 mil Mil Wall Thickness - 0.690" Diameter					
08D69048.42-24	24" dripper spacing	0.42	1,000'	46 lbs.	334.48
08D69048.53-24	24" dripper spacing	0.53	1,000'	46 lbs.	334.48
08D69048.6-24	24" dripper spacing	0.61	1,000'	46 lbs.	334.48
08D69048.53-30	30" dripper spacing	0.53	1,000'	46 lbs.	311.83
DRIPNET PC 690 - 20mm 60 mil Mil Wall Thickness - 0.690" Diameter - ANTI SIPHON					
08DA69048.32-24	24" dripper spacing	0.32	1,000'	46 lbs.	334.48



ARIES™ NON-PRESSURE COMPENSATING

Model Number	Description	Flow Rate (GPH)	Coil Length	Weight per Coil	Price Per 1,000' or Coil
ARIES 570 - 17mm 40 mil Mil Wall Thickness - 0.570" Diameter					
AR5704010-12	12" dripper spacing	1.0	1,000'	36 lbs.	244.65
AR5704010-18	18" dripper spacing	1.0	1,000'	36 lbs.	217.96
AR5704010-24	24" dripper spacing	1.0	1,000'	36 lbs.	203.42
ARIES 620 - 18mm 45 mil Mil Wall Thickness - 0.620" Diameter					
AR6204505-24	24" dripper spacing	0.5	1,000'	30 lbs.	231.94
AR6204505-30	30" dripper spacing	0.5	1,000'	30 lbs.	225.58
AR6204505-36	36" dripper spacing	0.5	1,000'	30 lbs.	221.38
ARIES 690 - 20mm 48 mil Mil Wall Thickness - 0.690" Diameter					
AR6904805-24	24" dripper spacing	0.5	1,000'	46 lbs.	260.81

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES


Flow Rate (GPH)	Flow Code
0.26	.26
0.33	.3
0.42	.4
0.53	.5
0.61	.6
0.92	.9
1.00	10

Substitute Flow Code listed above for X in the Model Number.

UNIRAM ORDERING EXAMPLE

UniRam 0.620" (18 mm) inside diameter, 0.42 GPH flow rate, 24" dripper spacing

- Model Number: 08UR18.4-24
- Model Number with VineLine: 08VUR18.4-24



VINELINE VINEYARD SOLUTION

UNIRAM PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
UNIRAM 540 - 16 mm					
45 mil Wall Thickness - 0.540" Diameter					
08UR16X-24	24" Dripper Spacing	1,000'	34 lbs.	340.76	390.25
08UR16X-30	30" Dripper Spacing	1,000'	34 lbs.	314.05	353.65
08UR16X-36	36" Dripper Spacing	1,000'	34 lbs.	296.23	329.23
08UR16X-42.25	42.25" Dripper Spacing	1,000'	34 lbs.	283.47	311.75
08UR16X-48	48" Dripper Spacing	1,000'	34 lbs.	273.90	298.65
UNIRAM 570 - 17 mm					
45 mil Wall Thickness - 0.570" Diameter					
08UR17X-24	24" Dripper Spacing	1,000'	36 lbs.	350.25	399.74
08UR17X-30	30" Dripper Spacing	1,000'	36 lbs.	323.48	363.08
08UR17X-36	36" Dripper Spacing	1,000'	36 lbs.	305.65	338.65
08UR17X-42.25	42.25" Dripper Spacing	1,000'	36 lbs.	292.90	321.18
08UR17X-48	48" Dripper Spacing	1,000'	36 lbs.	283.34	308.09
UNIRAM 620 - 18 mm					
45 mil Wall Thickness - 0.620" Diameter					
08UR18X-24	24" Dripper Spacing	1,000'	39 lbs.	361.79	411.28
08UR18X-30	30" Dripper Spacing	1,000'	39 lbs.	335.02	374.62
08UR18X-36	36" Dripper Spacing	1,000'	39 lbs.	317.16	350.16
08UR18X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.	304.43	332.71
08UR18X-48	48" Dripper Spacing	1,000'	39 lbs.	294.87	319.62
UNIRAM 690 - 20 mm					
48 mil Wall Thickness - 0.690" Diameter					
08UR20X-24	24" Dripper Spacing	1,000'	46 lbs.	395.30	444.79
08UR20X-30	30" Dripper Spacing	1,000'	46 lbs.	368.52	408.12
08UR20X-36	36" Dripper Spacing	1,000'	46 lbs.	350.71	383.71
08UR20X-42.25	42.25" Dripper Spacing	1,000'	46 lbs.	337.98	366.26
08UR20X-48	48" Dripper Spacing	1,000'	46 lbs.	328.40	353.15
UNIRAM 820					
60 mil Wall Thickness - 0.820" Diameter					
08UR82060X-24	24" Dripper Spacing	1,000'	68 lbs.	532.96	Not Available with VineLine
08UR82060X-30	30" Dripper Spacing	1,000'	68 lbs.	506.17	
08UR82060X-36	36" Dripper Spacing	1,000'	68 lbs.	488.36	
08UR82060X-42.25	42.25" Dripper Spacing	1,000'	68 lbs.	475.63	
08UR82060X-48	48" Dripper Spacing	1,000'	68 lbs.	466.02	

Other dripper spacings available upon request. Also available on larger diameter reels.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is one (1) pallet or (20) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement (1) pallet or (20) coils.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES


Flow Rate (GPH)	Flow Code
0.16	.16
0.26	.26
0.32	.32
0.42	.42
0.53	.53
0.61	.61
0.79	.79
0.92	.92
1.00	10

Substitute Flow Code listed above for X in the Model Number.

DRIPNET PC ORDERING EXAMPLE

DripNet PC 0.620" (18 mm) inside diameter, 0.42 GPH flow rate, 24" dripper spacing

- Model Number: 08D620450.42-24
- Model Number with VineLine: 08VD620450.42-24



VINELINE VINEYARD SOLUTION

DRIPNET PC™ PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
DRIPNET PC 540 - 16 mm					
45 mil Wall Thickness - 0.540" Diameter					
08D54045X-24	24" Dripper Spacing	1,000'	34 lbs.	288.34	337.83
08D54045X-30	30" Dripper Spacing	1,000'	34 lbs.	265.74	305.34
08D54045X-36	36" Dripper Spacing	1,000'	34 lbs.	250.66	283.66
08D54045X-42.25	42.25" Dripper Spacing	1,000'	34 lbs.	239.84	268.12
08D54045X-48	48" Dripper Spacing	1,000'	34 lbs.	231.78	256.53
DRIPNET PC 570 - 17 mm					
45 mil Wall Thickness - 0.570" Diameter					
08D57045X-24	24" Dripper Spacing	1,000'	36 lbs.	296.36	345.85
08D57045X-30	30" Dripper Spacing	1,000'	36 lbs.	273.71	313.31
08D57045X-36	36" Dripper Spacing	1,000'	36 lbs.	258.62	291.62
08D57045X-42.25	42.25" Dripper Spacing	1,000'	36 lbs.	247.84	276.12
08D57045X-48	48" Dripper Spacing	1,000'	36 lbs.	239.75	264.50
DRIPNET PC 620 - 18 mm					
45 mil Wall Thickness - 0.620" Diameter					
08D62045X-24	24" Dripper Spacing	1,000'	39 lbs.	306.12	355.61
08D62045X-30	30" Dripper Spacing	1,000'	39 lbs.	283.48	323.08
08D62045X-36	36" Dripper Spacing	1,000'	39 lbs.	268.37	301.37
08D62045X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.	257.62	285.90
08D62045X-48	48" Dripper Spacing	1,000'	39 lbs.	249.51	274.26
DRIPNET PC 690 - 20 mm					
48 mil Wall Thickness - 0.690" Diameter					
08D69048X-24	24" Dripper Spacing	1,000'	46 lbs.	334.48	383.97
08D69048X-30	30" Dripper Spacing	1,000'	46 lbs.	311.83	351.43
08D69048X-36	36" Dripper Spacing	1,000'	46 lbs.	296.75	329.75
08D69048X-42.25	42.25" Dripper Spacing	1,000'	46 lbs.	285.98	314.26
08D69048X-48	48" Dripper Spacing	1,000'	46 lbs.	277.89	302.64

Other dripper spacings available upon request.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is one (1) pallet or (20) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement (1) pallet or (20) coils.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES

Flow Rate (GPH)	Flow Code
0.16	.16
0.26	.26
0.32	.32
0.42	.42
0.53	.53
0.61	.61
0.79	.79
0.92	.92
1.00	10

Substitute Flow Code listed above for **X** in the Model Number.

DRIPNET PC ORDERING EXAMPLE

DripNet PC 0.820" inside diameter, 0.42 GPH flow rate, 24" dripper spacing

- Model Number: 08D82035.42-24

DRIPNET PC™ PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
DRIPNET PC 820 *					
35 mil Wall Thickness - 0.820" Diameter					
08D82035X-24	24" Dripper Spacing	1,000'	39 lbs.	337.13	Not Available with VineLine
08D82035X-30	30" Dripper Spacing	1,000'	39 lbs.	314.51	
08D82035X-36	36" Dripper Spacing	1,000'	39 lbs.	299.41	
08D82035X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.	288.67	
08D82035X-48	48" Dripper Spacing	1,000'	39 lbs.	280.53	
DRIPNET PC 820					
60 mil Wall Thickness - 0.820" Diameter					
08D82060X-24	24" Dripper Spacing	1,000'	68 lbs.	450.96	Not Available with VineLine
08D82060X-30	30" Dripper Spacing	1,000'	68 lbs.	428.29	
08D82060X-36	36" Dripper Spacing	1,000'	68 lbs.	413.22	
08D82060X-42.25	42.25" Dripper Spacing	1,000'	68 lbs.	402.45	
08D82060X-48	48" Dripper Spacing	1,000'	68 lbs.	394.35	

Other dripper spacings available upon request.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is one (1) pallet or (20) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement (1) pallet or (20) coils.

* 35 mil wall thickness products in 1,000' coil length are shipped on cardboard reels.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES


Flow Rate (GPH)	Flow Code
0.26	02
0.4	04
0.5	05
0.79	07
1.0	10

GPH based on 18 psi inlet pressure.
Substitute Flow Code listed above
for X in the Model Number.

ARIES ORDERING EXAMPLE

Aries 0.620" (18 mm) inside diameter, 45 mil wall thickness, 0.5 GPH flow rate, 24" dripper spacing

- Model Number: AR62043505-24
- Model Number with VineLine: ARV6204505-24



VINELINE VINEYARD SOLUTION

ARIES™ NON-PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines

Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
ARIES 540					
35 mil Wall Thickness - 0.540" Diameter *					
AR54035X-24	24" Dripper Spacing	1,000'	27 lbs.	186.21	Not Available with VineLine
AR54035X-30	30" Dripper Spacing	1,000'	27 lbs.	179.86	
AR54035X-36	36" Dripper Spacing	1,000'	27 lbs.	175.65	
AR54035X-42.25	42.25" Dripper Spacing	1,000'	27 lbs.	172.62	
AR54035X-48	48" Dripper Spacing	1,000'	27 lbs.	170.36	
45 mil Wall Thickness- 0.540" Diameter					
AR54045X-24	24" Dripper Spacing	1,000'	34 lbs.	213.83	263.32
AR54045X-30	30" Dripper Spacing	1,000'	34 lbs.	207.52	247.12
AR54045X-36	36" Dripper Spacing	1,000'	34 lbs.	203.29	236.29
AR54045X-42.25	42.25" Dripper Spacing	1,000'	34 lbs.	200.29	228.57
AR54045X-48	48" Dripper Spacing	1,000'	34 lbs.	198.03	222.78
ARIES 620					
35 mil Wall Thickness- 0.620" Diameter *					
AR62035X-24	24" Dripper SBpacing	1,000'	30 lbs.	196.84	Not Available with VineLine
AR62035X-30	30" Dripper Spacing	1,000'	30 lbs.	190.45	
AR62035X-36	36" Dripper Spacing	1,000'	30 lbs.	186.27	
AR62035X-42.25	42.25" Dripper Spacing	1,000'	30 lbs.	183.24	
AR62035X-48	48" Dripper Spacing	1,000'	30 lbs.	180.96	
45 mil Wall Thickness- 0.620" Diameter					
AR62045X-24	24" Dripper Spacing	1,000'	39 lbs.	231.94	281.43
AR62045X-30	30" Dripper Spacing	1,000'	39 lbs.	225.58	265.18
AR62045X-36	36" Dripper Spacing	1,000'	39 lbs.	221.38	254.38
AR62045X-42.25	42.25" Dripper Spacing	1,000'	39 lbs.	218.35	246.63
AR62045X-48	48" Dripper Spacing	1,000'	39 lbs.	216.08	240.83
ARIES 690					
35 mil Wall Thickness- 0.690" Diameter *					
AR69035X-24	24" Dripper Spacing	1,000'	33 lbs.	209.51	Not Availale with VineLine
AR69035X-30	30" Dripper Spacing	1,000'	33 lbs.	203.15	
AR69035X-36	36" Dripper Spacing	1,000'	33 lbs.	198.93	
AR69035X-42.25	42.25" Dripper Spacing	1,000'	33 lbs.	195.91	
AR69035X-48	48" Dripper Spacing	1,000'	33 lbs.	193.63	

Other dripper spacings available upon request.

* 35 mil wall thickness products in 1,000' coil length are shipped on cardboard reels.

HEAVYWALL DRIPLINES



NOMINAL FLOW RATES


Flow Rate (GPH)	Flow Code
0.26	02
0.4	04
0.5	05
0.79	07
1.0	10

GPH based on 18 psi inlet pressure.
Substitute Flow Code listed above
for **X** in the Model Number.

ARIES ORDERING EXAMPLE

Aries 0.690" (20 mm) inside diameter, 48 mil wall thickness, 0.5 GPH flow rate, 24" dripper spacing

- Model Number: AR6904805-24
- Model Number with VineLine: ARV6904805-24



VINELINE VINEYARD SOLUTION

ARIES™ NON-PRESSURE COMPENSATING MADE TO ORDER

Call Netafim USA Customer Service for delivery timelines


Model Number	Description	Coil Length	Nominal Coil Weight	Price Per 1,000' or Coil	VineLine Price Per 1,000' or Coil
ARIES 690					
48 mil Wall Thickness - 0.690" Diameter					
AR69048X-24	24" Dripper Spacing	1,000'	46 lbs.	260.81	310.30
AR69048X-30	30" Dripper Spacing	1,000'	46 lbs.	254.45	294.05
AR69048X-36	36" Dripper Spacing	1,000'	46 lbs.	250.20	283.20
AR69048X-42.25	42.25" Dripper Spacing	1,000'	46 lbs.	247.19	275.47
AR69048X-48	48" Dripper Spacing	1,000'	46 lbs.	244.97	269.72
ARIES 820					
48 mil Wall Thickness - 0.820" Diameter					
CUSTOM ORDER					
Manufactured on Cardboard Reels					

Other dripper spacings available upon request.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Heavywall Driplines. Minimum order requirement is one (1) pallet or (20) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement (1) pallet or (20) coils.

HEAVYWALL DRIPLINES



ACCESSORIES

Key	Item Number	Model Number	Description	Bag Qty	Price Bag
1	32000-002600	10-F-01	Operation/Pressure Indicator Flag	1	7.30
2	32000-007920	TLFV-1	Automatic Flush Valve Insert Inlet with Ring	1	19.00
3	32000-007860	TL050MFV-1	Automatic Flush Valve 1/2" MPT Inlet	1	19.00
4	32000-003333	H670780R-B	VineLine Clip fits 0.670" (17 mm) or 0.690" (18 mm) Tube*	250	28.00
	32000-003376	H790R-B	VineLine Clip fits 0.790" (20 mm) Tube*	250	28.00
5	32000-003450	H670780CLP-B	Smart Clip fits 0.670" (17 mm) or 0.690" (18 mm) Tube**	250	38.75

* Wire Sizes: 11 gauge - 0.0907" and/or 2.30 mm
12 gauge - 0.0808" and/or 2.05 mm

** Wire Sizes: 10 gauge - 0.1019" and/or 2.59 mm
11 gauge - 0.0907" and/or 2.30 mm
12 gauge - 0.0808" and/or 2.05 mm

HEAVYWALL DRIPLINES

FITTINGS & CONNECTORS

Thinwall Dripline Twist-Lock Fittings

Couplers	46
Start Connectors	46
Adapters	46
Male Adapters	47
Tee Adapters	47
Elbows	47
Tees	47
Line Ends	47
Automatic Flush Valves	47

Thinwall Dripine Ring-Lock Fittings

Couplers	48
Start Connectors	48
Adapters	48
Male Adapters	48
Tee Adapters	49
Line Ends	49
Miscellaneous Supplies	49

Heavywall Dripline/Polyethylene Twist-Lock Fittings

Start Connectors	50
------------------------	----

Heavywall Dripline/Polyethylene Insert-Barb Fittings

Couplers	50
Tees	51
Elbows	51
Adapters	52
Tee Adapters	52
Line Ends	52
Shut-off Valves	53
Miscellaneous Fittings	53

HWD = Heavywall Dripline
PE = Polyethylene Tubing
FPT = Female Pipe Thread

TWD = Thinwall Dripline
MPT = Male Pipe Thread

NOTE: All Netafim fittings are designed for use only with Netafim Driplines - warranty is void when used with other manufacturer's driplines.

FITTINGS & CONNECTORS

FOR THINWALL DRIPLINES

TWIST-LOCK

Fittings have longer length for easy installation and secure connections

THINWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
630 SERIES	0.638"	-	5/8"
875 SERIES	0.875"	-	7/8"
990 SERIES	0.990"	-	1"



630 SERIES



875 SERIES

TWIST-LOCK COUPLERS

Direct Connection from Thinwall (TWD) to Thinwall (TWD)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016012	T630TLC-B	630 SERIES	50	0.66
00115-009310	T630TLC-C		600	
32500-018181	T875TLC-B	875 SERIES	50	1.15
00115-007053	T875TLC-C		300	
32500-019482	T990TLC-B	990 SERIES	50	2.26
00115-009510	T990TLC-C		300	



FROM OVAL



FROM PVC



WITH VALVE

TWIST-LOCK START CONNECTORS

Item Number	Model Number	TWD Size	Quantity	Price Each
Direct Connection from Oval Tube (1.25" - 4") Submain to Thinwall (TWD) ¹				
76200-001061	T630TL400B-B	630 SERIES	50	0.55
00115-009365	T630TL400B-C	630 SERIES	1,000	0.55
76200-001063	T875TL400B-B	875 SERIES	50	0.90
00115-009452	T875TL400B-C	875 SERIES	1,000	0.90

Direct Connection from PVC Submain to Thinwall (TWD)²

00115-005150	T63036450170-B	630 SERIES	100	0.93
00115-007450	T87536450220-B	875 SERIES	100	0.93

Direct Connection from Thinwall (TWD) to Barb 400 with Valve³

00115-006250	T63042440170-B	630 SERIES	100	2.12
00115-006251	T63042440170-B25	630 SERIES	25	2.12
00115-007110	T8754225022D	875 SERIES	1	2.40


¹ 0.400" barb requires 8mm punch; 0.700" barb requires 14mm punch

² Requires 5/8" drill size (15.88mm)

³ Requires 8mm punch



TO PE



TO LAYFLAT

TWIST-LOCK ADAPTERS

Item Number	Model Number	TWD Size	Quantity	Price Each
Direct Connection from Thinwall (TWD) to Polyethylene (PE) Tubing				
00115-005500	T63036651617-B	630 SERIES	100	1.03
00115-005750	T63036651817-B	630 SERIES	100	1.03
00115-005900	T63036652017	630 SERIES	900	1.46
00115-007850	T87536651822-B	875 SERIES	100	1.84
00115-007950	T87536652022-B	875 SERIES	100	1.90
Direct Connection from Thinwall (TWD) to LayFlat ¹				
00115-005350	T63036500170-B	630 SERIES	100	1.43
00115-007650	T87536500220-B	875 SERIES	100	1.50

¹ Requires 14mm half moon cutter

FITTINGS & CONNECTORS

TWIST-LOCK



TO MIPT

TWIST-LOCK MALE ADAPTERS

Direct Connection from Thinwall (TWD) to Male Pipe Thread (MPT)

Item Number	Model Number	TWD Size	Quantity	Price Each
00115-004750	T6303620017C-B	630 SERIES	100	0.76
00115-004850	T6303620017D-B	630 SERIES	100	0.88
00115-007150	T8753620022D-B	875 SERIES	100	1.16



TWD TO TWD TO MIPT

TWIST-LOCK TEE ADAPTERS

Direct Connection from Thinwall (TWD) to (TWD) to Male Pipe Thread (MPT)

Item Number	Model Number	TWD Size	Quantity	Price Each
00115-005830	T6303720017C-B	630 SERIES	50	2.85
00115-006000	T6303720017D-B	630 SERIES	50	2.85
00115-008500	T8753720022D	875 SERIES	1	3.23



TO TWD

TWIST-LOCK ELBOWS

Direct Connection from Thinwall (TWD) to (TWD)

Item Number	Model Number	TWD Size	Quantity	Price Each
00115-006100	T63038100170-B	630 SERIES	100	1.72
00115-008650	T87538100220-B	875 SERIES	50	2.52



TWD TO TWD

TWIST-LOCK TEES

Direct Connection from Thinwall (TWD) to (TWD) to (TWD)

Item Number	Model Number	TWD Size	Quantity	Price Each
00115-005650	T63037100170-B	630 SERIES	50	2.01
00115-008450	T87537100220-B	875 SERIES	50	3.72



FOR TWD

TWIST-LOCK LINE ENDS

Item Number	Model Number	TWD Size	Quantity	Price Each
00115-006450	T63036600170-B	630 SERIES	100	0.59
00115-008850	T87536600220-B	875 SERIES	100	1.38



630 SERIES



875 SERIES

TWIST-LOCK AUTOMATIC FLUSH VALVES

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-060751	T630TLAFVL-B	630 SERIES	50	2.28
00115-009250	T630TLAFVL-C		400	
32500-060761	T875TLAFVL-B	875 SERIES	50	2.74
00115-009451	T875TLAFVL-C		300	
32500-060771	T990TLAFVL-B	990 SERIES	50	3.03
00115-009511	T990TLAFBL-C		300	

FITTINGS & CONNECTORS

FOR THINWALL DRIPLINES

RING-LOCK

THINWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
630 SERIES	0.638"	-	5/8"
875 SERIES	0.875"	-	7/8"
990 SERIES	0.990"	-	1"



RING-LOCK COUPLERS

Direct Connection from Thinwall (TWD) to Thinwall (TWD)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016770	T630CB-B	630 SERIES	100	0.48
32500-021320	T875CB-B	875 SERIES	100	0.98
32500-029000	T990FLC-B	990 SERIES	50	1.50
32500-019630	T990C-B	990 SERIES	50	1.77



RING-LOCK START CONNECTORS

Item Number	Model Number	TWD Size	Quantity	Price Each
Direct Connection from PVC Submain to Thinwall (TWD) ¹				
32500-018315	T630PVC-B	630 SERIES	50	2.41
Direct Connection from LayFlat Submain to Thinwall (TWD)				
32500-018045	LYFSTRTRCON16	630 SERIES	1	1.56
32500-018263	LYFSTARTCON22-B	875 SERIES	50	2.00

¹ Requires 16.5mm drill bit for 0.680"



RING-LOCK ADAPTERS

Direct Connection from Thinwall (TWD) to Polyethylene (PE) Tubing

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-017060	T630IA520R-B	630 SERIES	50	0.98
32500-021220	T875IA680-B	875 SERIES	50	1.27



RING-LOCK MALE ADAPTERS

Direct Connection from Thinwall (TWD) to Male Pipe Thread (MPT)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-015270	T630MA075-B	630 SERIES	50	1.10
32500-019840	T990MA075-B	990 SERIES	50	1.72

FITTINGS & CONNECTORS

RING-LOCK



RING-LOCK TEE ADAPTERS

Direct Connection from Thinwall (TWD) to (TWD) to Male Pipe Thread (MPT)

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016525	T630TFA075R-B	630 SERIES	50	2.41



RING-LOCK LINE ENDS

Item Number	Model Number	TWD Size	Quantity	Price Each
32500-016490	T630END-B	630 SERIES	100	0.59

MISCELLANEOUS SUPPLIES



①



②



③



④



⑤

TOOLS, PUNCHES AND CUTTERS

Key	Item Number	Model Number	Description	Price Each
1	45000-002750	TDBIT16.5	16.5mm Drill Bit for 0.680" Grommet	38.00
2	45000-001450	PPUNCH8	8mm Plastic Punch	52.00
3	45000-002500	HHP11	C-Clamp Plastic (small) 0.43"/11 mm	161.00
4	45000-003290	LPPNXFHEXTOOL16	3/8" Hex Driver for 16mm LayFlat Start Connector	29.00
5	45000-003280	LPPNXFHEXTOOL22	1/2" Hex Driver for 22mm LayFlat Start Connector	30.00

FITTINGS & CONNECTORS

FOR HEAVYWALL DRIPLINES

TWIST-LOCK

Fittings have longer length for easy installation and secure connections

HEAVYWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
16MM	0.520"	-	0.540"
17MM	0.570"	-	0.600"
18MM	0.620"	-	0.640"
20MM	0.680"	-	0.700"
25MM	1.00"	-	1.20"



FROM PVC

TWIST-LOCK START CONNECTORS

Direct Connection from PVC Submain to Heavywall/Polyethylene (HWD/PE)

Item Number	Model Number	HWD Size	Quantity	Price Each
00115-001600	H52034260160-B	16MM	100	1.16
00115-002550	H57034260180-B	18MM	100	1.43
00115-003550	H69034260200-B	20MM	100	1.77

Requires 5/8" drill size (15.88mm)

INSERT-BARB



16MM



17MM



18MM



20-25MM



REDUCING COUPLER

INSERT-BARB COUPLERS


Item Number	Model Number	HWD Size	Quantity	Price Each
Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE)				
32500-010720	H520IC-B	16MM	50	0.54
00115-000830	H540IC-B	17MM	50	0.56
32500-014215	H620IC-B	18MM	100	0.69
32500-007630	H690IC-B	20MM	100	0.94
32500-021530	H820IC-B	25MM	100	1.34

Reducing Couplers

32500-007930	H680IRC520-B	18MM TO 16MM	100	1.06
32500-004330	H690IRC540-B	20MM TO 17MM	100	1.02
32500-022100	H820IRC680R	25MM TO 20MM	100	1.56

FITTINGS & CONNECTORS

INSERT-BARB



INSERT-BARB TEES

Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE) to (HWD/PE)

Item Number	Model Number	HWD Size	Quantity	Price Each
32500-011330	H520IT3-B	16MM	100	1.07
00135-000880	H540IT3-B	17MM	100	1.14
32500-008430	H690IT3-B	20MM	100	1.40



INSERT-BARB ELBOWS

Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE)

Item Number	Model Number	HWD Size	Quantity	Price Each
32500-012530	H520IE-B	16MM	100	0.91
00135-000855	H540IE-B	17MM	100	1.04
32500-010020	H690IE-B	20MM	50	1.23


FITTINGS & CONNECTORS

FOR HEAVYWALL DRIPLINES

INSERT-BARB

HEAVYWALL FITTINGS SELECTION GUIDE

Dripline Size	Acceptable Inside Diameter		
16MM	0.520"	-	0.540"
17MM	0.570"	-	0.600"
18MM	0.620"	-	0.640"
20MM	0.680"	-	0.700"
25MM	1.00"	-	1.20"



16MM - 25MM TO MALE PIPE THREAD



16MM, 20MM, 25MM TO PVC



17MM TO PVC

INSERT-BARB ADAPTERS

Item Number	Model Number	HWD Size	Quantity	Price Each
Direct Connection from Heavywall/Polyethylene (HWD/PE) to Male Pipe Thread (MPT)				
32500-011020	H520IMA075-B	16MM	50	1.23
32500-004492	H540IMA075-B	17MM	50	1.37
32500-008220	H690IMA075-B	20MM	50	1.37
32500-014827	H820IMA075-B	25MM	50	1.58
Direct Connection from Heavywall/Polyethylene (HWD/PE) to PVC ¹				
32500-013720	H520IAPVC-B	16MM	50	2.18
32500-006720	H540IAPVC-B	17MM	50	2.45
32500-010330	H680IAPVC-B	20MM	50	2.46
32500-018420	H820IAPVC-B	25MM	50	2.64

Direct Connection from Heavywall/Polyethylene (HWD/PE) to Polyethylene (PE)

32500-007120	H540IAPE-B	16MM	50	1.46
--------------	------------	------	----	------

¹ Requires 16.5mm drill bit/punch size



16MM TO FEMALE PIPE THREAD



20MM TO FEMALE PIPE THREAD

INSERT-BARB TEE ADAPTERS

Direct Connection from Heavywall/Polyethylene (HWD/PE) to (HWD/PE) to Female Pipe Thread (FPT)

Item Number	Model Number	HWD Size	Quantity	Price Each
32500-004720	H540ITFA075-B	16MM	50	2.27
32500-008920	H690ITFA075-B	20MM	50	2.67



18MM




20MM

INSERT-BARB LINE ENDS

Item Number	Model Number	HWD Size	Quantity	Price Each
32500-013030	H620FIG8-B	18MM	100	0.30
32500-014430	H800FIG8-B	20MM	100	0.65


FITTINGS & CONNECTORS

INSERT-BARB



INSERT-BARB SHUT-OFF VALVES

Item Number	Model Number	HWD Size	Quantity	Price Each
00005-008960	58ISV520	16MM	1	3.40
00005-008970	58ISV600	17MM	1	4.10
00005-008980	58ISV700	20MM	1	6.90
00005-008990	58ISV820	25MM	1	6.80



MISCELLANEOUS FITTINGS

Key	Item Number	Model Number	Description	Quantity	Price Each
1	32000-006000	HPLUG	Plug fits 0.620" - 0.670" HWD & PE Outside Diameter	1	0.17
2	32000-007015	HGROMM690-B	20mm HWD & PE Grommet for PVC Adapter	50	0.69
	00115-000650	HGROMM820	25mm HWD & PE Grommet for PVC Adapter	1	1.80
3	45000-002750	TDBIT16.5	16.5mm Drill Bit for HGROMM680	1	38.00

FITTINGS & CONNECTORS

ON-LINE DRIPPERS

Pressure Compensating Drippers (Non-CNL)	56
Woodpecker Pressure Compensating Drippers (Non-CNL)	56
Woodpecker Pressure Compensating Dripper with Bug Cap	56
Woodpecker Pressure Compensating Dripper (With CNL)	57
Woodpecker Pressure Compensating Junior Dripper (With CNL) ...	57
Non-Pressure Compensating Button Drippers	58
Woodpecker Non-Pressure Compensating Drippers	58
Accessories	58

ON-LINE DRIPPERS



PC DRIPPER



WPC DRIPPER



WPC WITH BUG CAP

PRESSURE COMPENSATING DRIPPERS (PC) - NON CNL

Item Number	Model Number	Nominal Flow (GPH)	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21000-001051	01PC2	0.5			0.5100	1,275.00	510.00
21000-001151	01PC4	1.0	2,500	-	0.5100	1,275.00	510.00
21000-001246	01PC8	2.0			0.5100	1,275.00	510.00
21000-001033	01PC2-B	0.5			0.5734	143.36	573.40
21000-001133	01PC4-B	1.0	-	250	0.5734	143.36	573.40
21000-001233	01PC8-B	2.0			0.5734	143.36	573.40

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

WOODPECKER PRESSURE COMPENSATING DRIPPERS (WPC) - NON CNL

Item Number	Model Number	Nominal Flow (GPH)	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21020-001051	01WPC2	0.5			0.5100	1,275.00	510.00
21020-001149	01WPC4	1.0	2,500	-	0.5100	1,275.00	510.00
21020-001251	01WPC8	2.0			0.5100	1,275.00	510.00
21020-001033	01WPC2-B	0.5			0.5734	143.36	573.40
21020-001133	01WPC4-B	1.0	-	250	0.5734	143.36	573.40
21020-001235	01WPC8-B	2.0			0.5734	143.36	573.40

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

WOODPECKER PRESSURE COMPENSATING DRIPPERS WITH BUG CAP (WPC) - NON CNL

Item Number	Model Number	Nominal Flow (GPH)	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21000-001340	01WPC24-B	6.0	-	250	0.6999	178.49	699.90

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

ON-LINE DRIPPERS



WPC DRIPPER



WPCJ DRIPPER

WOODPECKER PRESSURE COMPENSATING DRIPPERS (WPC) - WITH CNL

Item Number	Model Number	Nominal Flow (GPH)	Color Coded Inlet/Outlet	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21020-001061	01WPCLL2	0.5	Red/Brown	2,500		0.5741	1,435.25	574.10
21020-001156	01WPCLL4	1.0	Black/Brown			0.5741	1,435.25	574.10
21020-001201	01WPCLL8	2.0	Green/Brown			0.5741	1,435.25	574.10
21020-001138	01WPCLL2-B	0.5	Red/Brown		250	0.6426	160.67	642.60
21020-001136	01WPCLL4-B	1.0	Black/Brown			0.6426	160.67	642.60
21020-001137	01WPCLL8-B	2.0	Green/Brown			0.6426	160.67	642.60

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

WOODPECKER PRESSURE COMPENSATING JUNIOR DRIPPERS (WPCJ) - WITH CNL

Item Number	Model Number	Nominal Flow (GPH)	Color Coded Inlet/Outlet	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
21520-001051	01WPCJL2	0.5	Red/Black	13,000		0.3666	4,765.80	366.60
21520-001460	01WPCJL4	1.0	Gray/Black			0.3666	4,765.80	366.60
21520-001660	01WPCJL8	2.0	Green/Black			0.3666	4,765.80	366.60
21520-001698	01WPCJL12	3.2	Plum/Black		-	0.3666	4,765.80	366.60
21630-001540	01WPCJL25	6.6	Orange/Gray			0.3666	4,765.80	366.60
21630-001740	01WPCJL30	7.9	Orange/Brown			0.3666	4,765.80	366.60
21630-002140	01WPCJL40	10.6	Orange/Blue			0.3666	4,765.80	366.60
21520-001040	01WPCJL2-B	0.5	Red/Black		250	0.4181	104.53	418.10
21520-001440	01WPCJL4-B	1.0	Gray/Black			0.4181	104.53	418.10
21520-001640	01WPCJL8-B	2.0	Green/Black			0.4181	104.53	418.10
21520-001690	01WPCJL12-B	3.2	Plum/Black	-		0.4181	104.53	418.10
21630-001530	01WPCJL25-B	6.6	Orange/Gray			0.4181	104.53	418.10
21630-001730	01WPCJL30-B	7.9	Orange/Brown			0.4181	104.53	418.10
21630-002135	01WPCJL40-B	10.6	Orange/Blue			0.4181	104.53	418.10

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

ON-LINE DRIPPERS



BD DRIPPER



WP DRIPPER

NON-PRESSURE COMPENSATING BUTTON DRIPPERS (BD)

Item Number	Model Number	Nominal Flow (GPH)	Color Code	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
20000-001048	01BD2	0.5	Red	10,000	-	0.3102	3,102.00	310.20
20000-001250	01BD4	1.0	Black			0.3102	3,102.00	310.20
20000-001350	01BD8	2.0	Green			0.3102	3,102.00	310.20
20000-001143	01BD2-B	0.5	Red	-	250	0.3466	86.65	346.60
20000-001235	01BD4-B	1.0	Black			0.3466	86.65	346.60
20000-001333	01BD8-B	2.0	Green			0.3466	86.65	346.60

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY

WOODPECKER NON-PRESSURE COMPENSATING DRIPPERS (WP)

Item Number	Model Number	Nominal Flow (GPH)	Color Code	Quantity Per Case	Quantity Per Bag	Price Each	Price Per Case or Bag	Price Per 1,000
20020-001545	01WP2	0.5	Red	9,500	-	0.4748	4,510.60	474.80
20020-001650	01WP4	1.0	Black			0.4748	4,510.60	474.80
20020-001750	01WP8	2.0	Green			0.4748	4,510.60	474.80
20020-001535	01WP2-B	0.5	Red	-	250	0.5376	134.41	537.60
20020-001635	01WP4-B	1.0	Black			0.5376	134.41	537.60
20020-001735	01WP8-B	2.0	Green			0.5376	134.41	537.60

The nominal flow rate in liters per hour is indicated on the cap:

2 = 0.53 GPH, 4 = 1.06 GPH and 8 = 2.11 GPH

The WP barbed outlet fits 0.160"/0.220" Flex tubing (Model 15016022).

NOTE: On-Line Drippers Sold in Bag or Case Quantities ONLY



①



②

ACCESSORIES

Key	Item Number	Model Number	Description	Price Each
1	32000-001010	1107737-B	Dual Goof Plug - 3 mm/7 mm (Bag of 10 ea)	2.20
2	45000-001200	682901033	Plastic Hole Punch - 0.125", 3 mm	26.00

NOTES:

The WPC outlet fits 0.160"/0.220" tubing (Model 15016022).

The WPCJ outlet fits 0.125"/0.197" tubing (Model 15PVC53 or 15FPE53).

PIPE & TUBING

Quick Selection Guide for Commonly Sold Products	60
FlexNet™ Flexible Pipe	61
Polyethylene Tubing	62
Micro-Tubing	63
Oval Tube	63
Riser Line	63
QFlex Riser	63
FlexNet™ Fittings and Accessories	64
FlexNet™ Start Connectors	65
Oval Tube Accessories	65

PIPE & TUBING

QUICK SELECTION GUIDE FOR COMMONLY SOLD POLYETHYLENE AND OVAL TUBING NOT SUBJECT TO MINIMUM ORDER QUANTITY REQUIREMENTS (MOQ)

Netafim USA has a wide selection of polyethylene and oval tubing to fit numerous applications. Some products are stocking items which are not subject to minimum order quantity requirements and the following charts list those tubing options.

POLYETHYLENE COILS PER PALLET

Product	Coils Per Pallet
Black Polyethylene	20
Bright White Polyethylene	20

POLYETHYLENE TUBING - BLACK

Model Number	Nominal Inside Diameter	Nominal Outside Diameter	Nominal Wall Thickness	Coil Length	Price Per 1,000'
14037545	0.375"	0.450"	0.375"	1,000'	Call for Quote
14052062-01	0.520"	0.620"	0.050"	100'	Call for Quote
14052062-05	0.520"	0.620"	0.050"	500'	
14052062	0.520"	0.620"	0.050"	1,000'	
14057066-01	0.570"	0.660"	0.045"	100'	Call for Quote
14057066-05	0.570"	0.660"	0.045"	500'	
14057066	0.570"	0.660"	0.045"	1,000'	
14060070-01	0.600"	0.700"	0.050"	100'	Call for Quote
14060070-05	0.600"	0.700"	0.050"	500'	
14060070	0.600"	0.700"	0.050"	1,000'	
14061071-01	0.610"	0.710"	0.050"	100'	Call for Quote
14062071-01	0.620"	0.710"	0.045"	100'	Call for Quote
14062071-05	0.620"	0.710"	0.045"	500'	
14062072	0.620"	0.720"	0.050"	1,000'	
14069079	0.690"	0.790"	0.050"	1,000'	Call for Quote
14070080	0.700"	0.800"	0.050"	1,000'	Call for Quote
14072082	0.720"	0.820"	0.050"	1,000'	Call for Quote
14072083	0.720"	0.830"	0.055"	1,000'	Call for Quote
14072084	0.720"	0.840"	0.060"	1,000'	Call for Quote
14082093	0.820"	0.930"	0.055"	500'	Call for Quote
14082093-1000	0.820"	0.930"	0.055"	1,000'	
14082094-01	0.820"	0.940"	0.060"	100'	Call for Quote
14082094	0.820"	0.940"	0.060"	500'	
14082094-1000	0.820"	0.940"	0.060"	1,000'	
14083094-01	0.830"	0.940"	0.055"	510'	Call for Quote
14083094	0.830"	0.940"	0.055"	500'	
14083094-1000	0.830"	0.940"	0.055"	1,000'	
14106120-01	1.06"	1.200"	0.070"	100'	Call for Quote
14106120	1.06"	1.200"	0.070"	500'	
14106120-66	1.06"	1.200"	0.070"	660'	

OVAL TUBE

Model Number	Nominal Size	Pressure Rating (psi)	Coil Length	Nominal I.D.	Nominal O.D.	Price Per Coil
OT1.25-42-400	1.25"	42	400'	1.365"	1.499"	388.72
OT1.50-21-600	1.50"	21	600'	1.595"	1.675"	575.86
OT1.50-42-350	1.50"	42	350'	1.595"	1.758"	529.08
OT2.00-21-450	2.00"	21	450'	2.052"	2.154"	485.88
OT2.00-42-250	2.00"	42	250'	2.052"	2.261"	512.86
OT3.00-21-200	3.00"	21	200'	3.042"	3.188"	442.70
OT4.00-21-130	4.00"	21	130'	3.996"	4.186"	442.14

PIPE & TUBING

FLEXNET™ FLEXIBLE PIPE

Item Number	Model Number	Nominal Size	Outlet Spacing	Coil Length	Weight Per Coil	Coils Per Pallet	Price Per Coil
43003-005242	05FX02PIPE50-30	2"	30"	328'	33 lbs.	20	721.00
43003-005342	05FX02PIPE50-36		36"				710.00
43003-005442	05FX02PIPE50-40		40"				698.00
43003-005542	05FX02PIPE50-60		60"				674.00
43003-005642	05FX02PIPE50-72		72"				664.00
43003-005742	05FX02PIPE50-80		80"				652.00
43003-005942	05FX03PIPE50-30	3"	30"	328'	46 lbs.	14	924.00
43003-006042	05FX03PIPE50-36		36"				907.00
43003-006242	05FX03PIPE50-40		40"				889.00
43003-006342	05FX03PIPE50-60		60"				878.00
43003-006400	05FX03PIPE50-72		72"				867.00
43003-006442	05FX03PIPE50-80		80"				855.00
43003-006642	05FX04PIPE50-30	4"	30"	328'	60 lbs.	12	1,185.00
43003-006672	05FX04PIPE50-36		36"				1,169.00
43003-006842	05FX04PIPE50-40		40"				1,150.00
43003-006942	05FX04PIPE50-60		60"				1,134.00
43003-006962	05FX04PIPE50-72		72"				1,114.00
43003-007042	05FX04PIPE50-80		80"				1,099.00
43003-007342	05FX06PIPE50-30	6"	30"	328'	82 lbs.	6	1,754.00
43003-007442	05FX06PIPE50-36		36"				1,730.00
43003-007642	05FX06PIPE50-40		40"				1,707.00
43003-007742	05FX06PIPE50-60		60"				1,683.00
43003-007842	05FX06PIPE50-72		72"				1,660.00
43003-007942	05FX06PIPE50-80		80"				1,636.00
43003-008042	05FX08PIPE50-30	8"	30"	328'	108 lbs.	6	2,606.00
43003-008057	05FX08PIPE50-36		36"				2,581.00
43003-008142	05FX08PIPE50-40		40"				2,560.00
43003-008172	05FX08PIPE50-60		60"				2,535.00
43003-008182	05FX08PIPE50-72		72"				2,511.00
43003-008202	05FX08PIPE50-80		80"				2,489.00
43002-000179	05FX02	2"	BLANK TUBING	328'	31 lbs.	20	589.00
43002-000199	05FX03	3"			44 lbs.	14	768.00
43002-000205	05FX04	4"			57 lbs.	12	988.00
43002-000222	05FX06	6"			79 lbs.	6	1,475.00
43002-000237	05FX08	8"			106 lbs.	6	2,240.00



CUSTOM PRODUCTS

Outlet spacings not listed above. Call Netafim USA Customer Service for quote and delivery timelines.
Minimum order requirements and longer lead times apply. No returns on Custom Products.

PIPE & TUBING



POLYETHYLENE TUBING - BLACK

Item Number	Model Number	Nominal Inside Diameter	Nominal Outside Diameter	Nominal Wall Thickness	Max. Working Pressure	Nominal Diameter (mm)	Coil Length	Price Per 1,000'
19951-000171	14040049	0.400"	0.490"	0.045"	75 psi	10.2 x 12.5	1,000'	Call for Quote
19951-000061	14052062	0.520"	0.620"	0.050"	55 psi	14.5 x 16.8	1,000'	Call for Quote
19951-000013	14052062-05	0.520"	0.620"	0.050"	66 psi	13.2 x 15.8	500'	Call for Quote
40510-000296	14052063	0.520"	0.630"	0.055"	72 psi	13.2 x 16.0	1,000'	Call for Quote
19951-000062	14057066	0.570"	0.660"	0.045"	66 psi	13.2 x 15.8	1,000'	Call for Quote
19951-000062	14057066-05	0.570"	0.660"	0.045"	55 psi	14.5 x 16.8	500'	Call for Quote
19951-000023	14060070	0.600"	0.700"	0.050"	58 psi	15.2 x 17.8	1,000'	Call for Quote
19951-000094	14060070-05	0.600"	0.700"	0.050"	58 psi	15.2 x 17.8	500'	Call for Quote
19951-000052	140620710	0.620"	0.710"	0.045"	51 psi	15.8 x 18.0	500'	Call for Quote
19951-000016	14062071-05	0.620"	0.710"	0.045"	51 psi	15.8 x 18.0	1,000'	Call for Quote
19951-000017	14069079	0.690"	0.790"	0.050"	51 psi	17.5 x 20.1	1,000'	Call for Quote
19951-000137	14070080	0.700"	0.800"	0.050"	50 psi	18.3 x 20.8	1,000'	Call for Quote
19951-000018	14072082	0.720"	0.820"	0.050"	49 psi	18.3 x 20.8	1,000'	Call for Quote
19951-000019	14072083	0.720"	0.830"	0.055"	53 psi	18.3 x 21.1	1,000'	Call for Quote
19951-000020	14072084	0.720"	0.840"	0.060"	58 psi	18.3 x 21.3	1,000'	Call for Quote
19951-000102	14074084	0.740"	0.840"	0.050"	48 psi	18.8 x 21.3	1,000'	Call for Quote
19951-000178	14082093	0.820"	0.930"	0.055"	47 psi	20.8 x 23.6	500'	Call for Quote
19951-000024	14082093-1000	0.820"	0.930"	0.055"	47 psi	20.8 x 23.6	1,000'	Call for Quote
19951-000060	14082094	0.820"	0.940"	0.060"	51 psi	20.8 x 23.9	500'	Call for Quote
19951-000026	14082094-1000	0.820"	0.940"	0.060"	51 psi	20.8 x 23.9	1,000'	Call for Quote
19951-000021	14083094	0.830"	0.940"	0.055"	46 psi	21.1 x 23.9	500'	Call for Quote
19951-000027	14083094-1000	0.830"	0.940"	0.055"	46 psi	21.1 x 23.9	1,000'	Call for Quote
40510-000086	14106120	1.060"	1.200"	0.070"	47 psi	26.9 x 30.5	500'	Call for Quote
19951-000022	14106120-25	1.060"	1.200"	0.070"	44 psi	26.9 x 30.5	250'	Call for Quote

POLYETHYLENE TUBING - MADE TO ORDER PRODUCTS

Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Polyethylene and Oval Tube. Minimum order requirement is one (1) pallet or (20) coils.

POLYETHYLENE TUBING - CUSTOM PRODUCTS

Products not listed in this Price List. Minimum order requirement is one (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

POLYETHYLENE PRE-PUNCHED TUBING

Available on Polyethylene Tubing with Nominal Wall Thickness of 0.050".
SPECIAL ORDER ONLY - Requires a minimum order requirement of one (1) pallet or (20) coils.
Please call Netafim USA Customer Service for Quote and Delivery Timelines.

POLYETHYLENE TUBING WITH PRE-INSTALLED VINELINE CLIPS

Available on select sizes of Polyethylene Tubing.
SPECIAL ORDER ONLY - Requires a minimum order requirement of one (1) pallet or (20) coils.
Please call Netafim USA Customer Service for Quote and Delivery Timelines.

BRIGHT WHITE POLYETHYLENE TUBING - MADE TO ORDER

Requires a minimum order of one (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

BRIGHT WHITE POLYETHYLENE TUBING - CUSTOM PRODUCTS

Requires a minimum order of one (1) pallet or (20) coils. Please call Netafim USA Customer Service for Quote and Delivery Timelines.

PIPE & TUBING

MICRO-TUBING

Item Number	Model Number	Nominal Inside Diameter	Nominal Outside Diameter	Coil Length	Price Per 1,000'	Price Per Coil
40001-000700	15016022	0.160"	0.220"	1,000'	133.00	133.00
76301-000002	15PVC53	0.125"	0.197"	1,000'	133.00	133.00
40001-002000	15FPE53	0.125"	0.197"	3,000'	75.00	225.00



OVAL TUBE

Item Number	Model Number	Nominal Size	Pressure Rating (psi)	Coil Length	Nominal I.D.	Nominal O.D.	Coil Weight	Price Per Coil
43001-000026	OT1.25-29-500	1.25"	29	500'	1.365"	1.461"	43 lbs.	404.93
43001-000027	OT1.25-42-400	1.25"	42	400'	1.365"	1.499"	49 lbs.	388.72
43001-000028	OT1.50-21-600	1.50"	21	600'	1.595"	1.675"	52 lbs.	575.86
43001-000029	OT1.50-42-350	1.50"	42	350'	1.595"	1.758"	62 lbs.	529.08
43001-000030	OT2.00-21-450	2.00"	21	450'	2.052"	2.154"	62 lbs.	485.88
43001-000031	OT2.00-42-250	2.00"	42	250'	2.052"	2.261"	70 lbs.	512.86
43001-000032	OT2.50-21-350	2.50"	21	350'	2.450"	2.567"	64 lbs.	585.73
43001-000033	OT3.00-21-200	3.00"	21	200'	3.042"	3.188"	57 lbs.	442.70
43001-000034	OT4.00-21-130	4.00"	21	130'	3.996"	4.186"	63 lbs.	442.14

NOTE: 1.25", 1.50", 2.00" and 2.50" Oval Tube - 12 coils per pallet.
3.00" and 4.00" Oval Tube - 20 coils per pallet.

MADE TO STOCK ORDERS - Products listed in this Price List and not identified on the Quick Selection Guide for Commonly Sold Polyethylene and Oval Tubing. Minimum order requirement is one (1) pallet or (12 or 20) coils.

CUSTOM ORDERS - Products not listed in this Price List. Minimum order requirement (1) pallet or (12 or 20) coils.

RISER LINE



Item Number	Model Number	Description	Use With	Coil Length	Price Each
19951-000092	14051061-OD	0.510" x 0.610" O.D. PE Riser Line	.636"/.638" TWD	1,000'	Call
19951-000089	14070082-OD	0.700" x 0.820" O.D. PE Riser Line	.875" TWD	1,000'	For
19951-000091	14082094-OD	0.820" x 0.940" O.D. PE Riser Line	.990" TWD	1,000'	Quote

O.D. = Outside Diameter
PE = Polyethylene Tubing
TWD = Thinwall Dripline

QFLEX RISER

Item Number	Model Number	Description	Qty Per Box	Price Each
32010-002004	T875QFLWTPVC48-B	QFlex Riser 48", Barb/Grommet Connection, 875 Series Thinwall for Wire Tie	80	3.95
32010-002006	T875QFLWT050MT24-B	QFlex Riser 24", 1/2" Male Thread Connection, 875 Series Thinwall for Wire Tie	100	2.36
32010-002011	T875QFLTLXPVC48-B	QFlex Riser 48", Barb/Grommet Connection, 875 Series Thinwall for Twist-Lock Connector	60	6.32
78220-009650	05FX050STEL-B	1/2" Male Threaded by 1/2" Female Threaded Elbow	100	1.56



PIPE & TUBING



①



②



②a



③



④



⑤



⑥

FLEXNET™ FITTINGS AND ACCESSORIES

Key	Item Number	Model Number	Description	Price Each
1	43040-018000	05FX02CPLRCONN	2" Coupler Connector Kit	26.00
	43040-018150	05FX03CPLRCONN	3" Coupler Connector Kit	32.00
	43040-018300	05FX04CPLRCONN	4" Coupler Connector Kit	37.00
	43040-031600	05FX06PXCPLRCONN	6" Coupler Connector Kit	192.00
	43040-031700	05FX08PXCPLRCONN	8" Coupler Connector Kit	322.00
2	43040-018605	05FX02SXBCONN	2" Spigot X Barb Connector Kit	15.00
	43040-018610	05FX03SXBCONN	3" Spigot X Barb Connector Kit	19.00
	43040-018381	05FX04SXBCONN	4" Spigot X Barb Connector Kit	54.00
2a	43040-032400	05FX06SXBCONN	6" Spigot X Barb Connector Kit	161.00
	43040-032500	05FX08SXBCONN	8" Spigot X Barb Connector Kit	249.00
3	43040-006200	05FX02SEAL	2" Rubber Seal	2.20
	43040-006230	05FX03SEAL	3" Rubber Seal	2.50
	43040-006260	05FX04SEAL	4" Rubber Seal	2.60
	43020-010000	05FX06SEAL	6" Rubber Seal	19.00
	43020-010050	05FX08SEAL	8" Rubber Seal	37.00
4	43020-010380	05FX02CLAMP	2" Stainless Steel Clamp	5.60
	43020-010390	05FX03CLAMP	3" Stainless Steel Clamp	8.00
	43020-010405	05FX04CLAMP	4" Stainless Steel Clamp	11.00
	43020-100415	05FX06CLAMP	6" Stainless Steel Clamp	16.00
	43020-010425	05FX08CLAMP	8" Stainless Steel Clamp	19.00
5	42000-027105	05FXPLUG050MPT-B	1/2" MPT Short Plug (Bag Qty 50)	25.00
6	70561-000800	AV-COMBO-050	1/2" Mini Combination Air Vent	55.00
7	42000-007000	05FXNETAFIXKIT	FlexNet Patch Kit (punch, 20 plugs/washers)	145.00
8	42000-007010	05FXNETAFIXPLUGS	FlexNet Patch Kit (20 plugs/washers)	85.00
9	43040-018301	05FX04PXCNPXNLFK	FlexNet 4" Transition Coupler x LayFlat Kit	153.00
	43040-031606	05FX06PXCNPXNLFK	FlexNet 6" Transition Coupler x LayFlat Kit	231.00
	43040-031702	05FX08PXCNPXNLFK	FlexNet 8" Transition Coupler x LayFlat Kit	353.00



⑦



⑧



⑨

PIPE & TUBING



①



②



③

FLEXNET™ START CONNECTORS

Key	Item Number	Model Number	Description	Qty Per Bag	Price Per Bag
1	32500-011371	05FX050MTEX636TL-B	630 Series Thinwall Tee Connector	100	169.00
	32500-014751	05FX050MTEX875TL-B	875 Series Thinwall Tee Connector	50	116.00
2	32500-011381	05FX050MELX636TL-B	630 Series Thinwall Elbow Connector	100	146.00
	32500-014771	05FX050MELX875TL-B	875 Series Thinwall Elbow Connector	50	90.00
-	32500-034130	05FX050MTEX875FR-B	875 Series TWD Tee Connector Fast Ring	100	98.00
	32500-034040	05FX050MELX875FR-B	875 Series TWD Elbow Connector Fast Ring	100	58.00
3	32500-012701	05FX50MELX16MM-B	16mm Elbow Connector	50	46.00
	32500-014515	05FX050MELX20MM-B	20mm Elbow Connector	50	58.00

All Start Connectors include O-Rings



①



②

OVAL TUBE ACCESSORIES

Key	Item Number	Model Number	Description	Punch Size	Qty Per Bag	Price Per Bag
1	00115-005050	T63036440170-B	630 Series TWD X 0.400" Barb	10 mm	100	76.00
	00115-007250	T87536440220-B	875 Series TWD x 0.400" Barb	10 mm	100	103.00
2	00115-006250	T63042440170-B	630 Series TWD x 0.400" Barb with Valve	10 mm	100	212.00

0.400" valve requires 8 mm punch

PIPE & TUBING

SPRINKLERS

MegaNet	68
SuperNet - Rotating	69
SuperNet - Jet	70
SuperNet Jr.	71
NetJet	72
SuperNet and SuperNet Jr. Components	73
MegaNet Components and Accessories	74
SuperNet and SuperNet Jr. Accessories	75
NetJet Components	75

SPRINKLERS



MEGANET - ROTATING SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

Item Number	Model Number	Description	Nominal Flow Rate	Trajectory	Price Each
63600-001700	MGN24D-088HO	Sprinkler Head Only - Yellow Nozzle	0.88 GPM	High - 24°	8.40
63600-001750	MGN24D-110HO	Sprinkler Head Only - Purple Nozzle	1.10 GPM		8.40
63600-001000	MGN24D-154HO	Sprinkler Head Only - Green Nozzle	1.54 GPM		8.40
63600-002000	MGN24D-198HO	Sprinkler Head Only - Blue Nozzle	1.98 GPM		8.40
63600-003000	MGN24D-242HO	Sprinkler Head Only - Brown Nozzle	2.42 GPM		8.40
63600-004000	MGN24D-286HO	Sprinkler Head Only - Orange Nozzle	2.86 GPM		8.40
63600-004500	MGN24D-330HO	Sprinkler Head Only - Red Nozzle	3.30 GPM		8.40
63600-004900	MGN15D-088HO	Sprinkler Head Only - Yellow Nozzle	0.88 GPM	Low - 15°	8.40
63600-004950	MGN15D-110HO	Sprinkler Head Only - Purple Nozzle	1.10 GPM		8.40
63600-005000	MGN15D-154HO	Sprinkler Head Only - Green Nozzle	1.54 GPM		8.40
63600-006000	MGN15D-198HO	Sprinkler Head Only - Blue Nozzle	1.98 GPM		8.40
63600-007000	MGN15D-242HO	Sprinkler Head Only - Brown Nozzle	2.42 GPM		8.40
63600-008000	MGN15D-286HO	Sprinkler Head Only - Orange Nozzle	2.86 GPM		8.40

Nominal flow rate at 33 psi.

SPRINKLERS

SUPERNET ROTATING ORDERING GUIDELINES

031	Inlet Connector	Swivel	Model	Stream Splitter	Tube Length	Stake
Quick Connect Thread	2	Long Range (LR) 1 Long Range with Stream Deflector (LRD) 2 Medium Range (MR) 5 Medium Range with Stream Deflector (MRD) 6 Short Range (SR) 3 Short Range with Stream Deflector (SRD) 4	Purple * 020 Light Green 028 Brown 030 Sky Blue 035 Blue 040 Green 050 Gray 058 Black 070 Orange * 090	No Splitter 0 1 Installed 1 2 Installed 2	No Tube 00 30" (STD) 30 36" 36 48" 48	No Stake 0E With Stake 1E

* Not available with MR or MRD Swivel

SUPERNET ROTATING - FLOW REGULATED MICRO-SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

Item Number	Model Number	Description	Nominal Flow Rate	Quantity Per Bundle	Price Each
63500-053360	031210200000E	Sprinkler Head Only - Purple	5.3 GPH		3.00
63500-054620	031210280000E	Sprinkler Head Only - Light Green	7.4 GPH		3.00
63500-054660	031210300000E	Sprinkler Head Only - Brown	8.2 GPH		3.00
63500-063730	031210350000E	Sprinkler Head Only - Sky Blue	9.2 GPH		3.00
63500-055960	031210400000E	Sprinkler Head Only - Blue	10.6 GPH	-	3.00
63500-057260	031210500000E	Sprinkler Head Only - Green	13.2 GPH		3.00
63500-058560	031210580000E	Sprinkler Head Only - Gray	15.3 GPH		3.00
63500-059860	031210700000E	Sprinkler Head Only - Black	18.5 GPH		3.00
63500-061160	031210900000E	Sprinkler Head Only - Orange	23.8 GPH		3.00
63501-000170	031210200301E	Purple Full Assembly, LR Swivel, 30" Tube and Stake	5.3 GPH		4.52
63501-000190	031210280301E	Light Green Full Assembly, LR Swivel, 30" Tube and Stake	7.4 GPH		4.52
63501-000200	031210300301E	Brown Full Assembly, LR Swivel, 30" Tube and Stake	8.2 GPH		4.52
63501-000220	031210350301E	Sky Blue Full Assembly, LR Swivel, 30" Tube and Stake	9.2 GPH		4.52
63501-000270	031210400301E	Blue Full Assembly, LR Swivel, 30" Tube and Stake	10.6 GPH	25	4.52
63501-000320	031210500301E	Green Full Assembly, LR Swivel, 30" Tube and Stake	13.2 GPH		4.52
63501-000350	031210580301E	Gray Full Assembly, LR Swivel, 30" Tube and Stake	15.3 GPH		4.52
63501-000380	031210700301E	Black Full Assembly, LR Swivel, 30" Tube and Stake	18.5 GPH		4.52
63501-000430	031210900301E	Orange Full Assembly, LR Swivel, 30" Tube and Stake	23.8 GPH		4.52



STANDARD NON-STOCK ITEMS

Available to ship within 10 business days - subject to order quantity. Requires additional assembly.

SuperNet - Swivel Spray Options
Long Range Swivel with Deflector
Medium Range Swivel
Medium Range Swivel with Deflector
Short Range Swivel
Short Range Swivel with Deflector
1 or 2 Installed Stream Splitters
No Tubing
36" or 48" Tubing Lead
No Stake

SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

SuperNet - Swivel Spray Options
Barb Inlet Connector

ROTATING MODELS

Model Color	Color Code
Purple	020
Light Green	028
Brown	030
Sky Blue	035
Blue	040
Green	050
Gray	058
Black	070
Orange	090

SPRINKLERS

SUPERNET JET ORDERING GUIDELINES

034	Inlet Connector	Swivel	Model	Stream Splitter	Tube Length	Stake
Quick Connect Thread	2	12 Jet 360° Full Circle 9 10 Jet 300° 10 8 Jet Butterfly 11 6 Jet 180° Half Circle 12	Brown 030 Sky Blue 035 Blue 040 Green 050 Gray 058 Black 070 Orange 090	No Splitter 0 1 Installed 1 2 Installed 2	No Tube 00 30" (STD) 30 36" 36 48" 48	No Stake 0 With Stake 1

SUPERNET JET - FLOW REGULATED MICRO-SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

Item Number	Model Number	Description	Nominal Flow Rate	Quantity per Bundle	Price Each
63500-096250	034290300000	Sprinkler Head Only - Brown	8.2 GPH		3.00
63500-096910	034290350000	Sprinkler Head Only - Sky Blue	9.2 GPH		3.00
63500-097550	034290400000	Sprinkler Head Only - Blue	10.6 GPH		3.00
63500-098850	034290500000	Sprinkler Head Only - Green	13.2 GPH	-	3.00
63500-100150	034290580000	Sprinkler Head Only - Gray	15.3 GPH		3.00
63500-101450	034290700000	Sprinkler Head Only - Black	18.5 GPH		3.00
63500-102750	034290900000	Sprinkler Head Only - Orange	23.8 GPH		3.00
63501-000830	034290300301	Brown Full Assembly, 360° Circle, 30" Tube and Stake	8.2 GPH		4.25
63501-000777	034290350301	Sky Blue Assembly, 360° Circle, 30" Tube and Stake	9.2 GPH		4.25
63501-000850	034290400301	Blue Full Assembly, 360° Circle, 30" Tube and Stake	10.6 GPH		4.25
63501-000880	034290500301	Green Full Assembly, 360° Circle, 30" Tube and Stake	13.2 GPH	25	4.25
63501-000900	034290580301	Gray Full Assembly, 360° Circle, 30" Tube and Stake	15.3 GPH		4.25
63501-000891	034290700301	Black Full Assembly, 360° Circle, 30" Tube and Stake	18.5 GPH		4.25
63501-001128	034290900301	Orange Full Assembly, 360° Circle, 30" Tube and Stake	23.8 GPH		4.25



STANDARD NON-STOCK ITEMS

Available to ship within 10 business days - subject to order quantity. Requires additional assembly.

SuperNet - Jet Spray Options
10 Jet 300° Spray Pattern
8 Jet Butterfly Spray Pattern
1 or 2 Installed Stream Splitters
No Tubing
36" or 48" Tubing Lead
No Stake

SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

SuperNet - Jet Spray Options
Barb Inlet Connector

JET MODELS

Model Color	Color Code
Brown	030
Sky Blue	035
Blue	040
Green	050
Gray	058
Black	070
Orange	090

SPRINKLERS

SUPERNET JR ORDERING GUIDELINES

032	Inlet Connector	Swivel	Model	Stream Splitter	Tube Length	Stake
Quick Connect Thread	2	Long Range (LR) 1 Long Range with Stream Deflector (LRD) 2 Short Range (SR) 3 Short Range with Stream Deflector (SRD) 4	Brown 028 Blue 040 Gray 058 Black 070 Orange 090 Red 120 Sky Blue 150	No Splitter 0 1 Installed 1 2 Installed 2	No Tube 00 30" (STD) 30 36" 36 48" 48	No Stake 0E With Stake 1E

SUPERNET JR. - NON-FLOW REGULATED ROTATING MICRO-SPRINKLER

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

Item Number	Model Number	Description	Nominal Flow Rate	Quantity per Bundle	Price Each
64000-000805	032210280000E	Sprinkler Head Only - Brown	6.4 GPH		1.90
64000-001010	032210400000E	Sprinkler Head Only - Blue	9.5 GPH		1.90
64000-002262	032210580000E	Sprinkler Head Only - Gray	13.8 GPH		1.90
64000-002305	032210700000E	Sprinkler Head Only - Black	16.7 GPH	-	1.90
64000-003557	032210900000E	Sprinkler Head Only - Orange	21.4 GPH		1.90
64000-003610	032211200000E	Sprinkler Head Only - Red	30.0 GPH		1.90
64000-012507	032211500000E	Sprinkler Head Only - Sky Blue	35.0 GPH		1.90
64000-000807	032210280301E	Brown Full Assembly, LR Swivel, 30" Tube and Stake	6.4 GPH		3.31
64001-000100	032210400301E	Blue Full Assembly, LR Swivel, 30" Tube and Stake	9.5 GPH		3.31
64001-000110	032210580301E	Gray Full Assembly, LR Swivel, 30" Tube and Stake	13.8 GPH		3.31
64001-000120	032210700301E	Black Full Assembly, LR Swivel, 30" Tube and Stake	16.7 GPH	25	3.31
64001-000130	032210900301E	Orange Full Assembly, LR Swivel, 30" Tube and Stake	21.4 GPH		3.31
64001-000140	032211200301E	Red Full Assembly, LR Swivel, 30" Tube and Stake	30.0 GPH		3.31
64001-000300	032211500301E	Sky Blue Full Assembly, LR Swivel, 30" Tube and Stake	35.0 GPH		3.31



STANDARD NON-STOCK ITEMS

Available to ship within 10 business days - subject to order quantity. Requires additional assembly.

SuperNet Jr. Options
Long Range Swivel with Deflector
Short Range Swivel
Short Range Swivel with Deflector
1 or 2 Installed Stream Splitters
No Tubing
36" or 48" Tubing Lead
No Stake

SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

SuperNet Jr. Options
Barb Inlet Connector

SUPERNET JR. MODELS

Model Color	Color Code
Brown	028
Blue	040
Gray	058
Black	070
Orange	090

SPRINKLERS

NETJET ORDERING GUIDELINES

037	Spray Pattern	Model	Tube Length	Stake
12 Stream 360° Hi/Low	121	Black 08	No Tube 000	No Stake 0
Butterfly Stream	122	Orange 78	30" (STD) 030	With Stake 1
8 Stream 210° Circle	123	Brown 28	36" 036	
22 Stream 360° Full Circle	125	Blue 18		
12 Stream 360° Full Circle	126	Purple 68		
Rectangular Stream	127	Gray* 48		
10 Stream 300° Tree Notch	128	Green* 38		
		Olive* 88		
		Red* 58		

* Non-Standard Flow

NETJET - HIGH PERFORMANCE SPRAY JET

Standard In-Stock Items - Available to ship within 2 business days - subject to order quantity

Item Number	Model Number	Description	Nominal Flow Rate	Quantity per Bundle	Price Each
00015-007000	037121080000	Sprinkler Head Only - Black, 12 Stream, 360° Hi/Low	6.8 GPH		0.74
00015-007750	037121780000	Sprinkler Head Only - Orange, 12 Stream, 360° Hi/Low	7.6 GPH		0.74
00015-007200	037121280000	Sprinkler Head Only - Brown, 12 Stream, 360° Hi/Low	8.7 GPH	-	0.74
00015-007100	037121180000	Sprinkler Head Only - Blue, 12 Stream, 360° Hi/Low	11.1 GPH		0.74
00015-007550	037121680000	Sprinkler Head Only - Purple, 12 Stream, 360° Hi/Low	13.1 GPH		0.74
00015-007050	037121080301	Black Full Assy, 360° Hi/Low, 30" Tube and Stake	6.8 GPH		1.82
00015-007800	037121780301	Orange Full Assy, 360° Hi/Low, 30" Tube and Stake	7.6 GPH		1.82
00015-007250	037121280301	Brown Full Assy, 360° Hi/Low, 30" Tube and Stake	8.7 GPH	25	1.82
00015-007150	037121180301	Blue Full Assy, 360° Hi/Low, 30" Tube and Stake	11.1 GPH		1.82
00015-007650	037121680301	Purple Full Assy, 360° Hi/Low, 30" Tube and Stake	13.1 GPH		1.82



SPECIAL ORDER NON-STOCK ITEMS

Call for Shipping Timelines.

NetJet Options
Butterfly Stream
8 Stream 210° Circle
22 Stream 360° Full Circle
12 Stream 360° Full Circle
10 Stream 300° Tree Notch
Rectangular Stream
No Tubing
36" Tubing Lead
No Stake
Gray Nozzle
Green Nozzle
Olive Nozzle
Red Nozzle

NETJET MODELS

Model Color	Color Code
Black	08
Orange	78
Brown	28
Blue	18
Purple	68
Gray	48
Green	38
Olive	88
Red	58

SPRINKLERS



SUPERNET AND SUPERNET JR. COMPONENTS

Key	Item Number	Model Number	Description	Price Each
1	63000-006500	03134800758	30" Micro-Tubing with Barbed Connector	0.80
	63000-007200	03134800908	36" Micro-Tubing with Barbed Connector	0.86
	63000-008400	03134801208	48" Micro-Tubing with Barbed Connector	1.20
2	63520-005900	031736	Blue Stake 13" for SuperNet	0.95
2a	63000-009800	03600	Blue Stake 12" for SuperNet Jr.	0.90
3	63520-006020	031748-B	Barb x Barb Connector (Bag of 100)	0.31
4	63520-005800	031735	Stream Splitter	0.39
5	63520-011400	031739	Everspin Bearing (orange color)	0.64
-	63520-005400	031731	Upper Bearing - Square	0.31
6	63520-005500	031732	Bridge	0.49
7	63520-005100	031722	LR - Long Range Swivel Purple*	0.31
8	63520-005000	031721	LR - Long Range Swivel Black*	0.31
9	63520-013500	031717	MR - Medium Range Swivel Brown*	0.31
10	63520-005200	031725	SR - Short Range Swivel Blue*	0.31
11	63520-005160	031723	LRD - Long Range Swivel Purple* with Breakaway Deflector	0.31
12	63520-005150	031724	LRD - Long Range Swivel Black* with Breakaway Deflector	0.31
13	63520-013550	031718	MRD - Medium Range Swivel Brown* with Breakaway Deflector	0.31
14	63520-005300	031726	SRD - Short Range Swivel Blue* with Breakaway Deflector	0.31
-	63520-005380	031730	Swivel Plate - 180° Half Circle, 6 Jets	0.31
-	63520-005360	031727	Swivel Plate - 300°, 10 Jets	0.31
-	63520-005350	031729	Swivel Plate - 360° Circle, 12 Jets	0.31
-	63520-005370	031728	Swivel Plate - Butterfly, 8 Jets	0.31
15	63520-005600	031733	Diaphragm (not available with SuperNet Jr.)	0.76
16	63520-005700	031734	O-Ring (not available with SuperNet Jr.)	0.25
-	40000-004900	031933940705	PE Flex Micro-Tubing (1640' coil)	157.00
-	63520-005990	031749	SuperNet U Shaped Adapter for Hanging Upright System	0.71

* Swivel colors may vary by model. See Technical sheets for correct specifications.


SPRINKLERS



MEGANET COMPONENTS AND ACCESSORIES

Key	Item Number	Model Number	Description	Price Each
1	64520-002305	03N20STAND0948-B	Sprinkler Stand with Connector, 9 mm I.D. tubing, 48", PE barb, 1/2" FIPT, stake adapter (stake not included) (Bag 25)	151.75
-	64520-002280	03N20STAND0948NODP	Sprinkler Stand with Connector, 9 mm I.D. tubing, 48", PE barb, 1/2" FIPT (each)	5.70
-	65080-002880	SSP	Sprinkler Stand Plug	0.52
-	65080-002600	03N265080002610	Female x Barb Connector for Sprinkler Stand	0.51
-	63620-004400	MGNFIL	MegaNet Filter	0.49
2	63620-007000	MGNRG	MegaNet Road Guard	0.95
3	45000-001450	PPUNCH8	8 mm Plastic Punch	52.00
-	63501-001210	03175648	6 mm Steel Stake, 48" length	3.50
4	64520-002480	MGNBASE	MegaStand Base for Riser	5.90
5	64520-002485	MGNSUPPORTARM	MegaStand Supporting Arm for Riser	4.20
6	64520-002490	MGNRISER-16	MegaStand Riser 1/2" MPT x 16"	4.80

SPRINKLERS




SUPERNET AND SUPERNET JR. ACCESSORIES

Key	Item Number	Model Number	Description	Price Each
1	45000-001200	682901033	3 mm Plastic Punch	26.00
2	63520-005950	03173600	SuperNet Stand Poly Adapter 6 mm	0.95
	64020-002000	03173700	SuperNet Jr. Stand Poly Adapter 6 mm	0.50
3	63501-001200	03175624	24" (6 mm) Steel Stake*	3.20
	63501-001210	03175648	48" (6 mm) Steel Stake*	3.50
-	63520-011000	03740	Cleaning Tool	12.00

* Custom product, non-stock. Please call Netafim USA Customer Service for delivery timelines.

NETJET COMPONENTS

Key	Item Number	Model Number	Description	Price Each
1	63000-009870	037BLUESTK	Blue Stake 11" for NetJet	0.77
2	00015-011250	037129980000	NetJet Stream Deflector	0.61
3	63000-006500	03134800758	30" Micro-Tubing with Barbed Connector	0.80
	63000-007200	03134800908	36" Micro-Tubing with Barbed Connector	0.86



SPRINKLERS

FILTERS

Manual Disc Filters	78
2" Compact LP Disc-Kleen Filters	78
2" LP Disc-Kleen Filter Batteries	79
3" LP Disc-Kleen Filter Batteries	79
Apollo Disc-Kleen Filter Batteries	80
Backflush Controllers	81
Sandstorm Single Chamber Metal Media Filter Batteries	82
Sandstorm Double Chamber Media Filter Batteries	83
Hydrocyclone Sand Separators and Sedimentation Tanks	84
Scan-Kleen Screen Filters	85
ScreenGuard™ Automatic Screen Filters	85
Manual Screen Filters	86
Circulating Screen Filters	86
Manual Disc Filter Parts	
3/4", 1" and 1 1/2"	87
2" Dual HP and 2" Super	88
2" Dual Lite and 3" Angle	89
3" Twin Lite and 3" Twin	90
4" and 6" Twin	91
Automatic Disc-Kleen Filter Parts	
2" Compact LP Disc-Kleen	92
2" Compact Disc-Kleen	93
2" LP Disc-Kleen	94
2" Disc-Kleen	95
3" LP Disc-Kleen	96
3" Disc-Kleen	97
Apollo Disc-Kleen	98
Sand Media Filter Parts	
AGF Sand Media	100
Sandstorm Single Chamber Metal Media	101
Screen Filter Parts	
Scan-Kleen Screen	105
ScreenGuard™ Automatic Screen	107
Backflush Valves	109
Fittings and Accessories	110

FILTERS



MESH MICRON EQUIVALENT

Mesh	Micron	Color
040	400	Blue
080	200	Yellow
120	130	Red
140	115	Black
200	55	Green



MANUAL DISC FILTERS

Key	Model Number	Filter Size	Flow Range (GPM)	Maximum Pressure (psi)	Price Each
1	25A45-***	3/4"	1-12		34.00
2	25A47-***	1"	5-26	140	102.00
3	25A48-***	1" Super			150.00
4	25A15-***	1 1/2"	10-35	140	159.00
5	25A17-***	1 1/2" Super	10-52	140	211.00
6	25A30-***	2" Dual HP	40-120	174	525.00
7	25A2DL-***	2" Dual Lite	40-110		320.00
8	25A3TL-***F	3" Twin Lite	80-220	115	612.00
9	25A53-***GNEW	3" Angle GR			1,085.00
9a	25A53-***FNEW	3" Angle FL	80-220	140	1,110.00
10	25A78-***F	4" Twin FL	160-450		2,271.00
	25A80-***F	6" Twin FL	200-600	140	2,736.00

Substitute *** for proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.

2" COMPACT LP DISC-KLEEN FILTER

Includes Built-in Battery Operated Backflush Controller. Maximum Operating Pressure 90 psi
Standard with Plastic Backflush Valves and Digital Pressure Differential (PD) Gauge



Item Number	Model Number	Input Power	Flow Range (GPM)	Manifold In/Out	Maximum Pressure	Price Each
70641-007225	26LP2A1-120ACAX	110 VAC	1-80	2" TH	90 psi	6,374.00
70641-007240	26LP2A1-140ACAX					6,374.00
70641-007220	26LP2A1-120DCLAX	D Batteries	1-80	2" TH	90 psi	6,145.00
70641-007235	26LP2A1-140DCLAX					6,145.00
-	26LP2A1LF-120ACAX	110 VAC	1-40	2" TH	90 psi	6,374.00
70641-007237	26LP2A1LF-140ACAX					6,374.00
70641-007223	26LP2A1LF120DCLAX	D Batteries	1-40	2" TH	90 psi	6,145.00
70641-007224	26LP2A1LF140DCLAX					6,145.00

Minimum pressure for backflush is 30 psi downstream.
DC requires (2) D batteries.

FILTERS

2" LP DISC-KLEEN FILTER BATTERIES

Standard with Polypropylene Manifolds, Plastic Backflush Valves and Installed Drain Manifold
Maximum Operating Pressure 90 psi

Model Number	No. of Filters	Flow Range (GPM)	Manifold In/Out	Solenoid Type	Price Each
26LP2PP2***AC	2	50-160	4" GR	24VAC	7,696.00
26LP2PP2***DC				12VDC	7,696.00
26LP2PP2***DCL				12VDCL	7,813.00
26LP2PP3***AC	3	100-240	4" GR	24VAC	10,462.00
26LP2PP3***DC				12VDC	10,462.00
26LP2PP3***DCL				12VDCL	10,627.00
26LP2PP4***AC	4	150-320	4" GR	24VAC	13,559.00
26LP2PP4***DC				12VDC	13,559.00
26LP2PP4***DCL				12VDCL	13,790.00

Substitute *** with proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.
Minimum pressure for backflush is 30 psi downstream. Backflush controller not included.
Standard with 24VAC solenoids for up to 90 psi maximum.
Drain manifold - 2" grooved



3" LP DISC-KLEEN FILTER BATTERIES

Standard with Polypropylene Manifolds, Plastic Backflush Valves and Installed Drain Manifold
Maximum Operating Pressure 90 psi

Model Number	No. of Filters	Flow Range (GPM)	Manifold In/Out	Solenoid Type	Price Each
26LP3PPB3***AC	3	150-450	6" GR	24VAC	15,635.00
26LP3PPB3***DC				12VDC	15,635.00
26LP3PPB3***DCL				12VDCL	15,798.00
26LP3PPB4***AC	4	250-600	6" GR	24VAC	19,898.00
26LP3PPB4***DC				12VDC	19,898.00
26LP3PPB4***DCL				12VDCL	20,383.00
26LP3PPB5***AC	5	350-750	6" GR	24VAC	24,489.00
26LP3PPB5***DC				12VDC	24,489.00
26LP3PPB5***DCL				12VDCL	24,967.00

Substitute *** with proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.
Minimum pressure for backflush is 30 psi downstream. Backflush controller not included.
Standard with 24VAC solenoids for up to 90 psi maximum.
Drain manifold - 2" grooved



3" DISC-KLEEN FILTER BATTERIES - HIGH PRESSURE VERSION

Standard with High Pressure Solenoids and Abrasion Shields for operating pressures of 91 to 140 psi.
Add "HP" to the end of the Model Number and contact Netafim USA Customer Service for pricing.

FILTERS



APOLLO DISC-KLEEN FILTER BATTERIES - MODULAR VERSION

Includes Installed Drain Manifold. Discs Separate During Backflush
Standard with Plastic Backflush Valves. Maximum Operating Pressure 90 psi

Model Number	Size, Filters and Configuration	Flow Range (GPM)	Manifold In/Out	Solenoid Type	Price Each
26ASK3APP4***AC	3" - 4 Angle	300-800	10" Flanged	24VAC	28,786.00
26ASK3APP4***DC				12VDC	28,786.00
26ASK3APP4***AQDCL				12VDCL	29,008.00
26ASK4PB3***AC	4" - 3 Twin +	500-1,200	10" Flanged	24VAC	28,020.00
26ASK4PB3***DC				12VDC	28,020.00
26ASK4PB3***AQDCL				12VDCL	28,198.00
26ASK4PB4***AC	4" - 4 Twin +	700-1,600	10" Flanged	24VAC	42,015.00
26ASK4PB4***DC				12VDC	42,015.00
26ASK4PB4***AQDCL				12VDCL	42,239.00
26ASK4PB5***AC	4" - 5 Twin ++	850-2,000	10" Flanged	24VAC	52,383.00
26ASK4PB5***DC				12VDC	52,383.00
26ASK4PB5***AQDCL				12VDCL	52,655.00
26ASK4PB6***AC	4" - 6 Twin ++	1,000-2,400	10" Flanged	24VAC	59,535.00
26ASK4PB6***DC				12VDC	59,535.00
26ASK4PB6***AQDCL				12VDCL	59,897.00
26ASK4PB7***AC	4" - 7 Twin ++	1,200-2,800	10" Flanged	24VAC	68,461.00
26ASK4PB7***DC				12VDC	68,461.00
26ASK4PB7***AQDCL				12VDCL	68,840.00
26ASK4PB8***AC	4" - 8 Twin ++	1,300-3,200	10" Flanged	24VAC	82,463.00
26ASK4PB8***DC				12VDC	82,463.00
26ASK4PB8***AQDCL				12VDCL	82,937.00

Substitute *** with proper mesh size. Refer to Mesh Micron Equivalent Chart for mesh options.

+ 3 and 4 Twin Filters require (1) Flange-Bolt Kit to seal the inlet/outlet manifold connections, order separately.

++ 5, 6, 7 and 8 Twin Filters shipped with (1) Flange-Bolt Kit and (1) Adapter Kit.

Minimum pressure for backflush is 30 psi downstream. Backflush controller not included.

Standard with 24VAC solenoids for up to 90 psi maximum. Drain manifold - 4" grooved.

APOLLO DISC-KLEEN FILTER BATTERIES - HIGH PRESSURE MODULAR VERSION

High Pressure Solenoids and Orifice Plate on Drain Manifold for Operating Pressures of 91 to 140 psi.

Add "HP" to the Model Number listed above, call pricing.

APOLLO DISC-KLEEN FILTER (MODULAR) KITS

Item Number	Model Number	Description	Use When	Price Each
00110-001540	25APMODKITFLNG	Flange-Bolt Kit: includes (24) bolts, (48) washers, (24) nuts, (2) flanges	Sealing water inlet and outlet manifolds (included with 5, 6, 7 or 8 unit batteries)	2,173.00
00110-001550	25APMODKIT5-8	Adapter Kit: includes (24) bolts, (48) washers, (24) nuts, (1) connector, (1) drain manifold	Connecting multiple filter units (included with 5, 6, 7 or 8 unit batteries)	1,242.00

FILTERS

NETAFIM BACKFLUSH CONTROLLERS

Item Number	Model Number	Description	Voltage	Price Each
00105-006200	31NBCAC2	2 Outputs with DP Sensor with mounting bracket	24VAC	1,461.00
00105-006210	31NBCAC4	4 Outputs with DP Sensor with mounting bracket		1,575.00
00105-006220	31NBCAC6	6 Outputs with DP Sensor with mounting bracket		1,689.00
00105-006230	31NBCAC8	8 Outputs with DP Sensor with mounting bracket		1,806.00
00105-006240	31NBCAC10	10 Outputs with DP Sensor with mounting bracket		1,920.00
73240-003188	31NBCAC2-NB	2 Outputs with DP Sensor without mounting bracket	24VAC	1,335.00
73240-003184	31NBCAC4-NB	4 Outputs with DP Sensor without mounting bracket		1,449.00
73240-003186	31NBCAC6-NB	6 Outputs with DP Sensor without mounting bracket		1,564.00
73240-003187	31NBCAC8-NB	8 Outputs with DP Sensor without mounting bracket		1,679.00
73240-003189	31NBCAC10-NB	10 Outputs with DP Sensor without mounting bracket		1,793.00
00105-006250	31NBCDCL2	2 Outputs with DP Sensor with mounting bracket	12VDCL	1,461.00
00105-006260	31NBCDCL4	4 Outputs with DP Sensor with mounting bracket		1,575.00
00105-006270	31NBCDCL6	6 Outputs with DP Sensor with mounting bracket		1,689.00
00105-006280	31NBCDCL8	8 Outputs with DP Sensor with mounting bracket		1,806.00
00105-006290	31NBCDCL10	10 Outputs with DP Sensor with mounting bracket		1,920.00
73240-003175	31NBCDCL2-NB	2 Outputs with DP Sensor without mounting bracket	12VDCL	1,335.00
73240-003178	31NBCDCL4-NB	4 Outputs with DP Sensor without mounting bracket		1,449.00
73240-003179	31NBCDCL6-NB	6 Outputs with DP Sensor without mounting bracket		1,564.00
73240-003181	31NBCDCL8-NB	8 Outputs with DP Sensor without mounting bracket		1,679.00
73240-003182	31NBCDCL10-NB	10 Outputs with DP Sensor without mounting bracket		1,793.00
73240-003195	31NBCACCARD	2 Output Expansion Card	24VAC	124.00
73240-003177	31NBCDCCARD	2 Output Expansion Card	12VDCL	124.00



NOTE: Controllers can be pre-installed on automatic disc filters for an additional fee.
Call Netafim USA Customer Service for Pricing and Availability.

NETAFIM BACKFLUSH CONTROLLER PARTS

Item Number	Model Number	Description	Price Each
73240-007360	31NBCBATTHLDR	Battery Holder	24.00
73240-007556	31NBCDCSCARD	DC Latching Set-up Card	103.00
73240-007557	31NBCCPU	AC/DC CPU Set-up Card	360.00
73240-007558	31NBCPWR110	Power Supply 110VAC	213.00
73240-010205	31NBCPDSENS	DP Sensor	246.00
70661-018000	25APCNTRLBACKPLATE	Controller Mounting Bracket	152.00

ALEX-TRONIX BACKFLUSH CONTROLLERS

Item Number	Model Number	Outputs	Included	Voltage	Price Each
00105-001400	23AXF2ACDC-D	2	PD Gauge, Transformer	24VAC/12VDC	1,686.00
00105-001700	23AXF3ACDC-D	3	PD Gauge, Transformer	24VAC/12VDC/12VDCL	1,994.00
00105-002300	23AXF4ACDC-D	4	PD Gauge, Transformer	24VAC/12VDC/12VDCL	2,300.00
00105-004950	23AXF8ACDC-D	8	PD Gauge, Transformer	24VAC/12VDC/12VDCL	2,599.00
00105-003750	23AXF12ACDCDCLD	12	PD Gauge, Transformer	24VAC/12VDC/12VDCL	3,284.00
00105-004450	23AXF3DCLSP	3	Controller, Solar Panel and Bracket	12VDCL	3,161.00
00105-002600	23AXF4DCLSP	4	Controller, Solar Panel and Bracket		3,463.00
00105-005220	23AXF8DCLSP	8	Controller, Solar Panel and Bracket		3,778.00
00105-003760	23AXF12DCLSP	12	Controller, Solar Panel and Bracket		4,370.00

NOTE: Controllers can be pre-installed on automatic disc filters for an additional fee.
Call Netafim USA Customer Service for Pricing and Availability.

FILTERS



SANDSTORM™ SINGLE CHAMBER METAL MEDIA FILTER BATTERIES - Blue Color

Item Number	Model Number	No. of Filters- Size	*Flow Range (GPM)	Configuration	Price Each
71950-001620	2SMFSBS3002AAC	2 - 30"	176 - 308	Straight	8,649.00
71950-001820	2SMFSBS3602AAC	2 - 36"	264 - 440	Straight	10,679.00
71950-002001	2SMFSBS4802AAC	2 - 48"	440 - 748	Straight	17,919.00
71950-001630	2SMFSBS3003AAC	3 - 30"	264 - 462	Straight	12,419.00
71950-001830	2SMFSBS3603AAC	3 - 36"	396 - 660	Straight	14,978.00
71950-002100	2SMFSBS4803AAC	3 - 48"	660 - 1122	Straight	25,480.00
71950-001640	2SMFSBS3004AAC	4 - 30"	352 - 616	Straight	15,726.00
71950-001840	2SMFSBS3604AAC	4 - 36"	528 - 880	Straight	19,056.00
71950-002200	2SMFSBS4804AAC	4 - 48"	880 - 1496	Straight	31,261.00
71950-002210	2SMFSBT4804AAC	4 - 48"		Tee	32,343.00
71950-002315	2SMFSBS4805AAC	5 - 48"	1100 - 1870	Straight	38,284.00
71950-002310	2SMFSBT4805AAC	5 - 48"		Tee	39,367.00
71950-002400	2SMFSBT4806AAC	6 - 48"		Tee	46,911.00
71950-002410	2SMFSBH4806AAC	6 - 48"	1230 - 2244	H	51,313.00
-	2SMFSBT4807AAC	7 - 48"	1320 - 2244	Tee	54,302.00
-	2SMFSBH4807AAC	7 - 48"		H	58,704.00
71950-002601	2SMFSBT4808AAC	8 - 48"	1540 - 2618	Tee	59,826.00
71950-002611	2SMFSBH4808AAC	8 - 48"		H	64,882.00
-	2SMFSBT4810AAC	10 - 48"	1760 - 2992	Tee	73,154.00
71950-002800	2SMFSBH4810AAC	10 - 48"		H	78,210.00

*Flow rates based on crushed basalt.

SANDSTORM™ SINGLE CHAMBER METAL MEDIA FILTER TANKS - Blue Color

Item Number	Model Number	Tank Size	Sand Required	In/Out	Price Each
71910-001602	2SMFSB30GR	30"	595 lbs.	3" Grooved	1,315.00
71910-001603	2SMFSB36GR	36"	772 lbs.	3" Grooved	1,725.00
71910-001604	2SMFSB48GR	48"	1,488 lbs.	4" Grooved	2,646.00

FILTERS

SANDSTORM DOUBLE CHAMBER STEEL MEDIA FILTER BATTERIES - Blue Color

Item Number	Model Number	No. of Filters- Size	Flow Range (GPM)	Price Each
71950-000120	2SMFDBS1602AAC	2 - 16"	22 - 52	6,859.00
71950-001030	2SMFDBS1603AAC	3 - 16"	33 - 78	9,376.00
71950-001040	2SMFDBS1604AAC	4 - 16"	44 - 104	11,740.00
71950-001220	2SMFDBS2002AAC	2 - 20"	78 - 132	7,199.00
71950-001230	2SMFDBS2003AAC	3 - 20"	117 - 198	9,662.00
71950-001240	2SMFDDS2004AAC	4 - 20"	156 - 264	12,270.00
71950-001420	2SMFDBS2402AAC	2 - 24"	114 - 192	7,877.00
71950-001430	2SMFDBS2403AAC	3 - 24"	171 - 288	10,756.00
71950-001440	2SMFDBS2404AAC	4 - 24"	228 - 384	11,740.00

SANDSTORM DOUBLE CHAMBER STEEL MEDIA FILTER TANKS - Blue Color

Item Number	Model Number	Tank Size	Sand Required	In/Out	Price Each
71910-001505	2SMFD26NPT	16"	200 lbs.	2" TH x GR	697.00
71910-001508	2SMFD20NPT	20"	260 lbs.		762.00
71910-001514	2SMFD24NPT	24"	400 lbs.		1,024.00

SANDSTORM™ BACKFLUSH FLOW (GPM)

Tank	Size	Flow
Double Chamber	16"	26
	20"	68
	24"	95
Single Chamber	30"	158
	36"	222
	48"	372

FILTERS



**HYDROCYCLONE &
SEDIMENTATION
TANK ASSEMBLED**

HYDROCYCLONE SAND SEPARATORS - Blue Color

Hydrocyclone Requires Sedimentation Tank - See Chart Below

Item Number	Model Number	Size	Flow Range (GPM)	In/Out	Sedimentation Tank	Tank Connection	Price Each
72001-002000	74HC3	3"	11 - 17	3/4" TH	74ST004	1" TH	465.00
72001-002200	74HC4	4"	15 - 26	1" TH	74ST004	1" TH	554.00
72001-002500	74HC6	6"	29 - 44	1 1/2" TH	74ST025	1 1/2" TH	662.00
72001-002800	74HC8	8"	48 - 84	2" GR	74ST025	2" TH	824.00
72001-002900	74HC8HGR3	8" GR3	88 - 154	3" GR	74ST025GR3	3" GR	1,053.00
72001-002950	74HC8HGR3H	8" GR3H	154 - 200	3" GR	74ST025GR3	3" GR	1,053.00
72001-003500	74HC12FL4	12"	198 - 321	4" FL / 3" FL	74ST160FL4	4" FL	2,218.00
72001-004500	74HC16FL4	16"	264 - 409	4" FL	74ST320FL4	4" FL	2,766.00
72001-005200	74HC20FL6	20"	409 - 683	6" FL	74ST600FL6	6" FL	3,715.00
72001-005400	74HC24FL6	24"	638 - 990	6" FL	74ST600FL6	6" FL	4,296.00
72001-006000	74HC30FL6	30"	1,012 - 1,629	6" FL	74ST600FL6	6" FL	10,122.00

SEDIMENTATION TANKS - Blue Color

Item Number	Model Number	Inlet	Drain	Tank Capacity	Used with Hydrocyclone	Price Each
72001-006800	74ST004	1/2" TH	1/2" TH	0.4 gallons	74HC3, 74HC4	279.00
72001-007000	74ST025	1" TH	1" TH	2.5 gallons	74HC6, 74HC8	327.00
72001-007250	74ST025GR3V2	2" TH	2" TH	2.5 gallons	74HC8HGR3, 74HC8HGR3H	434.00
72001-008000	74ST160FL4	4" FL	2" TH	16 gallons	74HC12FL4	1,008.00
72001-008500	74ST320FL4	4" FL	2" TH	32 gallons	74HC16FL4	1,360.00
72001-009400	74ST600FL6	6" FL	2" TH	60 gallons	74HC20FL6, 74HC24FL6, 74HC30FL6	1,766.00

FILTERS



SCAN-KLEEN SCREEN FILTERS

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
70640-013200	27ASCAN3-120	3" Angle	250	120	2,093.00
70640-013180	27ASCAN3-150			150	2,093.00
70640-013250	27ASCAN4-120	4" Angle	300	120	2,472.00
70640-013260	27ASCAN4-150			150	2,472.00
70640-013300	27ASCAN4T-120	4" Twin	500	120	4,626.00
70640-013321	27ASCAN4T-150			150	4,626.00
70640-013350	27ASCAN6T-120	6" Twin	600	120	4,868.00
70640-013370	27ASCAN6T-150			150	4,868.00



SCREENGUARD™ AUTOMATIC SCREEN FILTERS

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
72001-016540	76ASF4FL-080			080	17,944.00
72001-016510	76ASF4FL-120	4"	440	120	17,944.00
72001-016541	76ASF4FL-150			150	17,944.00
72001-016570	76ASF6FL-080			080	19,550.00
72001-016560	76ASF6FL-120	6"	700	120	19,550.00
72001-016571	76ASF6FL-150			150	19,550.00
72001-016590	76ASF8FL-080			080	20,086.00
72001-016580	76ASF8FL-120	8"	1,320	120	20,086.00
72001-016591	76ASF8FL-150			150	20,086.00
72001-016620	76ASF10FL-080			080	29,994.00
72001-016610	76ASF10FL-120	10"	2,000	120	29,994.00
72001-016621	76ASF10FL-150			150	29,994.00

FILTERS



MANUAL SCREEN FILTERS - Blue Color

Item Number	Model Number	Size	Max Flow (GPM)	Mesh	Price Each
72001-010000	70SF03GR-120	3"	260	120	1,191.00
72001-010100	70SF03GR-150			150	1,191.00
72001-010500	70SF04GR-120	4"	450	120	1,588.00
72001-010600	70SF04GR-150			150	1,588.00
72001-010800	70SF06GR-120	6"	1,100	120	2,658.00
72001-010900	70SF06GR-150			150	2,658.00
72001-011000	70SF08FL-120	8"	1,600	120	3,973.00
72001-011100	70SF08FL-150			150	3,973.00
72001-011300	70SF10FL-120	10"	2,200	120	4,927.00
72001-011400	70SF10FL-150			150	4,927.00



CIRCULATING SCREEN FILTERS - Blue Color

Item Number	Model Number	Size	Flow Range (GPM)	Mesh	Connection	Price Each
72001-012000	71CSF2GR-120	2"	48 - 128	120	Grooved	1,118.00
72001-012100	71CSF2GR-150			150		1,118.00
72001-012350	71CSF3GR-120	3"	53 - 172	120	Grooved	1,433.00
72001-012400	71CSF3GR-150			150		1,433.00
72001-012600	71CSF4GR-120	4"	75 - 308	120	Grooved	2,045.00
72001-012550	71CSF4GR-150			150		2,045.00
72001-012750	71CSF6GR-120	6"	141 - 968	120	Grooved	3,990.00
72001-012800	71CSF6GR-150			150		3,990.00
72001-012900	71CSF8FL-120	8"	431 - 1,300	120	Flanged	6,565.00
72001-012950	71CSF8FL-150			150		6,565.00

CIRCULATING SCREEN FILTER AUTOMATION KITS

Converts Circulating Screen Filter from Manual to Automatic


Item Number	Model Number	Kit Includes	Screen Sizes	Price Each
70021-000600	22AUTOKIT1.5DCL	Valve/Controller/Solenoid/Air Vent/Tubing/Fittings	2" - 6"	1,771.00
70021-000610	22AUTOKIT2DCL	Valve/Controller/Solenoid/Air Vent/Tubing/Fittings	8"	1,719.00

FILTERS

3/4" MANUAL DISC FILTER PARTS

Model Numbers 25A45


Key	Item Number	Model Number	Description	Price Each
1	70620-003700	25AP530140	Cover "O" Ring	4.90
2	-	25AP46-***	Ring Set with Spine	24.00
3	70620-004720	25AP530130	Compression Spring	4.90
4	70620-001700	25AP23013	Filter Cover	19.00
-	70620-002700	25AP230112	Filter Body	30.00



1" AND 1 1/2" MANUAL DISC FILTER PARTS

Model Numbers 25A47, 25A48, 25A15 and 25A17

Key	Item Number	Model Number	Description	Price Each
1	70620-005200	25AP25110103	Gauge Port Nut	6.40
2	70620-005100	25AP50060004	Gauge Port Seal	9.10
3	70641-004000	25AP25000101	1" Regular & Super Filter Body	60.00
3a	70641-004200	25AP231511	1 1/2" Regular & Super Filter Body	71.00
4	70620-004120	25AP25070100	Filter Adapter Ring	4.90
5	-	25AP47-***	1" & 1 1/2" Regular Ring Set with Spine	52.00
	-	25AP21121-***	1" & 1 1/2" Super Ring Set with Spine	75.00
6	70620-003800	25AP531140	Cover O-Ring	6.90
7	70620-004320	25AP531130	1" & 1 1/2" Regular Compression Spring	18.00
	70620-002350	25AP50440011	1" & 1 1/2" Super Compression Spring	21.00
8	70620-001850	25AP23113	1" & 1 1/2" Regular Filter Cover	58.00
8a	70620-001900	25AP25010111	1" & 1 1/2" Super Filter Cover	65.00
9	70620-004350	25AP231131	Fixing Nut	38.00
10	70620-005000	25AP131199	Wrench for 1" & 1 1/2" Super Filters	14.00





NOTE: Substitute *** with desired mesh.

FILTERS

2" DUAL HP MANUAL DISC FILTER PARTS

Model Numbers 25A30

Key	Item Number	Model Number	Description	Price Each
1	70620-005200	25AP25110103	Gauge Port Nut	6.40
2	70620-005100	25AP50060004	Gauge Port Seal	9.10
3	70620-005900	25AP332115	2" Cap	25.00
4	70641-004500	25AP25000205	Threaded Body	212.00
5	76200-007650	25AP50190112	1/2" Plug	4.90
6	70620-004050	25AP50032238	Detachable Spine O-Ring 2-238	9.30
7	-	25AP49-***S	Ring Set Only	186.00
8	-	25AP49-***SDS	Complete Spine Assembly with Rings	230.00
	70620-002648	25AP21990020	Complete Spine Assembly without Rings	82.00
9	70620-004500	25AP25060211	Fixing Nut	9.90
10	70620-004520	25AP533124	Fastening Screw	6.00
11	70620-004700	25AP533131	Clamp	94.00
12	70620-003900	25AP532140	Cover Gasket	28.00
13	70620-002100	25AP22020023	Filter Cover with 1/2" port	143.00
14	70620-003865	25AP50540212	Ball Valve 1/2"	38.00



2" SUPER MANUAL DISC FILTER PARTS

Discontinued - Replaced by 2" Dual HP Manual Disc Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-005200	25AP25110103	Gauge Port Nut	6.40
2	70620-005100	25AP50060004	Gauge Port Seal	9.10
3	70620-003200	25AP232211	Threaded Body	193.00
4	70620-004100	25AP532141	Spine Seat O-Ring	6.20
5	70620-004450	25AP25030210	Detachable Spine Base	48.00
6	70620-004520	25AP533124	Fastening Bolts	6.00
7	70620-004150	25AP532240	2-234 O-Ring	14.00
8	70620-004500	25AP25060211	Fixing Nut	9.90
9	70620-004517	25AP50401012	Fastening Screw	2.60
10	70620-004700	25AP533131	Clamp	94.00
11	70620-003900	25AP532140	Cover Gasket	28.00
12	70620-002100	25AP22020023	Filter Cover with 1/2" port	143.00
13	70620-003865	25AP50540212	Ball Valve 1/2"	38.00
14	-	25AP49-***SDS	Complete Spine Assembly with Rings	230.00
	70620-002648	25AP21990020	Complete Spine Assembly without Rings	82.00
15	-	25AP49-***S	Ring Set only	186.00


NOTE: Substitute *** with desired mesh.

FILTERS

2" DUAL LITE MANUAL DISC FILTER PARTS

Model Numbers 25A2DL


Key	Item Number	Model Number	Description	Price Each
1	70620-005900	25AP332115	2" Cap	25.00
2	70620-002925	25AP22120002	Filter Body	86.00
3	70620-004535	25AP25070203	Spine Extension	6.90
4	-	25AP49-***S	Ring Set Only	186.00
5	70620-001160	25AP25020202	Spine Body	18.00
6	-	25AP21261-***	Complete Spine Assembly with Rings	197.00
7	70620-004710	25AP22530235	Plastic Orange Clamp	65.00
8	70620-004195	25AP50032361	O-Ring 2-361	7.00
9	70620-002135	25AP22020234	Filter Cover with Plug	113.00
10	70620-003865	25AP50540212	Ball Valve 1/2"	38.00



3" ANGLE DISC FILTER PARTS

Model Numbers 25A53

Key	Item Number	Model Number	Description	Price Each
1	70620-003383	25AP22371001	Body Grooved (new style, 120 degree)	327.00
	70640-012095	25AP13701001	Body, Cover, Clamp (old style)	780.00
2	70620-002160	25AP25010601	Filter Cover (new style)	414.00
	70620-002200	25AP33433	Filter Cover (old style)	218.00
3	70620-004765	25AP50420060	Clamp (new style)	196.00
	70620-004715	25AP534331	Clamp (old style)	224.00
4	70620-004300	25AP534341	Hydraulic Cover Seal	28.00
5	70620-004600	25AP25060302	Tightening Nut	26.00
6	70620-004610	25AP25060304	Spine Cap	101.00
7	70620-004110	25AP50032220	O-Ring	6.60
8	70620-003570	25AP25020302	Spine	215.00
9	70620-012860	25AP50032249	Internal O-Ring	8.40
10	70620-003640	25AP21990043	Complete Spine Assembly without Rings	320.00
11	70620-003865	25AP50540212	Ball Valve 1/2"	38.00
12	70620-004770	25AP25100325	Loose Flange	66.00
13	70620-004930	25AP25070308	Cone Flange	19.00
14	70620-004900	25AP50052013	3" Gasket	24.00
-	-	25AP1341-***	Complete Spine Assembly with Rings	620.00
-	-	25AP2341-***	Ring Set Only	354.00




NOTE: Substitute *** with desired mesh.

FILTERS

3" TWIN LITE MANUAL DISC FILTER PARTS

Model Numbers 25A3TL


Key	Item Number	Model Number	Description	Price Each
1	70620-002040	25AP25010202	Filter Cover	64.00
2	70620-004195	25AP50032361	O-Ring 2-361	7.00
3	70620-004710	25AP22530235	Plastic Orange Clamp	65.00
4	-	25AP21261-***	Complete Spine Assembly with Rings	197.00
4a	70620-004535	25AP25070203	Spine Extension	6.90
4b	-	25AP49-***S	Ring Set Only	186.00
4b	70620-001160	25AP25020202	Spine Body	18.00
5	70620-005100	25AP50060004	Gauge Port Seal	9.10
6	70620-005200	25AP25110103	Gauge Port Nut	6.40
7	70620-003865	25AP50540212	Ball Valve 1/2"	38.00
8	70620-003335	25AP22321013	Filter Body	182.00
9	70620-004770	25AP25100325	Loose Flange	66.00
10	70620-004930	25AP25070308	Cone Flange	19.00
11	70620-004900	25AP50052013	3" Gasket	24.00



3" TWIN MANUAL DISC FILTER PARTS

Discontinued - Replaced by 3" Twin Lite Manual Disc Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-005200	25AP25110103	Gauge Port Nut	6.40
2	70620-005100	25AP50060004	Gauge Port Seal	9.10
3	70620-003330	25AP233114	Body Grooved	774.00
3a	70641-005600	25AP25000302	Body Flanged	820.00
4	70620-004050	25AP50032238	Detachable Spine O-Ring	9.30
5	-	25AP49-***S	Ring Set Only (requires 2 sets)	186.00
6	-	25AP49-***SDS	Complete Spine Assembly with Rings	230.00
	70620-002648	25AP21990020	Complete Spine Assembly without Rings	82.00
7	70620-004500	25AP25060211	Fixing Nut	9.90
8	70620-004520	25AP533124	Fastening Screw	6.00
9	70620-004700	25AP533131	Clamp	94.00
10	70620-003900	25AP532140	Cover Gasket	28.00
11	70620-002100	25AP22020023	Filter Cover with 1/2" port	143.00
12	70620-003865	25AP50540212	Ball Valve 1/2"	38.00
13	70620-004770	25AP25100325	Loose Flange	66.00
14	70620-004930	25AP25070308	Cone Flange	19.00
15	70620-004900	25AP50052013	3" Gasket	24.00




FILTERS

4" AND 6" TWIN MANUAL DISC FILTER PARTS


Model Numbers 25A78 and 25A80

Key	Item Number	Model Number	Description	Price Each
1	70620-002160	25AP25010601	Filter Cover	414.00
2	70620-004300	25AP534341	Hydraulic Cover Seal	28.00
3	70620-004765	25AP50420060	Clamp	196.00
4	70620-004600	25AP25060302	Tightening Nut	26.00
5	70620-004610	25AP25060304	Spine Cap	101.00
6	-	25AP2341-***	Ring Set Only (requires 2 sets)	354.00
7	70620-004110	25AP50032220	O-Ring	6.60
8	70620-003570	25AP25020302	Spine	215.00
9	70620-007065	25AP50032311	O-Ring	6.70
10	76000-002400	25AP50540112	Drain Tap Valve 3/4"	35.00
11	70620-005100	25AP50060004	Gauge Port Seal	9.10
12	70620-005200	25AP25110103	Gauge Port Nut	6.40
13	70620-004840	25AP25100425	4" Twin Flange	87.00
-	-	25AP25100625	6" Twin Flange	166.00
14	70620-004935	25AP25070402	4" Twin Flange Clamp Ring	26.00
-	-	25AP25070602	6" Twin Flange Clamp Ring	41.00
15	70620-004920	25AP50052014	4" Twin Gasket	26.00
-	70620-004925	25AP50052016	6" Twin Gasket	41.00
16	-	25AP1341-***	Complete Spine Assembly with Rings	620.00
-	70620-003640	25AP21990043	Complete Spine Assembly w/o Rings	320.00
17	70620-003440	25AP22450001	4" Twin Body	1,091.00
-	70620-003448	25AP22460001	6" Twin Body	1,091.00
-	70620-003443	25AP14411001	4" Twin Body w/Cover Clamp	2,139.00
-	70620-012860	25AP50032249	Internal O-Ring	8.40
13-15	70620-004860	25AP22530425	4" Twin Flange Assembly	168.00
13-15	70620-004880	25AP22530625	6" Twin Flange Assembly	288.00



NOTE: Substitute *** with desired mesh.

FILTERS




2" COMPACT LP DISC-KLEEN FILTER PARTS


Model Numbers 26LP2A1

Key	Item Number	Model Number	Description	Price Each
1	75050-003500	25AP50225011	1 1/4" Coupling	20.00
2	71000-012780	61BFG2TP	2" Series 350 Plastic Backflush Valve	831.00
3	75040-012100	25AP50225042	2" Male Adapter	55.00
4	70620-008405	25AP22532265	PE Pipe	50.00
5	75040-022550	25AP50223041	90° Elbow	82.00
6	70620-007750	25AP18990051	Diverter Screen Filter	803.00
7	76400-004505	55P4714804-B	8 mm x 1/4" x 8 mm Tee (Bag 10)	62.00
8	76400-003503	55P4694804-B	1/4" x 8mm Angle Ftting (Bag 10)	49.00
9	71680-014170	61SF25P	1/4" Finger Filter	19.00
10	76400-003410	55P4694802-B	1/8" x 8 mm Angle Fitting (Bag 10)	49.00
11	76400-006310	55P1220204-B	1/4" Double Nipple (Bag 10)	16.90
12	70620-005200	25AP25110103	Gauge Port Nut	6.40
13	70620-005100	25AP50060004	Gauge Port Seal	9.10
14	70620-005900	25AP332115	2" Cap	25.00
15	00105-001400	23AXF2ACDC-D	AC Backflush Controller	1,686.00
15a	00105-001550	23AXF2DCL-P	DC Latching Backflush Controller	1,323.00
16	71000-019400	61ARK12VDCL-MO	12VDC Latching Solenoid	305.00
16a	70800-003260	61BBC-024	24VAC Solenoid	217.00
17	00105-003200	23GALPD	PD Gauge	910.00
18	70620-002302	25AP25016220	Filter Cover (Grey)	143.00
19	70620-003900	25AP532140	Hydraulic Seal	28.00
20	70620-004700	25AP533131	Clamp	94.00
21	70620-007403	25AP21991002LC	Spine Complete without Rings	567.00
21	70620-007412	25AP21991008LC6	Spine Complete without Rings - Low Flow	567.00
21.1	70620-006010	25AP25066224G	Green Butterfly Nut	25.00
21.2	70620-007390	25AP25060226	Tightening Cylinder	51.00
21.3	70620-006452	25AP25300217N	White Piston	34.00
21.4	70620-004106	25AP50032115	O-Ring	6.40
21.5	-	25AP20221-***DK	Ring Set Only	186.00
21.6	70620-005850	25AP50760009	Abrasion Shield (High Flow Model Only)	6.50
21.7	70620-007050	25AP50060008	Cone Membrane	112.00
22	70620-006050	25AP22340324	Complex Adapter	49.00
22.1	70620-004150	25AP532240	O-Ring 2-234	14.00
23	70620-003286	25AP22002206	Body - Threaded Connection (Grey)	226.00
24	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
25	70620-008000	25AP133499	Spine Wrench	140.00

NOTE: Substitute *** with desired mesh.




FILTERS



2" COMPACT DISC-KLEEN FILTER PARTS

Model Numbers 26ASK2A1

Key	Item Number	Model Number	Description	Price Each
1	75050-003500	25AP50225011	1 1/4" Coupling	20.00
2	71000-012780	61BFG2TP	2" Series 350 Plastic Backflush Valve	831.00
3	75040-012100	25AP50225042	2" Male Adapter	55.00
4	70620-008405	25AP22532265	PE Pipe	50.00
5	75040-022550	25AP50223041	90° Elbow	82.00
6	70620-007750	25AP18990051	Diverter Screen Filter	803.00
7	76400-004505	55P4714804-B	8 mm x 1/4" x 8 mm Tee (Bag 10)	62.00
8	76400-003503	55P4694804-B	1/4" x 8 mm Angle Fitting (Bag 10)	49.00
9	71680-014170	61SF25P	1/4" Finger Filter	19.00
10	76400-003410	55P4694802-B	1/8" x 8 mm Angle Fitting (Bag 10)	49.00
11	76400-006310	55P1220204-B	1/4" Double Nipple (Bag 10)	16.90
12	70620-005200	25AP25110103	Gauge Port Nut	6.40
13	70620-005100	25AP50060004	Gauge Port Seal	9.10
14	70620-005900	25AP332115	2" Cap	25.00
15	00105-001400	23AXF2ACDC-D	AC Backflush Controller	1,686.00
15a	00105-001550	23AXF2DCL-P	DC Latching Backflush Controller	1,323.00
16	71000-019400	61ARK12VDCL-MO	12VDC Latching Solenoid	305.00
16a	70800-003260	61BBC-024	24VAC Solenoid	217.00
17	00105-003200	23GALPD	PD Gauge	910.00
18	70620-002300	25AP333132	Filter Cover	189.00
19	70620-003900	25AP532140	Hydraulic Seal	28.00
20	70620-004700	25AP533131	Clamp	94.00
21	70620-003600	25AP21991002	Spine Complete without Rings	567.00
21	70620-007410	25AP21991002LF5	Spine Complete without Rings - Low Flow	567.00
21.1	70620-006000	25AP25060224	Butterfly Nut	28.00
21.2	70620-007390	25AP25060226	Tightening Cylinder	51.00
21.3	70620-006450	25AP25300216	Piston	34.00
21.4	70620-006480	25AP22531225	Sliding Washer	8.60
21.5	-	25AP20221-***DK	Ring Set Only	186.00
21.6	70620-005850	25AP50760009	Abrasion Shield (High Flow Model Only)	6.50
21.7	70620-007050	25AP50060008	Cone Membrane	112.00
22	70620-006050	25AP22340324	Complex Adapter	49.00
22.1	70620-004150	25AP532240	O-Ring 2-234	14.00
23	70620-003285	25AP22240252	Body - Threaded Connection	226.00
24	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
25	70620-008000	25AP133499	Spine Wrench	140.00



NOTE: Substitute *** with desired mesh.

FILTERS

2" LP DISC-KLEEN FILTER BATTERY PARTS


Model Numbers 26LP2PP

Key	Item Number	Model Number	Description	Price Each
1	70620-002302	25AP25016220	Filter Cover (Grey)	143.00
1a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	189.00
2	70620-003900	25AP532140	Hydraulic Seal	28.00
3	70620-004700	25AP533131	Clamp	94.00
4	70620-007403	25AP21991002LC	Spine Complete without Rings	567.00
4.1	70620-006010	25AP25060224G	Green Butterfly Nut	25.00
4.2	70620-007390	25AP25060226	Tightening Cylinder	51.00
4.3	70620-006452	25AP25300217N	White Piston	34.00
4.4	70620-004106	25AP50032115	O-Ring	6.40
4.5	-	25AP20221-***DK	Ring Set Only	186.00
4.6	70620-005850	25AP50760009	Abrasion Shield (HP Applications)	6.50
4.7	70620-007050	25AP50060008	Cone Membrane	112.00
5	70620-006050	25AP22340324	Complex Adapter	49.00
5.1	70620-004150	25AP532240	O-Ring 2-234	14.00
6	70620-003282	25AP22246253	Body - Victaulic Connection (Grey)	214.00
7	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
8	70620-008000	25AP133499	Spine Wrench	140.00
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	110.00

BACKFLUSH VALVE FOR 2" LP DISC-KLEEN FILTERS

Item Number	Model Number	Description	Price Each
71000-012780	61BFG2TP	2" Series 350 Plastic Backflush Valve	831.00

Visit www.netafimusa.com for backflush valve replacement parts.




NOTE: Substitute *** with desired mesh.

FILTERS

2" DISC-KLEEN FILTER BATTERY PARTS

Model Numbers 26ASK2PP

Key	Item Number	Model Number	Description	Price Each
1	70620-002300	25AP333132	Filter Cover	189.00
1a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	189.00
2	70620-003900	25AP532140	Hydraulic Seal	28.00
3	70620-004700	25AP533131	Clamp	94.00
4	70620-003600	25AP21991002	Spine Complete without Rings	567.00
4.1	70620-006000	25AP25060224	Butterfly Nut	28.00
4.2	70620-007390	25AP25060226	Tightening Cylinder	51.00
4.3	70620-006450	25AP25300216	Piston	34.00
4.4	70620-006480	25AP22531225	Sliding Washer	8.60
4.5	-	25AP20221-***DK	Ring Set Only	186.00
4.6	70620-005850	25AP50760009	Abrasion Shield (HP Applications)	6.50
4.7	70620-007050	25AP50060008	Cone Membrane	112.00
5	70620-006050	25AP22340324	Complex Adapter	49.00
5.1	70620-004150	25AP532240	O-Ring 2-234	14.00
6	70620-003280	25AP22240253	Body - Victaulic Connection	214.00
7	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
8	70620-008000	25AP133499	Spine Wrench	140.00
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	110.00




NOTE: Substitute *** with desired mesh.

FILTERS

3" LP DISC-KLEEN FILTER BATTERY PARTS

Model Numbers 26LP3PPB


Key	Item Number	Model Number	Description	Price Each
1	70620-003429	25AP25006303	Body (Grey)	772.00
2	70620-005900	25AP332115	2" Cap	25.00
3	70620-006050	25AP22340324	Spine Adapter with O-Rings	49.00
4	70620-008000	25AP133499	Spine Wrench	140.00
5	70620-007403	25AP21991002LC	Spine Complete without Rings	567.00
5a	-	25AP20221-***DK	Ring Set Only	186.00
6	70620-007390	25AP25060226	Tightening Cylinder	51.00
7	70620-006010	25AP25060224G	Green Butterfly Nut	25.00
8	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
9	70620-004700	25AP533131	Clamp	94.00
10	70620-003900	25AP532140	Cover O-Ring	28.00
11	70620-002302	25AP25016220	Filter Cover (Grey)	143.00
11a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	189.00
12	70620-006452	25AP25300217N	White Piston	34.00
13	70620-004106	25AP50032115	O-Ring	6.40
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	110.00



BACKFLUSH VALVES FOR 3" LP DISC-KLEEN FILTERS

Item Number	Model Number	Description	Price Each
71000-013360	61BFG3PB	3" Series 350 Plastic Backflush Valve	880.00
71600-006750	61BFG3PSK	3" Plaslite® Plastic Backflush Valve	934.00

Visit www.netafimusa.com for backflush valve replacement parts.




NOTE: Substitute *** with desired mesh.

FILTERS

3" DISC-KLEEN FILTER BATTERY PARTS


Model Number 26ASK3PP

Key	Item Number	Model Number	Description	Price Each
1	70620-003430	25AP22341004	Body	772.00
2	70620-005900	25AP332115	2" Cap	25.00
3	70620-006050	25AP22340324	Spine Adapter with O-Rings	49.00
4	70620-008000	25AP133499	Spine Wrench	140.00
5	70620-003600	25AP21991002	Spine Complete without Rings	567.00
5a	-	25AP20221-***DK	Ring Set Only	186.00
6	70620-007390	25AP25060226	Tightening Cylinder	51.00
7	70620-006000	25AP25060224	Butterfly Nut	28.00
8	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
9	70620-004700	25AP533131	Clamp	94.00
10	70620-003900	25AP532140	Cover O-Ring	28.00
11	70620-002300	25AP333132	Filter Cover	189.00
11a	70620-002320	25AP333132C	Filter Cover Clear (for demo only)	189.00
-	70620-011500	27AP5B00000024	Controller Mounting Bracket	110.00



NOTE: Substitute *** with desired mesh.

FILTERS



APOLLO DISC-KLEEN FILTER BATTERY PARTS

Model Numbers 26ASK*PP or 26ASK*PPB and the NEW Modular Apollo 26SK*PB

Key	Item Number	Model Number	Description	Price Each
1	-	25AP225403414	Pressure Gauge Assembly	245.00
2	70561-001660	65ARIB2PP	2" Combination Air Vent	224.00
3	-	25AP50480222	Extension for Combination Air Vent	52.00
4	-	-	Inlet Manifold	Call
5	00110-001520	25APMODBLINDFLG-P	Blind Flange	890.00
6	-	25AP50402139	7/8" Bolt for Blind Flange	25.00
7	-	25AP50409017	7/8" Washer for Blind Flange	2.60
8	-	25AP50408017	7/8" Nut for Blind Flange	9.80
9	70641-003640	25A30-120	2" Dual HP Command Filter	525.00
10	00110-001521	25APMODGASKET	Gasket for Blind Flange	45.00
11	-	25AP14461***	Apollo 4" Twin Filter	6,666.00
	-	25AP13761***	Apollo 3" Angle Filter	3,590.00
12	70040-003100	44VIC04	4" Victaulic Coupling	67.00
13	71000-013440	61BFG4GPGB-DM	4" Series 350 Plastic Backflush Valve	1,402.00
	71000-013360	61BFG3PB	3" Series 350 Plastic Backflush Valve (Angle Filter Only)	880.00
14	70800-003260	61BBC-024	24VAC Normally Closed Solenoid	217.00
15	76601-001400	62SBV100F	1" Ball Valve	70.00
16	-	-	Outlet Manifold	Call
17	-	25AP22531001	Plastic Support Leg for 10" Inlet/Outlet Manifolds	857.00
	-	25AP22531210	Plastic Support Leg for 12" Inlet/Outlet Manifolds	926.00
18	75050-008500	595177100	1" Plug	5.60
19	70620-008360	25AP22530512	1/2" Vacuum Breaker on Drain Manifold	23.00
20	78201-010100	44VICCP04	4" Victaulic Cap	30.00
21	-	-	Drain Manifold	Call
22	70041-004000	25AP22541230	Mounting Bracket for Backflush Controller	523.00
23	71680-014170	61SF25P	Plastic Finger Filter	19.00
24	76400-003410	55P4694802-B	Plastic Elbow 8 mm x 1/8" M for Solenoid & Relay (Bag 10)	49.00
25	76400-004505	55P4714804-B	Plastic Male Branch Tee 8 mm x 1/4" x 8 mm (Bag 10)	62.00
-	00110-001540	25APMODKITFLNG	Flange-Bolt Kit: 24 bolts, 24 nuts, 48 washers, 2 flanges	2,173.00
-	00110-001550	25APMODKIT5-8	Adapter Kit: 24 bolts, 24 nuts, 48 washers, 1 drain manifold, 1 conn.	1,242.00
-	76400-005410	55P1210400-B	1/4" Plug (Bag 10)	9.50
-	40001-000382	15CONT8C50	8 mm Control Tube (50' Roll)	16.00

Model Numbers will be different based on filter configurations.


NOTE: Substitute *** with desired mesh.

FILTERS

APOLLO DISC-KLEEN FILTER PARTS

Twin Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003432	25AP22000402	4" Twin Body	761.00
2	76000-002400	25AP50540112	3/4" Ball Valve	35.00
3	70620-007065	25AP50032311	O-Ring for 3/4" Ball Valve	6.70
4	70620-005100	25AP50060004	Gauge Port Seal	9.10
5	70620-005200	25AP25110103	Gauge Port Nut	6.40
6	70620-004300	25AP534341	Cover Gasket	28.00
7	70620-019450	25AP70019003658	Clamp - Polymeric Complete	282.00
8	70620-004146	25AP50022355	Spine Seat O-Ring	7.80
9	-	25AP20334-***	Ring Set Only	384.00
10	70620-007414	25AP21991040LC	Spine Assembly without Rings	1,645.00
11	70620-002162	25AP25010602	Filter Cover	452.00
12	70620-019460	25APLCLPWRENCH	Wrench for Polymeric Clamp Bolts	17.00
13	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00



APOLLO DISC-KLEEN FILTER PARTS

Angle Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003384	25AP22371011	3" Angle Body	387.00
2	70620-003865	25AP50540212	1/4" x 1/2" Ball Valve	38.00
3	70620-005100	25AP50060004	Gauge Port Seal	9.10
4	70620-005200	25AP25110103	Gauge Port Nut	6.40
5	70620-004300	25AP534341	Cover Gasket	28.00
6	70620-019450	25AP70019003658	Clamp - Polymeric Complete	282.00
7	70620-004146	25AP50022355	Spine Seat O-Ring	7.80
8	-	25AP20334-***	Ring Set Only	384.00
9	70620-007414	25AP21991040LC	Spine Assembly without Rings	1,645.00
10	70620-002162	25AP25010602	Filter Cover	452.00
11	70620-007900	25AP50760028	Butterfly Nut Wrench	51.00
12	70620-019460	25APLCLPWRENCH	Wrench for Polymeric Clamp Bolts	17.00

NOTE: Substitute *** with desired mesh.

FILTERS


AGF MEDIA FILTER BATTERY PARTS

Model Numbers 27AGF48

Key	Item Number	Model Number	Description	Price Each
1	70620-008650	27AP28200012	Locking Nut	49.00
2	70620-009300	27AP28200014	Inlet	88.00
3	70620-007070	27AP50060482	Seal	33.00
4	70620-009250	27AP28200018	Distribution Plate	47.00
5	70620-008660	27AP28200010	Upper Sealing Nut	32.00
6	70620-009000	27AP28200028	Pin	2.00
7	70620-009400	27AP28200030	Mushroom (55 per tank)	2.00
8	70620-009270	27AP22480052	Upper Diffuser Complex w/mushrooms	38.00
9	70620-008850	27AP28200026	End Cup	2.80
10	70620-009260	27AP28200020	Drum	94.00
11	70620-009280	27AP22480054	Lower Diffuser Complex w/mushrooms	36.00
12	70620-008500	27AP28200016	Outlet	146.00
13	70620-009500	27AP50050548	Cover Seal	55.00
14	70620-008760	27AP22480032	Lower Cover Complete	150.00
15	70620-003975	25AP50032235	O-Ring 2-235	9.50
16	70620-008820	27AP28200340	Lower Plug	22.00
17	70620-008600	27AP28200036	Bridge	43.00
18	70620-008700	27AP28200038	Tightening Screw	24.00
19	70620-009100	27AP28200011	Lower Plug Assembly	75.00
20	-	-	Upper Cover (not sold separately see #34)	-
21	70620-009590	27AP28200046	Vacuum Release	2.80
22	70620-007060	27AP50032310	O-Ring 2-310	5.20
23	70620-008364	27AP50403830	W 3/8" x 1 1/4" Screw	9.30
24	-	27AP50760248	Handle	36.00
25	70620-009570	27AP28200040	Leg Housing	196.00
26	70620-008363	27AP50403840	W 3/8" x 1 1/2" Screw	6.10
27	70620-008348	27AP50409138	3/8" Washer	1.50
28	70620-009600	27AP50501400	Leg	322.00
29	70620-008900	27AP28200050	Base Cup	17.00
30	70600-009460	27AP50760022	Lower Drain Plug Tool	45.00
31	70600-009450	27AP50760021	Locking Nut Wrench	124.00
32	70620-008620	27AP22480056	Bridge Complete	99.00
33	70620-008760	27AP22480032	AGF Lower Cover Complete	150.00
34	70620-008750	27AP22480022	AGF Upper Cover Complete	150.00
35	70620-008770	27AP50400018	Spring	20.00
-	70640-015000	27AGF48	48" Tank*	6,771.00

* Only available as a warranty replacement item

For additional AGF Media Filter Battery parts, pricing and availability, call Netafim USA Customer Service.




AGF MEDIA FILTER BATTERY MANIFOLDS

Polypropylene Manifold, Grooved Open x Closed End

Item Number	Model Number	Use With AGF	Connection	Outlets	Price Each
70040-062450	43MP6X2X4AGFB	2 Filters & 5 Tee Filters	6" Grooved	2	1,361.00
70040-062480	43MP6X3X4AGFB	3 Filters & 6 Filters	6" Grooved	3	1,948.00
70040-066960	43MP8X3X4AGFB	7 Tee Filters	8" Grooved	3	2,715.00
70040-062670	43MP8X4X4AGFB	8 Tee Filters	8" Grooved	4	2,996.00

FILTERS




SANDSTORM SINGLE CHAMBER METAL MEDIA FILTER BATTERY PARTS

Model Numbers 2SMFSB - Blue Color

Key	Item Number	Model Number	Description	Price Each
1	-	-	Filter Body (not available as a spare part)	-
9	71915-000107	2SMCOVERGASKET8	Top and Bottom Service Cover Gasket 8" (30")	22.00
	71915-000121	-	Top and Bottom Service Cover Gasket 10" (36" and 48")	Call for Quote
10	71915-000113	2SMSERCVRPLATE8	Top and Bottom Service Cover 8" (30")	24.00
	71915-000122	-	Top and Bottom Service Cover 10" (36" and 48")	Call for Quote
11	71915-000114	-	Bolt M12X50	Call for Quote
12	71915-000115	-	Nut M12	Call for Quote
13	71915-000107	2SMCOVERGASKET8	Service Cover Gasket 8"	22.00
14	71915-000113	2SMSERCVRPLATE8	Service Cover 8"	24.00

FILTERS



SANDSTORM SINGLE CHAMBER METAL MEDIA FILTER BATTERY PARTS

Model Numbers 2SMFSB - Blue Color

Key	Item Number	Model Number	Description	Price Each
2	71915-000124	-	Underdrain Collector (30")	Call for Quote
	71915-000125	-	Underdrain Collector (36")	Call for Quote
	71915-000126	-	Underdrain Collector (48")	Call for Quote
3	71915-000128	-	Plastic Washer	Call for Quote
4	71915-000127	2SMMUSHROOM	Mushroom Diffuser	5.00
5	71915-000131	-	Underdrain Element S (All Sizes)	Call for Quote
6	71915-000132	-	Underdrain Element M (36" and 48")	Call for Quote
7	71915-000133	-	Underdrain Element L (48")	Call for Quote
8	71915-000210	-	Underdrain Screw Set	Call for Quote

FILTERS

Inlet/Outlet Manifold - 1 Outlet



Backflush Manifold - 1 Outlet



Inlet/Outlet Manifold - 2 Outlets



Backflush Manifold - 2 Outlets



SANDSTORM - MANIFOLDS

Item Number	Model Number	Description	Price Each
71910-001701	2SM6X1X330-36	6" Inlet/Outlet Manifold, 1 outlet, 3" size (30" and 36")	137.00
71910-001710	2SM6X2X330-36	6" Inlet/Outlet Manifold, 2 outlets, 3" size (30" and 36")	266.00
71910-001700	2SM3X1X330-36BF	3" Backflush Manifold, 1 outlet, 2" size (30" and 36")	80.00
71910-001709	2SM3X2X33036BF	3" Backflush Manifold, 2 outlets, 2" size (30" and 36")	163.00
71910-001704	2SM8X1X448	8" Inlet/Outlet Manifold, 1 outlet, 4" size (48")	210.00
71910-001713	2SM8X2X448	8" Inlet/Outlet Manifold, 2 outlets, 4" size (48")	397.00
71910-001703	2SM4X1X348BF	4" Backflush Manifold, 1 outlet, 3" size (48")	113.00
71910-001712	2SM4X2X348BF	4" Backflush Manifold, 2 outlets, 3" size (48")	224.00

SANDSTORM - INLET/OUTLET MANIFOLD END CAPS

Item Number	Model Number	Description	Price Each
71910-001800	2SMCAP4/3X1NPT	4" Inlet/Outlet End Cap, Female Threaded 3 x 1"	41.00
71910-001802	2SMCAP6	6" Inlet/Outlet End Cap, Female Threaded 2 x 2" and 1 x 1"	52.00
71910-001804	2SMCAP8	8" Inlet/Outlet End Cap, Female Threaded 2 x 2" and 1 x 1"	58.00
71910-001821	-	10" Inlet/Outlet End Cap, Female Threaded 2 x 2" and 1 x 1"	Call for Quote




SANDSTORM - BACKFLUSH MANIFOLD END CAPS

Item Number	Model Number	Description	Price Each
71910-001791	2SMCAP3	3" Backflush End Cap	25.00
71910-001792	2SMCAP4	4" Backflush End Cap	38.00



SANDSTORM - MANIFOLD T FITTINGS

Item Number	Model Number	Description	Price Each
71910-001801	-	8" T Fitting, 2 x 6" Outlets	Call for Quote
71910-001803	-	10" T Fitting, 2 x 6" Outlets	Call for Quote
71910-001805	-	10" T Fitting, 2 x 8" Outlets	Call for Quote
71910-001820	-	14" T Fitting, 2 x 10" Outlets	Call for Quote



SANDSTORM - MANIFOLD COUPLING ADAPTERS


Item Number	Model Number	Description	Price Each
71910-002003	2SMFL/VIC3	3" Flange-Groove Coupling	55.00
71910-002006	2SMFL/VIC4	4" Flange-Groove Coupling	63.00
71910-002009	2SMFL/VIC6	6" Flange-Groove Coupling	101.00
71910-002012	2SMFL/VIC8	8" Flange-Groove Coupling	127.00
71910-002015	2SMFL/VIC10	10" Flange-Groove Coupling	263.00



FILTERS


SANDSTORM - MANIFOLD SUPPORT STANDS

Item Number	Model Number	Description	Price Each
71910-001965	2SMSTAND6-1700	Inlet Manifold Stand 6" x 67" (36")	91.00
71910-001908	2SMSTAND6-150	Outlet Manifold, Straight Systems, Stand 6" x 6" (30")	25.00
71910-001893	2SMSTAND3-1500	Backflush Manifold Stand 3" x 60" (36")	70.00
71910-001965	2SMSTAND6-1700	Inlet Manifold Stand 6" x 67" (36")	91.00
71910-001909	2SMSTAND6-200	Outlet Manifold, Straight Systems, Stand 6" x 8" (36")	26.00
71910-001893	2SMSTAND3-1500	Backflush Manifold Stand 3" x 60" (36")	70.00
71910-001971	2SMSTAND8-1700	Inlet Manifold Stand 8" x 67" (48")	97.00
71910-001970	2SMSTAND8-100	Outlet Manifold, Straight Systems, Stand 8" x 4" (48")	25.00
71910-001952	2SMSTAND4-1400	Backflush Manifold Stand 4" x 55" (48")	66.00



SANDSTORM - CONTROL KIT

Item Number	Model Number	Description	Price Each
37090-009610	2SMCONTROLKIT	1" Control Kit NPT Connection	260.00




FILTERS

SCAN-KLEEN SCREEN FILTER PARTS

Angle Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003383	25AP22371001	3" Angle Filter Body - Grooved	327.00
	70620-003425	27AP22471001	4" Angle Filter Body - Grooved	360.00
2	70620-003865	25AP50540212	1/2" Flushing Ball Valve	38.00
3	70620-005200	25AP25110103	Gauge Port Nut	6.40
4	70620-005100	25AP50060004	Gauge Port Seal	9.10
5	70620-004770	25AP25100325	Loose Flange for 3" Angle	66.00
	70620-004840	25AP25100425	Loose Flange for 4" Angle	87.00
6	70620-004930	25AP25070308	Cone Ring for 3" Angle	19.00
	70620-004935	25AP25070402	Cone Ring for 4" Angle	26.00
7	70620-004900	25AP50052013	Seal for Quick Flange for 3" Angle	24.00
	70620-004920	25AP50052014	Seal for Quick Flange for 4" Angle	26.00
8	70620-012921	27AP25030407-C	Lower Seat	49.00
9	70620-004300	25AP534341	Hydraulic Seal	28.00
10	70620-004765	25AP50420060	Clamp	196.00
11	70620-012915	27AP25050403	Dirt Collector	426.00
12	70620-012916	27AP50022250250	Screen Seal	14.00
13	70620-013030	27AP50520827	40 Mesh Screen	432.00
	70620-013020	27AP50520825	80 Mesh Screen	432.00
	70620-002810	27AP50520822	120 Mesh Screen	432.00
	70620-013010	27AP50520823	150 Mesh Screen	432.00
	70620-013015	27AP50520821	200 Mesh Screen	432.00
14	70620-012914	27AP25050402	Dirt Collector Axis	35.00
15	70620-006720	27AP50031403	O-Ring 14 x 3	3.60
16	70620-010430	27AP22020065	Cover Assembly	726.00
17	76000-003400	27AP50540017	1" Ball Valve	52.00
18	70620-012917	27AP25070409	Clamping Disc	13.00
19	70620-012918	27AP25300409	Handle	45.00
20	70620-004517	25AP50401012	Bolt 6.3 x 38	2.60




FILTERS


SCAN-KLEEN SCREEN FILTER PARTS

Twin Filter

Key	Item Number	Model Number	Description	Price Each
1	70620-003440	25AP22450001	4" Twin Filter Body - Grooved	1,091.00
	70620-003448	25AP22460001	6" Twin Filter Body - Grooved	1,091.00
2	70620-003865	25AP50540212	3/4" Flushing Ball Valve	38.00
3	70620-007065	25AP50032311	O-Ring 2 x 311	6.70
4	70620-004840	25AP25100425	Loose Flange for 4" Twin	87.00
	70620-004890	25AP25100625	Loose Flange for 6" Twin	166.00
5	70620-004935	25AP25070402	Cone Ring for 4" Twin	26.00
	70620-004945	25AP25070602	Cone Ring for 6" Twin	38.00
6	70620-004920	25AP50052014	Seal for Quick Flange for 4" Twin	26.00
	70620-004925	25AP50052016	Seal for Quick Flange for 6" Twin	41.00
7	70620-005100	25AP50060004	Gauge Port Seal	9.10
8	70620-005200	25AP25110103	Gauge Port Nut	6.40
9	70620-012921	27AP25030407-C	Lower Seat	49.00
10	70620-004300	25AP534341	Hydraulic Seal	28.00
11	70620-004765	25AP50420060	Clamp	196.00
12	70620-012915	27AP25050403	Dirt Collector	426.00
13	70620-012916	27AP50022250250	Screen Seal	14.00
14	70620-013030	27AP50520827	40 Mesh Screen	432.00
	70620-013020	27AP50520825	80 Mesh Screen	432.00
	70620-002810	27AP50520822	120 Mesh Screen	432.00
	70620-013010	27AP50520823	150 Mesh Screen	432.00
	70620-013015	27AP50520821	200 Mesh Screen	432.00
15	70620-012914	27AP25050402	Dirt Collector Axis	35.00
16	70620-006720	27AP50031403	O-Ring 14 x 3	3.60
17	70620-010430	27AP22020065	Cover Assembly	726.00
18	76000-003400	27AP50540017	1" Ball Valve	52.00
19	70620-012917	27AP25070409	Clamping Disc	13.00
20	70620-012918	27AP25300409	Handle	45.00
21	70620-004517	25AP50401012	Bolt 6.3 x 38	2.60



FILTERS




SCREENGUARD™ AUTOMATIC SCREEN FILTER PARTS

4", 6" and 8" Sizes

Key	Item Number	Model Number	Description	Price Each
1	-	Not Sold Separately	Filter Body	Call
2	-	Not Sold Separately	Filter Cover	Call
3	72000-009590	79COVERORING	Cover O-Ring	64.00
4	72000-018400	27APBOLT	Stud 1/2" SS304	41.00
5	72000-008511	79WSHRM12SS304468	Washer M12 SS304	1.40
6	72000-008495	79ASFNUT12GALV468	Nut 1/2" Galvanized	1.70
7	72000-104500	79ASFCOARSESCR4	Coarse Screen for 4"	320.00
	72000-104520	79ASFCOARSESCR6	Coarse Screen for 6"	363.00
	72000-018498	27APCOARSCRN	Coarse Screen for 8"	395.00
8.1	72000-016940	79ASFSCRORING468	Screen O-Ring	46.00
8.2	72000-092050	79ASFUPRSCRADTR468	Upper Screen Adapter	90.00
8.2.1	-	79ASFUPRSCRADBD468	Upper Screen Adapter Body	36.00
8.2.2	72000-018530	79ASFSCRWHEEL468	Screen Wheel	67.00
8.2.3	72000-018510	79ASFDCOLLSCBRG468	Dirt Collector Screen Bearing	63.00
8.3	-	79ASFSCRONLY468***	Screen Only 4" to 8"	7,556.00
9	72000-000310	79ASFFLUSHCHAM468	Flushing Chamber	426.00
9.1	-	79BDFLUSHCHAM468	Flushing Chamber Body	367.00
9.2	72000-000320	79ASFDCOLLBRNG468	Dirt Collector Bearing	2,015.00
10	72000-018561	79ASFDCOLL468	Dirt Collector Assembly	1,637.00
10.1	72000-018300	79ASFCTNOZSADL468	Suction Nozzle Saddle	35.00
11	72000-018960	79ASFHYDMOTOR468	Hydraulic Motor	148.00
11.1	72000-018582	79ASFHDCOLLBRNG468	Head Collector Bearing	34.00
12	72000-018900	79ASFHYDPISTON468	Hydraulic Piston	1,250.00
12.1	72000-016960	79ASFHYDPSTORNG468	Hydraulic Piston O-Ring	2.40
13	72000-015520	79ASFBACKFLUSHVLV	Backflush Valve Galit	808.00
-	71610-010902	61GALIL2RKIT	Repair Kit for Backflush Valve	283.00
14	72000-018850	79ASFSHORTDIST468	Short Distributor	39.00
14.1	72000-016905	79ORNGSHORTDIST468	Short Distributor O-Ring	1.20
15	72000-017350	79ASFPRESSGAUGE	Pressure Gauge Set	101.00
16	72000-008545	79ASFPLG46810	Plug 1/4" Plastic	1.50
17	72000-019240	79ASFBRANCHT14468	Male Branch Tee 1/4"	4.90
18	72000-019250	79ASFMALEELL18468	Male Elbow 1/8"	5.00
19	00105-006250	31NBCDCL2	Netafim Backflush Controller DCL	1,461.00
19.2	35500-002020	61AQTVDCL1	Aquative DCL with 1 Bracket	108.00
20	-	79ASF2BSPNPTADTR	BSP to NPT Adapter Coupling 2"	Call

NOTE:
Substitute
*** with
desired
mesh.

FILTERS



SCRENGUARD™ AUTOMATIC SCREEN FILTER PARTS

10" Size

Key	Item Number	Model Number	Description	Price Each
1	-	Not Sold Separately	Filter Body	Call
2	-	Not Sold Separately	Filter Cover	Call
3	72000-009595	79COVERORING10	Cover O-Ring	120.00
4.1	72000-018398	79STUD3473SS30410	Stud 3/4" NC 73 SS304	50.00
4.2	72000-018396	79STUD34130SS30410	Stud 3/4" NC130 SS304	91.00
5	72000-008509	79WSHRM20SS30410	Washer M20 SS304	2.00
6	72000-008501	79ASFNUT34GALV10	Nut 3/4" Galvanized	9.50
7	72000-105000	79ASFCOARSESCR10	Coarse Screen for 10"	1,336.00
8.1	72000-016945	79SCGASKET10	Service Cover Gasket	31.00
8.2	-	79ASFSCRONLY10-***	Coarse Screen 10"	10,425.00
8.3	72000-018520	79ASFSCRWHEEL10	Screen Wheel	393.00
8.4	72000-018567	79ASFDCOLLSRBRG10	Dirt Collector Screen Bearing	71.00
9	72000-027987	79ASFDCOLL10	Dirt Collector Assembly	2,015.00
9.1	72000-010582	79ASFDCOLLUPRPLG10	Dirt Collector Upper Plug	47.00
9.2	72000-018593	79ASFDCOLLSHFT10	Dirt Collector Shaft	95.00
9.3	72000-017414	79ASFDCOLLMDPLG10	Dirt Collector Middle Plug	16.00
9.4	72000-018584	79ASFDCOLLSHFTNT10	Dirt Collector Shaft Tightening Nut	68.00
9.5	72000-008558	79ATCHSCRW34FLT10	Flat Head Screw SS304	0.44
9.6	72000-008557	79ATCHSCRW34OVL10	Oval Head Screw SS304	0.52
9.7	72000-018329	79ASFCTNOZ10	Suction Nozzle	39.00
9.8	72000-107053	79ASFDCOLLPLUGLWR	Dirt Collector Lower Plug	49.00
10	72000-018924	79ASFHYDMOTOR10	Hydraulic Motor	752.00
11	72000-018595	79ASFDCOLLHDBRNG10	Dirt Collector Head Bearing	63.00
12	72000-018402	79STUD51629SS30410	Stud 5/16" SS304	6.50
13	72000-008502	79NUT516NCBRSS10	Nut 5/16" Brass	1.50
14	72000-018350	79YP4081056100-331	Hydraulic Piston	1,860.00
14.1	72000-016965	79ASFHYDPSTORNG10	Hydraulic Piston O-Ring	2.50
15	72000-015520	79ASFBACKFLUSHVLV	Backflush Valve Galit	808.00
-	71610-010902	61GALIL2RKIT	Repair Kit for Backflush Valve	283.00
16	72000-090250	79ASFDOUBLEDIST10	Double Distributor	117.00
16.1	72000-016905	79ASFACCORING10	Accelerator Pilot O-Ring	1.20
16.2	72000-007040	61PIL25300	Pilot 25300	164.00
17	72000-017350	79ASFPRESSGAUGE	Pressure Gauge Set	101.00
18	72000-008545	79ASFPLG46810	Plug 1/4" Plastic	1.50
19	72000-019240	79ASFBRANCHT14468	Male Branch Tee 1/4"	4.90
20	72000-019250	79ASFMALEELL18468	Male Elbow 1/8"	5.00
21	00105-006250	31NBCDCL2	Netafim Backflush Controller DCL	1,461.00
21.2	35500-002020	61AQTVDCL1	Aquative DCL with 1 Bracket	108.00
22	-	79ASF2BSPNPTADTR	BSP to NPT Adapter Coupling 2"	Call
23	-	79ASF2BSPNPTADORNG	O-Ring, BSP to NPT Adapter Coupling 2"	Call

NOTE:
Substitute ***
with desired
mesh.

FILTERS

SERIES 350 BACKFLUSH VALVES

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71000-012780	61BFG2TP	2"	2" Compact LP Disc-Kleen and 2" LP Disc-Kleen	2" GR	2" TH	2" TH	831.00
71000-013360	61BFG3PB	3"	3" LP Disc-Kleen and Angle Apollo Disc-Kleen	3" GR	3" GR	2" TH	880.00
71000-013430	61BFG4GPB	4"	48" AGF Media & Single Chamber	4" GR	4" GR	4" GR	1,105.00
71000-013440	61BFG4GPGB-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,402.00



PLASLITE® BACKFLUSH VALVES

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71600-006750	61BFG3PSK	3"	3" Disc-Kleen Batteries	3" GR	3" GR	2" TH	934.00
71600-006720	61BFG3GP	3"	3" Angle Filter Batteries and 30" Epoxy Media	3" GR	3" GR	2" TH	890.00
71600-006865	61BFG4GP	4"	48" AGF	4" GR	4" GR	4" GR	1,559.00
71600-006855	61BFG4GPG-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,559.00



IRON BACKFLUSH VALVES

Item Number	Model Number	Valve Size	Valve Application	In	Connections Out	Flush	Price Each
71610-008000	61BFG2GT98	2"	16", 20" and 24" Epoxy Media	2" GR	2" TH	2" Th	806.00
71610-008250	61BFG3G	3"	30" and 36" Epoxy Media	3" GR	3" GR	2" TH	864.00
71600-006670	61BFG3GBLU	3"	30" and 36" Sandstorm	3" GR	3" GR	2" TH	657.00
71600-006527	61BFG4GBLK	4"	48" Epoxy Media (black) Double	4" GR	4" GR	3" TH	1,109.00
71600-006660	61BFG4GBLU	4"	48" Sandstorm	4" GR	4" GR	4" GR	1,203.00



GR = Grooved or Victaulic connection
TH = Threaded connection

BACKFLUSH VALVE REPLACEMENT PARTS

Visit www.netafimusa.com for backflush valve replacement parts ordering information

FILTERS

FITTINGS

Size	Item Number	Model Number	Description	Price Each
2"	78201-003280	44SNIP2X4	Steel Nipple Threaded 4" Length	24.00
2"	78201-003700	44SNIP2VT	Grooved x Threaded Adapter	48.00
3"	78201-009000	44VIC/FL3	Grooved x Flanged Metal Split Adapter	161.00
4"	78201-009020	44VIC/FL4		207.00
6"	78201-009040	44VIC/FL6		283.00
8"	78201-009060	44VIC/FL8		410.00
10"	78201-009080	44VIC/FL10		741.00
12"	78201-009100	44VIC/FL12		823.00
3"	70040-009820	44SEALSA03	Gasket used with 44VIC/FL3	32.00
4"	78201-009300	44SEALSA04	Gasket used with 44VIC/FL4	35.00
6"	78201-009320	44SEALSA06	Gasket used with 44VIC/FL6	75.00
8"	78201-009330	44SEALSA08	Gasket used with 44VIC/FL8	89.00
10"	78201-009340	44SEALSA10	Gasket used with 44VIC/FL10	93.00
12"	78201-009380	44SEALSA12	Gasket used with 44VIC/FL12	99.00
2"	77350-017700	44NIPVS02	Grooved x Slip PVC Nipple 4" Length	23.00
3"	77350-017710	44NIPVS03	Grooved x Slip PVC Nipple 4" Length	41.00
4"	77350-017720	44NIPVS04	Grooved x Slip PVC Nipple 4" Length	48.00
6"	77350-017730	44NIPVS06	Grooved x Slip PVC Nipple 6" Length	107.00
8"	77350-017740	44NIPVS08	Grooved x Slip PVC Nipple 8" Length	194.00
10"	77350-017750	44NIPVS10	Grooved x Slip PVC Nipple 12" Length	194.00
12"	77350-017760	44NIPVS12	Grooved x Slip PVC Nipple 15" Length	196.00
2"	70040-002900	44VIC02	Grooved Coupling with Seal	41.00
3"	70040-003000	44VIC03		49.00
4"	70040-003100	44VIC04		67.00
6"	70040-003200	44VIC06		122.00
8"	70040-003300	44VIC08		189.00
10"	70040-003400	44VIC10		435.00
12"	70040-003500	44VIC12		489.00
2"	78201-008250	44SEAL02	Grooved Coupling Seal	24.00
3"	78201-008260	44SEAL03		30.00
4"	78201-008270	44SEAL04		36.00
6"	78201-008280	44SEAL06		50.00
8"	78201-008290	44SEAL08		68.00
10"	78201-008295	44SEAL10		88.00
12"	70040-011300	44SEAL12		112.00



ACCESSORIES

Item Number	Model Number	Description	Price Each
00110-001750	6809020-30	Pressure Gauge 0-30 psi	84.00
00110-001790	6809020-100	Pressure Gauge 0-100 psi	84.00
00110-001810	6809020-160	Pressure Gauge 0-160 psi	84.00
40001-000400	15CONT-8	8 mm Control Tubing (1000' roll)	184.00
40001-000383	15CONT8C100	8 mm Control Tubing (100' roll)	28.00
40001-000382	15CONT8C50	8 mm Control Tubing (50' roll)	16.00
40001-000381	15CONT8C10	8 mm Control Tubing (10' roll)	9.90



VALVES

Commonly Ordered Valves	112
Ordering Guidelines	114
Nylon and PVC Valves	115
Series 80 Nylon Control Valves	116
Iron Flanged Valves	117
Iron Grooved Valves	118
Iron Threaded Valves	119
Angle Valves	120
Battery Operated Control 3-Way Valves	121
Backflush Valves	121
Solenoids and Solenoid Components	122
Pilots, Relays and Pilot Components	124
Diaphragms and Diaphragm Components	125
Accessories	126
Quick Coupling Valve.....	126
Plastic and Brass Prestolock Fittings	127

VALVES

QUICK SELECTION GUIDE FOR COMMONLY ORDERED NETAFIM USA VALVES

Netafim USA has the widest variety of valves and valve functions in the industry to fit numerous applications. Some types of valves are ordered more frequently than others. To simplify the selection and ordering process, the most commonly ordered valves are listed on the next two pages.



NYLON - THREADED



IRON - THREADED



IRON - GROOVED



IRON - FLANGED

BASIC VALVES

Item Number	Model Number	Size	Material	Connection	Diaphragm
71610-001100	61B1PL-T	1"	Nylon	Threaded	High Pressure
71610-001620	61B2IT-HP	2"	Iron	Threaded	High Pressure
71610-001630	61B2IT-LP	2"	Iron	Threaded	Low Pressure
71600-007520	61B323IG-HP	323	Iron	Grooved	High Pressure
71610-002560	61B323IT-LP	323	Iron	Threaded	Low Pressure
71610-004030	61B4IF-LP	4"	Iron	Flanged	Low Pressure

Low Pressure Diaphragm: recommended if dynamic pressure gets below 30 psi.

High Pressure Diaphragm: recommended if dynamic pressure is always above 30 psi.



NYLON - THREADED



PVC - SLIP

MANUAL VALVES

Item Number	Model Number	Size	Material	Connection	Diaphragm
71610-005700	61M2PL	2"	Nylon	Threaded	High Pressure
71610-017640	61M3PLS	3"	PVC	Slip	High Pressure



ELECTRIC 3-WAY VALVES

Item Number	Model Number	Size	Material	Connection
71610-014600	61EL2PL	2"	Nylon	Threaded
71610-015100	61EL323PL	323	Nylon	Threaded



SERIES 80 ELECTRIC 2-WAY VALVES

Item Number	Model Number	Size	Material	Connection
71640-007355	61ET.75GH2	3/4"	Nylon	Threaded
71640-007406	61ET1GH2	1"	Nylon	Threaded
71640-007425	61ET1.5GH2	1.5"	Nylon	Threaded
71610-014528	61ET2GH2	2"	Nylon	Threaded

VALVES

QUICK SELECTION GUIDE FOR COMMONLY ORDERED NETAFIM USA VALVES



NYLON - THREADED



PVC-SLIP



PVC - THREADED

PRESSURE REDUCING VALVES

Item Number	Model Number	Size	Material	Connection	Spring Color
71610-016050	61PR1.5PL-G	1.5"	Nylon	Threaded	Green
71610-016000	61PR1.5PL-Y	1.5"	Nylon	Threaded	Yellow
71610-016110	61PR2PL-G	2"	Nylon	Threaded	Green
71610-016100	61PR2PL-Y	2"	Nylon	Threaded	Yellow
71610-016500	61PR323PL-G	323	Nylon	Threaded	Green
71610-016510	61PR323PL-Y	323	Nylon	Threaded	Yellow
71600-012370	61PR3PLS-Y	3"	PVC	Slip	Yellow
71610-016610	61PR3PLT-Y	3"	PVC	Threaded	Yellow
71600-006160	61PR4PLS-G	4"	PVC	Slip	Green
71600-006155	61PR4PLS-Y	4"	PVC	Slip	Yellow
71600-006284	61PR6PLS-Y	6"	PVC	Slip	Yellow

Yellow Pilot Spring: 7-30 psi

Green Pilot Spring: 14-65 psi



NYLON - THREADED



PVC - SLIP



IRON - FLANGED

PRESSURE REDUCING ELECTRIC 3-WAY VALVES

Item Number	Model Number	Size	Material	Connection	Spring Color
71610-016860	61PREL2PL-Y	2"	Nylon	Threaded	Yellow
71610-016900	61PREL323PL-Y	323	Nylon	Threaded	Yellow
71640-005140	61PREL3PLS-Y	3"	PVC	Slip	Yellow
71640-005560	61PREL4PLS-Y	4"	PVC	Slip	Yellow
71610-017705	61PREL4IF-HP-Y	4"	Iron	Flanged	Yellow
71610-017954	61PREL6IF-HP-Y	6"	Iron	Flanged	Yellow

Yellow Pilot Spring: 7-30 psi up to 4" valves, 38-45 psi for 6" valves.

VALVES

ORDERING GUIDELINES

Please provide the following information when calling for assistance.

- Flow Rate
- Inlet Pressure
- Desired Outlet Pressure
- Topographical Details
- Pump Curve, Type, etc.

HOW TO DETERMINE THE CORRECT VALVE MODEL NUMBER

- Select Function
- Select Diameter
- Select Required Material and End Connection
- Select Diaphragm based on Upstream Pressure
- Select Spring Color (for Pilot Operated Valves Only)

61	Function Code	Diameter	Material & End Connection	Diaphragm	Spring Color
	B Basic M Manual EL Electric 3-Way MEL Manual Electric 3-Way RC Hydraulic Remote Control PR Pressure Reducing PREL Pressure Reducing Electric PRRC Pressure Reducing Remote Control PRPS Pressure Reducing/Pressure Sustaining PS Pressure Sustaining PSEL Pressure Sustaining Electric PSNO Pressure Sustaining Normally Open TH Basic Throttling MTH Manual Throttling ELT Electric 3-Way Throttling MELT Manual Electric Throttling ELC Electric 3-Way with Installed Controller QR Quick Reacting Pressure Relief QRL Pressure Sustaining Relief 2PR Pressure Reducing 2-Way 2PS Pressure Sustaining 2-Way	Nylon: 1", 1 1/2", 2", 323 PVC: 3", 4", 6" Iron Flanged: 3", 4", 4" Angle, 6", 6" Angle, 868, 8", 10", 12" Iron Grooved: 2", 323, 3", 3" Angle, 4", 6" Iron Threaded: 1", 1 1/2", 2", 2" Angle, 323, 3", 3" Angle	AN Angle PL Nylon Threaded PLT PVC Threaded PLS PVC Slip IT Iron Threaded IF Iron Flanged IG Iron Grooved	IRON (1"-24") LP (Low Pressure) Used when dynamic pressure can get below 30 psi HP (High Pressure) Used when dynamic pressure is always above 30 psi NOTE: Diaphragms for very low pressures (below 15 psi) are also available	SPRING SELECTION (STANDARD PILOTS) 1 - 4" Valves Y Yellow (7-30 psi) G Green (14-65 psi) R Red (30-90 psi) 6" & Larger Valves Y Yellow (8-45 psi) G Green (14-90 psi) R Red (30-130 psi)

NOTE: All Electric Valves are standard with 24VAC Solenoids. Other voltages available by special order.

MAXIMUM WORKING PRESSURE

Material	Size	psi
Nylon	1" to 323	145
PVC	3" and 4"	115
PVC	6"	145
Iron	1" to 24"	235

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PR2PL-G

61	PR	2	PL	G
	Function Code	Diameter	Suffix	Spring Color

NYLON AND PVC VALVES

Suffix Codes - PL, PLT, PLS, PBI

Valve Function	Function Code	1" Nylon	1 1/2" Nylon	2" Nylon	3" Nylon	323 Nylon	3" PVC Threaded	3" PVC Slip	4" PVC Slip	6" PVC Slip
Basic	B	65.00	123.00	138.00	275.00	221.00	476.00	445.00	616.00	1,748.00
Manual	M	130.00	188.00	202.00	338.00	284.00	540.00	507.00	681.00	1,875.00
Electric 3-Way (24VAC)	EL	225.00	281.00	298.00	435.00	382.00	636.00	603.00	775.00	2,035.00
Manual Electric	MEL	288.00	346.00	360.00	499.00	446.00	698.00	668.00	839.00	2,129.00
Hydraulic Remote Control	RC	256.00	314.00	328.00	466.00	412.00	669.00	635.00	808.00	2,129.00
Pressure Reducing	PR	309.00	364.00	379.00	512.00	459.00	705.00	673.00	841.00	1,968.00
Pressure Reducing Electric	PREL	375.00	426.00	453.00	606.00	553.00	799.00	763.00	928.00	2,049.00
Pressure Reducing Remote Control	PRRC	506.00	560.00	576.00	708.00	655.00	902.00	870.00	1,038.00	2,165.00
Pressure Reducing/Sustaining	PRPS	584.00	638.00	654.00	788.00	734.00	980.00	948.00	1,092.00	2,243.00
Pressure Sustaining	PS	352.00	409.00	426.00	562.00	509.00	764.00	731.00	904.00	2,036.00
Pressure Sustaining Electric	PSEL	427.00	484.00	499.00	632.00	579.00	838.00	799.00	969.00	2,172.00
Pressure Sustaining Electric N.O.	PSNO	576.00	634.00	648.00	785.00	732.00	985.00	953.00	1,126.00	2,265.00

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

NYLON ELECTRIC THROTTLING PBI 2-WAY VALVES

Item Number	Model Number	Size	Voltage	Case Qty	Price Per Case
71610-014015	61ET1PBI-BC	1"	24VAC	20	765.00
71610-014040	61ET1.5PBI2-BC	1 1/2"	24VAC	8	928.00
71610-014507	61ET2PBI2-BC	2"	24VAC	8	1,027.00
71610-015202	61ET323PBI2-BC	323	24VAC	4	1,110.00



NOTE: Sold in Case Quantities and 24VAC Only.
For other voltages (12VDC, 12VDC) and individual valve quantities, order the Series 80 Nylon Control Valves.

VALVES



3/4" OR 1" GLOBE



1 1/2" OR 2" ANGLE



1 1/2" OR 2" GLOBE



PS ANGLE



PREL GLOBE

SERIES 80 NYLON CONTROL 2-WAY VALVES

Item Number	Model Number	Size	Voltage	Price Each
71640-007355	61ET.75GH2		24VAC	52.00
71610-013956	61ET.75GH2-24DC	3/4"	24VDC	52.00
71640-007357	61ET.75GH2-12DC	Globe	12VDC	65.00
71640-007356	61ET.75GH2-L		12VDCL	65.00
71640-007358	61ET.75GH2-120		120VAC	91.00
71640-007406	61ET1GH2		24VAC	52.00
71610-013966	61ET1GH2-24DC	1"	24VDC	52.00
71610-014523	61ET1GH2-12DC	Globe	12VDC	65.00
71610-013967	61ET1GH2-L		12VDCL	65.00
71610-013968	61ET1GH2-120		120VAC	91.00
71640-007425	61ET1.5GH2		24VAC	127.00
71610-014064	61ET1.5GH2-24DC	1 1/2"	24VDC	163.00
71610-014067	61ET1.5GH2-12DC	Globe	12VDC	175.00
71610-014061	61ET1.5GH2-L		12VDCL	175.00
71610-014063	61ET1.5GH2-120		120VAC	201.00
71640-007426	61ET1.5GH2-AN		24VAC	170.00
-	61ET1.5GH2-AN-24DC	1 1/2"	24VDC	205.00
-	61ET1.5GH2-AN-12DC	Angle	12VDC	219.00
71610-014066	61ET1.5GH2-AN-L		12VDCL	219.00
-	61ET1.5GH2-AN-120		120VAC	244.00
71610-014528	61ET2GH2		24VAC	170.00
71610-014518	61ET2GH2-24DC	2"	24VDC	205.00
71610-014524	61ET2GH2-12DC	Globe	12VDC	219.00
71610-014525	61ET2GH2-L		12VDCL	219.00
71610-013971	61ET2GH2-120		120VAC	244.00
71640-007667	61ET2GH2-AN		24VAC	189.00
-	61ET2GH2-AN-24DC	2"	24VDC	224.00
-	61ET2GH2-AN-12DC	Angle	12VDC	237.00
-	61ET2GH2-AN-L		12VDCL	237.00
-	61ET2GH2-AN-120		120VAC	263.00

SERIES 80 NYLON CONTROL 3-WAY VALVES

Model Number	Size	Function	Price Each
61ELTH1.5GH3		EL	281.00
61PRTH1.5GH3-*	1 1/2"	PR	364.00
61PRELTH1.5GH3-*	Globe	PREL	426.00
61PSTH1.5GH3-*		PS	409.00
61PSELTH1.5GH3-*		PSEL	484.00
61ELTH1.5GH3AN		EL	281.00
61PRTH1.5GH3AN-*	1 1/2"	PR	364.00
61PRELTH1.5GH3AN-*	Angle	PREL	426.00
61PSTH1.5GH3AN-*		PS	409.00
61PSELTH1.5GH3AN-*		PSEL	484.00
61ELTH2GH3		EL	298.00
61PRTH2GH3-*	2"	PR	379.00
61PRELTH2GH3-*	Globe	PREL	477.00
61PSTH2GH3-*		PS	426.00
61PSELTH2GH3-*		PSEL	499.00
61ELTH2GH3AN		EL	298.00
61PRTH2GH3AN-*	2"	PR	379.00
61PRELTH2GH3AN-*	Angle	PREL	477.00
61PSTH2GH3AN-*		PS	426.00
61PSELTH2GH3AN-*		PSEL	499.00

Substitute * with proper Spring Color.
Refer to Valve Ordering Guidelines for Spring Colors and Function Code identification.
Electric Valves standard with 24VAC - other voltages available.

SERIES 80 CONTROL 2-WAY VALVES WITH CONTROLLER

Includes Battery Operated Aqua Pro Single Valve Controller and 12VDC Latching Solenoid

Item Number	Model Number	Size	Price Each
71610-013955	61ET.75GH2-L-CONT	3/4" Globe	194.00
71610-013969	61ET1GH2-L-CONT	1" Globe	194.00
71610-014062	61ET1.5GH2-L-CONT	1 1/2" Globe	304.00
-	61ET1.5GH2-AN-L-CONT	1 1/2" Angle	347.00
71610-014526	61ET2GH2-L-CONT	2" Globe	347.00
71610-014519	61ET2GH2-AN-L-CONT	2" Angle	366.00
37000-002000	AP-CONTROLLER-P3	Controller	91.00



VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PS4IF-LP-G

61	PS	4	IF	- LP	- G
Function Code	Diameter	Suffix	Diaphragm	Spring Color	

IRON FLANGED VALVES

Suffix Code - IF

Valve Function	Function Code	3"	4"	6"	868	8"	10"	12"
Basic	B	578.00	882.00	2,111.00	3,011.00	3,930.00	5,246.00	10,394.00
Manual	M	639.00	946.00	2,238.00	3,138.00	4,056.00	5,373.00	10,519.00
Electric 3-Way (24VAC)	EL	735.00	1,042.00	2,395.00	3,295.00	4,212.00	5,530.00	10,678.00
Manual Electric	MEL	797.00	1,104.00	2,489.00	3,390.00	4,308.00	5,625.00	10,772.00
Hydraulic Remote Control	RC	766.00	1,074.00	2,489.00	3,390.00	4,308.00	5,625.00	10,772.00
Pressure Reducing	PR	799.00	1,094.00	2,924.00	3,818.00	4,740.00	6,056.00	11,200.00
Pressure Reducing Electric	PREL	982.00	1,278.00	3,255.00	4,152.00	5,067.00	6,386.00	11,531.00
Pressure Reducing Remote Control	PRRC	994.00	1,288.00	3,107.00	4,012.00	4,921.00	6,240.00	11,384.00
Pressure Reducing and Sustaining	PRPS	951.00	1,245.00	3,107.00	4,006.00	4,927.00	6,240.00	11,384.00
Pressure Sustaining	PS	863.00	1,167.00	3,030.00	3,931.00	4,849.00	6,166.00	11,313.00
Pressure Sustaining Electric	PSEL	1,019.00	1,324.00	3,369.00	4,272.00	5,190.00	6,507.00	11,654.00
Pressure Sustaining Electric N.O.	PSNO	1,082.00	1,388.00	3,899.00	4,801.00	5,718.00	7,037.00	12,184.00
Quick Reacting Pressure Relief	QR	1,674.00	1,979.00	4,126.00	5,027.00	5,946.00	7,262.00	12,409.00
2-Way Pressure Reducing	2PR	1,106.00	1,401.00	3,132.00	4,030.00	4,947.00	6,264.00	11,410.00
2-Way Pressure Sustaining	2PS	1,333.00	1,640.00	3,244.00	4,147.00	5,063.00	6,381.00	11,529.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.
All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.
4" and smaller valves are standard with plastic pilots and plastic base solenoids.
6" and larger valves are standard with metal pilots and metal base solenoids (some exceptions apply).

ADDITIONAL FUNCTIONS

Valve Function
Flow Control
Excessive Flow Shut-off
Deep Well Control
Surge Anticipating
Float Control
Differential Float Control
Altitude Control
Pump Control

For additional functions, please call Netafim USA Customer Service.

ADDITIONAL SIZES

Valve Size
14"
16"
20"
24"

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PREL3IG-HP-R

61	PREL	3	IG	- HP	- R
	Function Code	Diameter	Suffix	Diaphragm	Spring Color

IRON GROOVED VALVES

Suffix Code - IG

Valve Function	Function Code	2"	323	3"	4"	6"
Basic	B	185.00	257.00	558.00	846.00	2,051.00
Manual	M	246.00	319.00	621.00	909.00	2,177.00
Electric 3-Way (24VAC)	EL	342.00	414.00	716.00	1,004.00	2,334.00
Manual Electric	MEL	404.00	478.00	779.00	1,069.00	2,431.00
Hydraulic Remote Control	RC	374.00	446.00	747.00	1,035.00	2,431.00
Pressure Reducing	PR	421.00	489.00	782.00	1,079.00	2,867.00
Pressure Reducing Electric	PREL	603.00	673.00	975.00	1,261.00	3,195.00
Pressure Reducing Remote Control	PRRC	615.00	686.00	987.00	1,270.00	3,051.00
Pressure Reducing and Sustaining	PRPS	569.00	640.00	943.00	1,229.00	3,051.00
Pressure Sustaining	PS	468.00	542.00	843.00	1,131.00	2,972.00
Pressure Sustaining Electric	PSEL	628.00	699.00	1,000.00	1,288.00	3,310.00
Pressure Sustaining Electric N.O.	PSNO	689.00	761.00	1,063.00	1,351.00	3,840.00
Quick Reacting Pressure Relief	QR	917.00	991.00	1,653.00	1,942.00	4,067.00
2-Way Pressure Reducing	2PR	725.00	795.00	1,098.00	1,383.00	3,075.00
2-Way Pressure Sustaining	2PS	941.00	1,013.00	1,314.00	1,603.00	3,186.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

4" and smaller valves are standard with plastic pilots and plastic base solenoids.

6" valves are standard with metal pilots and metal base solenoids (some exceptions apply).

ADDITIONAL FUNCTIONS

Valve Function

Flow Control

Excessive Flow Shut-off

Deep Well Control

Surge Anticipating

Float Control

Differential Float Control

Altitude Control

Pump Control

For additional functions, please call Netafim USA Customer Service.

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61MEL2IT-HP

61	MEL	2	IT	- HP
Function Code	Diameter	Suffix	Diaphragm	

IRON THREADED VALVES

Suffix Code - IT

Valve Function	Function Code	1"	1 1/2"	2"	3/2"	3"
Basic	B	116.00	150.00	185.00	257.00	558.00
Manual	M	177.00	213.00	246.00	319.00	621.00
Electric 3-Way (24VAC)	EL	274.00	308.00	342.00	414.00	716.00
Manual Electric	MEL	337.00	372.00	404.00	478.00	779.00
Hydraulic Remote Control	RC	306.00	340.00	374.00	446.00	747.00
Pressure Reducing	PR	351.00	385.00	421.00	489.00	782.00
Pressure Reducing Electric	PREL	536.00	568.00	603.00	673.00	975.00
Pressure Reducing Remote Control	PRRC	546.00	581.00	615.00	686.00	987.00
Pressure Reducing and Sustaining	PRPS	503.00	538.00	569.00	640.00	943.00
Pressure Sustaining	PS	400.00	434.00	468.00	542.00	843.00
Pressure Sustaining Electric	PSEL	558.00	592.00	628.00	699.00	1,000.00
2-Way Pressure Reducing	2PR	658.00	691.00	725.00	795.00	1,098.00
2-Way Pressure Sustaining	2PS	872.00	906.00	941.00	1,013.00	1,314.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.
 All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.
 3" and smaller valves are standard with plastic pilots and plastic base solenoids (some exceptions apply).

ADDITIONAL FUNCTIONS

Valve Function
Flow Control
Excessive Flow Shut-off
Deep Well Control
Surge Anticipating
Float Control
Differential Float Control
Altitude Control
Pump Control

For additional functions, please call Netafim USA Customer Service.

VALVES



ORDERING EXAMPLE
MODEL NUMBER: 61PS3ITAN-HP-G

61

PS
Function Code

3
Diameter

ITAN
Suffix

- HP
Diaphragm

- G
Spring Color

ANGLE VALVES

Suffix Code - AN

Valve Function	Material	Iron	Iron	Iron	Iron	Iron
	Function Code	2" Threaded	3" Threaded	3" Grooved	4" Flanged	6" Flanged
Basic	B	227.00	456.00	558.00	1,114.00	2,201.00
Manual	M	289.00	519.00	621.00	1,175.00	2,327.00
Electric 3-Way (24VAC)	EL	379.00	614.00	717.00	1,271.00	2,483.00
Manual Electric	MEL	439.00	675.00	779.00	1,335.00	2,580.00
Pressure Reducing	PR	452.00	682.00	780.00	1,337.00	2,949.00
Pressure Reducing Electric	PREL	629.00	866.00	962.00	1,517.00	3,278.00
Pressure Reducing and Sustaining	PRPS	595.00	834.00	931.00	1,487.00	3,067.00
Pressure Sustaining	PS	500.00	741.00	843.00	1,398.00	3,058.00
Pressure Sustaining Electric	PSEL	669.00	899.00	1,000.00	1,556.00	3,398.00
Pressure Sustaining Relief (<100 psi)	QRL	561.00	803.00	905.00	1,460.00	3,119.00

NOTE: Copper Tubing and Prestolock Fittings are available on all valves - please call Netafim USA Customer Service for pricing.

All Electric Valves are standard with 24VAC Solenoid. Other voltages available by special order.

4" and smaller valves are standard with plastic pilots and plastic base solenoids.

6" and larger valves are standard with metal pilots and metal base solenoids (some exceptions apply).

QUICK REACTING PRESSURE RELIEF VALVES

Item Number	Model Number	Description	Price Each
71610-026130	61QR2IT-AN-G	2" Iron Threaded	959.00
71610-026252	V25030IAGH01E27	3" Iron Grooved Angle*	1,237.00
71610-026320	61QR4IFAN-CXPS	4" Iron Flanged Angle	2,210.00
71610-026420	61QR6IFAN-G	6" Iron Flanged Angle	4,217.00

* Standard with 68500 Pilot for 250 psi.

VALVES

BATTERY OPERATED CONTROL 3-WAY VALVES

Includes Battery Operated Aqua Pro Single Valve Controller and 12VDC Latching Aquative Solenoid

Valve Type	Function Code	1"	1 1/2"	2"	323	3"	3" PVC Threaded	3" PVC Slip	4"	4" PVC Slip	6"	6" PVC Slip
Nylon	ELC	353.00	410.00	426.00	453.00	-	-	-	-	-	-	-
PVC	ELC	-	-	-	-	-	765.00	732.00	-	985.00	-	2,252.00
Iron Flanged	ELC	-	-	-	-	861.00	-	-	1,245.00	-	2,548.00	-
Iron Grooved	ELC	-	-	550.00	643.00	934.00	-	-	1,214.00	-	2,490.00	-
Iron Threaded	ELC	-	-	575.00	643.00	934.00	-	-	-	-	-	-

Refer to the Battery Operated Control Valves Technical Sheet for Ordering Guide and Examples.

AQUA PRO SINGLE VALVE CONTROLLER

Item Number	Model Number	Price Each
37000-002000	AP-CONTROLLER-P3	91.00



SERIES 350 BACKFLUSH VALVES

Item Number	Model Number	Valve Size	Valve Application	Connections			Price Each
				In	Out	Flush	
71000-012780	61BFG2TP	2"	2" Compact LP Disc-Kleen and 2" LP Disc-Kleen	2" GR	2" TH	2" TH	831.00
71000-013360	61BFG3PB	3"	3" LP Disc-Kleen and Angle Apollo Disc-Kleen	3" GR	3" GR	2" TH	880.00
71000-013430	61BFG4GPB	4"	48" AGF Media & Single Chamber	4" GR	4" GR	4" GR	1,105.00
71000-013440	61BFG4GPGB-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,402.00



PLASLITE® BACKFLUSH VALVES

Item Number	Model Number	Valve Size	Valve Application	Connections			Price Each
				In	Out	Flush	
71600-006750	61BFG3PSK	3"	3" Disc-Kleen Batteries	3" GR	3" GR	2" TH	934.00
71600-006720	61BFG3GP	3"	3" Angle Filter Batteries and 30" Epoxy Media	3" GR	3" GR	2" TH	890.00
71600-006865	61BFG4GP	4"	48" AGF	4" GR	4" GR	4" GR	1,559.00
71600-006855	61BFG4GPG-DM	4"	Apollo Disc-Kleen	4" GR	4" GR	3" TH	1,559.00



IRON BACKFLUSH VALVES

Item Number	Model Number	Valve Size	Valve Application	Connections			Price Each
				In	Out	Flush	
71610-008000	61BFG2GT98	2"	16", 20" and 24" Epoxy Media	2" GR	2" TH	2" Th	806.00
71610-008250	61BFG3G	3"	30" and 36" Epoxy Media	3" GR	3" GR	2" TH	864.00
71600-006670	61BFG3GBLU	3"	30" and 36" Sandstorm	3" GR	3" GR	2" TH	657.00
71600-006527	61BFG4GBLK	4"	48" Epoxy Media (black) Double	4" GR	4" GR	3" TH	1,109.00
71600-006660	61BFG4GBLU	4"	48" Sandstorm	4" GR	4" GR	4" GR	1,203.00



GR = Grooved or Victaulic connection
TH = Threaded connection

BACKFLUSH VALVE REPLACEMENT PARTS

Visit www.netafimusa.com for backflush valve replacement parts ordering information

VALVES



24VAC
(WIRE LEADS/PLASTIC BASE)



24VAC
(HUB/BRASS BASE)



24VAC
(HUB/SST BASE)



12VDC
(WIRE LEADS/BRASS BASE)



12VDC
(WIRE LEADS/PLASTIC BASE)

NORMALLY OPEN SOLENOIDS

Item Number	Model Number	Connection	Base Material	Voltage	Used with Valve Sizes	Max. Oper. Press. (psi)	Power (watt)	Price Each
71640-006980	61NET	Wire Leads	Plastic	24VAC	4" and Smaller	145	2.2	106.00
71640-007076	61NETR	Wire Leads		24VAC			2.9	113.00
71640-006990	61NET-24VDC	Wire Leads		24VDC			2.9	117.00
70800-007800	61BSHO-012-W	Wire Leads	SST 304	12VDC	6" and Larger	230	10	217.00
70800-007650	61BSHO-024-H	Hub 1/2"	SST 304	24VAC	6" and Larger	230	8	217.00
70800-007450	61BSHO-024-W	Wire Leads		24VAC			8	217.00
70800-007700	61BSHO-120-H	Hub 1/2"	SST 304	120VAC	6" and Larger	230	8	217.00
70800-007760	61BSHO-120-W	Wire Leads		120VAC			8	217.00
70800-007350	61BSHO-024-H5	Hub 1/2"	SST 304	24VAC	6" and Larger	210	5.5	217.00
70800-007550	61BSHO-024-W5	Wire Leads		24VAC			5.5	217.00
70800-007250	61BSHO-024DC-H	Hub 1/2"		24VDC			5.5	217.00

NORMALLY CLOSED SOLENOIDS

Item Number	Model Number	Connection	Base Material	Voltage	Used with Valve Sizes	Max. Oper. Press. (psi)	Power (watt)	Price Each
71640-007090	61NETNC	Wire Leads	Plastic	24VAC	4" and Smaller	145	2.2	106.00
70800-002910	61BBC-012	Hub 1/2"	Brass	12VDC	6" and Larger All PSNO Sizes	110	10	224.00
70800-003260	61BBC-024	Hub 1/2"		24VAC			8	217.00
70800-007790	61BBC-120	Hub 1/2"		120VAC			8	217.00
70800-007100	61BSHC-012-W	Wire Leads	SST 304	12VDC	6" and Larger	230	10	217.00
70800-007400	61BSHC-024-H	Hub 1/2"		24VAC		230	8	217.00
70800-007420	61BSHC-024-W	Wire Leads	SST304	24VAC	6" and Larger	230	8	217.00
70800-007600	61BSHC-120-H	Hub 1/2"		120VAC			8	217.00
70800-007300	61BSHC-024-H5	Hub 1/2"	SST 304	24VAC	6" and Larger	210	5.5	217.00
70800-007500	61BSHC-024-W5	Wire Leads		24VAC			5.5	217.00
70800-007200	61BSHC-024DC-H	Hub 1/2"		24VDC			5.5	217.00

DC LATCHING SOLENOIDS

Item Number	Model Number	Description	Connection	Base Material	Used with Valve Sizes	Max. Oper. Press. (psi)	Price Each
70800-001215	61NETNO-L	9-12VDC 2-Wire	Wire Leads	Plastic	4" and Smaller	145	162.00
70800-004967	61BLO-012-H-MO	12VDC 2-Wire	Hub 1/2"	Brass	6" and Larger All Backflush Sizes	145	345.00
71000-019400	61ARK12VDCL-MO	12VDC 2-Wire	Wire Leads	Plastic	6" and Larger All Backflush Sizes	145	305.00

VALVES

AQUATIVE SOLENOIDS

Item Number	Model Number	Description	Voltage	Price Each
35500-001320	61AQTVAC1	Aquative Solenoid with Bracket	24VAC	114.00
35500-002020	61AQTVDCL1	Aquative Solenoid with Bracket	12VDCL	108.00
35500-002120	61AQTVDCL2	Aquative Solenoid (2) with Bracket	12VDCL	226.00



COILS FOR AC AND DC SOLENOIDS

Item Number	Model Number	Connection	Voltage	Power (watt)	Price Each
70800-002920	61BKCL-12H	Hub 1/2"	12VDC	10	84.00
70800-002930	61BKCL-12W	Wire Leads			84.00
70800-003720	61BKCL-120H8	Hub 1/2"	120VAC		84.00
70800-003270	61BKCL-24H8	Hub 1/2"	24VAC	8	87.00
70800-003280	61BKCL-24W8	Wire Leads	24VAC		84.00
70800-003285	61BKCL-120W8	Wire Leads	120VAC		84.00
70800-002670	61BKCL-24H5	Hub 1/2"	24VAC	5.5	84.00
70800-002680	61BKCL-24W5	Wire Leads			84.00
71640-007120	61NTCL3-24V	Wire Leads	24VAC	2.2	81.00
71640-007130	61NTCL3-24V-C	Wire Leads			81.00
71640-007137	61NTCLR-24V	Wire Leads	24VAC	2.9	90.00
71680-018350	61BASE-3W	Base Only	—	—	55.00



COILS FOR DC LATCHING SOLENOIDS

Item Number	Model Number	Connection	Voltage	Inrush (amp)	Holding (amp)	Price Each
70800-004950	61BKCL-DCL	Hub	12VDC	4700 mf	13.5	92.00

ACTUATORS (COILS) FOR 2-WAY VALVES

Item Number	Model Number	Description	Voltage	Price Each
71680-018370	61SDD2-L	2-Way Actuator Latching - Wire Leads	12VDC	51.00
71640-007020	61SDD2-12VDC	2-Way Actuator - Wire Leads	12VDC	50.00
71640-007140	61SDD2-24V	2-Way Actuator - Wire Leads	24VAC	35.00
71640-007141	61SDD2-24VDC	2-Way Actuator - Wire Leads	24VDC	35.00
71640-007035	61SDD2-120V	2-Way Actuator Normally Closed - Hub	110VAC	88.00

VALVES



PILOTS AND RELAYS

Item Number	Model Number	Description	Model	Port Size	Valve Size	Price Each
PILOTS						
-	61PIL29100-X	Pressure Reducing - Plastic Black	29100	1/8"	1" to 4"	256.00
-	61PIL29200-X	Pressure Sustaining - Plastic Blue	29200	1/8"	1" to 4"	292.00
71680-001175	61PIL29310	Pressure Differential - Plastic	29310	1/8"	1" to 4"	416.00
-	61PIL31310-X	Pressure Reducing and Sustaining - Brass	31310	1/4"	6" to 24"	771.00
-	61PIL66310-X	Quick Reacting	66300	1/2"	3" to 24"	1,002.00
-	61PIL68200-X	Quick Reacting - Brass	68200	1/4"	2" Only	750.00
71680-001500	61PIL68410	2-Way Pressure Reducing - Brass	68400	1/4"	1" to 4"	483.00
71680-001263	61PILCXPR	2-Way Pressure Reducing - Brass, Built-in Needle Valve	CXPR	1/4"	6" & Larger	1,085.00
71680-001230	61PIL68500-G	2-Way Pressure Sustaining - Brass, Built-in Needle Valve	68500	1/4"	1" to 4"	690.00
71680-001265	61PILCXPS	2-Way Pressure Sustaining, Surge Anticipating, Quick Relief Brass, Built-in Needle Valve	CXPS	1/4"	6" & Larger Iron	1,085.00
71680-001517	61PIL70550	Differential Float	70550	1/8"	1" to 24"	1,598.00
71680-001530	61PIL76200	Pressure Differential - Brass	76200	1/4"	6" to 24"	861.00
RELAYS						
71680-000790	61PIL25300	Hydraulic Relay Accelerator, Plastic	25300	1/8"	> 6"	189.00
70220-001800	61SHASTOMIT	Hydraulic Relay, Shastomit, Plastic	-	1/8"	All RC Valves	87.00
73220-001900	61GALIT	Hydraulic Relay, Galit, Plastic	-	1/8"	All RC Valves	174.00
71680-001370	61PIL66210	Accelerator Relay - Brass	66210	1/2"	6" to 24"	628.00
71680-000960	61PIL28200	Accelerator Relay - Brass	28200	1/2"	6" to 24"	213.00

Substitute **X** for proper spring color - see Ordering Guidelines Chart for options.

PILOT SPRINGS

Item Number	Model Number	Used with Pilot Model	Pilot Type	Spring Color	Pressure Range	Price Each
71680-010800	61SPP2072	29100, 29200, 29310	Plastic	Y - Yellow	7-30 psi	29.00
71680-010850	61SPP2054			G - Green	14-65 psi	25.00
71680-010700	61SPP2065			R - Red	30-90 psi	34.00
71680-010600	61SPP2042	31310, 66310, 68710	Brass 2-Way and Brass 3-Way	Y - Yellow	8-45 psi	45.00
71680-010550	61SPP2047			G - Green	14-90 psi	42.00
71680-010500	61SPP2050			R - Red	30-130 psi	65.00
71680-010650	61SPP2076			B - Black	100-285 psi	58.00
71680-010810	61SPP2086	68200, 68410, 68500	Brass 2-Way	Y - Yellow	8-30 psi	45.00
71680-011100	61SPP2058			G - Green	14-130 psi	38.00
71680-011000	61SPP2063			R - Red	115-200 psi	35.00
71680-010600	61SPP2042	68600	Brass 2-Way PR	Y - Yellow	14-190 psi	45.00

PILOT DIAPHRAGM KITS

Item Number	Model Number	Description	Pilot Model	Price Each
71680-001027	61KIT29100-C	Comprehensive Parts Kit	29100	65.00
71680-001030	61KIT29200	Pilot Repair Kit	29200	69.00
71680-001225	61KIT31310	Pilot Repair Kit	31310	147.00
71680-001355	61KIT68200	Pilot Repair Kit	68200	108.00
71680-001571	61KIT68410	Pilot Repair Kit	68410	206.00
71680-001455	61KIT68500	Pilot Repair Kit	68500	147.00

VALVES



DIAPHRAGMS

Item Number	Model Number	Valve Type	Valve Size	Diaphragm No.	Price Each
71680-006150	61DIA1PL2W	Nylon (2-Way)	1" Standard	001	29.00
71680-006200	61DIA2PL2W		1 1/2", 2" & 323 Standard	626	35.00
71680-007045	61DIA1PL	Nylon (3-Way)	3/4" & 1" Low Pressure	164	15.00
71680-007047	61DIA1PL-LP		3/4" & 1" Standard	324	18.00
71680-006170	61DIA2PL	Nylon Throttling	1 1/2", 2", 323 Standard	21/627	34.00
71680-006210	61DIA2PLT		1 1/2", 2", 323 Standard (with seat)	627	29.00
71680-006272	61DIA2PL-LP		1 1/2", 2", 323 Low Pressure	229	68.00
71680-007660	61DIA34PL	PVC	3", 4" Standard	95	125.00
43020-015980	61DIA34PLLP		3", 4" Low Pressure	179	81.00
43020-016040	61DIA6PL-LP		6" (Requires 2) Low Pressure	12	145.00
71680-006620	61DIA6SLP#91		6" (Requires 2) Super Low Pressure	264	288.00
71680-007670	61DIA6PL	Bronze	6" (Requires 2) Standard	52	145.00
71680-006900	61DIA1C		3/4" & 1" Standard	18	19.00
71680-007200	61DIA1.5LP		1 1/2" Low Pressure	82	30.00
71680-007100	61DIA1.5HP		1 1/2" Standard	13	30.00
71680-007400	61DIA2LP		2", 2" Angle & 323 Low Pressure	2	31.00
71680-007300	61DIA2HP	Iron	2", 2" Angle & 323 Standard	3	32.00
71680-006271	61DIA2SLP		2", 2" Angle & 323 Super Low Pressure	12	36.00
71680-007400	61DIA2LP		2" & 323 Low Pressure	2	31.00
71680-007300	61DIA2HP		2" & 323 Standard	3	32.00
71680-006271	61DIA2SLP		2" & 323 Super Low Pressure	12	36.00
71680-006400	61DIA34LP		3", 4" & 4" Angle Low Pressure	5	58.00
71680-006300	61DIA34HP		3", 4" & 4" Angle Standard	32	125.00
71680-006350	61DIA3AN		3" Angle Quick Relief Standard	41	101.00
71680-006600	61DIA6LP		6" & 868 Low Pressure	9	215.00
71680-006520	61DIA6HP		6" & 868 Standard	62	386.00
71680-006860	61DIA8LP	Iron	8" & 12" (Requires 2) Low Pressure	37	479.00
71680-006850	61DIA8HP		8" & 12" (Requires 2) Standard	36	688.00
71680-006800	61DIA10HP		10" Standard	40	935.00

DIAPHRAGM SPRINGS

Item Number	Model Number	Valve Type	Valve Size	Price Each
71680-007900	61SP.75-1	Bronze	1"	8.20
71680-008400	61SP2T	Nylon	1 1/2", 2", 323	30.00
71680-008100	61SP34	PVC	3", 4"	32.00
71680-008190	61SP6PL		6" (Requires 2)	58.00
71680-008000	61SP2	Bronze/Iron	1 1/2", 2", 323	30.00
71680-008100	61SP34	Iron	3", 4"	32.00
71680-008200	61SP6		6", 868	125.00
71680-008300	61SP810		8", 10", 12", (12" Requires 2)	454.00




SPRING SEATS

Item Number	Model Number	Valve Type	Valve Size	Price Each
71680-009010	61SPSEAT2PT	Nylon	1 1/2", 2", 323	9.00
71680-008700	61SPSEAT23	Bronze/Iron	1 1/2", 2", 323	2.60
71680-008900	61SPSEAT34	Iron/PVC	3", 4"	5.40
71680-008990	61SPSEAT6PL	PVC	6" (Requires 2)	41.00
71680-009000	61SPSEAT6	Iron	6", 868	8.70
71680-008995	61SPSEAT812		10", 12" (12" Requires 2)	130.00



VALVES



ACCESSORIES

Key	Item Number	Model Number	Description	Valve Size	Part Size	Price Each
1	71680-014170	61SF25P	Plastic Finger Filter	1" - 4"	1/4" x 1/8"	19.00
2	71680-014000	61SF25SB	Brass Finger Filter	1" - 4"	1/4" x 1/4"	68.00
	71680-014160	61SF25B	Brass Finger Filter	1" - 4"	1/4" x 1/8"	68.00
3	71680-014100	61SF5	Cleanable Finger Filter	6" and up	1/2"	89.00
4	71610-035900	62SV21/4M	3-Way Selector Valve	1 1/2" - 4"	1/8" x 1/4" Male	52.00
	71610-036100	62SV41/4M	3-Way Selector Valve	6" and up	1/4" x 1/4" Male	104.00
5	71680-032000	61SV1/8BR	Pressure Selector Tee Brass	1" - 4"	1/4" (Shuttle Valve)	104.00
	71680-032050	61SV1/4BR	Pressure Selector Tee Brass	6" and up		104.00
6	71610-041000	61NVSS25E	Stainless Steel Needle Valve	All	1/4" SS	252.00
7	77500-004700	61NV1/4	Needle Valve	All	1/4" Brass	74.00
8	71610-035600	62SBV25	Ball Valve Brass	6" and up	1/4" M x F	36.00
	76601-001080	62SBV50	Ball Valve Brass	-	1/2" M x F	47.00
	71610-035700	62SBV75	Ball Valve Brass	-	3/4" M x F	47.00
	76601-001400	62SBV100F	Ball Valve Brass	-	1" M x F	70.00
9	76601-001050	61APS1/8	Shrader Valve	All	1/8"	5.80
10	00110-001750	6809020-30	Pressure Gauge 0-30 psi	All	1/4"	84.00
	00110-001790	6809020-100	Pressure Gauge 0-100 psi			84.00
	00110-001810	6809020-160	Pressure Gauge 0-160 psi			84.00
11	76340-001050	15CONT-6	Control Tubing (1000' roll)	1" - 4"	1/4" (6 mm)	122.00
	40001-000103	15CONT6C100	Control Tubing (100' roll)			21.00
	40001-000102	15CONT6C50	Control Tubing (50' roll)			14.00
	40001-000101	15CONT6C10	Control Tubing (10' roll)			9.60
11	40001-000400	15CONT-8	Control Tubing (1000' roll)	Hydraulic remote control valve / filters	5/16" (8 mm)	184.00
	40001-000383	15CONT8C100	Control Tubing (100' roll)			28.00
	40001-000382	15CONT8C50	Control Tubing (50' roll)			16.00
	40001-000381	15CONT8C10	Control Tubing (10' roll)			9.90
-	76601-000900	61CV25	Brass Check Valve 1/4"	-	-	49.00
-	77540-005270	61CV50	Brass Check Valve 1/2"	-	-	36.00

QUICK COUPLING VALVE

Item Number	Model Number	Description	Price Each
75070-001000	593039075	3/4" Quick Coupling Valve	42.00
75070-001150	593139075	3/4" Quick Coupling Valve Riser	16.00



VALVES



①



②



③



④



⑤



⑥



⑦

PLASTIC FITTINGS

Key	Item Number	Model Number	Description	Size	Bag Qty	Price Per Bag
1	76400-001710	55P4684602-B	Male Connector	6 mm x 1/8"	10	32.50
	76400-001910	55P4684604-B		6 mm x 1/4"	10	32.50
	76400-002110	55P4684802-B		8 mm x 1/8"	10	32.50
	76400-002310	55P4684804-B		8 mm x 1/4"	10	32.50
2	76400-001810	55P4664602-B	Female Connector	6 mm x 1/8"	10	44.00
	76400-002010	55P4664604-B		6 mm x 1/4"	10	44.00
	76400-002210	55P4664802-B		8 mm x 1/8"	10	44.00
	76400-002405	55P4664804-B		8 mm x 1/4"	10	44.00
3	76400-001110	55P4624600-B	Union Connector	6 mm x 6 mm	10	50.50
	76400-001310	55P4624800-B	Union Connector	8 mm x 8 mm	10	51.70
4	76400-001210	55P4564846-B	Reducing Connector	8 mm x 6 mm	10	51.70
5	76400-002910	55P4694602-B	Male 90° Elbow	6 mm x 1/8"	10	46.60
	76400-003010	55P4694604-B		6 mm x 1/4"	10	45.20
	76400-003410	55P4694802-B		8 mm x 1/8"	10	49.00
	76400-003503	55P4694804-B		8 mm x 1/4"	10	49.00
6	76400-004210	55P4714602-B	Male Branch Tee	6 mm x 6 mm x 1/8"	10	60.90
	76400-004310	55P4714604-B		6 mm x 6 mm x 1/4"	10	60.90
	76400-004410	55P4714802-B		8 mm x 8 mm x 1/8"	10	55.60
	76400-004505	55P4714804-B		8 mm x 8 mm x 1/4"	10	62.00
7	76400-004355	55P4724602-B	Male Run Tee	6 mm x 6 mm x 1/8"	10	64.70
	76400-004555	55P4724802-B		8 mm x 8 mm x 1/8"	10	64.70
	76400-004565	55P4724804-B		8 mm x 8 mm x 1/4"	10	60.90



①



②



③



④



⑤



⑥



⑦

BRASS PRESTOLOK FITTINGS

Key	Item Number	Model Number	Description	Size	Price Each
1	78301-005300	55B68PL42	Male Connector	1/4" Tube x 1/8"	7.10
	78301-005400	55B68PL44		1/4" Tube x 1/4"	8.40
	78301-005600	55B68PL64		3/8" Tube x 1/4"	12.00
2	78301-001400	55B169PL42	Swivel Elbow	1/4" Tube x 1/8"	7.50
	78301-001500	55B169PL62		3/8" Tube x 1/8"	14.00
	78301-001600	55B169PL64		3/8" Tube x 1/4"	14.00
3	78301-001800	55B169PLNS44	Male Elbow	1/4" Tube x 1/4"	9.70
	78301-001900	55B169PLNS64		3/8" Tube x 1/4"	14.00
	78301-001920	55B169PLNS68		3/8" Tube x 1/2"	22.00
4	78301-002800	55B171PL42	Male Run Tee	1/4" Tube x 1/8"	12.00
	78301-002900	55B171PL64		3/8" Tube x 1/4"	28.00
5	78301-003100	55B172PL42	Branch Swivel Tee	1/4" Tube x 1/8"	14.00
6	78301-002400	55B2224P4	Male Branch Tee	1/4" Tube x 1/4" F	13.00
	78301-002500	55B2225P4		1/4" M x 1/4" F	17.00
7	78301-003300	55B209P42	Bushing	1/4" M x 1/8" F	2.80
	78301-003600	55B209P84		1/2" M x 1/4" F	6.70
-	71680-018450	55BNB4040	Nylon Tubing	1/4"	2.40
-	71680-018460	55BNB6050		3/8"	3.50

VALVES

AIR VENTS & PRESSURE REGULATORS

Dynamic Air Release Air Vent	130
Pro Air Vent	130
Combination Air/Vacuum/Continuous Acting Air Vents	130
Combination Air/Vacuum Guard/Continuous Acting Air Vents	130
Automatic Continuous Acting Air Vents	131
Automatic Continuous Acting Vacuum Guard Air Vents	131
Guardian Air/Vacuum Air Vents	131
Guardian Air/Vacuum Air Vents with Shrader Valve	131
Air Vent Parts	131
Pressure Regulators	132
Pressure Regulating Units	133

AIR VENTS & PRESSURE REGULATORS

DYNAMIC AIR RELEASE AIR VENT

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Price Each
70561-001735	65ARIDY2	2" MPT	Nylon	Nylon	150	353.00
70561-001760	65ARIDY3	3" MPT	Nylon	Nylon	150	397.00



PRO AIR VENT

COMBINATION AIR/VACUUM AND CONTINUOUS ACTING AIR VENT

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-001725	65ARIB2PRO	2" FPT	Nylon	Nylon	150	12	141.00	135.00



COMBINATION AIR/VACUUM AND CONTINUOUS ACTING AIR VENTS

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-000800	AV-COMBO-050	1/2"	Nylon	Nylon	150	-	55.00	-
70561-001250	65ARIB1-150	1" MPT	Nylon	Nylon	150	6	114.00	106.00
70561-001240	65ARIB1	1" MPT	Nylon	Nylon	250	6	180.00	169.00
70561-001245	65ARIB1-B	1" MPT	Nylon	Brass	250	6	205.00	191.00
70561-001680	65ARIB2	2" MPT	Nylon	Nylon	250	6	311.00	291.00
70561-001670	65ARIB2-B	2" MPT	Nylon	Brass	250	6	440.00	411.00
70561-001660	65ARIB2PP	2" MPT	Nylon	Nylon	150	6	224.00	200.00
70561-001520	65ARIB2-BPP	2" MPT	Nylon	Brass	250	6	349.00	319.00



COMBINATION AIR RELEASE/VACUUM GUARD AND CONTINUOUS ACTING AIR VENT

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Price Each
70561-001320	65ARIB2VM	2" MPT	Nylon	Nylon	240	470.00

AIR VENTS & PRESSURE REGULATORS

AUTOMATIC CONTINUOUS ACTING AIR VENTS

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-003610	65ARIS075	3/4" MPT	Nylon	Nylon	240	6	155.00	141.00
70561-003930	65ARIS1	1" MPT	Nylon	Nylon	240	6	155.00	141.00



3/4" & 1"

AUTOMATIC CONTINUOUS ACTING VACUUM GUARD AIR VENTS

Item Number	Model Number	Size	Body	Base	Max. Oper. Pressure (psi)	Price Each
70561-004210	65ARIS075VM	3/4" MPT	Nylon	Nylon	240	185.00
70561-004150	65ARIS1VM	1" MPT	Nylon	Nylon	240	185.00



3/4" & 1"



3/4" & 1"

2" & 3"



GUARDIAN AIR/VACUUM AIR VENTS

Item Number	Model Number	Size	Body	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-002950	65ARIA075	3/4" MPT	Nylon	150	24	48.00	46.00
70561-002610	65ARIA100	1" MPT	Nylon	150	24	48.00	46.00
70561-002710	65ARIA2	2" FPT	Nylon	150	12	64.00	60.00
70561-002820	65ARIA3	3" FPT	Nylon	150	6	182.00	169.00



3/4" & 1"

GUARDIAN AIR/VACUUM AIR VENTS WITH SHRADER VALVE

Item Number	Model Number	Size	Body	Max. Oper. Pressure (psi)	Qty Per Carton	Price Each	Carton Price Each
70561-000860	65ARIA075S	3/4" MPT	Nylon	150	24	60.00	57.00
70561-004820	65ARIA100S	1" MPT	Nylon	150	24	60.00	57.00

AIR VENT PARTS

Item Number	Model Number	Description	Price Each
70500-001300	65ARIB2-RS	Rolling Seal for 2" Combination Air Vent	48.00
70500-001350	65ARIB2-OB	Base O-Ring for 2" Combination Air Vent	26.00
70500-002910	65ARIB2PRO-FLOAT	Float Assembly for 2" Pro Air Vent	88.00
70500-002920	65ARIB2PRO-FLTLOCK	Float Lock for 2" Pro Air Vent	9.80

AIR VENTS & PRESSURE REGULATORS

3/4" LOW FLOW PRESSURE REGULATORS

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
31000-001000	32PRV.75-LF15V2	.25 - 4.4	15	-	12.00
31000-001120	32PRV.75-LF20V2		20		12.00
31000-001160	32PRV.75-LF25V2	.25 - 4.4	25	-	12.00
31000-001200	32PRV.75-LF35V2		35		12.00
31000-001400	32PRV.75-LF42V2		42		12.00



3/4" PRESSURE REGULATORS

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30500-001000	32PRV.75-09V2K	4.5 - 17.6	9	1	21.00
30500-001100	32PRV.75-12V2K		12		21.00
30500-001200	32PRV.75-15V2K		15		21.00
30500-001300	32PRV.75-20V2K		20		21.00
30500-001400	32PRV.75-25V2K	4.5 - 17.6	25	1	21.00
30500-001500	32PRV.75-30V2K		30		21.00
30500-001600	32PRV.75-35V2K		35		21.00
30500-001700	32PRV.75-43V2K		43		21.00
30500-001800	32PRV.75-50V2K		50		21.00
30500-002000	32PRV.75-65V2K		65		21.00



1 1/2" PRESSURE REGULATORS

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30520-001000	32PRV1.5-09V2K	11 - 35	9	2	52.00
30520-001100	32PRV1.5-12V2K		12		52.00
30520-001200	32PRV1.5-15V2K		15		52.00
30520-001300	32PRV1.5-20V2K		20		52.00
30520-001400	32PRV1.5-25V2K		25		52.00
30520-001500	32PRV1.5-30V2K	11 - 35	30	2	52.00
30520-001600	32PRV1.5-35V2K		35		52.00
30520-001700	32PRV1.5-43V2K		43		52.00
30520-001800	32PRV1.5-50V2K		50		52.00
30520-001900	32PRV1.5-57V2K		57		52.00
30520-002000	32PRV1.5-65V2K		65		52.00



AIR VENTS & PRESSURE REGULATORS

2" PRESSURE REGULATORS

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30540-000950	32PRV2-409V2KPL	22 - 70	9	4	122.00
30540-000951	32PRV2-412V2KPL		12		122.00
30540-000952	32PRV2-415V2KPL		15		122.00
30540-000953	32PRV2-420V2KPL		20		122.00
30540-000954	32PRV2-425V2KPL		25		122.00
30540-000955	32PRV2-430V2KPL		30		122.00
30540-000956	32PRV2-435V2KPL		35		122.00
30540-000957	32PRV2-443V2KPL		43		122.00
30540-000958	32PRV2-450V2KPL		50		122.00
30540-000959	32PRV2-457V2KPL		57		122.00
30540-000960	32PRV2-465V2KPL		65		122.00
30560-002100	32PRV2-609V2K	33 - 105.6	9	6	282.00
30560-002200	32PRV2-612V2K		12		282.00
30560-002300	32PRV2-615V2K		15		282.00
30560-002400	32PRV2-620V2K		20		282.00
30560-002500	32PRV2-625V2K		25		282.00
30560-002600	32PRV2-630V2K		30		282.00
30560-002700	32PRV2-635V2K		35		282.00
30560-002800	32PRV2-643V2K		43		282.00
30560-002900	32PRV2-650V2K		50		282.00
30560-003000	32PRV2-657V2K		57		282.00
30560-003100	32PRV2-665V2K		65		282.00



3" PRESSURE REGULATORS

Item Number	Model Number	Flow Range (GPM)	Nominal Output Pressure (psi)	Regulating Units	Price Each
30580-002100	32PRV3-1009V2K	35 - 175	9	10	515.00
30580-002200	32PRV3-1012V2K		12		515.00
30580-002300	32PRV3-1015V2K		15		515.00
30580-002400	32PRV3-1020V2K		20		515.00
30580-002500	32PRV3-1025V2K		25		515.00
30580-002600	32PRV3-1030V2K	35 - 175	30	10	515.00
30580-002700	32PRV3-1035V2K		35		515.00
30580-002800	32PRV3-1043V2K		43		515.00
30580-002900	32PRV3-1050V2K		50		515.00
30580-003000	32PRV3-1057V2K		57		515.00
30580-003100	32PRV3-1065V2K		65		515.00



PRESSURE REGULATING UNITS

Item Number	Model Number	Nominal Output Pressure (psi)	Price Each
31500-001000	32PRVU-09V2K	9	15.00
31500-001100	32PRVU-12V2K	12	15.00
31500-001200	32PRVU-15V2K	15	15.00
31500-001300	32PRVU-20V2K	20	15.00
31500-001400	32PRVU-25V2K	25	15.00
31500-001500	32PRVU-30V2K	30	15.00
31500-001600	32PRVU-35V2K	35	15.00
31500-001700	32PRVU-43V2K	43	15.00
31500-001800	32PRVU-50V2K	50	15.00
31500-001900	32PRVU-57V2K	57	15.00
31500-002000	32PRVU-65V2K	65	15.00



NOTE: Maximum Operating Pressure for all models is 145 psi.

AIR VENTS & PRESSURE REGULATORS

WATER METERS

'M' Water Meters	136
'WMR' Water Meters	136
Replacement Registers - 'M' and 'WMR'	137
'IRT' Water Meters	138
Replacement Registers - 'IRT'	139
'WST' Water Meters	139
Replacement Registers - 'WST'	140
Pulse Reed Switch	141
Register Dust Covers	141
Octave Ultrasonic Water Meter	142
Hydrometers	143
Hydrometer Control Options	143
Replacement Registers - Hydrometers	145
Fertilizer Meters	145
Fertilizer Injectors	145
'M' and 'WMR' Water Meter Parts	146
'IRT' Water Meter Parts	146
'WST' Water Meter Parts	147
Saddle Meter Parts	148
Hydrometer Parts	
1 1/2" and 2" Sizes	149
3" and 4" Sizes	150
6" Size	151
8" Size	152
Solenoids	154
Pilots	154
Pilot Springs	154
Fittings	154
Accessories	155
2" Fertilizer Meter Parts	155

WATER METERS

REGISTER OPTIONS

Register Code	Function - Pulse Output Included
Reed Switch	Reed Switch with Gallon Totalizer
Acre Feet	Reed Switch with Acre Feet Totalizer
Photo Diode	Photo Diode with Gallon Totalizer
ER Digital	Electronic Register with Rate of Flow and Totalizer



'M' WATER METERS - WITH REED SWITCH AND PHOTO DIODE REGISTERS

Item Number	Model Number	Size	Register Code	Minum Flow (GPM)	Maximum Flow (GPM)	Gallons/ Pulse	Connection	Price Each
70261-002445	36M.75RG.1	3/4"	Reed Switch	0.9	14	0.1	Union/Thrd	210.00
70261-002450	36M.75RG1	3/4"		0.9	14	1.0		210.00
70261-002446	36MP.75RG.1	3/4" PL		0.9	14	0.1		170.00
70261-002472	36MP.75RG1	3/4" PL		0.9	14	1.0		170.00
70261-002715	36MP1RG1	1" PL		1.2	20	1.0		262.00
70261-002720	36M1RG1	1"		1.2	20	1.0		351.00
70261-003230	36M1.5RG1	1 1/2"	Photo Diode	3.5	55	1.0	Union/Thrd	701.00
70261-002447	36M.75PG.0015	3/4"		0.9	14	0.0015		336.00
70261-002473	36MP.75PG.0015	3/4" PL		0.9	14	0.0015		297.00
70261-002727	36MP1PG.0021	1" PL		1.2	20	0.0021		418.00
70261-002725	36M1PG.0021	1"		1.2	20	0.0021		351.00
70261-003240	36M1.5PG.0074	1 1/2"		3.5	55	0.0074		804.00

See Register Options Chart for specific Register Code functions.
Maximum pressure: 140 psi PL = Plastic Body



'WMR' WATER METERS - WITH REED SWITCH, ACRE FEET AND PHOTO DIODE REGISTERS

Item Number	Model Number	Size	Register Code	Minum Flow (GPM)	Maximum Flow (GPM)	Gallons/ Pulse	Connection	Price Each
70261-005060	36WMR2RG10	2"	Reed Switch	8.8	110	10	Union/Thrd	687.00
70261-004900	36WMR2RA.00001		Acre Feet			3.26		687.00
70261-005050	36WMR2PG1	2"	Photo Diode	8.8	110	1.0	Union/Thrd	736.00
70261-005010	36WMR2PG.055					0.055		736.00

See Register Options Chart for specific Register Code functions.
Maximum pressure: 230 psi

WATER METERS

'M' AND 'WMR' WATER METERS ORDERING GUIDELINES

Visit www.netafimusa.com/water-meter-configurator to configure the model number needed for placing an order. The Water Meter Configurator is an online tool that will assist you in ordering a water meter. Simply select your water meter based on **type**, **size**, **output**, **units**, and **signal**. The tool will then provide you with a **model number**, **product description** and **price** for use to place an order.

EXAMPLE CONFIGURATION

Water Meter Configurator

Model Number
 Copy

Description
 Copy

List Price (effective Oct. 15 2018)
 Copy

TYPE ▼

SIZE ▼

OUTPUT ▼

UNITS ▼

SIGNAL ▼

→

Water Meter Configurator

Model Number
36M.75RA_ Copy

Description
M .75 RS AF _ Copy

List Price (effective Oct. 15 2018)
\$201.00 Copy

M - Multijet ▼

.75 - 3/4" Male Thread ▼

R - Reed Switch ▼ ?

A - AF ▼

SIGNAL ▼

'M' WATER METERS - ER REGISTER

Size	Minum Flow (GPM)	Maximum Flow (GPM)	Price Each
3/4" Iron	0.9	14	767.00
3/4" Plastic	0.9	14	727.00
1" Iron	1.2	20	907.00
1" Plastic	1.2	20	818.00
1 1/2" Iron	3.5	55	1,259.00

'WMR' WATER METERS - ER REGISTER

Size	Minum Flow (GPM)	Maximum Flow (GPM)	Price Each
2" Iron	8.8	110	1,184.00

'M' and 'WMR' Digital Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.

REPLACEMENT REGISTERS - 'M' AND 'WMR'

Item Number	Model Number	Size	Register Code	Gallons/Pulse	Price Each
70261-001100	36M1.5RG1R	1 1/2"	Reed Switch	1.0	253.00
70261-001075	36M1.5PG.0074R	1 1/2"	Photo Diode	-	312.00
-	36M1.5E**R	1 1/2"	ER Digital w/Output Mod	-	907.00
70261-001139	36WMR2RG1R	2"	Reed Switch	1.0	253.00
70261-001140	36WMR2RG10R	2"	Reed Switch	10	253.00
70261-001150	36WMR2RA.000001R	2"	Acre Feet	3.26	253.00
70261-001130	36WMR2PG1R	2"	Photo Diode	1.0	312.00
70261-001155	36WMR2PG.055R	2"	Photo Diode	0.055	312.00
-	36WMR2E**R	2"	ER Digital w/Output Mod	-	907.00

'M' and 'WMR' Replacement Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.



WATER METERS



'IRT' WATER METERS - WITH REED SWITCH AND ACRE FEET REGISTERS

Includes Pulse Reed Switch for pulsed output - See Register Option chart for availability

Item Number	Model Number	Size	Register Code	Minum Flow (GPM)	Maximum Flow (GPM)	Gallons/Pulse	Connection	Price Each
70261-009200	36IRT3RG10	3"	Reed Switch	45	500	10	Flanged	1,012.00
70261-009100	36IRT3RA.0001	3"	Acre Feet			32.6		1,012.00
70261-009500	36IRT4R10G	4"	Reed Switch	50	688	10	Flanged	1,315.00
70261-009340	36IRT4RA.0001	4"	Acre Feet			32.6		1,315.00
70261-009740	36IRT6RG100	6"	Reed Switch	65	1,375	100	Flanged	1,886.00
70261-009720	36IRT6RA.0001	6"	Acre Feet			32.6		1,886.00
70261-009920	36IRT8RG100	8"	Reed Switch	130	2,475	100	Flanged	2,443.00
70261-009850	36IRT8F-AF	8"	Acre Feet			32.6		2,443.00
70261-010000	36IRT10RG100	10"	Reed Switch	300	4,125	100	Flanged	3,668.00
70261-008730	36IRT10F-AF	10"	Acre Feet			325.9		3,668.00

See Register Options Chart for specific Register Code functions.

Maximum pressure: 230 psi

Also available with Photo Diode Register. Call Netafim USA Customer Service for Item Numbers, Pricing and Availability.

'IRT' WATER METERS WITH ER REGISTER ORDERING GUIDELINES

Visit www.netafimusa.com/water-meter-configurator to configure the model number needed for placing an order.

The Water Meter Configurator is an online tool that will assist you in ordering a water meter. Simply select your water meter based on **type**, **size**, **output**, **units**, and **signal**. The tool will then provide you with a **model number**, **product description** and **price** for use to place an order.

'IRT' WATER METERS - ER REGISTER

Size	Register Code	Minum Flow (GPM)	Maximum Flow (GPM)	Price Each
3"	ER Digital	45	500	1,479.00
4"	ER Digital	50	688	1,658.00
6"	ER Digital	65	1,375	2,413.00
8"	ER Digital	130	2,475	2,891.00
10"	ER Digital	300	4,125	4,205.00

'IRT' Digital Register - visit www.netafimusa.com/water-meter-configurator to determine the model number.

WATER METERS

REPLACEMENT REGISTERS - 'IRT'

Item Number	Model Number	Size	Register Code	Gallons/ Pulse	Price Each
70261-001230	36IRT3RG10R	3"	Reed Switch	10	253.00
70261-001240	36IRT3RA.0001R		Acre Feet	32.6	253.00
-	36IRT3-PH1		Photo Diode	1.0	312.00
-	36IRT3E**R		ER Digital w/Output Mod	-	907.00
70261-001300	36IRT4R10GR	4"	Reed Switch	10	253.00
70261-001360	36IRT4RA.0001R		Acre Feet	32.6	253.00
70261-001298	36IRT4P1GR		Photo Diode	1.0	312.00
-	36IRT4R**R		ER Digital w/Output Mod	-	907.00
70261-001440	36IRT6RG100R	6"	Reed Switch	100	253.00
70261-001450	36IRT6RA.0001R		Acre Feet	32.6	253.00
70261-001596	36IRT6PG10R		Photo Diode	10	312.00
-	36IRT6E**R		ER Digital w/Output Mod	-	907.00
70261-001510	36IRT8RG100R	8"	Reed Switch	100	253.00
70261-001500	36IRT8RA.0001R		Acre Feet	32.6	253.00
70261-001597	36IRT8-PH-10		Photo Diode	10	312.00
-	36IRT8E**R		ER Digital w/Output Mod	-	907.00
70261-001615	36IRT10RG100R	10"	Reed Switch	100	253.00
70261-001605	36IRT10RA.001R		Acre Feet	325.9	253.00
-	36IRT10-PH-10		Photo Diode	10	312.00
-	36IRT10E**R		ER Digital w/Output Mod	-	907.00

'IRT' Replacement Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.



'WST' WATER METERS - WITH REED SWITCH, ACRE FEET AND PHOTO DIODE REGISTERS

Item Number	Model Number	Size	Register Code	Minimum Flow (GPM)	Maximum Flow (GPM)	Gallons/ Pulse	Connection	Price Each
70261-010220	36WST3RG10	3"	Reed Switch	4.0	660	10	Flanged	1,156.00
70261-010230	36WST3RA.0001		Acre Feet			32.6		1,156.00
70261-010225	36WST3PG.1172		Photo Diode			0.1172		1,204.00
70261-010360	36WST4RG10	4"	Reed Switch	6.0	1,266	10	Flanged	1,476.00
70261-010370	36WST4RA.0001		Acre Feet			32.6		1,476.00
70261-010380	36WST4PG.1097		Photo Diode			0.1097		1,526.00
70261-010460	36WST6RG100	6"	Reed Switch	15	1,431	100	Flanged	2,332.00
70261-010450	36WST6RA.0001		Acre Feet			32.6		2,332.00
70261-010462	36WST6PG.2027		Photo Diode			0.2027		2,381.00
70261-010600	36WST8RG100	8"	Reed Switch	38	2,475	100	Flanged	2,694.00
70261-010605	36WST8RA.0001		Acre Feet			32.6		2,694.00
70261-010601	36WST8PG.378		Photo Diode			0.378		2,744.00
70261-010720	36WST10RG100	10"	Reed Switch	44	4,125	100	Flanged	3,911.00
70261-010670	36WST10RA.001		Acre Feet			325.9		3,911.00
-	36WST10FPH4.505		Photo Diode			4.505		3,959.00
70261-010800	36WST12RG100	12"	Reed Switch	51	5,500	100	Flanged	4,652.00
70261-007270	36WT12F-AF		Acre Feet			325.9		4,652.00
-	36WST12F-PH6.73		Photo Diode			6.73		4,700.00

See Register Options Chart for specific Register Code functions.
Maximum pressure: 230 psi

WATER METERS

'WST' WATER METERS WITH ER REGISTER ORDERING GUIDELINES

Visit www.netafimusa.com/water-meter-configurator to configure the model number needed for placing an order. The Water Meter Configurator is an online tool that will assist you in ordering a water meter. Simply select your water meter based on **type, size, output, units, and signal**. The tool will then provide you with a **model number, product description and price** for use to place an order.

'WST' WATER METERS - ER REGISTER

Size	Minum Flow (GPM)	Maximum Flow (GPM)	Price Each
3"	4.0	660	1,563.00
4"	6.0	1,266	2,066.00
6"	15	1,431	2,842.00
8"	38	2,475	3,210.00
10"	44	4,125	4,364.00
12"	51	5,500	5,086.00



'WST' Digital Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.

REPLACEMENT REGISTERS - 'WST'

Item Number	Model Number	Size	Register Code	Gallons/Pulse	Price Each
70261-001275	36WST3RG10R	3"	Reed Switch	10	253.00
70261-001250	36WST3RA.0001R		Acre Feet	32.6	253.00
70261-001273	36WST3PG1R		Photo Diode	1.0	312.00
70261-001272	36WST3PG.1172R		Photo Diode	0.1172	312.00
-	36WST3E**R		ER Digital w/Output Mod	-	907.00
70261-001365	36WST4RG10R	4"	Reed Switch	10	253.00
70261-001310	36WST4RA.0001R		Acre Feet	32.6	253.00
70261-001370	36WST4PG.1097R		Photo Diode	0.1097	312.00
-	36WST4E**R		ER Digital w/Output Mod	-	907.00
70261-001485	36WST6RG100R	6"	Reed Switch	10	253.00
70261-001472	36WST6RA.0001R		Acre Feet	32.6	253.00
70261-001498	36WST6PG.2027R		Photo Diode	0.2027	312.00
-	36WST6E**R		ER Digital w/Output Mod	-	907.00
70261-001590	36WST8RG100R	8"	Reed Switch	100	253.00
70261-001587	36WST8RA.0001R		Acre Feet	32.6	253.00
70261-001589	36WST8PG.378R		Photo Diode	0.378	312.00
-	36WST8E**R		ER Digital w/Output Mod	-	907.00
70261-001620	36WST10RG100R	10"	Reed Switch	100	253.00
70261-001630	36WST10RA.0001R		Acre Feet	32.6	253.00
70261-001591	36WT10-PH4.5057		Photo Diode	4.5057	312.00
-	36WST10E**R		ER Digital w/Output Mod	-	907.00
70261-001710	36WST12RG100R	12"	Reed Switch	100	253.00
70261-001720	36WT12-PH-AF		Acre Feet	325.9	253.00
70261-001770	36WST12PG6.73R		Photo Diode	6.73	312.00
-	36WST12E**R		ER Digital w/Output Mod	-	907.00



'WST' Replacement Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.

WATER METERS

PULSE REED SWITCH

Item Number	Model Number	Color	Used With	Price Each
70220-005300	36RSGREY	Grey Probe	3/4"-2" M and WMR, 3"-10" IRT, 10"-12" WST	76.00
70220-005400	36RSBLUE	Blue Probe	3" - 8" WST	82.00
70220-030000	36EROUTPUT	-	All Models with ER Digital Register	62.00
70220-011500	3624572220	-	Tamper Proof Seal	6.40



REGISTER DUST COVERS

Item Number	Model Number	Used With	Price Each
70220-004220	36DUSTCOVER	Dust Cover Only - Reed Switch and Photo Diode	21.00
70220-009370	3627631510	Dust Cover Only - Digital	6.90
70220-010650	36DUSTCOVERASSY	Dust Cover Assembly - Reed Switch and Photo Diode	38.00
70220-010660	36SMERHOUSINGKIT	Dust Cover Assembly - ER	17.00



WATER METERS

OCTAVE ULTRASONIC WATER METER ORDERING GUIDELINES

Visit www.netafimusa.com/water-meter-configurator to configure the model number needed for placing an order. The Water Meter Configurator is an online tool that will assist you in ordering a water meter. Simply select your water meter based on **type**, **size**, **output**, **units**, and **signal**. The tool will then provide you with a **model number**, **product description** and **price** use to place an order.

OCTAVE ULTRASONIC WATER METERS

Size	Output	Nominal Flow Range @ $\pm 1.5\%$ (GPM)	Price Each
2"	No Output	1 - 250	2,496.00
	Digital (Gal/Pulse)		2,742.00
	Analog		2,880.00
3"	No Output	1 - 400	2,751.00
	Digital (Gal/Pulse)		2,997.00
	Analog		3,136.00
4"	No Output	1 - 650	3,648.00
	Digital (Gal/Pulse)		3,892.00
	Analog		4,030.00
6"	No Output	3 - 1,500	4,450.00
	Digital (Gal/Pulse)		4,695.00
	Analog		4,833.00
8"	No Output	4.5 - 3,000	4,943.00
	Digital (Gal/Pulse)		5,190.00
	Analog		5,326.00
10"	No Output	14 - 5,500	6,636.00
	Digital (Gal/Pulse)		6,881.00
	Analog		7,019.00
12"	No Output	14 - 5,500	10,509.00
	Digital (Gal/Pulse)		10,754.00
	Analog		10,892.00

Octave Water Meter- visit www.netafimusa.com/water-meter-configurator to determine the model number.



NOTE

Pricing is the same for Gallons or Acre Feet Registers. All Octave Water Meters have Flanged Connections.

OCTAVE WATER METER OUTPUT MODULE KITS

Item Number	Model Number	Description	Price Each
70220-060400	36OCTOUTPUTPUL	Pulse Output Module Kit	294.00
70220-011565	36OCTOUTPUTANG	Analog 4-20mA Output Module Kit	452.00

WATER METERS



HYDROMETERS - WITH REED SWITCH AND PHOTO DIODE REGISTERS

Includes Pulse Reed Switch for pulsed output

Item Number	Model Number	Size	Register Code	Minum Flow (GPM)	Maximum Flow (GPM)	Gallons/ Pulse	Connection	Price Each
70261-014050	36H1.5RG1M	1 1/2"	Reed Switch	4.4	55	1	Union	1,205.00
70261-014060	36H1.5PG.0053M		Photo Diode			0.01		1,260.00
70261-014200	36H2RG1M	2"	Reed Switch	20	95	1	Threaded	1,205.00
70261-014215	36H2PG.0085M		Photo Diode			0.01		1,260.00
70261-014630	36H3RG1M	3"	Reed Switch	53	220	1	Flanged	1,841.00
70261-014640	36H3PG.0205M		Photo Diode			0.02		1,897.00
70261-015105	36H4RG1M	4"	Reed Switch	79	380	1	Flanged	3,034.00
70261-015107	36H4PG.0566M		Photo Diode			0.06		3,088.00
70261-015550	36H6RG10M*	6"	Reed Switch	198	860	10	Flanged	5,608.00
-	36HM6FG.1739M*		Photo Diode			0.17		5,663.00
70261-015840	36H8RG10M*	8"	Reed Switch	357	1,500	10	Flanged	7,984.00
70261-015855	36HM8FG-.3173M*		Photo Diode			0.32		8,041.00

* Non-stock, special order item.

See Register Options Chart for specific Register Code functions.

Maximum pressure: 235 psi

HYDROMETER CONTROL OPTIONS

Valve Function	Function Code	1 1/2" Size		2" Size		3" Size	
		RS	PD	RS	PD	RS	PD
Manual	M	1,205.00	1,260.00	1,205.00	1,260.00	1,841.00	1,897.00
Manual Electric	MEL	1,336.00	1,392.00	1,336.00	1,392.00	1,971.00	2,030.00
Hydraulic Remote Control	RC	1,290.00	1,345.00	1,290.00	1,345.00	1,956.00	2,009.00
Pressure Reducing	PR	1,432.00	1,489.00	1,432.00	1,489.00	2,062.00	2,117.00
Pressure Reducing Manual Electric	PRMEL	1,569.00	1,623.00	1,569.00	1,623.00	2,206.00	2,261.00
Pressure Reducing Remote Control	PRRC	1,609.00	1,667.00	1,609.00	1,667.00	2,248.00	2,303.00
Pressure Reducing and Sustaining	PRPS	1,720.00	1,775.00	1,720.00	1,775.00	2,356.00	2,412.00
Pressure Reducing and Sustaining Electric	PRPSEL	1,824.00	1,880.00	1,824.00	1,880.00	2,460.00	2,517.00
Pressure Sustaining	PS	1,482.00	1,542.00	1,482.00	1,544.00	2,122.00	2,178.00
Pressure Sustaining Elec N.C.	PSEL	1,448.00	1,504.00	1,448.00	1,504.00	2,086.00	2,141.00

RS= Reed Switch

PD = Photo Diode Register

NOTE: See next page for additional sizes.

WATER METERS

HYDROMETER CONTROL OPTIONS

Valve Function	Function Code	4" Size		6" Size		8" Size	
		RS	PD	RS	PD	RS	PD
Manual	M	3,034.00	3,088.00	5,663.00	5,722.00	7,984.00	8,041.00
Manual Electric	MEL	3,162.00	3,219.00	5,921.00	5,978.00	8,241.00	8,298.00
Hydraulic Remote Control	RC	3,146.00	3,202.00	5,776.00	5,833.00	8,096.00	8,151.00
Pressure Reducing	PR	3,255.00	3,310.00	6,427.00	6,482.00	8,746.00	8,800.00
Pressure Reducing Manual Electric	PRMEL	3,397.00	3,451.00	6,684.00	6,740.00	9,003.00	9,059.00
Pressure Reducing Remote Control	PRRC	3,439.00	3,494.00	6,539.00	6,595.00	8,858.00	8,913.00
Pressure Reducing and Sustaining	PRPS	3,547.00	3,603.00	7,095.00	7,152.00	9,415.00	9,472.00
Pressure Reducing and Sustaining Electric	PRPSEL	3,652.00	3,706.00	7,372.00	7,431.00	9,514.00	9,571.00
Pressure Sustaining	PS	3,313.00	3,369.00	6,427.00	6,482.00	8,746.00	8,800.00
Pressure Sustaining Elec N.C.	PSEL	3,276.00	3,332.00	6,646.00	6,704.00	8,966.00	9,021.00

RS = Reed Switch
PD = Photo Diode Register

HYDROMETER WITH ER REGISTER ORDERING GUIDELINES

Visit www.netafimusa.com/water-meter-configurator to configure the model number needed for placing an order.

The Water Meter Configurator is an online tool that will assist you in ordering a water meter. Simply select your water meter based on **type, size, output, units, and signal**. The tool will then provide you with a **model number, product description** and **price** use to place an order.

HYDROMETERS - ER REGISTER

Function Code	1 1/2"	2"	3"	4"	6"	8"
M	1,777.00	1,777.00	2,413.00	3,607.00	6,236.00	8,557.00
MEL	1,909.00	1,909.00	2,545.00	3,734.00	6,494.00	8,814.00
RC	1,862.00	1,862.00	2,528.00	3,720.00	6,349.00	8,669.00
PR	2,005.00	2,005.00	2,635.00	3,828.00	6,999.00	9,318.00
PRMEL	2,142.00	2,142.00	2,779.00	3,970.00	7,257.00	9,577.00
PRRC	2,182.00	2,182.00	2,821.00	4,013.00	7,111.00	9,430.00
PRPS	2,293.00	2,293.00	2,930.00	4,120.00	7,667.00	9,988.00
PRPSEL	2,397.00	2,397.00	3,033.00	4,224.00	7,945.00	10,087.00
PS	2,056.00	2,056.00	2,695.00	3,885.00	6,999.00	9,318.00
PSEL	2,021.00	2,021.00	2,660.00	3,848.00	7,219.00	9,540.00

Refer to chart at the top of the page for Function Code translation to Valve Function.

Hydrometer Digital Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.

WATER METERS

HYDROMETER REPLACEMENT REGISTERS

Item Number	Model Number	Meter Size	Register Code	Gallons/ Pulse	Price Each
70261-001115	36H1.5RG1R	1 1/2"	Pulse Reed Switch	1.0	253.00
70261-001085	36H1.5PG.0053R		Photo Diode	0.0053	312.00
-	36H1.5E**R		ER Digital w/Output Mod	-	907.00
70261-001174	36H2RG1R	2"	Pulse Reed Switch	1.0	253.00
70261-001172	36H2PG.0085R		Photo Diode	0.0085	312.00
-	36H2E**R		ER Digital w/Output Mod	-	907.00
70220-020410	36H3RG1R	3"	Pulse Reed Switch	1.0	253.00
70261-001218	36H3P.0205R		Photo Diode	0.0205	312.00
-	36H3E**R		ER Digital w/Output Mod	-	907.00
70261-001337	36H4RG1R	4"	Pulse Reed Switch	1.0	253.00
70261-001187	36H4PG.0566R		Photo Diode	0.0566	312.00
-	36H4E**R		ER Digital w/Output Mod	-	907.00
70261-001415	36H6RG10R	6"	Pulse Reed Switch	10	253.00
70261-001418	36H6PG.1739R		Photo Diode	0.1739	312.00
-	36H6E**R		ER Digital w/Output Mod	-	907.00
70261-008450	36H8RG10R	8"	Pulse Reed Switch	10	253.00
70261-001588	36H8PG.3173R		Photo Diode	0.3173	312.00
-	36H8E**R		ER Digital w/Output Mod	-	907.00



Hydrometer Replacement Registers - visit www.netafimusa.com/water-meter-configurator to determine the model number.


FERTILIZER METERS

Item Number	Model Number	Size	Body Material	Minum Flow (GPM)	Maximum Flow (GPM)	Gallons/ Pulse	Connection	Price Each
70261-011000	36FM.75RG.1	3/4"	Plastic	0.3	2.2	0.1	Threaded	426.00
70261-011030	36FM.75RG1					1.0		426.00
70261-011300	36FM1RG1	1"	PVC	1.8	44	1.0	Threaded	1,084.00



FERTILIZER INJECTORS

Item Number	Model Number	Size	Body Material	Connection	Price Each
33000-001300	28VFPF75	3/4"	Plastic	Threaded	270.00
33000-001400	28VFPD212	2"	Plastic	Threaded	291.00



WATER METERS

'M' AND 'WMR' WATER METER PARTS

Item Number	Model Number	Description	Price Each
70261-000820	36M.75COUPLERS	Coupler Set for 3/4" M Water Meter	41.00
70261-000840	36M1COUPLERS	Coupler Set for 1" M Water Meter	52.00
70261-000880	36M1.5COUPLERS	Coupler Set for 1 1/2" M Water Meter	68.00
70261-000900	36WMR2COUPLERS	Coupler Set for 2" WMR Water Meter	88.00
70220-003900	36M.75GASKET	Gasket Only for 3/4" M Water Meter	0.70
70220-004000	36M1GASKET	Gasket Only for 1" M Water Meter	0.89
70220-004100	36M1.5GASKET	Gasket Only for 1 1/2" M Water Meter	3.80
70220-004180	36WMR2GASKET	Gasket Only for 2" WMR Water Meter	5.00

'IRT' WATER METER PARTS

3" to 10" Sizes

Key	Item Number	Model Number	Description	Price Each
1	70220-005300	36RSGREY	Pulse Reed Switch - Grey Probe	76.00
2	70220-004220	36DUSTCOVER	Dust Cover Only - Standard/Photo Diode	21.00
3	70220-010650	36DUSTCOVERASSY	Dust Cover Assy - Standard/Photo Diode	38.00
4	70220-010610	36SLIDINGRING	Sliding Ring	2.50
5	-	See 'Replacement Registers - IRT' chart for options		-
6	70220-010550	36REGISTERORING	Register O-Ring	4.40
7	70220-010500	36PRESSURERING	Pressure Ring	3.40
8	70261-009000	36IRT3METERASSY	3" IRT Metering Unit	536.00
	70261-009300	36IRT4METERASSY	4" IRT Metering Unit	618.00
	70261-009600	36IRT6METERASSY	6" IRT Metering Unit	1,060.00
	70261-009800	36IRT8F-HEAD	8" IRT Metering Unit	1,399.00
	70261-008700	36IRT10F-HEAD	10" IRT Metering Unit	2,231.00
9	70220-009745	3621280809	3" - 10" IRT Bolt	33.00
10	-	36IRT3F-BODY	3" IRT Meter Body (does not include bolts)	Call
	70261-009305	36IRT4BODY	4" IRT Meter Body (does not include bolts)	673.00
	70261-009550	36IRT6BODY	6" IRT Meter Body (does not include bolts)	901.00
	70261-009780	36IRT8F-BODY	8" IRT Meter Body (does not include bolts)	1,210.00
	70261-010100	36IRT10F-BODY	10" IRT Meter Body (does not include bolts)	3,245.00
-	-	36603509	3" - 4" IRT Cover O-Ring *	Call

* Located between metering unit and meter body.



WATER METERS


'WST' WATER METER PARTS

3" to 12"

Key	Item Number	Model Number	Description	Price Each
1	70220-005400	36RSBLUE	3"- 8" WST Pulse Reed Switch - Blue Probe	82.00
	70220-005300	36RSGREY	10" - 12" WST Pulse Reed Switch - Grey Probe	76.00
2	70220-004220	36DUSTCOVER	Dust Cover Only - Standard Register	21.00
3	70220-010650	36DUSTCOVERASSY	Dust Cover Assy - Standard Register	38.00
4	70220-010610	36SLIDINGRING	Sliding Ring	2.50
5	-	See 'Replacement Registers - WST for options		-
6	70220-010550	36REGISTERORING	Register O-Ring	4.40
7	70220-010500	36PRESSURERING	Pressure Ring	3.40
8	70261-010200	36WST3METERASSY	3" WST Metering Unit	622.00
	70261-010300	36WST4METERASSY	4" WST Metering Unit	784.00
	70261-010400	36WST6METERASSY	6" WST Metering Unit	1,294.00
	70261-010500	36WST8METERASSY	8" WST Metering Unit	1,562.00
	70261-010640	36WST10METERASSY	10" WST Metering Unit	2,702.00
	70261-010645	36WST12METERASSY	12" WST Metering Unit	3,154.00
-	70220-009750	36WST3-4METORING	3" - 4" WST Cover O-Ring **	3.60
-	70220-010340	36WST6-12METORING	6" - 12" WST Cover O-Ring **	13.00
9	70220-009852	36WST3-4BOLTDRLD	3" - 4" WST Drilled Bolt *	13.00
	70220-009854	36WST6-12BOLTDRLD	6" - 12" WST Drilled Bolt *	18.00
9a	70220-009856	36WST3-4BOLT	3" - 4" WST Bolt	5.00
	70220-009858	36WST6-12BOLT	6" - 12" WST Bolt	7.80
10	-	36WST3F-BODY	3" WST Meter Body (does not include bolts)	Call
	-	36WST4F-BODY	4" WST Meter Body (does not include bolts)	Call
	70261-010490	36WST6BODY	6" WST Meter Body (does not include bolts)	982.00
	70261-010505	36WST8F-BODY	8" WST Meter Body (does not include bolts)	1,343.00
	-	36WST10F-BODY	10" WST Meter Body (does not include bolts)	Call
	70261-010508	36WT12F-BODY	12" WST Meter Body (does not include bolts)	2,132.00

* To accomodate tamper-proof wire.

** Located between metering unit and meter body.



WATER METERS



SADDLE METER PARTS


Key	Item Number	Model Number	Description	Price Each
1	70220-014130	36SMERHOUSINGKIT	ER Register Housing Kit (Mount, Housing, Screws, Plugs, Cap)	17.00
2	-	See 'Replacement Registers - Saddle Meters' for options		
3	-	3624665419	Meter Strap 6"	297.00
	70220-011636	36SMSTRAP8-OD	Meter Strap 8" Outside Diameter	335.00
	70220-011637	36SMSTRAP10-OD	Meter Strap 10" Outside Diameter	342.00
	70220-011639	36SMSTRAP12-OD	Meter Strap 12" Outside Diameter	372.00
4	70220-011630	3620371120	Nuts	6.50
5	70220-011620	3623026909	Lock Washer	2.30
6	-	3624518809	Stainless Steel Rod	353.00
7	70220-004184	3620635009	D-Ring Rubber Gasket 6"	46.00
	70220-004185	3620635109	D-Ring Rubber Gasket 8"	58.00
	70220-004190	3620635209	D-Ring Rubber Gasket 10" and 12"	65.00
8	70220-030000	36EROUTPUT	Cable for ER Register	62.00

WATER METERS

HYDROMETER PARTS

1 1/2" and 2" Sizes

Key	Item Number	Model Number	Description	Price Each
1	-	36HM1.5TF-BODY	Body 1 1/2"	Call
	-	36HM2TG-BODY	Body 2"	Call
2	71680-014160	61SF25B	Finger Strainer 1/4" x 1/8"	68.00
3	-	3621031009	Plug	6.00
4	70220-009322	3620600809	Base O-Ring	3.20
5	-	3621281209	Inlet Spider Screw for 1 1/2"	14.00
5a	70220-009747	3621280709	Inlet Spider Screw for 2"	21.00
6	-	3625442209	Strainer for 1 1/2"	3.20
6a	70220-010817	3625442409	Strainer for 2"	3.20
7	-	3620613909	Inlet Spider O-Ring	0.74
8	70220-009055	3625040109	Inlet Spider for 1 1/2"	30.00
8a	70220-009060	3625040409	Inlet Spider for 2"	60.00
9	70220-009715	3620312119	Inlet Spider Nut	68.00
10	70220-009080	3623720459	Impeller Assembly for 1 1/2"	165.00
	70220-009100	3623741929	Impeller Assembly for 2"	128.00
11	70220-005593	3620930119	Magnet Housing Assembly for 1 1/2"	28.00
	70220-005595	3620930129	Magnet Housing Assembly for 2"	33.00
12	70220-009309	3623020219	Stem Gasket Assembly	113.00
13	-	3624510509	Base	100.00
14	70220-009795	3620601709	Stem O-Ring	2.60
15	-	3624602019	Stem Assembly	353.00
16	70220-004950	3620625309	Membrane	65.00
17	70220-002671	3623040809	Membrane Washer	67.00
18	-	3621313509	Stem Screw	0.60
19	-	3623145709	Membrane Support Ring	9.30
20	70220-005070	3620610009	Central Bushing O-Ring	0.60
21	-	3628520509	Central Bushing	31.00
22	70220-009798	3620600609	Cover O-Ring	0.60
23	71610-036000	62SV21/8M	3-Way Selector Valve	51.00
24	-	3625270669	Cover	254.00
25	-	3623020109	Cover Screw Washer	0.60
26	-	3621040709	Cover Screw	4.90
27	70220-009760	3620612709	Upper Bearing O-Ring	0.75
28	70220-009555	3621140029	Upper Bearing Screw	161.00
29	70220-010510	3623123509	Register Pressure Ring	5.60
30	70220-010550	36REGISTERORING	Register O-Ring	4.40
31	-	See 'Hydrometer Replacement Registers' for options		
32	70220-005300	36RSGREY	Pulse Reed Switch	76.00
33	70220-010610	36SLIDINGRING	Sliding Ring	2.50
34	70220-010650	36DUSTCOVERASSY	Dust Cover Assembly	38.00
34a	70220-004220	36DUSTCOVER	Dust Cover Only	21.00
35	70220-009320	3624510519	Base Assembly	570.00
-	70220-005635	36HMTTOOLS61.5-4	Tool to Open Stem Gasket (1.5"-4" sizes)	1,710.00
-	70220-005640	36HMTTOOLUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	296.00




WATER METERS

HYDROMETER PARTS

3" and 4" Sizes

Key	Item Number	Model Number	Description	Price Each
1	-	36HM3FG-BODY	Body 3"	Call
	70261-009310	36HM4FG-BODY	Body 4"	1,080.00
2	71680-014160	61SF25B	Finger Strainer 1/4" x 1/8"	68.00
3	-	3621031009	Plug	6.00
4	-	3620612409	Base O-Ring	3.60
5	70220-009745	3621280809	Inlet Spider Screw for 3"	33.00
	70220-009730	3621281009	Inlet Spider Screw for 4"	33.00
6	70220-009735	3620613109	Inlet Spider O-Ring for 3"	1.30
	70220-009740	3620613709	Inlet Spider O-Ring for 4"	6.40
7	70220-009235	3625041320	Inlet Spider for 3"	69.00
7a	70220-009237	3625041420	Inlet Spider for 4"	127.00
8	70220-009720	3623022609	Bearing Nut Ring	8.90
9	70220-009700	3620312219	Bearing Nut	69.00
10	70220-009200	3623743239	Impeller Assembly for 3"	252.00
10a	70220-009220	3623741639	Impeller Assembly for 4"	252.00
11	70220-002665	36H3STEMGASK	Stem Gasket Assembly for 3"	199.00
11a	70220-002695	36H4STEMGASK	Stem Gasket Assembly for 4"	125.00
12	-	3624602109	Stem	218.00
13	-	3620614109	Stem O-Ring	0.93
14	-	3624510409	Base	125.00
15	-	3620602209	Base O-Ring	5.70
16	-	3623020809	Membrane Support Ring	270.00
17	70220-004970	36H3MEMBRANE	Membrane	67.00
18	-	3623120209	Membrane Ring	89.00
19	-	3621410409	Stem Screw	1.80
20	71610-036000	62SV21/8M	3-Way Selector Valve	51.00
21	-	3623022809	Cover Screw Washer	0.60
22	-	3621040509	Cover Screw	6.70
23	-	3625230969	Cover	448.00
24	70220-009760	3620612709	Upper Bearing O-Ring	0.75
25	70220-009555	3621140029	Upper Bearing Screw	161.00
26	70220-010510	3623123509	Register Pressure Ring	5.60
27	70220-010550	36REGISTERORING	Register O-Ring	4.40
28	-	See 'Hydrometer Replacement Registers' for options		
29	70220-005300	36RSGREY	Pulse Reed Switch	76.00
30	70220-010610	36SLIDINGRING	Sliding Ring	2.50
31	70220-010650	36DUSTCOVERASSY	Dust Cover Assembly	38.00
31a	70220-004220	36DUSTCOVER	Dust Cover Only	21.00
	70261-017300	36HM4-HEAD	Cover Assembly	666.00
-	70220-005635	36HMT00LSG1.5-4	Tool to Open Stem Gasket (1.5"-4" sizes)	1,710.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	296.00




WATER METERS

HYDROMETER PARTS

6" Size

Key	Item Number	Model Number	Description	Price Each
1	-	36HM6FG-BODY	Body 6"	Call
2	71680-014000	61SF25SB	Finger Strainer Brass Long 1/4" x 1/4"	68.00
3	-	3621031009	Plug	6.00
4	-	3620382409	Nut	19.00
5	-	3623022709	Washer	3.20
6	70220-009867	3620280709	Inlet and Outlet Cap	8.10
7	70220-009865	3620180109	Inlet Spider Screw	4.60
8	70220-009690	3621331419	Lower Bearing Screw	96.00
9	70220-009877	3625045110	Inlet Spider	74.00
10	70220-009793	3620611209	O-Ring	18.00
11	70220-009878	3626250109	Inlet Adapter Pipe	1,111.00
12	-	3623742719	Impeller	790.00
13	70220-009863	3624510609	Sealing Ring Base	566.00
14	70220-009872	3624624809	Stem	195.00
15	70220-009881	3620338009	Stem Locking Nut	297.00
16	-	3623024710	Closing Disc	452.00
17	-	3623024109	Supporting Disc	56.00
18	-	3620615209	O-Ring	1.30
19	-	3623122509	Wiper Holding Ring	21.00
20	-	3624616209	Wiper	127.00
21	-	3628400809	Stem Bushing	94.00
22	-	3620615309	Stem O-Ring	0.93
23	70220-009875	3624602339	Stem	1,162.00
24	70220-005150	3620612209	Stem Bearing O-Ring	6.60
25	-	3624903709	Stem Upper Bearing	67.00
26	-	3620627509	Membrane	309.00
27	-	3623024859	Stem Disc	78.00
28	-	3621410409	Screw	1.80
29	70220-009879	3627446009	Membrane Spring	103.00
30	-	3625223079	Cover	1,058.00
31	-	3621482709	Stem Screw	34.00
32	-	3621082309	Cover Screw	65.00
33	-	3625602709	Bushing	19.00
34	71610-036100	62SV41/4M	3-Way Selector Valve	104.00
35	-	3620330009	Central Bar Nut	112.00
36	70220-009760	3620612709	Upper Bearing O-Ring	0.75
37	-	3621430019	Upper Bearing Screw	259.00
38	70220-010510	3623123509	Register Pressure Ring	5.60
39	70220-010550	36REGISTERORING	Register O-Ring	4.40
40	-	See 'Hydrometer Replacement Registers' for options		
41	70220-005300	36RSGREY	Pulse Reed Switch	76.00
42	70220-010610	36SLIDINGRING	Sliding Ring	2.50
43	70220-010650	36DUSTCOVERASSY	Dust Cover Assembly	38.00
43a	70220-004220	36DUSTCOVER	Dust Cover Only	21.00
44	70220-009875	3624602339	Stem Assembly	1,162.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	296.00
-	70220-005645	36HMT00LCBN6-8	Tool to Open Central Bar Nut (6" to 8")	1,753.00




WATER METERS

HYDROMETER PARTS

8" Size

Key	Item Number	Model Number	Description	Price Each
1	-	36HM8FG-BODY	Body 8"	Call
2	71680-014000	61SF25SB	Finger Strainer Brass Long 1/4" x 1/4"	68.00
3	-	3621031009	Plug	6.00
4	-	3620382409	Nut	19.00
5	-	3623022709	Washer	3.20
6	70220-009867	3620280709	Inlet and Outlet Cap	8.10
7	70220-009865	3620180109	Inlet Spider Screw	4.60
8	-	3621381419	Lower Bearing Screw	213.00
9	-	3625046309	Inlet Spider	100.00
10	70220-009222	3623740979	Impeller	713.00
11	-	3620608609	O-Ring	18.00
12	-	3626258709	Inlet Adapter Pipe	3,630.00
13	70220-009881	3620338009	Stem Locking Nut	297.00
14	70220-005170	3623024210	Closing Disc	346.00
15	-	3623024109	Supporting Disc	56.00
16	-	3620615209	O-Ring	1.30
17	-	3623122509	Wiper Holding Ring	21.00
18	-	3624616209	Wiper	127.00
19	-	3624903609	Stem Bottom Bearing	8.80
20	-	3620609809	Stem Bearing O-Ring	0.93
21	-	3624903509	Stem Bottom Bearing	46.00
22	-	3624602709	Stem	1,330.00
23	-	3620606809	O-Ring	3.20
24	-	3620615309	O-Ring	0.93
25	-	3624903709	Stem Upper Bearing	67.00
26	-	3624616109	Central Bar	369.00
27	-	3620609709	O-Ring	13.00
28	-	3620609609	O-Ring	25.00
29	-	3623148709	Lower Chamber Ring	67.00
30	-	3620619609	O-Ring	7.40
31	-	3624627509	Lower Chamber Wiper	410.00
32	-	3620618609	O-Ring	7.40
33	-	3624906109	Lower Chamber Bearing	31.00
34	-	3623026459	Lower Chamber Disc	360.00
35	-	3623138609	Lower Chamber Locking Ring	549.00
36	-	3623024959	Stem Disc	538.00
37	-	3620628609	Membrane	403.00
38	70220-005150	3620612209	O-Ring	6.60
39	-	3621010309	Stem Screw	2.10
40	-	3621410409	Cap Screw	1.80
41	-	3621486209	Tightening Screw	2.10
42	-	3621410410	Screw	2.10
43	-	3621086109	Cap Screw	75.00
44	-	3621482709	Stem Screw	34.00




WATER METERS

HYDROMETER PARTS

8" Size

Key	Item Number	Model Number	Description	Price Each
45	-	3623026309	Membrane Disc	553.00
46	-	3625226869	Cover	1,605.00
47	-	3625602709	Bushing	19.00
48	71610-036100	62SV41/4M	3-Way Selector Valve	104.00
49	-	3620330009	Central Bar Nut	112.00
50	70220-009760	3620612709	Upper Bearing O-Ring	0.75
51	-	3621430019	Upper Bearing Screw	259.00
52	70220-010510	3623123509	Register Pressure Ring	5.60
53	70220-010550	36REGISTERORING	Register O-Ring	4.40
54	-	See 'Hydrometer Replacement Registers' for options		
55	70220-005300	36RSGREY	Pulse Reed Switch	76.00
56	70220-010610	36SLIDINGRING	Sliding Ring	2.50
57	70220-010650	36DUSTCOVERASSY	Dust Cover Assembly	38.00
57a	70220-004220	36DUSTCOVER	Dust Cover Only	21.00
58	-	3620628619	Membrane Assembly	1,577.00
59	-	3624602829	Stem Assembly	4,840.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	296.00
-	70220-005645	36HMT00LCBN6-8	Tool to Open Central Bar Nut (6" to 8")	1,753.00



WATER METERS

HYDROMETER SOLENOIDS

Item Number	Model Number	Description	Price Each
70220-006055	36SOLNO-024-2.5	Normally Open (N.O.) 24VAC Brass Solenoid - Wire Leads	208.00
70220-006070	36SOLNC-024	Normally Closed (N.C.) 24VAC Brass Solenoid - Wire Leads	208.00

HYDROMETER PILOTS

Item Number	Model Number	Description	Price Each
70220-001700	36PIL29117GRY	Pressure Reducing Plastic Black Pilot 29-117 psi Gray Spring	260.00
70220-001775	36PIL14-44-G	Pressure Reducing Plastic Black Pilot 14-44 psi Green Spring	260.00
70220-001560	36PIL5-26-B	Pressure Reducing Plastic Black Pilot 5-26 psi Blue Spring	260.00
71680-001200	61PIL31310-G	Pressure Reducing & Sustaining Brass Pilot 14-90 psi Green Spring	771.00
71680-001210	61PIL31310-R	Pressure Reducing & Sustaining Brass Pilot 30-130 psi Red Spring	771.00
-	61PIL31310-B	Pressure Reducing & Sustaining Brass Pilot 100-285 psi Black Spring	771.00

HYDROMETER PILOT SPRINGS

Item Number	Model Number	Description	Price Each
-	36SPP1001	Plastic Pilot Spring Gray 29-117 psi	26.00
-	36SPP1002	Plastic Pilot Spring Green 14-44 psi	26.00
-	36SPP1003	Plastic Pilot Spring Blue 5-26 psi	26.00
71680-010550	61SPP2047	Brass Pilot Spring Green 14-90 psi	42.00
71680-010500	61SPP2050	Plastic Pilot Spring Red 30-130 psi	65.00
71680-010650	61SPP2076	Plastic Pilot Spring Black 100-285 psi	58.00



①



②



③




④



⑤



⑥



⑦




⑧

HYDROMETER FITTINGS

Key	Item Number	Model Number	Description	Bag Qty	Price Each
1	76400-002110	55P4684802-B	Plastic Male Connector 8 mm x 1/8"	10	32.50
	76400-002310	55P4684804-B	Plastic Male Connector 8 mm x 1/4"	10	32.50
2	70220-002400	3624235309	Plastic Female Connector 8 mm x 1/4" (Pilot x 8 mm)	1	9.40
3	76400-001310	55P4624800-B	Plastic Union Connector 8 mm x 8 mm	10	51.70
4	76400-001210	55P4564846-B	Plastic Reducing Connector 8 mm x 6 mm	10	51.70
5	76400-003410	55P4694802-B	Plastic Male 90° Elbow 8 mm x 1/8"	10	49.00
	76400-003503	55P4694804-B	Plastic Male 90° Elbow 8 mm x 1/4"	10	49.00
6	76400-004505	55P4714804-B	Plastic Male Branch Tee 8 mm x 1/4" x 8 mm	10	62.00
	76400-004555	55P4724802-B	Plastic Male Branch Tee 8 mm x 1/8" x 8 mm	10	64.70
-	78301-003800	55B216P2	Brass Hex Nipple 1/8"	1	2.40
7	78301-002500	55B2225P4	Brass Street Tee 1/4" x 1/4"	1	17.00
8	78301-003300	55B209P42	Brass Bushing 1/4" M x 1/8" F	1	2.80
-	78301-004600	55B222P44	Brass Adapter 1/4" M x 1/4" F	1	5.00
-	78301-004500	55B222P42	Brass Adapter 1/4" F x 1/8" M	1	5.80

WATER METERS




HYDROMETER ACCESSORIES

Key	Item Number	Model Number	Description	Price Each
1	71680-014160	61SF25B	Brass Finger Strainer 1/4" x 1/8" (1.5" to 4" Sizes)	68.00
-	71680-014000	61SF25SB	Brass Finger Strainer Long 1/4" x 1/4" (6" to 8" Sizes)	68.00
2	71610-036000	62SV21/8M	3-Way Selector Valve 1/8" x 1/8"	51.00
	71610-036100	62SV41/4M	3-Way Selector Valve 1/4" x 1/4"	104.00
3	71610-035600	62SBV25	Ball Valve Brass 1/4"	36.00
4	76601-001050	61APS1/8	Shrader Valve	5.80
5	00110-001750	6809020-30	Pressure Gauge 0-30 psi	84.00
6	00110-001790	6809020-100	Pressure Gauge 0-100 psi	84.00
	00110-001810	6809020-160	Pressure Gauge 0-160 psi	84.00
7	40001-000400	15CONT-8	Control Tubing 8 mm 1000' coil	184.00
	40001-000383	15CONT8C100	Control Tubing 8 mm 100' coil	28.00
	40001-000382	15CONT8C50	Control Tubing 8 mm 50' coil	16.00
	40001-000381	15CONT8C10	Control Tubing 8 mm 10' coil	9.90
-	70220-005635	36HMT00LSG1.5-4	Tool to Open Stem Gasket (1.5"-4" sizes)	1,710.00
-	70220-005640	36HMT00LUBS1.5-8	Tool to Open Upper Bearing Screw (1.5"-8")	296.00
-	70220-005645	36HMT00LCBN6-8	Tool to Open Central Bar Nut (6" to 8")	1,753.00

2" FERTILIZER METER PARTS

Non-stock, special order parts

Key	Item Number	Model Number	Description	Price Each
1	33020-005500	2822V38	Bolt for Body	6.60
2	33020-006100	2822V45	Viton O-Ring 0.15	31.00
3	33020-006200	2822V46	O-Ring	25.00
4	33020-006500	2822V50	Diffuser	155.00
5	33020-006700	2822V52	Coupling	66.00
6	33020-007300	2822V58	Valve Stem Spindle	116.00
7	33020-007500	2822V60	Viton O-Ring 813	24.00
8	33020-007550	2822V62	3/4" Check Valve/Shut Off	31.00
9	75040-006200	594026207	Connector (20 mm x 3/4" F)	3.00



WATER METERS