



FLORIDA DEPARTMENT OF Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, FL 32399-2400

Ron DeSantis
Governor

Jay Collins
Lt. Governor

Alexis A. Lambert
Secretary

August 17, 2026

Luis A. Mendez, E.I.
Industrial Pretreatment Coordinator
Lee County
1500 Monroe Street
Fort Meyers, FL 33901
lmendezsantos@leegov.com

RE: Local Limits (LL) Approval
Three Oaks Water Reclamation Facility (WRF)
Permit No: FLA145190
Lee County

Dear Luis Mendez:

The Florida Department of Environmental Protection (Department) approves the substantial pretreatment program modification regarding the local limits submission dated July 8, 2026, for the Three Oaks WRF (FLA145190). The Department did not receive any substantial comments regarding the public notice that Lee County published on July 16, 2026.

The Department formally accepts the local limits, identified in Attachment A, to be the effective local limits for Three Oaks WRF (FLA145190). Please proceed with revising all industrial user permits, as necessary, to reflect the effective local limits for Lee County's Three Oaks WRF.

If you have any questions or comments, please contact Brianna Valek by phone at (850) 245-8695, or via email at Brianna.Valek@FloridaDEP.gov.

Sincerely,

A handwritten signature in cursive script that reads "Lauren Gottfreid".

Lauren Gottfreid
Program Administrator
Wastewater Management Program
Division of Water Resource Management

BV/LG

Enclosure: Attachment A

Luis Mendez
Three Oaks WRF/FLA145190
Page 2 of 2
August 17, 2026

cc: Pamela Keyes, Lee County, PKeyes@leegov.com
Andrea Browning, Lee County, abrowning@leegov.com
Jessica Wilkerson, Lee County, JWilkerson@leegov.com
Talya Bickle, Lee County, tbickle@leegov.com
Lauren Gottfreid, DEP Tallahassee, Lauren.Gottfreid@FloridaDEP.gov
Laurel Keys, DEP Tallahassee, Laurel.Keys@FloridaDEP.gov
Julia Danyuk, DEP Tallahassee, Julia.Danyuk@floridadep.gov

Attachment A

Lee County
Three Oaks WRF (FLA145190)

Department Approved Local Limits

Parameter Name	Three Oaks WRF
Arsenic	0.13
Cadmium	0.079
CBOD	857
Chloride	724
Chromium	3.93
Copper	5.51
Cyanide, Total	0.78
Lead	0.31
Mercury	0.041
Molybdenum	0.25
Nickel	0.35
Selenium	0.15
Silver	1.43
Sodium	310
TKN	172
TP	32
TSS	383
Zinc	0.31