Lee County Board Of County Commissioners Agenda Item Summary

Blue Sheet No. 20020304

1. REQUESTED MOTION:

ACTION REQUESTED: Approve award of the following projects: EX020366, the purchase of three (3) new International cab and chassis trucks from International Truck and Engine Corporation, at the Florida State Contract base price with contract options of \$38,550.00 each – total for three (3) trucks: \$115,650.00; and W-020367, the purchase and installation of three (3) Conibear sand spreader box bodies from the Conibear Equipment Company at a price of \$26,868.00 each — total for three (3) spreader box bodies: \$80,604.00. Grand total for three (3) complete trucks, which are for use by the Lee County Department of Transportation, is \$196,254.00. A waiver has been requested because the Conibear Equipment Company is the sole source distributor for these spreader box bodies. Authority is also requested to expend an additional \$195.00 per body for an air shift PTO and \$425.00 per body for an electric tarp should the department determine these items are necessary at the time these bodies are installed. (These items would be purchased from the Conibear Equipment Company.)

WHY ACTION IS NECESSARY: Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.

WHAT ACTION ACCOMPLISHES: This purchase allows Lee County DOT to update its aging spreader box fleet; trucks that are used for road maintenance and hazardous waste spills. The three (3) units are replacements for equipment #019266, #019268, and #019265; all of which have met Fleet Management's replacement criteria (please see Attachment #5).

COMMIS	VALUE VALUE CARE	EGORY:				3. MEETING DATE	<u>:</u>	
	SION DISTRI	CT#	09	7 a		1/	16-0	2
						•	-	•
4. AGENDA: 5. REQUIRE (Specify)				ENT/PURI	<u>POSE</u> :	6. <u>REQUESTOR OF</u>	INFOR	MATION:
X CON	SENT	Specis	STATU	TTF		A. COMMISSIONE	D	
	INISTRATIVI	F.	_	NANCE -		B. DEPARTMENT		sportation
APPI		$\frac{1}{X}$	- ORDII - ADMII			C. DIVISION	11411	sportation
			CODE			O. DIVISION		
PUBI	LIC		OTHE			BY: Scott	Gilbertso	n, P.E., Director
WAL	K ON		.					
TIMI	E REQUIRED:							
7. BACKGR	OUND:				<u> </u>			
		BACKGRO	OUND BEGI	NS ON PAGE T	WU			
O MANIACIE	MENIC DECO	NANADININ AR	HONG					
8. MANAGE	MENT RECO	MMENDAT	TIONS:					
8. MANAGE	MENT RECO	MMENDAT		OMMEND	ED APPR	OVAL:		·
8. MANAGE	EMENT RECO	MMENDAT		OMMEND E	ED APPR	OVAL:		G
			9. <u>REC</u>		ED APPR	F		· ·
A	В	C	9. <u>REC</u>	E	ED APPR			G County Manager
A Department Director	B Purchasing	C Human	9. <u>REC</u>	E County	ED APPR	F		· ·
A Department Director	B Purchasing or Contracts	C Human	9. <u>REC</u>	E County	ED APPR	F	ĞÇ	· ·
A Department Director	B Purchasing or	C Human	9. <u>REC</u>	E County Attorney	ED APPR	F Budget Services	P. OLOV	· ·
A Department Director	B Purchasing or Contracts	C Human Resources	9. <u>REC</u>	E County Attorney	ED APPR	F Budget Services	185 4.402	· ·
A Department Director	B Purchasing or Contracts	C Human Resources	9. <u>REC</u>	E County Attorney	ED APPR	F Budget Services	18902 4.402	· ·
A Department Director	B Purchasing or Contracts	C Human Resources	9. REC Other	E County Attorney	ED APPR	F Budget Services	185 4.402	· ·
A Department Director	B Purchasing or Contracts	C Human Resources ON: APPROV	9. REC Other	E County Attorney	ED APPR	F Budget Services	185 4.402 9.61	· ·
A Department Director	B Purchasing or Contracts	C Human Resources N: APPROV DENIED	9. REC Other	E County Attorney	DA Chilos	F Budget Services	4.402 9-4-4	· ·
A Department Director	B Purchasing or Contracts	C Human Resources ON: APPROV	9. REC Other	E County Attorney	ED APPR	F Budget Services	186 4.402	· ·
A Department Director	B Purchasing or Contracts	C Human Resources N: APPROV DENIED	9. REC Other	E County Attorney	100A 64.402	F Budget Services OM Risk F-145	9. C.	· ·
A Department Director	B Purchasing or Contracts	C Human Resources N: APPROV DENIED DEFERR	9. REC Other	E County Attorney	ED APPR	F Budget Services		· ·
A Department Director	B Purchasing or Contracts	C Human Resources N: APPROV DENIED DEFERR	9. REC Other	E County Attorney	100A 64.402	F Budget Services OM Risk F-145 F-145 F-145 RINGY X		· ·

--BACKGROUND CONTINUED FROM PAGE ONE--

On March 19, 2002, the Division of Purchasing received a request from the Department of Transportation and the Division of Fleet Management to purchase three (3) new International cab and chassis trucks at the prices listed in the Florida State Contract #070-700-02-1; and three (3) spreader box bodies from the Conibear Equipment Company.

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00". As this expenditure will exceed \$50,000.00, Board approval is required.


Therefore, Board approval is requested to purchase three (3) new International cab and chassis trucks from International Truck and Engine Corporation, at the Florida State Contract base price with contract options of \$38,550.00 each – total for three (3) trucks: \$115,650.00; and the purchase and installation of three (3) Conibear sand spreader box bodies from the Conibear Equipment Company at a price of \$26,868.00 each – total for three (3) spreader box bodies: \$80,604.00. Grand total for three (3) complete trucks, which are for use by the Lee County Department of Transportation, is \$196,254.00. A waiver has been requested because the Conibear Equipment Company is the sole source distributor for these spreader box bodies. Authority is also requested to expend an additional \$195.00 per body for an air shift PTO and \$425.00 per body for an electric tarp should the department determine these items are necessary at the time these bodies are installed. (These items would be purchased from the Conibear Equipment Company.)

Funds are available: JB5191059401.506430

Attachments:

- (1) Department Request for Purchase
- (2) Florida State Contract #070-700-02-1/International Truck and Engine Corporation Quotation
- (3) Conibear Equipment Company Quotation
- (4) Sole Source Verification Letter from Conibear Equipment Company
- (5) Repair History/Replacement Justification for Units #019266, #019268, and #019265





DIVISION OF FLEET MANAGEMENT

To:

Janet Sheehan, Purchasing Director

From:

Marilyn Rawlings, Fleet Manager

Date:

03/19/02

Re:

Blue Sheet for the purchase (3) three International DT466 Spreader Trucks

Please prepare a Blue Sheet for the purchase of three (3) International DT466 Cab and Chassis from International Truck and Engine Corporation.

ACTION REQUESTED:

Approve the purchase of (3) International DT466 Cab and Chassis from International Truck and Engine Corporation from Florida State Contract #070-700-230. The base price of the truck is \$31,681 with additional options of \$6,869 for a total contract price of \$38,550 per truck. Approve the purchase from Conibear Equipment Company of Lakeland Florida of attached spreader equipment at a cost of \$26,868 per truck. Conibear Equipment Company is a sole source provider of spreader box equipment in the state of Florida. Attached is sole source documentation from Conibear Equipment Company.

Total Equipment cost including spreader box installation is \$65,418. per truck for a total acquisition cost of \$196,254.

WHY ACTION IS NECESSARY:

Section 11.0.3.1 of the Lee County Purchasing and Payment Procedures Manual exempts "the purchase of equipment that has gone through the Administrative Code Procedure, such as State Contracts or Federal General Services Administration Schedules, providing the purchase, rental, or lease amount does not exceed \$50,000.00." As this expenditure will exceed \$50,000.00, Board approval is necessary.

WHAT ACTION ACCOMPLISHES:

These trucks are requested by the Department of Transportation to replace their aging spreader box fleet. They are replacements for equipment #019266, #019268 and #019265. They will be used in road maintenance and hazardous waste spills. These three pieces of equipment #019266, #019268 and #019265 have met Fleet's replacement criteria. Documentation to substantiate this criteria to follow.

BACKGROUND:

Lee County Fleet Management received a request from the Department of Transportation to purchase three (3) spreader trucks. This is a replacement purchase to their Fleet. This machinery is necessary to assist with the ever-increasing road maintenance.



Medium and Heavy Trucks 070-700-02-1

0,0,0002

Effective: 1/7/02 through 5/31/03

Certification

Special Conditions

Exhibit A - Specifications

Exhibit B - Price Sheet

Exhibit C - Truck Bodies

Exhibit D - Purchase Order Information

Exhibit E - Notice of Non-Contract Purchase

Exhibit F - Certification of Compliance

Exhibit G - Acknowledgement of Order

Exhibit H - Ordering Instructions

Complete Contract

070-700-230 CHASSIS-CAB, SINGLE AXLE, CLASS 6, 24,500 LB. GVWR (4X2) (8D)

NOTE: This Specification/Price List is not complete unless it is used in conjunction with General Specifications All Medium And Heavy Trucks, GSAT-1.

INTENDED VEHICLE USE

USED FOR INSTALLATION OF VARIOUS TYPES OF AFTERMARKET BODIES RANGING FROM 10 FEET TO 24 FEET IN LENGTH AND TRANSPORTATION OF UP TO THREE INDIVIDUALS ON PAVED AND UNPAVED, GRADED ROADS.

THE BASE VEHICLE DOES NOT REQUIRE THE OPERATOR TO HAVE A VALID COMMERCIAL DRIVERS LICENSE (CDL). THE DEPARTMENT DOES NOT WARRANT THAT THIS INFORMATION IS TRUE AND CORRECT. THE ELIGIBLE USER HAS THE SOLE RESPONSIBILITY TO CHECK ALL CURRENT LAWS AND REGULATIONS.

*STD GVWR 24,500 LBS. STD PAYLOAD CAPACITY 14,350 LBS. (APPROX)

USE OPTIONS PAYLOAD CAPACITY

OPTION 8018, 28,000 LB. GVWR

17,650 LBS. (APPROX)

OPTION 8019, 33,000 LB. GVWR

22,150 LBS. (APPROX)

OPTION 8020, 35,000 LB. GVWR

24,000 LBS. (APPROX)

*GVWR - Gross Vehicle Weight Rating is the total maximum weight of a fully equipped, fully loaded truck.

10. ENGINE:

A. Diesel engine, liquid cooled, with a minimum of 190 Gross HP and 520 lbs.-ft. Gross Torque (per the latest issue of SAE J1349), and a minimum displacement of 5.9L (359 CID). The following engines, or approved equivalent, are acceptable:

CAT 3126: 7.2L (439 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque CUMMINS ISB: 5.9L (359 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque INT T444E: 7.3L (444 CID), 195 Gross HP, 520 lbs.-ft. Gross Torque MERCEDES BENZ: 6.4L (390 CID), 190 Gross HP, 520 lbs.-ft. Gross Torque

B. Standard cooling system with antifreeze.

- C. Premium rubber (International Premium (EPDM), Gates Blue Stripe or approved equivalent) or silicone radiator hoses, by-pass hoses, heater hoses, and other coolant hoses.
- D. Dry type air cleaner with service (restriction) indicator.
- E. Engine protection system, at a minimum, must be activated by low engine oil pressure, and high engine temperature. System shall, at a minimum, include a warning light(s) and derate (rampdown) feature that will reduce engine power and speed, or shut down the engine when any of these functions exceed normal limits.
- F. Horizontal exhaust.

12. ELECTRICAL SYSTEM:

- A. Minimum 90 amp 12 v. alternator.
- B. Batteries to have a minimum total of 1100 CCA @ 0 degrees F.
- 20. TRANSMISSION: Minimum 5-speed automatic transmission with PTO opening(s). Allison 2000P or approved equivalent.

30. AXLES & SUSPENSION:

- A. Steel front axle and suspension with shock absorbers, minimum 7,000 lb. GAWR.
- B. Front wheel oil-lubricated bearings and seals.
- C. Single speed rear axle and suspension, minimum 17,500 lb. GAWR. Rear axle ratio is to be a 5.57 for a 2500 RPM engine, or 5.63 for a 2600 RPM engine, or the closest possible ratio available.

NOTE TO CONTRACTOR: THIS TRUCK MUST BE CAPABLE OF PROVIDING A TOP SPEED OF APPROXIMATELY 65 MPH AT THE PUBLISHED GOVERNED RPM FOR THE ENGINE SPECIFIED.

- D. Front wheel hubs and rear axle shall be filled with synthetic lubricant.
- E. Auxiliary rear springs.

40. PERFORMANCE ITEMS:

- A. Factory installed speedometer; odometer, ammeter or voltmeter, fuel gauge, engine oil pressure gauge, coolant temperature gauge, tachometer, air pressure gauge and dash mounted engine hourmeter.
- B. Power steering.

50. COMFORT ITEMS:

- A. Factory installed AM-FM radio.
- B. Fresh air heater and defogger.
- C. Arm rests both sides, if available; sunvisors, both sides.
- D. Tinted glass all windows, including windshield.
- E. Air conditioning.

60. SAFETY ITEMS:

- A. Dual electric horns.
- B. Stainless steel or aluminum outside mirrors and brackets left and right side. Mirrors to be large West Coast type, 6 inches x 16 inches minimum, to include stainless steel lower convex spot mirrors on both sides.
- C. Automatic-adjustable volume backup alarm. Must meet latest issue of SAE J994, Type B, 107dB(A). Factory or dealer installed.
- D. Rain Flaps: Splash and spray suppressant rain flaps, straight grass type, installed on heavy-duty hangers. Factory or dealer installed.

NO CONTRACTOR ADVERTISING, OR IDENTIFICATION WILL BE PERMITTED ON RAIN FLAPS.

- E. All access steps shall be self-cleaning slip-resistant grating.
- F. Daytime running lights.

62. BRAKES:

- A. ABS air brake system, minimum 13.2 cfm air compressor, and air reservoir(s) with automatic moisture ejector valve(s) (unheated).
- B. Moisture ejector valve(s) not to be mounted on bottom of air tank if at all possible. Side or remote location(s) preferred.
- C. Spring applied parking brake with in-cab parking brake control.
- D. Automatic slack adjusters front and rear.
- E. Brake dust shields.
- F. Outboard mounted brake drums, front and rear, if available. (NOTE: Allows brake repair without removing axle hubs.)
- G. Low air pressure warning indicator in cab.
- H. Air dryer with heater. Allied-Signal/Bendix AD-9 or AD-IP, Wabco System Saver 1200 or approved equivalent.

70. TIRES & WHEELS:

- A. Six (6) 255/80R22.5G (14PR) or 265/75R22.5G (14PR) or larger, tubeless, low profile, radial tires with highway tread.
- B. All wheels to be one-piece steel disc, 10-hole, I.S.O. hub pilot mount, 22.5 inch diameter.
- C. Front, inside rear and outside rear wheels to be fully interchangeable.

80. CHASSIS, FRAME, CAB:

- A. Minimum 24,500 lb. GVWR, maximum 26,000 lb. GVWR, factory certified.
- B. Minimum 860,000 in-lb RBM frame, factory reinforced if necessary. SEE NOTE 1 OF SPECIFICATION GSAT-1.
- C. Cab-axle dimension of 72 inches.

- D. Factory installed, step-type steel fuel tank, minimum 30 U.S. gallon capacity.
- E. Front tow hooks or tow pins.
- F. Standard front bumper.

82. CAB EQUIPMENT:

- A. Conventional cab, with tilt-type hood and fender assembly.
- B. Full-width bench seat or individual driver seat and two-man passenger seat. The same Manufacturer must provide individual driver seat and two-man passenger seat.
- C. Exterior grab handles both sides.
- D. Manufacturer's standard paint and colors.
- E. Rear cab window with fixed tinted glass.
- 90. CONDITIONS: Contractor shall provide a Manufacturer's print-out (Ford "DORA", Freightliner "Spec Pro", "GM AutoBook", International "Vehicle Specifications", Mack "Order/Customer/Vehicle Information", Sterling "Spec Pro", or approved equivalent) to verify the Vehicle meets all the requirements of this Specification. Also, any dealer installed aftermarket components, if specified, must be noted on the Manufacturer's print-out. All enclosed Conditions and Requirements shall apply.



INTERNATIONAL TRUCK AND ENGINE CORPORATION

2400 COMMERCE AVE., BLDG. 1100, STE, 100, DULUTH, GA 30098-4955

T 678 584 2700

TRUCK GROUP

February 8, 2002

Don Lawes Lee County, FL

Subject: Florida State Contract

Commodity Code # 070-700-230

Copy of truck specifications included.

0-4:	Base Central Price	\$ 31,681.00	1
Options 6202	Automotic Air Destro De to de) Pains 1
7004	Automatic Air Brake Drain System On-off tires	. 611.00	Jen Sind
8002	Additional fuel capacity	60.00	> Very
8012	108" CA	235.00 N/C	Internet
8019	33,000 GVWR package	5,631.00	MATOR
2003	Electronic over speed control	332.00	PRDT
	Total	\$38,550.00	3.22.02

Sincerely,

W. J. Parham

National Account Manager

INTERNATIONAL

Prepared For: Lee County Florida Spec: 230 Don Laws 405 Explanade Wey Tallahessee, FL 32399 (941)461-5607

Reference ID: N/A

February 07, 2002

Presented By: International Truck and Engine Corp. Parham Bill 2400 COMMERICE AVE BLD. 1100 - 8UITE 100 DULUTH, GA 300964955 (678)584-2777

Model Profile ZD02 4300 6 BA 4x2 (MAC25)

APPLICATION: Landscape Dump

MISSION: Requested GVWR: 33000 Celc. Start / Grade Ability: 0% / 0% @ 55 MPH

Calc. GVWR: 33000

DIMENSION: Wheelbese: 175, CA: 107.9, Ade to Frame: 63

ENGINE, DIESEL: (International DT466 Standard Torque) Electro-Hydraulic Fuel System, 50 State, 215 HP @ 2300/2500

RPM, 560 lb-ft Torque @ 1400 RPM, 2600 RPM Governed Speed, 225 Peak HP (Max)

TRANSMISSION, AUTOMATIC: (Allison MD-3060P) Close Ratio, 6-Speed; With PTO Gear and Less Retarder

CLUTCH: Omit Nam (Clutch & Control)

AXLE, FRONT, I-REAM TYPE: (International I-1208G) 12,000-tb Capacity

AXLE, REAR \$INGLE: \{Darm Spicer 21080\$} Single Reduction, 21,000-to Capacky, 190 Wheel Ends

Geer Ratio: 6.50

CAB: Conventional, Steel

TIRE, FRONT: (2) 11R22.5 UNISTEEL G159 (GOODYEAR) 501 rev/mile, load range G, 14 ply

TIRE, REAR: (4) 11R22.5 G164 RTD (GOODYEAR) 499 rev/mile, load range G, 14 ply

SUSPENSION, RR, 6PRING, SINGLE: Vari-Rate; Z3,500-b Capacity, With 4500 to Auxiliary Rubber Spring

Vehicle Specifications 2002 4300 SBA 4x2 (BA025) 4/000

February 07, 2002

Code Description AIR CONDITIONER (International Biand-Air) With Integral Heater & Defroster **16WKB** Indiudes : REFRIGERANT Hydrofucrocartion HFC-134A : HEATER HOSES Premium CAB INTERIOR TRIM Deluce 16WRX Includes CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets and Retainer Nata and CB Radio Pocket; Smoke Grey with Riack Netting Over Storage Pockets : "A" PILLAR COVER Molded Plastic, Smoke Gray : HEADLINER Printed Cloth : INSTRUMENT PANEL TRIM Moided Plastic, Drawbridge Gray with Black Center Section, Hidden Cup Holder and Ash Tray (Pull-Out) ; DOME LIGHT, CAS Rectargular, Center Mounted, Integral to Console Door Activated, Tened Theater Dimming : SUN VISOR (2) Pedded Viryl Integral to Cornole with Yoll Ticket Strep and with Integral Extenders : STORAGE POCKET, DOOR (1) Molded Plestic, Smoles Gray, Full-Length; Driver Door : CAB INTERIOR TRIM PANELS Molded Plastic, Full-Height; All Interior Sheet Metal is Covered ; DOOR TRIM PANELS (2) Molded Pleatic; Driver and Passenger Doors 27DMA WHEELS, FRONT DISC; 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rime; With Steel Hubs. <u>Includes</u> WHEEL SEALS, FRONT Oil Lubricated, Includes Wheel Bearings : PAINT IDENTITY, FRONT WHEELS White **28DMA** WHEELS, REAR OUAL DISC: 22.5" Painted Steel, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims: With Steel Hube includes : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings : PAINT IDENTITY, REAR WHEELS WITE 29WLA WHEEL BEARING, FRONT, LUBE (EmGard 50W) Synthetic Oil 7302690179 (2) TIRE, FRONT 11R22.5 UNISTEEL G159 (GOODYEAR) 501 reviralle, load range G, 14 pty **/7372130116** (4) TIRE, REAR 11R22.5 G164 RTD (GOODYEAR) 499 rev/mile, load range G, 14 pty Cab Schematic 100GA Location 1: 9219, WINTER WHITE M Chassis Schematic N/A

6202

Automatic air brake drain eyetem. 🗸

Yehicle Specifications 2002 4300 SBA 442 (MAD25)

February 07, 2002

Code	Description
	Includes : ANTI-FREEZE Texaco Long Life Coolent -40F (-40C) : DEAERATION SYSTEM with Polypropylane Tenk : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationery, Variable Speed; Mountaid on Steering Wheel
13ABA 🗸	TRANSMISSION, AUTOMATIC (Alison MD-3050P) Close Ratio, 6-Speed; With PTO Gear and Less Retarder
13WTA	ALLISON WT SPARE INPUT/OUTPUT for General Truck, Utility, Refuse, Dump, Bus and Pickup & Delivery
14AGG 🗸	AXLE, REAR, SINGLE (Dana Spicer 210605) Single Reduction, 21,000-to Capacity, 190 Wheel Ends Gear Ratio: 6.50
	Includes : REAR AXLE DRAIN PLUG (1) Magnetic
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rata; 23,500-lb Capacity, With 4500 lb Auditory Rubber Spring
14WLA	AXLE, REAR, LUBE (EmGard 75W-90) Synthetic Oll; 1 thru 29.99 Pints
15SEM /	FUEL TANK Top Drew; D Style, Steel, 19° Deep, 70 U.S. Gal., 265 L Capacity, With Quick Connect Outlet, Mounted Left Side, Under Cab
.1	Includes : FUEL UNES Nylon Tubing With O-Ring Snee-On Quick-Connect Fittings at Both Ends
16030	CAB Conventional, Steel
	includes : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : ARM REST (2) Molded Plastic, Smoke Gray; One Each Door : FLOOR COVERING Rubber, Black : COAT HOOK Located on Rear Well, Centered Above Rear Window : GRAB HANDLE, CAB INTERIOR (1) "A" Piter Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) "B" Piter Mounted, One Each Side : STEP (2) Two Steps Per Door : GLASS, ALL WINDOWS Tinted;
16HBA	GAUGE CLUSTER English With English Electronic Spandometer
	Includes : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Cooksrt Temp. and Low Battery Voltage (Visual and Audible) : GAUGE CLUSTER GAUGES (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter
16JDY	SEAT, DRIVER (Gre-Meg) Non-Suspension, High Back With Integral Headnest, Vinyl, With Floord Back
	Includes : SEAT BELT 3-Point, Laip and Shoulder Belt Type
16PHJ	SEAT, TWO-MAN PASSENGER (Gra-Mag) With Two Integral Headrest, Vinyl, With Fixed Back, Less Under Seat Storage Compartment
	Includes : SEAT BELT (2) One 3-Point Shoulder Belt and One 2-Point Lap Belt
165DN	MIRRORS (2) {Long Melors} Styled; Rectangular, 7.09" x 15.75", Brackets Breeksway Type, With 102" Wide Spacing, With Integral Convex Both Sides, With Bright Finish Head and Brackets
16\$ED	GRAB HANDLE (2) Black, Aluminum; for Cab Entry Mounted Left and Right
16WJS	INSTRUMENT PANEL Center Section, First Panel

Vahicle Specifications 2002 4300 SBA 422 (SIA025)

February 07, 2002

<u>Code</u>	<u>Description</u>
	: DATA LINK CONNECTOR In Cab For Vehicle Programming and Diagnostica : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed Integral with Turn Signal Switch with Weath and Intermittent Feature, : WIRING, CHASSIS Color Coded and Continuously Numbered
08518	CIGAR LIGHTER
08540	HORN, ELECTRIC (2)
08GCS	ALTERNATOR (Delco-Remy America Inc. 22-61) 12-Volt 100 Amp. Capacity
OSHAB	BODY BUILDER WIRING Back of Cab at Frame, Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
08MED	BATTERY SYSTEM (Inflarmational) MeIntensince-Free (2) 12-Volt 1100CCA Total
OBRDX	RADIO (Panasonic CR-W400U) AM/FM Stereo, With Westherband, Clock, Includes Multiple Dual Corre Speakers
	Includes ; SPEAKERS IN CAB (4) Costral with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Delute Interior
08WPB	HEADLIGHTS Long Life Halogan; Composite Aero Design for Two Light System; Includes Daytime Running Lights
OEWPP	ENGINE SHUTDOWN Automatic; With 30 Second Dolay, With International Engines.
08 W WJ	INDICATOR, LOW COOLANT LEVEL With Audible Album
08WWN	STARTING MOTOR (Leace-Nevthe M100R) 12-Volt; leas Thermal Over-Crank Protection
CAHEO	GRILLE Chrome
09WAY	FRONT END Titing, Fiberplass, With Three Pieca Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	Includes : PAINT SCHEMATIC ID LETTERS "GA"
10761	PAINT TYPE Base Cost/Clear Cost, 1-2 Tone
11001	CLUTCH Omit Hem (Clutch & Control)
12NMÇ 🗸	ENGINE. DIESEL (International DT488 Standard Torque) Electro-Hydrausic Fuel System, 50 State, 215 HP @ 2300/2600 RPM, 560 lb-ft Torque @ 1400 RPM, 2600 RPM Coverned Speed, 225 Peek HP (Max)
	Includes GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted CRUISE CONTROL Electronic; Controls Integral to Steering Wheel ENGINE SHUTDOWN Electronic GOVERNOR Road Speed, Electronic THROTTLE, HAND CONTROL Electronic, Integral to Steering Wheel ENGINE OIL DRAIN PLUG Magnetic OIL FILTER, ENGINE Spin-On Type ENGINE OIL CHANGE SYSTEM 30 Quert Capacity DAMPER, CRANKSHAFT Viscous FAN Optimized Position FUEL FILTER Engine Mounted
12TSV	FAN DRIVE (Borg-Warner 8A-75) Viscous Screw On Type
	includes: : FAN Nyton
12UV\$	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, With 516 Sqln Radiator, 270 Sqln Charge Air Cooler

INTERNATIONAL"

Vehicle Specifications 2002 (300 SBA 4x2 (SBA)25)

February 07, 2002

Code	Consection .
MA02500	Basic Charasis, Model 4300 SBA 4X2 with 175 Wheelbase, 107.9 CA, and 63 Axis to Frame.
01570	TOW HOOK, FRONT (2) Frame Mounted.
01CAG	FRAME RAILS Host Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260,4mm x 91,7mm x 9.5mm); 456.0" (11582mm) Maximum OAL
OILLZ	BUMPER, FRONT Full Width, Acrodynamic, Chrome Plated Steel; 0.25" Material Thickness
DIWEH	WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm)
02ADD 🗸	AXLE, FRONT, LBEAM TYPE (International L120SG) 12,000-tb Capacity
OBADC 🗸	SUSPENSION, FRONT, SPRING Parabolic, Teper Lest, 12.000-to Capacity; With Shock Absorbers
	Includes : SPRING PINS Rubber Bushings, Maintenance-Free
04091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
.1	Includes : AIR COMPRESSOR AIR SUPPLY LINE Through Air Cleaner : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nyton : DUST SHIELDS, REAR BRAKE : DUST SHIELDS, FRONT BRAKE : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, FRONT Automatic : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : DRAIN VALVE Twist-Type : INVERSION VALVE Wintegral Check Valve : GAUGE, AIR PRESSURE Located in Instrument Cluster Air 1 and Air 2 Gauges;
04721	DRAIN VALVE, AUTOMATIC (Bendar DV-2) Less Hester; for Air Tank
Ó4AZA	AJR BRAKE AB\$ (Bendix AntilLock Brake System) Full Vehicle Wheel Control System (4-Channel)
04AZM	ABS ECU MODIFICATION (Bendix) LED Diagnostic Display Ughto on ABS ECU
04EBS	AIR DRYER (Bendix AD-9) With Heater
04JBG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. MGM Long Stroke Brake Chambers
04NÇE	BRAKES, REAR, AIR CAM 16.5" x 7.0", includes MGM TR3030 Long Stroke Brake Chember and Heavy Duty Spring Actuated Parking Brake
DASBC	AIR COMPRESSOR (Bendix Tu-Fig 550) 13.2 CFM
05708	STEERING COLUMN TIKING
OSCAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
06PRJ	STEERING GEAR (Rose TAS-65) POWER
07AAY	EXHAUST SYSTEM Single, Horizontal Muffler and Short Tail Pipe, Aluménizad Steel; Frame Mountad Right Side
0 600 0	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	Includes : FUSES, ELECTRICAL, SAE Blade-Type : TURN SIGNAL SWITCH Self-Cancelling, Headlight Dimmer (with Fleeh-To-Pees Feature) : HORN, ELECTRIC Single : PARKING LIGHT Integral with Front Turn Signal and Rear Tell Upint : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : STARTER SWITCH Electric Key Operated : TURN SIGNALS, FRONT Flush Mounted Include Reflectors and Auxiliary Side Turn Signals, Solid State Fleshers;



ATTACHMENT#3


P.O. BOX 90215 PHONE 858-4414 FAX 859-5367 8910 N. ROAD 98 LAKELAND, FLORIDA 33804-0215

MANUFACTURERS OF

CONIBEAR SPREADERS

A COMPLETE LINE OF TRACTOR DRAWN OR TRUCK MOUNTED SPREADERS

January 14, 2002



County of Lee 2955 Van Buren Street t. Myers, Fl 33916

Attention: Mr. Don C. Lawes

Dear Don,

We are pleased to quote you on 3 Sand Spreaders as per spec's:

11'6" Conibear Sand Spreader, 78" wide, all hyd. floor Convveyor, 24" with 3/8x1-1/2 bars, front or rear delivery, 96" front conveyor curb side delivery, extend out 35-1/2" from side of catwalks, 96" width, 2-20" hyd. fans, 2 hyd. motors and 6:1 gear boxes, drives front & rear floor discharge to change rotation turn, hyd. valve, rear slide plate over fans for discharge, strobe lights, one front & 2 rear, cab protector, roll over tarp, ICC lights, turn signals & mud flaps, body to be mounted on 108" cab to axle, P.T.O. & hyd. pump mounted on truck transmission.

\$26,868.00 each


Air Shift P.T.O. \$195.00 Electric Tarp 425.00 Add 3" to front discharge conv., no charge. 84" wide body , no charge. Delivery 6-7 weeks.

Sincerely,

Conibear Equipment Co., Inc.

Robert E. Conibear

REC/jac




PHONE 858-4414 FAX 859-5367 8910 N. ROAD 98 LAKELAND, FLORIDA 33804-0215

MANUFACTURERS OF

CONIBEAR SPREADERS

A COMPLETE LINE OF TRACTOR DRAWN OR TRUCK MOUNTED SPREADERS

January 23, 2002



County of Lee 2955 Van Buren Street Ft. Myers, Fl 33916

Attention: Mr. Don C. Lawes

Dear Don,




In regards to the Sand Spreader with side front conveyor, the first spreader we manufactured was in July of 1987 for the City of Tampa. We have built several since then. Several people have copied our spreader, but as far as we know we are the only manufacturer building this type of unit.


Sincerely,

Conibear Equipment Co. Inc.

Robert E. Conibear

REC/jac






LEE COUNTY GOVERNMENT, DIVISION OF TLEUF ACTUAL TO EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

1. DEPARTMENT/DIVISION: (name) DOT OPERATIONS	
(number)	
2. REQUESTED BY: (print) CARROLL Johnston PHONE #: 941-694-	
	ن تورد
3. IS THIS A REPLACEMENT EQUIPMENT OR VEHICLE ? [] YES [] NO	
If yes: Asset #: 19265 Yr: 1991 Make: FNT. Model: 4600 Meter:	
4. WHAT TYPE OF EQUIPMENT OR VEHICLE ARE YOU REQUESTING?	
Select all appropriate boxes:	
[] Sedan [] Mid-Size [] ¼ Ton [] 2 Door [] Cargo [] Gasoline [] Station Wagon [] Full-Size [] ½ Ton [] 3 Door L-Side [] 7 Passenger [] Diesel [] Sport Util Veh [] Regular Cab [] ¾ Ton [] 3 Door R-Side [] 12 Passenger [] 4 Cylinde [] Pickup Truck [] Extended Cab [] 1 Ton [] 4 Door [] 15 Passenger [] 6 Cylinde [] Cab & Chassis [] Crew Cab [] Class 6 [] Utility Body	er er er der
Additional description for vehicles or equipment:	<u>J_</u>
Additional description for vehicles or equipment: 4.2/e-isls hauling Que,	
appropriate options below and list any additional options on the lines below: i.e. lift gates, 50' telestick be emergency lighting package, light-bar, 60" hydraulic rotary mower, etc. Please attach brochures if applicable ALL COUNTY VEHICLES ARE ORDERED WITH FOLLOWING STANDARD OPTIONS: Air Condition AM/FM Radio, Automatic Transmission, Rear Anti-Lock Brakes.	:
[] AM/FM/Cassette [] Bed-Liner [] Limited Slip [] Trailer Hitch Received [] Arrow Board A [] Strobe Light [] Power Win/Locks [] Tires – All Terrain [] Long Bed [] Floor – Carpet [] Seats – Cloth [] Tow Package [] Short Bed [] Floor – Rubber [] Seats – Vinyl [] Windows - Tinted	/er
6. WHAT WILL BE THE PRIMARY USE OF THE NEW EQUIPMENT OR VEHICLE? TRANSPORMATERIAL to JoB Sites to REPAIR Should FR EROSION PAUFMENT DROPORFS ASPHALT WORK. Specify Dimensions or Model S-0 ON HOW Manuface.	
5-P Page 1 of 2 Ver. 3.2 Fleet Use Only: # 02-029	

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

7.	FUNDING SOURCE:
	Vehicle Replacement Fund
	[] Capital, Please Specify Account String
	Other, Please Specify Account String
	If needed, please provide additional account strings:
	· · · · · · · · · · · · · · · · · · ·
8.	WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$ 45,000
RE 2ND	Stindlan 1/-1-0/ DATE IST LEVEL APPROVAL DATE U. C. J. ZOO! LEVEL APPROVAL DATE DATE DATE DATE
Орі	ion 1: [] QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.
Opt	ion 2: VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor poof funds (formerly known as surcharge funds). DEPARTMENT DIRECTOR DATE DAT
	* COUNTY MANAGER / DESIGNEE DATE
	* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.
	SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT
	RECOMMENDED IN.R.A.T.T. Oval Lawlo 0/28/0) FLEET ACQUISITION SPECIALIST OATT
	APPROVED IDECLINED AVAILABLE 1/4/02 DATE




LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM

1. DEPARTMENT/DI	VISION: (name) Do	t OPERAT	ions	
• .	(number)	42/2		X
2. REQUESTED BY:	(print) CARROLL	Johns Tow 1	PHONE #: 94/	1-694-33
3. IS THIS A REPLAC	CEMENT EQUIPMENT OF	R VEHICLE ? ⋈ YES	INO	
If yes: Asset #: <u>/92</u>	66 Yr./991 Make: _	Int. Model: 46	00 Met	er:
4. WHAT TYPE OF E	QUIPMENT OR VEHICLE	ARE YOU REQUESTIN	(G?	
Select all appropriate box	es:			
Station Wagon Sport Util Veh Pickup Truck	Regular Cab 14 Ton Extended Cab 1 Ton Crew Cab 1 Class 6 2 Wheel Drive 1 Class 7 4 Wheel Drive 1 Class 8	3 Door R-Side 4 Door Utility Body ^ Flat Bed ^ Dump Truck ^	7 Passenger 12 Passenger 15 Passenger Sliding Door Swing Door 	☐ Gasoline ☐ Diesel ☐ 4 Cylinder ☐ 6 Cylinder ☐ 8 Cylinder ☐ 10 Cylinder ☐ 10 Cylinder ☐ Dual RW
Additional description fo	r vehicles or equipment:	often Ola A	Jo / sag	Land
Son Speedd.	Justification on separate shee	I type be	· V	
	TLES ARE ORDERED WIT ic Transmission, Rear Anti-Loc Bed-Liner XI Strobe Light Floor = Carpet Floor = Rubber		Trai	Air Conditioning ler Hitch Receiver s – All Terrain / Package dows - Tinted
				70.4
	HE PRIMARY USE OF TH			·
	to JoBSitES T			
dropoffs	ASPHALT WO	r K		
^A Specify Dimensions or	Model		<u> </u>	
- 5·0 10·0	High Me			
5.0	Page 1 of 2 Ver. 3.2	Fleet Use Only: #	02-028	
14.0	rage for 2 relative	ricer esse comp. if _		

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

7.	FUNDING SOURCE:
	Xi Vehicle Replacement Fund
	[] Capital. Please Specify Account String
•	[] Other, Please Specify Account String
	If needed, please provide additional account strings:
8.	WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$ 45,000
D	DATE JOHN DATE
Ор	tion 1: [] QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.
Op	VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor poor funds (formerly known as surcharge funds). DEPARTMENT DIRECTOR DATE * COUNTY MANAGER / DESIGNEE DATE
	* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.
-	SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT [RECOMMENDED IN.R.A.T.T. DATE D

Fleet Use Only: # 04



LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM OF THE PRINT OF TYPES

1. DEPARTMENT/DIV	'ISION: (name) & &	ot operations
•	رnumber) <u>ح</u>	74212
2. REQUESTED BY: (print) CARROLL Jo	hnston PHONE#: 941-694-333
3. IS THIS A REPLAC	EMENT EQUIPMENT OF	R VEHICLE ? TYES TNO
If yes: Asset #: <u>/92</u>	68 Yr: 1990 Make: I	-NT. Model: 4600 Meter: 98,600 M
4. WHAT TYPE OF EQ	QUIPMENT OR VEHICLE	ARE YOU REQUESTING?
Select all appropriate box	es:	
[7] Other [] 4	Full-Size 1/2 Ton Regular Cab 1/4 Ton Extended Cab 1/1 Ton Frew Cab 1 Class 6 Wheel Drive 1 Class 7 Wheel Drive 1 Class 8	4 Door
		Aborials type bed
appropriate options	below and list any additional	R ACCESSORIES ARE REQUIRED? Please check all options on the lines below: i.e. lift gates, 50° telestick boom, alic rotary mower, etc. Please attach brochures if applicable:
	ES ARE ORDERED WITE Transmission, Rear Anti-Loc	H FOLLOWING STANDARD OPTIONS: Air Conditioning, ck Brakes.
│ │ AM/FM/Cassette ☑ Arrow Board ^A │ │ Long Bed │ │ Short Bed	Bed-Liner ≯ Strobe Light Eloor – Carpet Floor – Rubber	[] Limited Slip [] Power Win/Locks [] Trailer Hitch Receiver [] Tries − All Terrain [] Tow Package [] Windows - Tinted
6. WHAT WILL BE TI	IE PRIMARY USE OF THE	ENEW EQUIPMENT OR VEHICLE? TRANSPORT
MATERIAL	to JoB Siti	ES to REPAIR EROSion,
		ASPHALT WORK.
^A Specify Dimensions or M	Aodel	
- 5.0	, 1	- 00
_ 10.0 _	- HOIV	Mans enence.
	Page 1 of 2 Ver. 3.2	Maintenerce. Fleet Use Only: # 02-02/

LEE COUNTY GOVERNMENT, DIVISION OF FLEET MANAGEMENT EQUIPMENT AND VEHICLE REQUEST FORM (PLEASE PRINT OR TYPE)

7.	FUNDING SOURCE:
	Vehicle Replacement Fund
	[] Capital, Please Specify Account String
	Other, Please Specify Account String
	If needed, please provide additional account strings:
8.	WE ARE AUTHORIZING A PURCHASE NOT TO EXCEED: \$ 45,000
RE 2 ^{NC}	QUESTED BY DATE IST LEVEL APPROVAL DATE LEVEL APPROVAL DATE
Орі	tion 1: [] QUOTES AND REQUISITION. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to issue a requisition using the account string(s) provided above.
- Оր - -	tion 2: VEHICLE REPLACEMENT FUND PURCHASES. This option authorizes Fleet Management to obtain quotes and authorizes Fleet Management to purchase the equipment or vehicle using motor pool funds (formerly known as surcharge funds). DEPARTMENT DIRECTOR DATE
	* COUNTY MANAGER / DESIGNEE DATE
	* REQUIRED FOR ALL PURCHASES BETWEEN \$ 25,000 - \$50,000.
	SUBMIT THIS COMPLETED FORM TO FLEET MANAGEMENT
	[APPROVED [] DECLINED DATE DATE

