

ORTIZ AVENUE WIDENING - LANDSCAPE ANALYSIS

SR 884 TO SR 82
LEE COUNTY, FLORIDA

PROJECT BEGIN POINT: STA: 17+50.00
PROJECT END POINT: STA: 95+00.00

Prepared for:
KISINGER CAMPO AND ASSOCIATES

By:
Landscape Architect of Record
Gregory J. Diserio, R.L.A.
2221 McGregor Blvd.,
Fort Myers, FL 33901


INDEX OF DRAWINGS:

LANDSCAPE AND IRRIGATION PLANS


1	COVER SHEET
2	KEY SHEET
3	LANDSCAPE TABULATION OF QUANTITIES
4	LANDSCAPE NOTES
4.1-4.4	LANDSCAPE DETAILS
5	IRRIGATION TABULATION OF QUANTITIES
6	IRRIGATION NOTES
6.1-6.5	IRRIGATION DETAILS
7-21	LANDSCAPE PLANS
22-36	IRRIGATION PLANS

PROJECT ROADWAY DESIGN CRITERIA

- ROADWAY DESIGN SPEED: 45 MPH
- DESIGN VEHICLE: PASSENGER VEHICLE
- INTERSECTION DESIGN AND CLEAR SIGHT LINES DEPICTED HEREIN ARE ACCORDING TO FLORIDA DEPARTMENT OF TRANSPORTATION (FDOT) *FLORIDA GREEN BOOK*, 2018: STANDARD INDEX 546, FOUR LANE DIVIDED HWY.
- MINIMUM RECOVERABLE OFFSETS AND CLEAR ZONES, PER AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS (A.A.S.H.T.O.), 2018:
 - MINIMUM RESTRICTED HORIZONTAL CLEAR ZONE = 6'
 - MINIMUM NON-RESTRICTED CLEAR ZONE, MEDIANS = 20'
 - MINIMUM NON-RESTRICTED CLEAR ZONE, SHOULDERS = 24'



LOCATION MAP
FORT MYERS, FLORIDA



PLAN STATUS

LANDSCAPE PLANS 90%
IRRIGATION PLANS: 90%
MAINTENANCE OF TRAFFIC PLANS: By Others
SUBMITTED : APRIL 26, 2021

CALL 48 HOURS BEFORE YOU DIG

811

IT'S THE LAW!
DIAL 811

Know what's BELOW.
Call before you dig.

SUNSHINE STATE ONE CALL OF FLORIDA, INC.

AT LEAST 72 HOURS IN ADVANCE OF BEGINNING CONSTRUCTION OF THE PROJECT, THE CONTRACTOR SHALL CONTACT THE LOCAL MAINTENANCE FDOT ENGINEER'S OFFICE TO SECURE GENERAL USE PERMITS AND/OR OTHER PERMITS AS REQUIRED FOR WORKING WITHIN THE DEPARTMENT'S RIGHT-OF-WAY. FDOT FORT MYERS 239-656-7800.

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION






ORTIZ AVENUE WIDENING

COVER SHEET

SHEET NO.
COVER

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:29:49 PM, 1:1

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 - 220107 Drawings\OrtizAve_SR884 to SR82_LS.dwg, 4/26/2021 12:29:55 PM, 1:1



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

KEY SHEET

SHEET NO.
2

CORE LEVEL PLANT SCHEDULE

TREES	CODE	QTY	BOTANICAL NAME	COMMON NAME	SIZE
	PTY ELE	37	Ptychosperma elegans Non-Native	Alexander Palm	10` -12` CT
	ROY ELA	14	Roystonea elata Native	Florida Royal Palm	12` -16` CT
	TAB HET	12	Tabebuia heterophylla Non-Native	Pink Tabebuia	2" Cal., 10` Ht., 4` Sprd.; Standard
	THR RAD	62	Thrinax radiata Native	Florida Thatch Palm	6` - 8` Ht.
	VEI LAA	6	Veitchia montgomeryana Non-Native	Montgomery Palm	25 gal.

MISC.

MULCH: ALL PLANTINGS SHALL BE MULCHED WITH 3" DARK BROWN MULCH. PROVIDE MINIMUM MULCH RING AROUND ALL TREES PER LANDSCAPE NOTES AND DETAILS.

SOD: SITE SHALL BE SODDED WITH BAHIA SOLID SOD OR OWNER REQUIRED SOD SPECIES. VERIFY PRIOR TO BIDDING.

SOD REPAIR IN FDOT R.O.W. SHALL BE BAHIA.

CONTRACTOR RESPONSIBLE FOR MULCH AND SOD QUANTITIES.

NOTE: 15% NATIVE PLANTING DEVIATION IS REQUESTED DUE TO FRANGIBLE TREE PLANTING REQUIREMENTS IN DEPRESSED MEDIANS WITHOUT CURBING, UNTIL FUTURE LANES ARE ADDED.

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:29:59 PM, 1:1

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE TABULATION OF
QUANTITIES

SHEET
NO.

3

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 -SR82_1.S.dwg, 4/26/2021 12:30:04 PM, 1:1

GRADES AND STANDARDS

THIS CONTRACT IS SUBJECT TO THE RULES AND REGULATIONS OF GRADES AND STANDARDS FOR NURSERY PLANTS AS PUBLISHED BY THE DIVISION OF PLANT INDUSTRY, FLORIDA DEPARTMENT OF AGRICULTURE AND CONSUMER SERVICES.

ALL PLANTS NOT LISTED IN THE GRADES AND STANDARDS FOR NURSERY PLANTS, PUBLISHED BY THE DIVISION OF PLANT INDUSTRY, SHALL CONFORM TO A FLORIDA NO. 1 AS TO:

1. HEALTH AND VITALITY,
2. CONDITION OF FOLIAGE,
3. ROOT SYSTEM,
4. FREEDOM FROM PEST OR MECHANICAL DAMAGE,
5. HEAVILY BRANCHED AND DENSELY FOLIATED ACCORDING TO THE ACCEPTED NORMAL SHAPE OF THE SPECIES OR SPORT.

AT THE CONCLUSION OF THIS PLANTING, IF THE LANDSCAPE ARCHITECT OR OWNER HAS REASON TO BELIEVE THAT THE PLANTS ARE NOT OF THE SPECIFIED GRADE, HE WILL REQUEST A REGRADING INSPECTION BY THE DIVISION OF PLANT INDUSTRY, AND SUCH EVIDENCE

WILL BE THE BASIS FOR REQUESTING REPLACEMENT OF PLANTS AND FOR LEGAL OR OTHER ACTION TAKEN BY THE DIVISION OF PLANT INDUSTRY ACCORDING TO LAW, SHOULD THIS BECOME NECESSARY.

SITE MAINTENANCE PROGRAM

1. FROM THE NOTICE-TO-PROCEED DATE, A COMPREHENSIVE MAINTENANCE PROGRAM FOR ALL PLANT MATERIALS, IRRIGATION COMPONENTS AND ALL OTHER ITEMS INSTALLED OR TO BE MAINTAINED BY THE CONTRACTOR, SHALL COMMENCE AND CONTINUE DURING THE DURATION OF THE INSTALLATION AND MAINTENANCE PHASES OF THE CONTRACT AND UNTIL FINAL COMPLETION AND ACCEPTANCE BY LEE COUNTY. PLEASE REFER TO THE LANDSCAPE WORK AND SITE MAINTENANCE SECTIONS OF THE SPECIFICATIONS FOR FURTHER INFORMATION.
2. SITE MAINTENANCE TASKS INCLUDE, BUT ARE NOT LIMITED TO THE FOLLOWING TASKS:
 - A. MAINTAIN ALL NEWLY PLANTED MATERIALS BY WATERING, PRUNING, CULTIVATING, FERTILIZING AND WEEDING FOR HEALTHY GROWTH AND WEED FREE PLANTING AND MULCHED AREAS
 - B. RESTORE PLANTING SAUCERS, TIGHTEN AND REPAIR STAKING MATERIALS, RESET TREES OR PALMS TO PROPER GRADE ELEVATION AND VERTICAL POSITION
 - C. LITTER PICKUP AND REMOVAL
 - D. TREAT INSECT AND DISEASE ISSUES IN ORDER TO PROMOTE HEALTHY PLANT GROWTH AND BY UTILIZING INTEGRATED PEST MANAGEMENT, BEST MANAGEMENT PRACTICES AS APPROVED BY THE OWNER'S REPRESENTATIVE.
 - E. MAINTAIN ALL IRRIGATION SYSTEM COMPONENTS IN A FULLY OPERABLE CONDITION. CHECK FOR LINE BREAKS AND LEAKS, CLEAN FILTERS AND BUBBLER SCREENS OF DEBRIS AND CHECK FOR PROPER WATER DISTRIBUTION
 - F. PROVIDE REPORTS TO OWNER'S REPRESENTATIVE DETAILING MAINTENANCE WORK COMPLETED AND OTHER PERTINENT INFORMATION FOLLOWING EACH SITE VISIT
 - G. ROUTINE MOWING OF MEDIANS AND ROADSIDES, UNLESS NOTED OTHERWISE
 - H. EDGING BED LINES AND BACK-OF-CURBS/EDGE OF PAVEMENT
 - I. SOIL TESTING
 - J. REMULCHING
 - K. PLANT REPLACEMENTS

LEE COUNTY LANDSCAPE NOTES

1. INSTALLATION OF WORK SHALL BE COORDINATED WITH OTHER CONTRACTORS IN SUCH A MANNER AS TO ALLOW FOR A SAFE, SPEEDY AND ORDERLY COMPLETION OF ALL WORK ON THE SITE.
2. CONTRACTOR IS ADVISED TO REFER TO THE SPECIFICATIONS, CONTRACT DOCUMENTS AND PLAN SHEETS FOR A MORE DETAILED DISCLOSURE OF PERFORMANCE STANDARDS AND REQUIREMENTS.
3. THE CONTRACTOR IS CAUTIONED TO BE AWARE OF UNDERGROUND UTILITIES. PRIOR TO ANY EXCAVATION THE CONTRACTOR SHALL CONTACT THE JOB SITE SUPERINTENDENT, CALL SUNSHINE, CALL LEE COUNTY UTILITIES AND CALL LEE COUNTY TRAFFIC FOR LOCATIONS OF ALL UTILITIES A MINIMUM OF 48 HOURS BEFORE BEGINNING WORK.
4. ALL SOD SHALL BE SAND GROWN. THE CONTRACTOR SHALL BE RESPONSIBLE FOR ALL FINISH GRADING IN SOD AREAS. HAND RAKE PRIOR TO INSTALLING SOD. CONTRACTOR TO CUT IN AND MATCH NEW SOD TO EXISTING SOD. STAGGER JOINTS AND CLOSE ALL GAPS. ALL SOD TO BE ROLLED IMMEDIATELY AFTER INSTALLATION. ALL SOD SHALL BE CERTIFIED AS BEING FREE OF THE WEED TROPICAL SODA APPLE. (SOLANUM VIARUM)
5. CONTRACTOR SHALL APPLY A MINIMUM OF 2 APPLICATIONS OF APPROVED HERBICIDE TO EXISTING TURFGRASS AREAS WHERE IT WILL BECOME A PLANTED OR MULCHED AREA AS A RESULT OF THIS PROJECT. HERBICIDE MUST BE APPLIED BEFORE COMMENCING ANY GRADING OPERATIONS. CONTRACTOR SHALL REVIEW KILL WITH OWNER'S REPRESENTATIVE FOR APPROVAL ALL HERBICIDES MUST BE APPLIED BY LICENSED APPLICATORS AND PER THE MANUFACTURER'S RECOMMENDED RATES AND INSTRUCTIONS. POST ALL APPLICATION NOTICES.
6. CONTRACTOR SHALL INSTALL ALL SOIL AS REQUIRED BY THE PROJECT. CONSTRUCT ANY BERM TO BLEND IN WITH EXISTING GRADE. ALL SOIL MATERIAL SHALL BE CLEAN SOIL SUITABLE FOR PLANT GROWTH. SUBMIT SOIL SAMPLE TO OWNER'S REPRESENTATIVE FOR REVIEW AND APPROVAL ALL AREAS TO BE GRADED SHALL RECEIVE A SMOOTH UNIFORM HAND GRADE. NO SOIL IS TO BE PLACED AROUND EXISTING TREES.
7. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE REMOVAL OF ALL EXCESS SOIL AND DEBRIS FROM THE INSTALLATION OF THIS PROJECT, AND IT SHALL TAKEN TO A LAWFUL DISPOSAL SITE.
8. MULCH ALL NEWLY PLANTED AREAS AND AREAS TO RECEIVE MULCH WITH A SETTLED 3" DEPTH OF THE SPECIFIED RECYCLED MULCH. TREES AND PALMS WITHIN AREAS OF TURFGRASS SHALL BE MULCHED TO THEIR DRIPLINE OR STAKES, WHICHEVER IS GREATER. STAKES SHALL BE AT LEAST 6" INSIDE THE MULCHED RING.
9. THE CONTRACTOR SHALL HAND WATER ALL PLANT MATERIAL DAILY UNTIL SUBSTANTIAL COMPLETION. THE CONTRACTOR SHALL BE LIABLE FOR REPLACING PLANT MATERIALS EXPERIENCING TRANSPLANT SHOCK OR IMPROPER CARE, AT ANYTIME DURING THE COURSE OF THE CONTRACT PERIOD.
10. CONTRACTOR SHALL REPAIR ANY AREAS DISTURBED DURING THE COMPLETION OF WORK.
11. ALL PLANT MATERIAL SHALL CONFORM TO THE STANDARDS FOR FLORIDA NUMBER 1 OR BETTER AS ESTABLISHED IN "GRADES AND STANDARDS FOR NURSERY PLANTS", STATE OF FLORIDA, DEPARTMENT OF AGRICULTURE.
12. ALL PLANT MATERIAL MUST BE APPROVED BY THE OWNER'S REPRESENTATIVE. 13. CONTRACTOR SHALL STAKE ALL TREES AND PALMS PER THE STAKING DETAILS. 14. ALL TREE RINGS AND MULCHED AREAS EVIDENCING WEED GROWTH SHALL BE SPRAYED WITH THE APPROVED HERBICIDE AT THE MANUFACTURER'S RECOMMENDED APPLICATION RATE. MULCHED AREAS SHALL REMAIN WEED FREE UNTIL FINAL ACCEPTANCE.
15. THE OWNER RESERVES THE RIGHT TO MODIFY PLANT PLACEMENT IN THE FIELD AS CONDITIONS DICTATE.
16. PLANT MATERIAL SHALL BE INSTALLED CONCURRENT WITH THE IRRIGATION BUBBLER SYSTEM. FUNNY PIPE INSTALLED TO MAKE COMPLETE RING AROUND BASE OF TREE, WITH BUBBLERS INSTALLED IN RING. NO STAPLES.
17. THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS PRIOR TO COMMENCING ANY WORK.
18. THE ROOT FLAIR AND ORIGIN OF THE FIRST EMERGING ROOT OF THE ROOT BALL SHALL BE 2" ABOVE FINISH GRADE AND VISIBLE AT INSPECTION. IF NOT, THE TREE WILL BE REJECTED.
19. FOR ALL PLANTING AREAS, MODIFY THE EXISTING SOIL TO A DEPTH OF AT LEAST 18", ADD A 2"-3" LAYER OF APPROVED ORGANIC MATTER AND THOROUGHLY MIX THE ORGANIC MATTER WITH THE EXISTING SOIL TO A MINIMUM DEPTH OF 4"

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE NOTES

SHEET NO.
4.0


LANDSCAPE DETAILS



NOTE: TRANSITION ZONE SHALL BE MAINTAINED FREE OF GRASS OR WEEDS WITH ROUNDUP OR APPROVED SUBSTITUTE


NOTE: SEE PLANS FOR MULCH LOCATION EXTENTS

TREE MULCHING DETAIL



PALM SIZING SPECIFICATION

N.T.S.



TREES WITH SHARP 'V' SHAPED BRANCHING AT THE TRUNK WILL NOT BE ACCEPTED.

TREE SIZING SPECIFICATION

N.T.S.

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING


LANDSCAPE DETAILS

4.1

SHEET NO.
4.1

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:30:10 PM, 1:1


LANDSCAPE DETAILS



1. SELECT SINGLE LEADER & MULTI-TRUNK TREES WITH UPRIGHT GROWTH HABIT AND 6 FEET (6') OF CLEAR TRUNK AT TIME OF PLANTING.
2. PRUNE LOWER LIMBS AFTER TREE MATURES TO REMOVE BRANCHES FROM LOWER PORTION OF TREE, UP TO A HEIGHT OF EIGHT FEET SIX INCHES (8' 6").
3. INSPECT AND PRUNE TREES EACH YEAR FOR FIRST FIVE YEARS OF PROGRAM PLANTING. INSPECT AND PRUNE EVERY OTHER YEAR THEREAFTER AS REQUIRED. MAINTAIN FIFTEEN (15') FEET OF CLEARANCE OVER TRAVEL LANES FOR LIFE OF THE TREE.

ROADSIDE TREE SELECTION AND MAINTENANCE

N.T.S.



1. SELECT SINGLE LEADER & MULTI-TRUNK PALMS WITH UPRIGHT GROWTH HABIT AND 6 FEET (6') OF CLEAR TRUNK AT TIME OF PLANTING.
2. PRUNE LOWER FRONDS AFTER PALM TREE MATURES TO REMOVE FRONDS FROM LOWER PORTION OF PALM, UP TO A HEIGHT OF EIGHT FEET SIX INCHES (8' 6").
3. INSPECT AND PRUNE PALMS EACH YEAR FOR FIRST FIVE YEARS OF PROGRAM PLANTING. INSPECT AND PRUNE EVERY OTHER YEAR THEREAFTER AS REQUIRED. MAINTAIN FIFTEEN (15') FEET OF CLEARANCE OVER TRAVEL LANES FOR LIFE OF THE PALM.

ROADSIDE PALM SELECTION AND MAINTENANCE

N.T.S.

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:30:20 PM, 1:1

REVISIONS	
DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

LANDSCAPE DETAILS

SHEET NO.

4.2

LANDSCAPE DETAILS



TREE & PALM PLANTING NOTES

1. PREPARE PLANTING HOLE TO ANSI 300 STANDARDS.
2. INSTALL TREE SUMP PER PLANTING DETAIL.
3. REMOVE EXCESS SOIL FROM TOP OF ROOTBALL, EXPOSING ROOT FLARE AND UPPER MOST ROOTS.
4. PLACE ROOTBALL IN THE HOLE AND STRAIGHTEN PLANT, INSURING THE ROOT FLARE AND TOP ROOT OF THE ROOTBALL IS AT LEAST 2" ABOVE FINISHED GRADE.
5. BALLED AND BURLAPPED MATERIAL:
 - a. REMOVE BURLAP AND TWINE/ROPE FROM TRUNK AND TOP OF ROOTBALL.
 - b. GENTLY REMOVE ALL NON-BIODEGRADABLE MATERIAL FROM THE ROOTBALL AND PLANT.
 - c. WIRE BASKETS: GENTLY BEND DOWN OR REMOVE WIRE FROM TOP OF ROOTBALL AND WHERE IT IS BELOW FINISH GRADE.
6. CONTAINER MATERIAL:
 - a. MAKE 3 TO 6 VERTICAL SLICES TO THE INSIDE OF THE ROOTBALL ADJACENT TO THE TRUNK.
 - b. MAKE COMPLETE SLICES PARALLEL TO THE SIDES OF THE ROOTBALL, 1"-2" FROM THE EDGE OF THE ROOTBALL AND COMPLETELY AROUND THE PERIMETER OF THE ROOTBALL.
7. BACKFILL 25% OF THE HOLE DEPTH. WATER AND TAMP IN WHILE MAINTAINING THE PLANT IN A VERTICAL POSITION.
8. BACKFILL AN ADDITIONAL 25% OF THE HOLE DEPTH. WATER AND TAMP IN WHILE MAINTAINING THE PLANT IN A VERTICAL POSITION.
9. BACKFILL AN ADDITIONAL 25% OF THE HOLE DEPTH. WATER AND TAMP IN WHILE MAINTAINING THE PLANT IN A VERTICAL POSITION.
10. BACKFILL THE REST OF THE HOLE TO THE TOP OF THE ROOTBALL AND THOROUGHLY WATER IN, MAINTAINING THE PLANT IN A VERTICAL POSITION.
11. ADD 3" OF THE SPECIFIED MULCH FROM THE PERIMETER OF THE ROOTBALL TO THE DRIPLINE, CURB, BED DEMARCATION LINE OR AS NOTED ON THE PLANS.
12. ANY DEVIATION FROM THE ABOVE PROCESS OR IMPROPER HANDLING WILL NOT BE CONSIDERED AS INDUSTRY STANDARDS AND WILL BE CAUSE FOR REJECTION OF WORK.
13. ONLY PLANTS WITH PROPERLY PRUNED ROOT SYSTEMS WILL BE ACCEPTED.
14. BALLED AND BURLAPPED TREES MUST HAVE THEIR CANOPY PROPERLY HARDENED-OFF FOR ACCEPTANCE.
15. TREES WITH CENTER STAKES WILL NOT BE ACCEPTED.

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:30:30 PM, 1:1

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE DETAILS

SHEET NO.
4.3

LANDSCAPE DETAILS



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82.dwg, 4/26/2021 12:30:40 PM, 1:1

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION











ORTIZ AVENUE WIDENING

LANDSCAPE DETAILS

SHEET NO.
4.4

IRRIGATION SCHEDULE

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY	DETAIL
	Hunter PCB-R 10 Flood Bubbler, 1/2" FIPT. With Purple Cap for Reclaimed Water Use.	266	Reference Landscape Note #16 and Reference Irrigation Note #19.


SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	QTY	DETAIL
	Rain Bird 300-BPE-NP-HAN Globe 3" 3" Brass Electric Remote Control Valve, with Globe Configuration. With Purple Flow Control Handle for Non-Potable Water Applications. Master Valve.	1	
	Rain Bird PESBR 2" 1", 1-1/2", and 2" Durable Chlorine-Resistant Valves for Reclaimed Water Applications. With Scrubber Mechanism Technology, and Purple Flow Control Handle.	6	
	3" Gate Valve Mainline	6	
	Hunter ACC-99D 2-Wire Decoder Controller with 99 station capacity, metal cabinet.	1	
	Hunter CLIK-DELAY When installed with a Rain-Clik rain sensor, the Hunter Clik-Delay is designed to delay controller activation for 48 hours after the rain has stopped.	1	/
	Hunter ICD-100 Single Station Decoder w/Surge Suppression and Ground Wire	5	/
	Rain Bird MGP-1 Provides a mounting location for MSP-1 or other grounding wires directly to a grounding rod or pipe. Installed on grounding rod or pipe. Surge protection for Two-Wire Satellite and Decoder Systems.	3	
	Pull Box Electrical Conduit	7	
	Water Meter 3" REUSE WATER CONNECTION	1	
	Point of Connection 6" WELL	1	
—————	Irrigation Lateral Line: PVC Class 200 SDR 21-NP 1"	4,100 l.f.	
—————	Irrigation Lateral Line: PVC Class 200 SDR 21-NP 1 1/4"	1,500 l.f.	
—————	Irrigation Lateral Line: PVC Class 200 SDR 21-NP 1 1/2"	1,210 l.f.	
—————	Irrigation Lateral Line: PVC Class 200 SDR 21-NP 2"	1,400 l.f.	
—————	Irrigation Lateral Line: PVC Class 200 SDR 21-NP 2 1/2"	350 l.f.	
—————	Irrigation Mainline: PVC Class 200 SDR 21-NP 3"	4,800 l.f.	
-----	Pipe Sleeve: HDPE PE4710 DR 13.5	1,500 l.f.	
-----	2" GRAY PVC SCH 40 IRRIGATION ELECTRICAL CONDUIT	4,220 l.f.	

NOTE:
CONTRACTOR TO VERIFY ALL QUANTITIES PRIOR TO BIDDING.

PIPE SIZING CHART

	GPM	SIZE
SCHEDULE 40	1-13	1"
	14-22	1-1/4"
	23-30	1-1/2"
	31-50	2"
	51-70	2-1/2"

Flows shall maintain velocities of less than 5 feet per second



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:30:49 PM, 1:1

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION TABULATION OF QUANTITIES

SHEET NO.
5

LEE COUNTY IRRIGATION NOTES

1. VERIFY LOCATIONS OF ALL UNDERGROUND UTILITIES PRIOR TO INSTALLATION OF IRRIGATION SYSTEM. MAINLINE SHALL NOT BE LOCATED WITHOUT PRIOR APPROVAL OF THE PROJECT MANAGER AND THE LANDSCAPE ARCHITECT. ALL UTILITIES AND STRUCTURES MAY NOT BE SHOWN ON THESE PLANS -- CONTRACTOR SHALL VERIFY.
2. ALL PRESSURE MAINLINES UNDER ASPHALT PAVEMENT SHALL BE WITHIN SLEEVES AS NOTED. LATERAL LINES SHALL BE CONTAINED WITHIN THEIR OWN SLEEVE WHERE SHOWN ON THE PLAN. ALL HDPE SLEEVES SHALL HAVE LOCATOR BALLS PLACED NO DEEPER THAN FOUR FEET (4') BELOW FINISHED GRADE.
3. IRRIGATION COMMUNICATION CABLE SHALL HAVE ITS OWN SEPARATE SLEEVE. ALL CONTROL WIRE CONDUIT SHALL BE A MINIMUM OF TWO INCH (2") DIAMETER.
4. ALL SLEEVES UTILIZED BY THE IRRIGATION CONTRACTOR, WHETHER INSTALLED BY HIM OR NOT, SHALL BE LOCATED ON THE "AS-BUILT" DRAWINGS. THE DEPTH BELOW FINISH GRADE, TO THE NEAREST FOOT OF EACH END OF EACH SLEEVE SHALL BE NOTED AT EACH SLEEVE LOCATION ON THE "AS-BUILT" DRAWINGS.
5. MAINLINE AND VALVES ARE SHOWN IN SCHEMATIC FORM. LOCATE AS NOTED ON PLANS.
6. LOCATED ALL VALVES A MINIMUM OF 60" FROM BACK OF CURB OR EDGE OF PAVEMENT, UNLESS NOTED OTHERWISE.
7. ALL UNSIZED PIPE SHALL BE 1" UNLESS OTHERWISE NOTED.
8. ALL VALVES SHALL BE INSTALLED IN CARSON SPECIFICATION GRADE VALVE BOX, RECTANGLE 14"X 19"X12", WITH PURPLE LOCKING LID STAMPED "LCDOT IRRIGATION". SEE DETAILS FOR MODEL NUMBERS.
9. IRRIGATION CONTRACTOR SHALL SECURE ANY AND ALL NECESSARY PERMITS FOR THE WORK PRIOR TO THE COMMENCEMENT OF HIS OPERATIONS ON-SITE. COPIES OF THE PERMITS SHALL BE SENT TO THE OWNER/GENERAL CONTRACTOR. WORK IN THE R.O.W. SHALL CONFORM TO THE STANDARDS AND SPECIFICATIONS OF LOCAL AND/OR STATE HIGHWAY JURISDICTION.
10. VERIFY MAINLINE POINT OF CONNECTION AND ELECTRICAL POWER LOCATION AT PROJECT SITE WITH OWNER.
11. USE ONLY PAIGE ELECTRIC P1012D - 180160 12 AWG BLACK COMMUNICATION CABLE TO BE LAID ALONG SIDE OF IRRIGATION MAINLINE WHERE APPLICABLE. ID2BLU CABLE FOR ALL ROUTING OF CONTROLLER. PAIGE ID20RG 12 AWG COMMUNICATION CABLE TO BE LAID ALONG SIDE OF IRRIGATION MAINLINE WHERE APPLICABLE. ID20RG CABLE FOR ALL ROUTING SOUTH OR EAST OF CONTROLLER.
12. ALL CONNECTIONS TO THE FIELD DECODERS ALONG THE 2-WIRE PATH SHALL BE ACCOMPLISHED VIA THE USE OF 3M DBR-6 WIRE CONNECTORS. THIS ALSO INCLUDES ALL GROUND RODS AND THE CONNECTION TO THE CONTROLLER. CONTRACTOR SHALL FOLLOW MANUFACTURE'S INSTALLATION SPECIFICATIONS.
13. DURING INSTALLATION AND UPON COMPLETION OF THE IRRIGATION SYSTEM, VALVES SHALL BE WIRED TO THE CONTROLLER STATION AS PER THE IRRIGATION ZONE NUMBERS.
14. ALL CONNECTIONS TO THE IRRIGATION MAINLINE SHALL BE ACCOMPLISHED VIA THE USE OF DUCTILE IRON SERVICE TEES. ALL CHANGES IN DIRECTION OF THE MAINLINE SHALL BE ACCOMPLISHED VIA THE USE OF DUCTILE IRON 45 DEGREE ELBOWS.
15. CONTRACTOR SHALL INSTALL METALIZED IDENTIFICATION TAPE ABOVE ALL IRRIGATION MAINLINES AS SHOWN ON THE TRENCHING DETAIL.
16. RESTORE ALL DISTURBED AREAS. SEED AREAS WITH ARGENTINE BAHIA GRASS THAT ARE LESS THAN 12" WIDE AT THE RATE OF 10 LBS. PER 1000 SQUARE FEET. SOD AREAS 12" OR WIDER WITH ARGENTINE BAHIA GRASS SOD. PROVIDE A SMOOTH TRANSITION BETWEEN THE REPAIRED DISTURBED AREAS AND THE UNDISTURBED AREAS.
17. INSTALLATION OF WORK SHALL BE COORDINATED WITH OTHER CONTRACTORS IN SUCH A MANNER AS TO ALLOW FOR A SPEEDY AND ORDERLY COMPLETION OF ALL WORK ON THE SITE.
18. PRODUCTS SHALL BE AS SPECIFIED.
19. PLANT MATERIAL SHALL BE INSTALLED CONCURRENT WITH THE IRRIGATION BUBBLER SYSTEM. FUNNY PIPE INSTALLED TO MAKE COMPLETE RING AROUND BASE OF TREE, WITH BUFFLERS INSTALLED IN RING. NO STAPLES.

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:30:54 PM, 1:1

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

IRRIGATION NOTES AND
DETAILS

SHEET
NO.
6.0

IRRIGATION DETAILS

JUMBO CDR VALVE BOX, A10-1324-18 WITH LOCKING LID. SET ON BRICK SUPPORTS (4). PROVIDE NON-WOVEN FILTER FABRIC WITH 4" LAYER OF PEA GRAVEL ON TOP OF FILTER FABRIC. TAPE FILTER FABRIC TO EXTERIOR OF VALVE BOX WITH DUCT TAPE, PROVIDE A 4" OVERLAP FROM BOTTOM OF BOX. BOX SHALL BE SET FLUSH AND LEVEL WITH GRADE.

1 1/4" RED & WHITE GATE VALVE. PROVIDE 6" LONG NIPPLE AT OUTLET VALVE INLET SIZED SCH 40 PVC THREADED NIPPLE CONNECTED TO VALVE.

CUT OFF THREADED END AT FLANGED CONNECTION END AND SOLVENT WELD TO FLANGE.


CDR VALVE BOX, A10-1015-12 WITH 6" SCH PVC SLEEVE DOWN TO VALVE. SLEEVE SHALL NOT BEAR ON VALVE

FINISHED GRADE/
TOP OF MULCH

PRESSURE CHECK STATION
TO BE INSTALLED UPSTREAM
PRESS GAUGE 0-160 PSI
ROTATE WITH FACE UP TO
VALVE BOX LID

TEE, S x S x T

IRRIGATION MAIN
REFER TO PLAN FOR SIZE(S)




NOTES:
ALL THREADED RODS, NUTS
AND WASHERS SHALL BE
STAINLESS STEEL

OPEN AND SLOWLY CLOSE THE VALVES DURING FLUSHING.
OPEN 1 1/4" VALVE FIRST, THEN OPEN LARGER VALVE. USE
A MINIMUM TIME OF 30 SECONDS FOR OPENING OR CLOSING
EACH VALVE UNDER PRESSURE

IRRIGATION MAINLINE BLOW-OFF INSTALLATION

NTS



TRENCHING DETAIL

NTS

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION


ORTIZ AVENUE WIDENING

IRRIGATION DETAILS

SHEET
NO.

6.1

IRRIGATION DETAILS




INSTALLATION NOTES

1. 3000 PSI CONCRETE OR BETTER IS TO BE USED FOR THRUST BLOCKS.
2. FOR 45°/90° FITTINGS, MINIMUM OF 2 CUBIC FEET OF CONCRETE TO BE USED.
3. FOR 22-1/2" FITTINGS, MINIMUM OF 0.5 CUBIC FEET OF CONCRETE TO BE USED.
4. FOR TEES, MINIMUM OF 2 CUBIC FEET OF CONCRETE TO BE USED.

THRUST BLOCKS REQUIRED FOR IRRIGATION MAINLINE 2" AND LARGER.

THRUST BLOCK REINFORCEMENT

NTS



MAINLINE ISOLATION VALVE DETAIL

N.T.S.

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:31:15 PM, 1:1

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION DETAILS

SHEET NO.

6.2

IRRIGATION DETAILS

CARSON SPECIFICATION GRADE VALVE BOX: RECTANGLE, 14"X 19"X12", PURPLE LID, OVERLAPPING RWDNDES; ROUND 10", PURPLE BOX/PURPLE LID OVERLAPPING RWDNDES.

BOXES SHALL BE STAMPED "LCDOT IRRIGATION"

UNION-PVC SCHEDULE 40

RED AND WHITE SERIES 206 GATE VALVE PER LINE SIZE
NOTE: WHERE CONTROL VALVES ARE MANIFOLDED AS A GROUP ONLY ONE GATE VALVE IS REQUIRED AT THE MAINLINE BRANCH.

90° ELL-PVC SCHEDULE 40

SCHEDULE 80 PVC NIPPLE

DUCTILE IRON SERVICE TEE

MAIN SUPPLY LINE

MODEL NUMBERS:
100-PESB-R: 1"
150 PESB-R: 1 1/2"
200 PESB-R: 2"

6" GRAVEL SUMP

CONTROL WIRE WITH IDENTIFICATION TAG


TO SPRINKLERS

CONTINUOUS BRICK SUPPORTS

WRAP BOTTOM & OUTSIDE OF VALVE PIT W/ FILTER FABRIC TO AID IN PREVENTING ADJACENT SOIL FROM ENTERING THE VALVE BOX, WRAP TIGHTLY AROUND PIPES. MAINTAIN CLEAR SPACE BETWEEN BOTTOM OF VALVE & BOTTOM OF VALVE PIT. DO NOT ALLOW BOX TO REST ON PIPE. MAINTAIN 4" CLEARANCE.

RAIN BIRB PESB-R SERIES CONTROL VALVE

NTS



- ① WIRE FROM ICD 100 DECODER (1 OF 2)
- ② ICD 100 DECODER
- ③ WIRE FROM ICD 100 DECODER (1 OF 2)
- ④ HIT DBC-Y WIRE CONNECTORS
- ⑤ 5' MIN. LENGTH OF 12-2 GAUGE SOLENOID WIRE
- ⑥ REMOTE CONTROL VALVE
- ⑦ CDR VALVE BOX WITH LOCKING COVER: A10-1118-12
- ⑧ FINISH GRADE / TOP OF MULCH
- ⑨ BRICK (1 OF 4)
- ⑩ PVC MAINLINE PIPE
- ⑪ 6" GRAVEL SUMP
- ⑫ PVC LATERAL PIPE
- ⑬ TWO-WIRE CABLE TO NEXT DEVICE (FIELD DECODER, SENSOR DECODER, ACC CONTROLLER)
- ⑭ COMMUNICATION WIRE TO NEXT DEVICE (FIELD DECODER, SENSOR DECODER, OR ACC CONTROLLER)
- ⑮ LANDSCAPE FABIC LINING BOTTOM OF VALVE BOX
- ⑯ 3M DBR-6 WIRE CONNECTORS

ICD 100 DECODER CONNECTION TO VALVE

NTS

REVISIONS

DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION DETAILS

SHEET NO.

6.3

IRRIGATION DETAILS



ICD 100 DECODER WIRING TO VALVE AND CONTROLLER

NTS

ICD 100 DECODER WIRING DIAGRAM

NTS

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:31:35 PM, 1:1

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
 DEPARTMENT OF TRANSPORTATION
 ORTIZ AVENUE WIDENING

IRRIGATION DETAILS

SHEET NO.
6.4

IRRIGATION DETAILS





NOTES:

- 1) 6" WELL
- 2) ISOLATION VALVE
- 3) DUCTILE IRON SERVICE TEE
- 4) MAINLINE
- 5) CONTROLLER - HUNTER IRRIGATION CONTROLLER W/ACCPEPGRPRS MODULE
- 6) RAIN SENSOR
- 7) 55"W X 64"L X 52"H FOREST GREEN FIBERGLASS FLIP TOP COVER
- 8) 60"W X 10"L WELDED ALUMINUM FRAME
- 9) UL LISTED CONTROL PANEL IN A FIBERGLASS ENCLOSURE WITH FAULT RESET/DETECTION, LOSS OF PRIME, LOW AND HIGH PRESSURE, AND TRANSIENT SURGE PROTECTION .
- 10) 8" X 16" VENT (FRONT AND REAR)
- 11) STAINLESS STEEL LOCKABLE HASP
- 12) STAINLESS STEEL HINGE AND HARDWARE
- 13) 5'W X 1'L X 4'T CONCRETE SLAB

PUMP PERFORMANCE TO BE DETERMINED BASED ON WELL PRODUCTION AND WATER USE PERMIT, BY OTHERS.

WELL ENCLOSURE WITH IRRIGATION CONTROLLER



GROUNDING PLATE DETAIL

NTS

REVISIONS

DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING


IRRIGATION DETAILS

SHEET NO.



6.5

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:31:55 PM, 1:1

COLONIAL BLVD., SR 882



45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING


LANDSCAPE PLAN

SHEET NO.
7

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:00 PM, 1:1





 Area of existing vegetation removal.

 Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED




REVISIONS	
DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

LANDSCAPE PLAN
SHEET NO. **8**

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:05 PM, 1:1





 Area of existing vegetation removal.

 Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
9



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:10 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
10



THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.
 P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:15 PM, 1:1



45 MPH DESIGN SPEED

Available/Proposed planting area
 outside of clear recoverable zone.

24' Horizontal clear recoverable area.



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION





LEE COUNTY
 DEPARTMENT OF TRANSPORTATION
 ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
11



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:20 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
12



P:\Drawings\2020_Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:25 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

45 MPH DESIGN SPEED

24' Horizontal clear recoverable area.



REVISIONS	
DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

ROUND-A-BOUT MEDIAN
ENLARGEMENT @ HANSON ST.

SHEET NO.
13


P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 - 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:30 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.

14



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:35 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
15



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 -SR82_LS.dwg, 4/26/2021 12:32:40 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
16



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:45 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION



ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
17

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:50 PM, 1:1



THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION


ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
18

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:32:55 PM, 1:1



THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



Available/Proposed planting area
outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION





LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
19



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:00 PM, 1:1



Available/Proposed planting area outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE PLAN

SHEET NO.
20



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:05 PM, 1:1



Available/Proposed planting area
outside of clear recoverable zone.

24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



M.L.K., JR. BLVD. SR 82

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

LANDSCAPE PLAN


SHEET NO.
21

\$USERS \$DATES \$TIMES \$FILES

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:10 PM, 1:1

COLONIAL BLVD., SR 882

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
22

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:15 PM, 1:1

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING


IRRIGATION PLAN

SHEET NO.
23


THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.
 P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:20 PM, 1:1



45 MPH DESIGN SPEED



SCALE: 1" = 40'




REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION





LEE COUNTY
 DEPARTMENT OF TRANSPORTATION
 ORTIZ AVENUE WIDENING

IRRIGATION PLAN
 SHEET NO.
24

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:25 PM, 1:1



45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

SUSERS SDATES \$TIMES \$FILES

SHEET NO.
25

GRANT OF 20' DRAINAGE EASEMENT TO CITY OF FORT MYERS INST. 2009000228821, L.C.R.

PARCEL 28-44-25-P3-1400A.0000

EXIST. DRAINAGE EASEMENT

SCOTFIELD ST.

PARCEL 28-44-25-P3-00101.0010

PARCEL 28-44-25-P3-00101.0010

LOT 19
BLOCK 2

E 11' OF LOT 17
BLOCK 2

LOTS 8-23
BLOCK 1
LOTS 1-10, 17-22, 25-30
BLOCK 2
O.R. 1305 PG. 1/87

EXIST. LOT 18
BLOCK 2

LIFT STATION ACCESS PANELS LOCKED

DRAWN TO OPEN

500
50' F

EXIST. R/W LINE

EXIST. R/W LINE

EXIST. R/W LINE

EXIST. R/W LINE

IST. R/W LINE
- EXIST. POLE

EXIST. R/W LINE

MATCHLINE 'C'

MATCHLINE 'D'

AVE. SB

.. NB

ORTIZ AVE. SB

ORTIZ AVE. NB

IRRIGATION MAINLINE

IRRIGATION LATERAL

1
2" 63.0

ELECTRICAL CONDUIT

EXIST. POLE

EXIST. POLE

EXIST. POLE

EXIST. POLE


10' PAVED TRAIL

10' PAVED TRAIL


10' SHLDR. (5' PAVED)

4' SHLDR. (2' PAVED)



8' SHLDR. (5' PAVED)



P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:30 PM, 1:1



45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING



IRRIGATION PLAN

SHEET NO.
26

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:35 PM, 1:1



45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
27

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:40 PM, 1:1



PARCEL 28-44-25-P1-00002.0000

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING



ROUND-A-BOUT MEDIAN @ ORTIZ AVE.

SHEET NO.
28

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 - 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:45 PM, 1:1



45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING



IRRIGATION PLAN

SHEET NO.
29

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:50 PM, 1:1



45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
30

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:33:55 PM, 1:1



24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
31

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:34:00 PM, 1:1



24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
32

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 -SR82_LS.dwg, 4/26/2021 12:34:05 PM, 1:1



24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
33

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82 220107 Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:34:10 PM, 1:1



24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION




LEE COUNTY
DEPARTMENT OF TRANSPORTATION

ORTIZ AVENUE WIDENING

IRRIGATION PLAN



SHEET NO.
34

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82.dwg, 4/26/2021 12:34:15 PM, 1:1



24' Horizontal clear recoverable area.

45 MPH DESIGN SPEED



REVISIONS	
DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION


ORTIZ AVENUE WIDENING

IRRIGATION PLAN

SHEET NO.
35

P:\Drawings\2020 Jobs\Ortiz Ave SR884 to SR82_220107\Drawings\OrtizAve_SR884-SR82_LS.dwg, 4/26/2021 12:34:20 PM, 1:1

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.



45 MPH DESIGN SPEED

REVISIONS			
DATE	DESCRIPTION	DATE	DESCRIPTION



LEE COUNTY
DEPARTMENT OF TRANSPORTATION
ORTIZ AVENUE WIDENING

IRRIGATION PLAN

SHEET NO.
36

\$USERS \$DATES \$TIMES \$FILES