

Regional office as of the month of July for that year. Lee County will notify the vendor of the increase amount. This increased amount will begin with the billing for the month of October.

**Required Information**

The following information must be supplied to Lee County prior to the commencement of work under this contract:

- a. All employee background checks
- b. Material Safety Data Sheets for chemicals being used
- c. Sample employee identification badge
- d. Names and phone numbers of vendor contact personnel
- e. Annual cleaning task list, to include the two day a week dusting schedule
- f. Sample cleaning personnel sign-in sheet
- g. Statement certifying that all bathroom cleaner, general-purpose cleaners, floor care products and glass cleaners conform to Green Seal standards.
- h. Insurance certificates

**PRICING**

TOTAL ANNUAL CHARGES	\$ <u>6,336.00</u>
	ANNUAL COST

**THE FOLLOWING FEES ARE TO BE USED, AS NEEDED, FOR THIS BUILDING IN ORDER TO MODIFY THE CONTRACT PRICES THROUGHOUT ITS TERM IF NECESSARY:**

<u>HOURLY RATE FOR EMERGENCY</u>	\$ <u>48.00</u>
	PER PERSON PER HOUR

<u>COST TO ADD OR DELETE A DAY OF SERVICE</u>	\$ <u>24.00</u>
(THIS IS TO BE ONLY ONE FIGURE)	P.S.F. PER DAY

For this project, sub-contracting for special cleaning tasks such as, but not limited to, window cleaning and pressure washing of buildings will be allowable; however, in regards to the day to day general cleaning, no sub-contracting will be allowed for this project.



INFORMAL TELEPHONE QUOTE NO.: IT120491

DATE SUBMITTED: 8/31/2012

VENDOR NAME: USSI

ANTI-COLLUSION STATEMENT

**THE BELOW SIGNED QUOTER HAS NOT DIVULGED TO, DISCUSSED OR COMPARED HIS QUOTE WITH OTHER QUOTERS AND HAS NOT COLLUDED WITH ANY OTHER QUOTER OR PARTIES TO A QUOTE WHATSOEVER. NOTE; NO PREMIUMS, REBATES OR GRATUITIES TO ANY EMPLOYEE OR AGENT ARE PERMITTED EITHER WITH, PRIOR TO, OR AFTER ANY DELIVERY OF MATERIALS. ANY SUCH VIOLATION WILL RESULT IN THE CANCELLATION AND/OR RETURN OF MATERIALS (AS APPLICABLE) AND THE REMOVAL FROM THE MASTER BIDDERS LIST.**

FIRM NAME: USSI

BY (Printed): Skip Spurgeon

BY (Signature): 

TITLE: Vice President of Florida Divisions

FEDERAL ID # OR S.S.# 52-0897024

ADDRESS:  
11220 Metro Pkwy, Suite 17

Fort Myers, FL 33966

PHONE NO.: 239-334-1865

FAX NO.: 239-334-1908

CELLULAR PHONE/PAGER NO.: 239-470-9613

DUNS#: 04-950-1430

LEE COUNTY LOCAL BUSINESS TAX ACCOUNT NUMBER: 9203331

E-MAIL ADDRESS: sspurgeon@ussiclean.com

INFORMAL TELEPHONE QUOTE NO.: IT120491

AFFIDAVIT CERTIFICATION  
IMMIGRATION LAWS

SOLICITATION NO.: IT120491 PROJECT NAME: Janitorial Service at the Sheriff's Substation

LEE COUNTY WILL NOT INTENTIONALLY AWARD COUNTY CONTRACTS TO ANY CONTRACTOR WHO KNOWINGLY EMPLOYS UNAUTHORIZED ALIEN WORKERS, CONSTITUTING A VIOLATION OF THE EMPLOYMENT PROVISIONS CONTAINED IN 8 U.S.C. SECTION 1324 a(e) {SECTION 274A(e) OF THE IMMIGRATION AND NATIONALITY ACT ("INA").

LEE COUNTY MAY CONSIDER THE EMPLOYMENT BY ANY CONTRACTOR OF UNAUTHORIZED ALIENS A VIOLATION OF SECTION 274A(e) OF THE INA. **SUCH VIOLATION BY THE RECIPIENT OF THE EMPLOYMENT PROVISIONS CONTAINED IN SECTION 274A(e) OF THE INA SHALL BE GROUNDS FOR UNILATERAL CANCELLATION OF THE CONTRACT BY LEE COUNTY.**

BIDDER ATTESTS THAT THEY ARE FULLY COMPLIANT WITH ALL APPLICABLE IMMIGRATION LAWS (SPECIFICALLY TO THE 1986 IMMIGRATION ACT AND SUBSEQUENT AMENDMENTS).

Company Name: USSI

Skip Spurgeon Vice President of FL Divisions 8/30/2012  
Signature Title Date


STATE OF Florida  
COUNTY OF Lee

The foregoing instrument was signed and acknowledged before me this 30<sup>th</sup> day of August, 2012, by Skip Spurgeon who has produced

(Print or Type Name)  
Personally Known as identification.  
(Type of Identification and Number)

Heather L. Casavant  
Notary Public Signature

Heather L. Casavant  
Printed Name of Notary Public



EE020330/9-14-2014  
Notary Commission Number/Expiration

**The signee of this Affidavit guarantees, as evidenced by the sworn affidavit required herein, the truth and accuracy of this affidavit to interrogatories hereinafter made. LEE COUNTY RESERVES THE RIGHT TO REQUEST SUPPORTING DOCUMENTATION, AS EVIDENCE OF SERVICES PROVIDED, AT ANY TIME.**



182298

# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

9/13/2012

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Commercial Lines - (202) 783-5810 Wells Fargo Insurance Services USA, Inc. 1401 H Street, NW, Suite 750 Washington, DC 20005	<b>CONTACT NAME:</b> PHONE (A/C, No, Ext): E-MAIL ADDRESS:	FAX (A/C, No):													
	<table border="1"> <thead> <tr> <th>INSURER(S) AFFORDING COVERAGE</th> <th>NAIC #</th> </tr> </thead> <tbody> <tr> <td>INSURER A : Travelers Indemnity Co of America</td> <td>25666</td> </tr> <tr> <td>INSURER B : Travelers Property Casualty Co of America</td> <td>25674</td> </tr> <tr> <td>INSURER C : Phoenix Insurance Company</td> <td>25623</td> </tr> <tr> <td>INSURER D : Federal Insurance Company</td> <td>20281</td> </tr> <tr> <td>INSURER E :</td> <td></td> </tr> <tr> <td>INSURER F :</td> <td></td> </tr> </tbody> </table>		INSURER(S) AFFORDING COVERAGE	NAIC #	INSURER A : Travelers Indemnity Co of America	25666	INSURER B : Travelers Property Casualty Co of America	25674	INSURER C : Phoenix Insurance Company	25623	INSURER D : Federal Insurance Company	20281	INSURER E :		INSURER F :
INSURER(S) AFFORDING COVERAGE	NAIC #														
INSURER A : Travelers Indemnity Co of America	25666														
INSURER B : Travelers Property Casualty Co of America	25674														
INSURER C : Phoenix Insurance Company	25623														
INSURER D : Federal Insurance Company	20281														
INSURER E :															
INSURER F :															

**COVERAGES**

CERTIFICATE NUMBER: 4842221

REVISION NUMBER: See below


THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	<b>GENERAL LIABILITY</b> <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC		630-7048B505-TIA-12	04/15/2012	04/15/2013	EACH OCCURRENCE	\$ 1,000,000
						DAMAGE TO RENTED PREMISES (Ea occurrence)	\$ 300,000
						MED EXP (Any one person)	\$ 10,000
						PERSONAL & ADV INJURY	\$ 1,000,000
						GENERAL AGGREGATE	\$ 5,000,000
						PRODUCTS - COMP/OP AGG	\$ 2,000,000
							\$
B	<b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS		810-9555B559-TIL-12	04/15/2012	04/15/2013	COMBINED SINGLE LIMIT (Ea accident)	\$ 1,000,000
						BODILY INJURY (Per person)	\$
						BODILY INJURY (Per accident)	\$
						PROPERTY DAMAGE (Per accident)	\$
							\$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$		CUP-7048B505-TIL-12	04/15/2012	04/15/2013	EACH OCCURRENCE	\$ 5,000,000
						AGGREGATE	\$ 5,000,000
							\$
C	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N-UB-8172B04-1-12	04/15/2012	04/15/2013	<input checked="" type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER	
						E.L. EACH ACCIDENT	\$ 1,000,000
						E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000
						E.L. DISEASE - POLICY LIMIT	\$ 1,000,000
D	Crime - Fidelity Bond		8211-6264	04/15/2012	04/15/2013	Employee Theft - \$1,000,000 Client Coverage - \$1,000,000	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

Certificate Holder is included as an additional insured with respect to general liability, as required by written contract, subject to policy terms and conditions for janitorial services provided by the named insured at the Sheriff's Bonita Springs Mini Substation N-120529.

**CERTIFICATE HOLDER****CANCELLATION**

Lee County Board of County Commissioners Attn: Chris Jeffcoat, CPPB P.O. Box 398 Ft. Myers, FL 33908	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

The ACORD name and logo are registered marks of ACORD

© 1988-2010 ACORD CORPORATION. All rights reserved.

**Chemicals**

USSI uses Green Seal Certified cleaning chemicals from Diversey Chemical Corporation. Diversey provides a convenient premeasured detergent system that's the simplest and most labor effective detergent system on the market.



These chemicals are highly concentrated detergents and floor finish in recyclable closed-loop designed bottles to prevent exposure to concentrate and protect our cleaning specialists. Diversey's purpose:


<b>PROTECT</b> We will Protect Lives by producing superior products that make food, drink and facilities safer and more hygienic.
<b>PRESERVE</b> We will Preserve the Earth for future generations by continually reducing the environmental impact of our products and our operations.
<b>TRANSFORM</b> We will Transform our Industry by creating more sustainable enterprises that contribute to the well being of our communities.

Their non-tamper dilution control also prevents chemical waste. Our specialists are trained to match the appropriate water levels of traditional buckets, tanks and spray bottles with pre-measured amounts of concentrate; they simply fill the containers to the regular level with water and add the appropriate amount of chemical with the push of a handle. There are no water or

electrical hook-ups. There is no need for personnel to waste costly time returning to machines to refill buckets or spray bottles. Just ultimate simplicity.

This process saves more labor dollars than any other system can even hope to equal. The concentrated chemicals and bottles are also a prime example of packing source reduction that reduces your disposal costs. The Diversey system:


- Reduces transportation fuel demand
- Reduces packaging materials & waste
- Reduces storage requirements
- Exact dosing reduces chemical use & wastage, protects users



## Security

To a thief, whether it is a top-secret government organization or a small business, the office is a potential gold mine. Bad intentions could potentially lead to very serious repercussions. USSI requires security badges so that you can report to us regarding individual behavior, and we can stringently monitor our own employees.

At USSI's center of operations several levels of security are used to ensure that sensitive information is kept protected. Our security badges, pictured above, are unique because they are created using a digital camera. Each photograph is kept on-file for the term of employment. As well as being cost-effective, the process allows clear identification of employees.







MATERIAL SAFETY DATA SHEET



**CREW RESTROOM FLOOR & SURFACE SC NON-ACID DISINFECTANT CLEANER (US)**

HMIS	NFPA	Personal protective equipment
Health 3	3	 
Fire Hazard 1	1	
Reactivity 0	0	

Version Number 2

Preparation date 2010 08 04

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** CREW RESTROOM FLOOR & SURFACE SC NON-ACID DISINFECTANT CLEANER (US)  
**MSDS #:** 126807001  
**Product Code:** 4278763, 5019211, 5271248  
**Recommended use:** Disinfectant. Cleaning product. This product is intended to be diluted prior to use.

**Manufacturer, importer, supplier:**  
 US Headquarters  
 Diversey, Inc  
 8310 16th St.  
 Sturtevant, Wisconsin 53177-1964  
 Phone: 1-888-352-2249  
 MSDS Internet Address: www.diversey.com

**Emergency telephone number:** 1-800-851-7145 (U.S.), 1-651-917-6133 (Int'l)

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**DANGER, CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.**

**Principal routes of exposure:** Eye contact, Skin contact, Inhalation, Ingestion  
**Eye contact:** Corrosive. Causes permanent eye damage, including blindness  
**Skin contact:** Corrosive. Causes permanent damage.  
**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract  
**Ingestion:** Corrosive. Causes burns to mouth, throat and stomach

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ethyl alcohol	64-17-5	1 - 5%	Not available	Not available	Not available
Dioctyl dimethyl ammonium chloride	5538-94-3	3.255	11300	Not available	Not available
N-alkyl Dimethyl Benzyl Ammonium Chloride	68424-85-1	8.68	Not available	Not available	Not available
Di-n-alkyl dimethyl ammonium chloride	68424-95-3	6.51	Not available	Not available	Not available
Didecyl dimethyl ammonium chloride	7173-51-5	3.255	Not available	Not available	Not available

**4. FIRST AID MEASURES**

**Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eyes. Get medical attention immediately.



**Skin contact:** Take off contaminated clothing. Immediately flush with plenty of water for 15-20 minutes. Get medical attention immediately.

**Inhalation:** If breathing is affected, remove to fresh air. If person is not breathing, call 911 or an ambulance and then give artificial respiration, preferably by mouth to mouth, if possible. Get medical attention immediately.

**Ingestion:** Call medical attendant, doctor, or poison control center immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person.

**Notes to physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Aggravated Medical Conditions:** Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc. may be more susceptible to irritating effects.

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media:** Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Although this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion.

**Unusual hazards:** Corrosive material (See sections 8 and 10).

**Specific methods:** No special methods required.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus (pressure demand, MS-HA/NIOSH approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Put on appropriate personal protective equipment (see Section 8).

**Environmental precautions and clean-up methods:** Clean-up methods - large spillage. Use appropriate containment to avoid environmental contamination. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Use a water rinse for final clean-up.

**7. HANDLING AND STORAGE**

**Handling:** Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. **FOR COMMERCIAL AND INDUSTRIAL USE ONLY.**

**Storage:** Protect from freezing. Store in a cool, dry, well ventilated area away from heat or open flame. **KEEP OUT OF REACH OF CHILDREN.**

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures to reduce exposure:** Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

**Personal Protective Equipment**

**Eye protection:** Chemical-splash goggles

**Hand protection:** Chemical-resistant gloves

**Skin and body protection:** Protective footwear. If major exposure is possible, wear suitable protective clothing and footwear.

**Respiratory protection:** In case of insufficient ventilation wear suitable respiratory equipment. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m <sup>3</sup> (TWA)	1000 ppm (TWA) 1900 mg/m (TWA)

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State:** Liquid

**Appearance:** Liquid

**Specific gravity:** 1.02

**Bulk density:** No information available

**Evaporation Rate:** No information available

**Color:** Clear/Dark Green

Vapor density:No information available  
 Boiling point/range:Not determined  
 Decomposition temperature:Not determined  
 Solubility:Completely Soluble  
 Solubility in other solvents:No information available  
 Partition coefficient (n-octanol/water):No information available  
 Elemental Phosphorus:0% by wt  
 pH:7.25

Odor:Fresh  
 Melting point/range:Not determined  
 Autoignition temperature:No information available  
 Density:8.51lbs/gal/1.02Kg/l  
 Flash point:130°F/54.4°C  
 Viscosity:No information available  
 VOC:5.2%  
 Dilution pH:7.0@1:256

Explosion limits:- upper:Not determined- lower:Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

Stability: The product is stable  
 Polymerization: Hazardous polymerization does not occur  
 Hazardous decomposition products: None known  
 Materials to avoid: Acids, Strong oxidising agents  
 Conditions to avoid: Do not freeze. Keep away from open flames, hot surfaces and sources of ignition

**11. TOXICOLOGICAL INFORMATION**

Acute toxicity: Corrosive Oral LD50 estimated to be between 500 - 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.  
 Component Information: See Section 3  
 Chronic toxicity: None known

Specific effects  
 Carcinogenic effects: None known  
 Mutagenic effects: None known  
 Reproductive toxicity: None known  
 Target organ effects: None known

Ingredient(s)	CAS #	NTP	IARC	OSHA
Ethyl alcohol	64-17-5	X	1	X

**12. ECOLOGICAL INFORMATION**

Environmental Information: No data available

**13. DISPOSAL CONSIDERATIONS**

Do not contaminate water, food, or feed by storage or disposal

**Pesticide Storage:**  
 Store in original container in areas inaccessible to children. Open dumping is prohibited. Do not reuse empty container.

**Pesticide Disposal:**  
 Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law.

**Container Disposal:**  
 Pesticide product disposal requirements vary by package size and type. Pesticides include disinfectants and sanitizers. See product label for complete disposal instructions. Always dispose of according to all federal, state and local applicable regulations.

**14. TRANSPORT INFORMATION**

DOT/TDG Please refer to the Bill of Lading/receiving documents for up to date shipping information

**15. REGULATORY INFORMATION**

**International Inventories**

All components of this product are listed on the following inventories U S A (TSCA)

**U.S. Regulations**

EPA Reg. No. 11939 167 70627

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

**CERCLA/ SARA**

None

**SARA 311/312 Hazard Categories**

Immediate:	X
Delayed:	
Fire:	X
Reactivity:	
Sudden Release of Pressure:	

**16. OTHER INFORMATION**

Reason for revision:	Not applicable
Prepared by:	NAPRAC
Additional advice:	Contains an added fragrance. see "Odor" heading in section 9 for specific description

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations*

MATERIAL SAFETY DATA SHEET



GLANCE NA GLASS & MULTI-PURPOSE CLEANER NON-AMMONIATED

HMIS	NFPA	Personal protective equipment
Health : 1	1	None / Aucune / Ninguno
Fire Hazard : 0	0	
Reactivity : 0	0	

Version Number : 6

Preparation date 2011-09-27

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: GLANCE NA GLASS & MULTI-PURPOSE CLEANER NON-AMMONIATED

MSDS #: MS0200011  
 Product Code: 3361936, 3172641, 5019510, 5271310, 5285375

Recommended use: Cleaning product. This product is intended to be diluted prior to use.

Manufacturer, importer, supplier:

US Headquarters  
 Diversey, Inc.  
 8310 16th St.  
 Sturtevant, Wisconsin 53177 1964  
 Phone 1-888-352-2249  
 MSDS Internet Address: www.diversey.com  
 Emergency telephone number: 1-800-851-7145 (U.S.), 1-651-917-6133 (Int'l)

Canadian Headquarters  
 Diversey Inc. Canada Inc.  
 2401 Bristol Circle  
 Oakville, Ontario L6H 6P1  
 Phone 1-800-668-3131

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN

Principal routes of exposure: Eye contact; Skin contact; Inhalation  
 Eye contact: May be mildly irritating to eyes  
 Skin contact: May be mildly irritating to skin  
 Inhalation: None known  
 Ingestion: None known

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Sodium lauryl sulfate	151-21-3	1 - 5%	1288	=560 mg/kg	>3900 mg/m (1 hr)
Ethyl alcohol	64-17-5	0.1 - 1.5%	7060	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.  
 Skin contact: Flush immediately with plenty of water. Get medical attention if irritation occurs.  
 Inhalation: No specific first aid measures are required.  
 Ingestion: No specific first aid measures are required.  
 Aggravated Medical Conditions: None known

5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.  
**Specific hazards:** None known.  
**Unusual hazards:** None known.  
**Specific methods:** No special methods required.

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus (pressure demand, MSHA/NIOSH approved or equivalent) and full protective gear.  
**Extinguishing media which must not be used for safety reasons:** No information available.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Not relevant for the product itself.  
**Environmental precautions and clean-up methods:** Clean-up methods - large spillage: Use appropriate containment to avoid environmental contamination. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Keep in suitable and closed containers for disposal.

**7. HANDLING AND STORAGE**

**Handling:** Avoid contact with skin and eyes. **FOR COMMERCIAL AND INDUSTRIAL USE ONLY**.  
**Storage:** Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures to reduce exposure:** No special ventilation requirements. General room ventilation is adequate.

**Personal Protective Equipment**

**Eye protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions.  
**Skin and body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA); 1900 mg/m (TWA)	1000 ppm (TWA); 1900 mg/m (TWA)

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State:** Liquid  
**Appearance:** Aqueous solution  
**Specific gravity:** 1.00  
**Vapor density:** No information available  
**Boiling point/range:** Not determined  
**Decomposition temperature:** Not determined  
**Solubility:** Completely Soluble  
**Solubility in other solvents:** No information available  
**Partition coefficient (n-octanol/water):** No information available  
**Elemental Phosphorus:** 0.0% by wt  
**pH:** 7.0

**Bulk density:** No information available  
**Evaporation Rate:** No information available  
**Color:** Clear/Blue  
**Odor:** No Odor/Odorless  
**Melting point/range:** Not determined  
**Autoignition temperature:** No information available  
**Density:** 8.34lbs/gal/1Kg/L  
**Flash point:** >200°F/93.4°C  
**Viscosity:** No information available  
**VOC:** 0.25% \*  
**Dilution pH:** 7.0@1:40

**Explosion limits:** - upper: Not determined - lower: Not determined

\* Title 17 California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products Sections 945.18

**10. STABILITY AND REACTIVITY**

**Stability:** The product is stable.  
**Polymerization:** Hazardous polymerization does not occur.  
**Hazardous decomposition products:** None reasonably foreseeable.  
**Materials to avoid:** None known.  
**Conditions to avoid:** Do not freeze.

**11. TOXICOLOGICAL INFORMATION**

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.  
 Component Information: See Section 3

Chronic toxicity: None known

Specific effects

    Carcinogenic effects: None known

    Mutagenic effects: None known

    Reproductive toxicity: None known

    Target organ effects: None known

Ingredient(s)	CAS #	NTP	IARC	OSHA
Ethyl alcohol	64-17-5	X	1	X

**12. ECOLOGICAL INFORMATION**

Environmental Information: No data available

**13. DISPOSAL CONSIDERATIONS**

Waste from residues / unused products:  
 Dispose of in compliance with all Federal, state, provincial, and local laws and regulations

**14. TRANSPORT INFORMATION**

DOT/TOG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

**15. REGULATORY INFORMATION**

**International Inventories**

All components of this product are listed on the following inventories U.S.A. (TSCA) Canada (DSL/NDSL)

**U.S. Regulations**

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Alcohol ethoxylates	68439-46-3	-	-	-	-
Sodium lauryl sulfate	151-21-3	-	-	-	-
Sodium lauryl ether sulfate	9004-82-4	-	-	-	-
Ethyl alcohol	64-17-5	X	X	X	X
Water	7732-18-5	-	-	-	-

**CERCLA/ SARA**

CAA HAP/CAA ODS/CWA Priority Pollutants: None

**SARA 311/312 Hazard Categories**

- Immediate:
- Delayed:
- Fire:
- Reactivity:
- Sudden Release of Pressure:

Canada

WHMIS hazard class: Non-controlled

Ingredient(s)	CAS #	NPRI
---------------	-------	------

Ethyl alcohol

64-17-5


X

**16. OTHER INFORMATION**

**Reason for revision:** Not applicable  
**Prepared by:** NAPRAC  
**Additional advice:** Does not contain an added fragrance

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond scope of this document. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*

MATERIAL SAFETY DATA SHEET



**PERdiem General Purpose Cleaner with Hydrogen Peroxide**

	<b>HMIS</b>	<b>NFPA</b>	<b>Personal protective equipment</b>
Health	2	2	None / Aucune / Ninguno
Fire Hazard	0	0	
Reactivity	0	0	

Version Number: 1

Preparation date: 2011-07-20

**1. PRODUCT AND COMPANY IDENTIFICATION**

**Product name:** PERdiem General Purpose Cleaner with Hydrogen Peroxide

**MSDS #:** MS0300898

**Product Code:** 4998832, 4998841, 4998859, 4998867, 5018752, 5019481, 5613228, 5613252, 5614052

**Recommended use:** Cleaning product. This product is intended to be diluted prior to use.

**Manufacturer, importer, supplier:**  
 US Headquarters: Diversey, Inc. 8310 16th St. Sturtevant, Wisconsin 53177-1964  
 Phone: 1-888-352-2249  
 MSDS Internet Address: www.diversey.com  
 Emergency telephone number: 1-800-851-7145 (U.S.); 1-651-917-6133 (Intl)

Canadian Headquarters: Diversey - Canada, inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1  
 Phone: 1-800-668-7171

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**  
 CAUTION. CAUSES EYE IRRITATION. MAY BE MILDLY IRRITATING TO SKIN.

**Principal routes of exposure:** Skin contact. Inhalation. Eye contact.

**Eye contact:** Moderately irritating to the eyes.

**Skin contact:** May be mildly irritating to skin.

**Inhalation:** None known.

**Ingestion:** May cause irritation to mouth, throat and stomach.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Alcohol ethoxylates	68439-46-3	10 - 20%	1400	>2 g/kg	Not available
Hydrogen peroxide	7722-84-1	1 - 5%	801	2000 mg/kg	2 mg/L (4 h)

**4. FIRST AID MEASURES**

**Eye contact:** Flush immediately with plenty of water. If irritation persists, get medical attention.

**Skin contact:** Flush immediately with plenty of water. If irritation develops, get medical attention.

**Inhalation:** No specific first aid measures are required.

**Ingestion:** If swallowed, give a cupful of water or milk.

**Aggravated Medical Conditions:** None known

**5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media:** The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:** Decomposition releases oxygen, which may intensify fire.

**Unusual hazards:** None known

**Specific methods:** No special methods required.



**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear  
**Extinguishing media which must not be used for safety reasons:** No information available

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Not relevant for the product itself.  
**Environmental precautions and clean-up methods:** Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.  
 Clean-up methods - large spillage. Use a water rinse for final clean-up.

**7. HANDLING AND STORAGE**

**Handling:**  
 Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.  
**Storage:**  
 Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures to reduce exposure:**  
 No special ventilation requirements General room ventilation is adequate

**Personal Protective Equipment**

**Eye protection:** No special requirements under normal use conditions.  
**Hand protection:** No special requirements under normal use conditions  
**Skin and body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.  
**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practice

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Hydrogen peroxide	7722-84-1	1 ppm (TWA)	1 ppm (TWA) 1.4 mg/m <sup>3</sup> (TWA)	2 ppm (STEL) 3 mg/m <sup>3</sup> (STEL) 1 ppm (TWA) 1.5 mg/m <sup>3</sup> (TWA)

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<p><b>Physical State:</b> Liquid  <b>Appearance:</b> Liquid  <b>Specific gravity:</b> 1.026  <b>Vapor density:</b> No information available  <b>Boiling point/range:</b> Not determined  <b>Decomposition temperature:</b> Not determined  <b>Solubility:</b> Completely Soluble  <b>Solubility in other solvents:</b> No information available  <b>Partition coefficient (n-octanol/water):</b> No information available  <b>Elemental Phosphorus:</b> 0 % by wt.  <b>pH:</b> 2.0  <b>Explosion limits:</b> - upper: Not determined - lower: Not determined</p>	<p><b>Bulk density:</b> No information available  <b>Evaporation Rate:</b> No information available  <b>Color:</b> Clear Colorless  <b>Odor:</b> No Odor/Odorless  <b>Melting point/range:</b> Not determined  <b>Autoignition temperature:</b> No information available  <b>Density:</b> 8.56 lbs/gal 1.026 Kg/L  <b>Flash point:</b> &gt; 200 °F &gt; 93.4 °C  <b>Viscosity:</b> No information available  <b>VOC:</b> 0 % *  <b>Dilution pH:</b> 6.2 @ 1:64</p>
--	--

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

**Stability:** The product is stable  
**Polymerization:** Hazardous polymerization does not occur  
**Hazardous decomposition products:** Oxygen.  
**Materials to avoid:** Bases, Reducing agents.  
**Conditions to avoid:** Do not freeze. Do not mix with any other product or chemical.

**11. TOXICOLOGICAL INFORMATION**

**Acute toxicity:** Oral LD50 estimated to be greater than 5000 mg/kg. Dermal LD50 estimated to be > 2000 mg/kg.  
**Component Information:** See Section 3

**Chronic toxicity:** None known

**Specific effects**

**Carcinogenic effects:** None known  
**Mutagenic effects:** None known  
**Reproductive toxicity:** None known  
**Target organ effects:** None known

**12. ECOLOGICAL INFORMATION**

**Environmental Information:** No data available

**13. DISPOSAL CONSIDERATIONS**

**Waste from residues / unused products:**  
 Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations.  
**RCRA Hazard Class:** D002

**14. TRANSPORT INFORMATION**

**DOT/TDG/IMDG:** Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/> for up to date shipping information.

**DOT Bill of Lading Description:** CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

**IMDG Bill of Lading Description:** CLEANING, WASHING, BUFFING, OR POLISHING COMPOUNDS LIQUID

**15. REGULATORY INFORMATION**

**International Inventories at CAS# Level**  
 All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

**U.S. Regulations**  
**California Proposition 65:** This product is not subject to the reporting requirements under California's Proposition 65

**RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Sodium xylene sulfonate	1300-72-7	-	-	-	-
Alcohol ethoxylates	68439-46-3	-	-	-	-
Hydrogen peroxide	7722-84-1	X	X	X	X
Water	7732-18-5	-	-	-	-

**CERCLA/ SARA**

Ingredient(s)	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Hydrogen peroxide	7722-84-1	1 - 5%		1000	

**SARA 311/312 Hazard Categories**

**Immediate:** x  
**Delayed:** -  
**Fire:** -  
**Reactivity:** -  
**Sudden Release of Pressure:** -

**Canada**  
**WHMIS hazard class:** D2B Toxic materials

**16. OTHER INFORMATION**

**Reason for revision:**  
**Prepared by:**  
**Additional advice:**

Not applicable  
NAPRAC

- Does not contain an added fragrance
- This product has been formulated to meet the criteria for deck washdown and above water line hull cleaning chemicals established in the EPA NPDES Vessel General Permit (VGP) and meets the definitions of non-toxic, non-phosphated, biodegradable, and non-caustic under the VGP.

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*

**MATERIAL SAFETY DATA SHEET**

This MSDS complies with OSHA's Hazard Communication Standard 29 CFR 1910.1200 and OSHA Form 158

**IDENTITY AND MANUFACTURER'S INFORMATION**

<b>NFPA Rating:</b> Health-1, Flammability-4, Reactivity-0, Special-0	<b>HMIS Rating:</b> Health-1, Flammability-4, Reactivity-0
<b>Manufactured For:</b> ArnSan	<b>DOT Hazard Classification:</b> ORM (1)
<b>Address:</b> 5727 South Lewis Ave., Suite 705 Tulsa, OK 74105	<b>Identity (trade name as used on label):</b> <b>RENOWN GUM REMOVER II</b>
<b>Phone:</b> 918-743-6030	<b>MSDS Number:</b> A00183 <b>Revision:</b> 4
<b>EMERGENCY RESPONSE NUMBER:</b> 1(800)255-3924	<b>Date Prepared:</b> 02/23/00 <b>Prepared by:</b> L.S.P.
<b>NOTICE: JUDGMENT BASED ON INDIRECT TEST DATA</b>	

**SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS-CHEMICAL NAMES AND COMMON NAMES (Hazardous Components 1% or greater, Carcinogens 0.1% or greater)	CAS Number	SARA # LIST	OSHA PEL ppm	A TLV ppm	Other TLV ppm
ISOBUTANE / PROPANE BLEND	75-28-5	No	800	800	0
	74-98-6	No	1000	1000	0

**SECTION 2 - PHYSICAL/CHEMICAL CHARACTERISTICS**

<b>Boiling Point (concentrate only):</b> -43.7°F	<b>Specific Gravity (H<sub>2</sub>O=1):</b> Concentrate Only = 0.5375
<b>Vapor Pressure:</b> PSIG @ 70°F (Aerosols) 70	<b>Vapor Pressure (Non-Aerosols) (mm Hg and Temperature):</b> N/A
<b>Vapor Density (Air = 1):</b> Concentrate only = greater than 1.5	<b>Evaporation Rate (BuAc = 1):</b> Faster
<b>Solubility in Water:</b> Slight	<b>Water Reactive:</b> No
<b>Appearance and Odor:</b> Clear, odorless spray	

**SECTION 3 - FIRE AND EXPLOSION HAZARD DATA**

<b>FLAMMABILITY</b> as per USA FLAME PROJECTION TEST (aerosols) <b>EXTREMELY FLAMMABLE</b>	<b>Auto Ignition Temperature:</b> N/E	<b>Flammability Limits in Air by % in Volume:</b> % LEL 2.0 % UEL 15.0
<b>FLASH POINT AND METHOD USED (non-aerosols):</b> -156 °F	<b>EXTINGUISHER MEDIA:</b> Foam, dry chemical, carbon dioxide	
<b>SPECIAL FIRE FIGHTING PROCEDURES:</b> Cool containers with water. Wear Self-contained breathing apparatus.		
<b>Unusual Fire &amp; Explosion Hazards:</b> Do not expose aerosols to temperatures above 130°F or the container may rupture.		

**SECTION 4 - REACTIVITY HAZARD DATA**

<b>STABILITY:</b> (X) STABLE ( ) UNSTABLE	<b>HAZARDOUS POLYMERIZATION:</b> ( ) WILL (X) WILL NOT OCCUR
<b>Incompatibility (Mix):</b> to avoid Strong oxidizing agents	<b>Conditions to Avoid:</b> Open flame, welding arcs, heat, sparks, or any source of ignition
<b>Hazardous Decomposition Products:</b> CO, CO <sub>2</sub>	

**SECTION 5 - HEALTH HAZARD DATA**

<b>PRIMARY ROUTES OF ENTRY:</b> (X) INHALATION ( ) INGESTION ( ) SKIN ABSORPTION ( ) EYE ( ) NOT HAZARDOUS	
<b>ACUTE EFFECTS:</b> <b>Inhalation:</b> Product is an asphyxiant at very high concentrations. Excessive inhalation of vapors can be harmful and may cause headache, disorientation, rapid respiration, nausea, anesthetic effects and possible unconsciousness. Vapors are heavier than air and displace oxygen required for breathing.	
<b>Eye Contact:</b> May cause burns and frostbite.	<b>Skin Contact:</b> May cause burns and frostbite.
<b>Ingestion:</b> Unlikely route of exposure. Gas under normal (usual) circumstances.	
<b>CHRONIC EFFECTS:</b> Unknown.	
<b>Medical Conditions Generally Aggravated by Exposure:</b> May aggravate existing eye, skin, or upper respiratory conditions.	

**EMERGENCY FIRST AID PROCEDURES**

<b>Eye Contact:</b> Flush immediately with fresh water for at least 15 minutes while holding eyelids open. Remove contact lenses if worn. Seek medical attention immediately.
<b>Skin Contact:</b> Treat burned or frostbitten skin by flushing or immersing affected areas in lukewarm water. If skin is not burned, keep warm and stimulate circulation with massage. Seek medical attention immediately.
<b>Inhalation:</b> Remove to fresh air. Resuscitate if necessary. Get medical attention. Give oxygen.
<b>Ingestion:</b> Unlikely route of exposure.

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

<b>Respiratory Protection (specify type):</b> If vapor concentration exceeds TLV, use respirator approved by NIOSH to be used in a positive pressure mode.	
<b>Protective Gloves:</b> Rubber gloves recommended	<b>Eye Protection:</b> Safety glasses recommended
<b>Ventilation Requirements:</b> Adequate ventilation to keep vapor concentration below TLV	
<b>Other Protective Clothing &amp; Equipment:</b> Self-contained respirator should be available for non-routine and emergency situations.	
<b>Hygienic Work Practices:</b> Wash with soap and water before handling food. Remove contaminated clothing.	

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE**

<b>Steps To Be Taken If Material Is Spilled Or Released:</b> Isolate hazard area and deny entry. Remove all ignition sources. Ventilate area to disperse vapors. If gas has not ignited, disperse with water or by flooding.
<b>Waste Disposal Methods:</b> Aerosol cans when vented to atmospheric pressure through normal use pose no disposal hazard.
<b>Precautions To Be Taken In Handling &amp; Storage:</b> Do not puncture or incinerate containers. Do not store at temperatures above 130°F.
<b>Other Precautions &amp;/or Special Hazards:</b> KEEP OUT OF REACH OF CHILDREN, Avoid food contamination. Avoid breathing vapors. Avoid contact with eyes.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind.

\*\* Chemical Listed as Carcinogen or Potential Carcinogen: [a] NTP [b] IARC Monograph [c] OSHA [d] Not Listed [e] Animal Data Only  
THIS MSDS IS CURRENT AS OF March 25, 2003. The DATE PREPARED section is the original date assembled and remains current, with amendments necessary. This is tracked internally at the manufacturer by these date codes and therefore must remain as the original date.



**Spartan Chemical Company, Inc.**  
**Material Safety Data Sheet**

**SECTION I: PRODUCT INFORMATION**

Product Name or Number (as it appears on label)  
**SPARCREME**  
 Product Number: 7320

Product Division:  
 Janitorial

Spartan Chemical Company, Inc.  
 1110 Spartan Drive  
 Maumee OH 43537

Product/Technical Information: 1-(800)-537-8990  
 Medical Emergency: 1-(888)-314-6171 (24 hours)  
 Chemical Leak/Spill Emergency: CHEMTREC 1-(800) 424-9300 (24 hours)

Shipping Description: Cleaning compounds, liquid, n.o.s

NFPA Ratings:	HMS Ratings:
Health: 1 - Slight Fire: 0 - Minimal Reactivity: 0 - Minimal	Health: 1 - Slight Chronic Hazard Fire: 0 - Minimal Reactivity: 0 - Minimal Pers. Prot. Equip.: See Section VIII

**SECTION II: HAZARDOUS INGREDIENTS**

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency

Chemical Name(s)	%Wt	CAS Registry No	Table Z-1-A			NIOSH or OSHA Category
			TWA mg/m	STEL mg/m	CEILING mg/m	
Citric Acid	1-5	77-92-9	Not Established	Not Established	Not Established	N
Alkylbenzene sulfonic acid	1-5	68584-22-5	Not Established	Not Established	Not Established	N
Triethanolamine	1-5	102-71-6	5 (ACGIH)	Not Established	Not Established	N
Xanthan gum	1-5	11138-66-2	Not Established	Not Established	Not Established	N
Crystalline quartz	25-30	14808-60-7	10 mg/m <sup>3</sup> divided by %SiO <sub>2</sub> +2 0.05 (ACGIH)	Not Established	Not Established	N

Comment: \*Crystalline quartz has been determined to be a carcinogen by IARC and NTP

**SECTION III: PHYSICAL DATA**

Boiling Point: 212 °F	Vapor Pressure: Unknown
Vapor Density (AIR = 1): Unknown	Solubility in Water: Complete
pH: 2.0-2.5	Specific Gravity (H <sub>2</sub> O = 1): 1.85
Evaporation Rate (but ace.=1): <1	Percent Solid by Weight: 30-35%
Physical State: Liquid	
Appearance & Odor: Light green viscous liquid, lime fragrance	

**SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point: >200 °F	Method Used: Estimate
Flammable Limits: Not Established	Flame Extension: N/A
Extinguishing Media: Product does not support combustion. Use extinguishing media appropriate for surrounding area	
Special Fire Fighting Procedures: Wear NIOSH approved self-contained breathing apparatus and protective clothing. Do not extinguish containers with water spray	
Unusual Fire & Explosive Hazards: Combustion products are toxic.	

**SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not established	Primary Routes of Entry:	Inhalation, Skin Contact, Ingestion
Effects of Overexposure- Conditions to Avoid	<p><b>Causes eye irritation:</b> Symptoms may include pain, redness, swelling and tearing.</p> <p><b>Causes skin irritation:</b> Symptoms may include redness, pain and swelling.</p> <p><b>May be harmful if swallowed:</b> Symptoms may include nausea, vomiting, pain and diarrhea.</p> <p>Contains respirable crystalline quartz which can cause silicosis, cancer, autoimmune disease and increased susceptibility to tuberculosis. Inhalation of respirable crystalline quartz is a health concern with use of this liquid product. Exposure to respirable crystalline quartz may occur if dried product residues were to become airborne. Contains triethanolamine which may cause skin sensitization with repeated contact. Repeated overexposure to triethanolamine may cause liver and kidney damage.</p> <p><b>Avoid contact with eyes and skin. Do not swallow. Avoid breathing dried product residues. Wash thoroughly after handling.</b></p>		
Conditions Aggravated by Use	Use of this product may aggravate preexisting skin, eye and respiratory disorders including asthma and dermatitis. Smoking aggravates the effect of exposure.		
<b>Emergency &amp; First Aid Procedures:</b>			
Eyes:	Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention.		
Skin:	Wash skin thoroughly with soap and water. Get medical attention if irritation persists. Wash contaminated clothing before reuse.		
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.		
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.		

**SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	Carbon monoxide, Carbon dioxide	Hazardous Polymerization:	Will Not Occur

**SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or Spilled:	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (if permitted by local sewer regulations). Dike and contain large spills with inert material and transfer into drums to containers for recovery or disposal. Do not dry sweep. Wear protective equipment as required.
Waste Disposal Method:	Dispose of in accordance with Federal, state and local regulations.

**SECTION VIII: SPECIAL PROTECTION INFORMATION**

Respiratory Protection:	Not normally required when good general ventilation is provided. However, if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other waterproof gloves are recommended.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	For further guidance see 29 CFR 1910.132-138.

**SECTION IX: SPECIAL PRECAUTIONS**

Precautions, Handling & Storing:	Keep out of reach of children
Other Precautions:	NA

© SCC 09/22/2008	Name	Ronald T. Cook	Title	Manager, Regulatory Affairs
SPARCREME	Effective Date	09/22/2008	Supersedes	06/30/2005
Ref: 29 CFR 1910.1200 (OSHA)	Changes	Review		

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and local laws and regulations.

# Renown™

## TECHNICAL DATA SHEET



Cherry Almond Fragrance

**RENO7006**  
**RENO7015**  
**RENO7020**

### MULTI-ENZYME SPOTTER, DEODORIZER, PROTECTOR

**Description:** This ready-to-use, multi-enzyme carpet spotter, deodorizer and protector is designed to remove stains and odors. It is a broad-spectrum solution for carpet spotting. Can be used as a carpet spot remover, deodorizer as well as pre-treatment. Use on all types of soft carpeting. Contains Soil Guard™ 2000 technology that locks out soil and protects your carpet from re-soiling.

**Directions:** **STAIN REMOVAL (Carpet and Rugs)** - Remove as much of the spill as possible from the stained area. Dilute product with water and apply to spot by spray or pouring. For darker, heavier stains, use full strength. Fully saturate area with solution to penetrate carpet backing. Because spots tend to expand, make sure to cover the entire area thoroughly. Place a clean, white towel (moistened with diluted product) over the area to keep damp for at least 24 hours. In some cases repeat treatments may be necessary.

**GENERAL DEODORIZING** - Spray product directly onto the cause of the odor. For large areas dilute equally with water and apply by spot pouring directly on odor source.

**Caution:** Eye Irritant. Avoid contact with skin, eyes and clothing. Avoid breathing of mists. Do not take internally. Wash hands with soap and water after use. Avoid all contact with open wounds. Keep out of the reach of children. For professional use only. Store out of reach of children. Read and understand the Material Safety Data Sheet (MSDS) before using this product.

**First Aid:** **EYE CONTACT:** Flush with water for at least 15 minutes. If irritation persists, call a physician.  
**SKIN CONTACT:** Wash thoroughly with water. If irritation persists, call a physician.  
**INGESTION:** Immediately drink large quantities of water. Seek medical attention immediately.  
**INHALATION:** Remove to fresh air. Seek medical attention.

#### Product Specifications:

Color:	Amber Liquid
Odor:	Cherry Almond
pH:	7.0 - 8.0
Viscosity:	Water thin
Foam:	Low
Bacterial Counts:	55 billion per gallon
Bacterial Enzyme Production:	Amylase, Protease, Lipase, Esterase, Urease, Cellulase, Xylanase
Salmonella Free:	Nonpathogenic, contaminant free
Odor Counteractant:	Broad-Spectrum Activity
Petroleum Distillates:	None
Phosphate Content:	None
Solubility:	Complete with water
Effective pH Range:	5.0 - 10.0
Effective Temperature Range:	40°F - 130°F
Storage/Stability:	1 year
Weight per Gallon:	8.35 lbs./gal.



Distributed exclusively by

## AmSan

Deerfield, IL 60015

174 RENO7006-RFN07020-R1-N07015

**MATERIAL SAFETY DATA SHEET**

MSDS No.

Prepared by: Regulatory Affairs Dept.

(Prepared According to 29 CFR 1910.1200)

Effective Date: 07/11/11 Revision: 1.0

**SECTION 1-PRODUCT IDENTIFICATION AND SUPPLIER INFORMATION**

**Product Name:** Multi-Enzyme Spotter/Deodorizer Protector  
**Generic Name:** Multi-Enzyme Carpet Spotter & Odor Eliminator  
**Chemical Family:** Bacterial Spore Blend  
**Formula:** Proprietary

**Supplier's Name:** AmSap LLC  
**Supplier's Address:** Three Parkway North  
 Suite 120N, Deerfield, IL 60015  
**Supplier's Phone #:** 847-607-2400  
**Emergency Contact #:** 800-288-3924

**SECTION 2-INGREDIENT INFORMATION**

CHEMICAL NAME	CAS NO.	WT. %	PFI	TM/HTX	SLT/HTX
Water	7732-18-8	to 100			
Bacterial Spores (genus <i>Bacillus</i> )	N/A	5 to 10			
Nonionic Surfactant	9016-25-0	0 to 5			
Propylene Glycol	57-55-6	0 to 5			
Odor Neutralizer:	Proprietary	0 to 5			
Perfume Oil	N/A	0 to 5			
Dupont Zonyl® Fluorocarbon	N/T/S Registry # 00850201001-5230P	0 to 5			

**SECTION 3-PHYSICAL DATA**

**Boiling Point (°F):** 212 F  
**Vapor Pressure:** 20mm Hg @ 68 F  
**% Volatile:** 95+  
**Solubility in Water:** Complete  
**Physical Description:** Thin slightly hazy liquid with pleasant cherry almond odor.

**Specific Gravity:** 1.003  
**Vapor Density (Air=1):** 1  
**pH:** 7.0-8.0  
**Evaporation Rate (Water=1):** 1

**SECTION 4-FIRE AND EXPLOSION HAZARD DATA**

**Flash Point (Method Used):** N/A  
**Upper Explosion Limit:** N/A  
**Lower Explosion Limit:** N/A  
**Extinguishing Media:** N/A  
**Special Firefighting Procedures:** Not Applicable  
**Unusual Fire and Explosion Hazards:** N/A

**SECTION 5-REACTIVITY DATA**

**Stability:** Stable  
**Hazards Decomposition Products:** Will not occur  
**Hazardous Polymerization:** None  
**Incompatibility (Materials to Avoid):** None

**SECTION 6-STORAGE AND HANDLING INFORMATION**

Keep out of reach of children. For use by trained personnel only. Keep container closed during storage. For institutional and industrial use only. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after use. Avoid contact with open wounds, sores.

**SECTION 7-HEALTH HAZARDS AND FIRST AID**

**Effects of Overexposure:**  
**Skin:** Slight irritant. Prolonged or repeated contact may cause dermatitis. May infect open wounds.  
**Eyes:** Eye irritant. Liquid and mists may infect the eyes.  
**Inhalation:** N/A  
**Ingestion:** May be irritating to the mouth, throat, and gastrointestinal system. Vomiting and diarrhea expected from large doses.  
**First Aid Procedures:**  
**Skin:** Remove contaminated clothing. Flush affected areas with large quantities of water, followed by washing with mild soap. Seek medical attention if irritation persists.  
**Eyes:** Flush with large quantities of water. Seek medical attention.  
**Inhalation:** N/A  
**Ingestion:** Give large quantities of water. Seek medical attention immediately.

**SECTION 8-SPECIAL PROTECTION INFORMATION**

**Respiratory Protection:** No special requirements.  
**Ventilation Requirements:** Provide local exhaust to keep airborne ingredients below acceptable limit.  
**Protective Gloves:** Waterproof.  
**Eye Protection:** Safety glasses.  
**Other Protective Equipment:** N/A. Wash clothes thoroughly after use.

**SECTION 9-SPILL OR LEAK PROCEDURES**

Steps to be taken in Case Material is Released or Spilled: This product is slippery. Avoid walking in product. Keep pressure on spill until dry. Avoid otherwise absorb and hold disposal. Avoid discharge to open waterway.  
**Waste Disposal Method:** Any method in accordance with local, state and federal laws. Best method is to recycle or reuse for multiple purposes. Contact local authorities for disposal in public sewer. Do not dispose of into storm drain, stream, river or to ground. Rinse container thoroughly before disposal of this material.

**SECTION 10-REGULATORY INFORMATION**

**SARA Title III - Section 311/312 -Hazard Categories:**  
 No - Fire Hazard  
 No - Sudden Release or Pressure Hazard  
 No - Reactivity Hazard  
 No - Immediate (acute) Health Hazard  
 No - Delayed (chronic) Health Hazard

**Shipping Information:**  
 FOR CONTAINERS - 1 Gallon - Cleaning Compound  
 FOR 1 GALLON CONTAINERS - Cleaning Compound  
 FOR CONTAINERS - 1 GALLON - Cleaning Compound

HMIS Hazardous Materials Identification System	
Health	1
Flammability	0
Reactivity	0
Personal Protection	B

FOR EMERGENCY MEDICAL OR TRANSPORT INFORMATION: CHEMTEL, 800-288-3924 (24 hours, 7 days per week)

This product contains the following toxic chemical(s) subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and of 40 CFR 372.

CAS#	Chemical Name	Percent by Weight
	None	

This product contains the following chemical(s) which have been established to be either a carcinogen or suspected carcinogen.

CAS#	Chemical Name	Percent by Weight
	None	

**SECTION 11-OTHER INFORMATION**

This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for the consequences of the application of this information, or the safety and suitability of our products either alone or in combination with other products. It is the user's responsibility to provide a safe workplace, using the health and safety information contained hereon as a guide. The company will not be held responsible for any injury or illness resulting from improper handling and use of this product.



**Material Safety Data Sheet**

May be used to comply with  
 OSHA-S Hazard Communication Standard  
 29 CFR 2910.1200. Standard must be  
 consulted for specific requirements.

**U.S. DEPARTMENT OF LABOR**

Occupational Safety and Health  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

Identity (As Used on Label and List) Renown Odor Absorbent & Eater #REN03020		Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.	
<b>Section I</b>			
Supplier's Name AmSan LLC		Emergency Telephone Number 800-255-3924	
Address (number, Street, City, State, and ZIP Code) 5727 South Lewis Ave. Tulsa, OK 74105		Telephone Number for Information 918-743-6030	
		Date Prepared: 03/01/2007	
		Signature of Preparer (optional)	
<b>Section II - HMIS Rating</b>			
Health	1	Flammability	0
		Reactivity	0
<b>Section III - Hazardous Ingredients/Identity Information</b>			
Hazardous Components (Specific Chemical Identity: Common Name(s)) %(optional)	OSHA PEL	ACGIH TLV	Other Limits Remnd.
Amorphous Silica CAS #112926-00-8		10mg/m <sup>3</sup>	
Amyl Acetate CAS #628-63-7	100 ppm	100 ppm	
Ethyl Acetate CAS #141-78-6	400 ppm	400 ppm	
<b>Section IV - Physical/Chemical Characteristics</b>			
Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	N/A
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate	N/A
Solubility in Water:	Slight		
Appearance and Odor:	Slightly off white powder with pleasant fragrance		
<b>Section V - Fire and Explosion Hazard Data</b>			
Flash Point (Method Used) N/A	Flammable Limits	N/A	LEL N/A
			UEL N/A
Extinguishing Media	Carbon dioxide, dry foam, water spray		
Special Fire Fighting Procedures	None		
Unusual Fire and Explosion Hazards	None		

N/A = Not Applicable

N/D = Not Determined

Page 1

N/E = Not Established

#REN03020

<b>Section VI - Reactivity Data</b>			
Stability	Unstable		Conditions to Avoid: None
	Stable	X	
Incompatibility (Materials to Avoid): Avoid contact with strong oxidizing agents such as nitric acid.			
Hazardous Decomposition or Byproducts: None			
Hazardous Polymerization	May Occur		Conditions to Avoid: None
	Will Not Occur	X	
<b>Section VII - Health Hazard Data</b>			
Route(s) of Entry: Inhalation? Yes      Skin? No      Ingestion? Yes			
Health Hazards (Acute and Chronic): Acute - None    Chronic - Prolonged exposure to dust may cause eye, nasal or bronchial irritation.			
Carcinogenicity: NTP? No      IARC Monographs? No      OSHA Regulated? No			
Signs and Symptoms of Exposure: None known			
Medical Conditions Generally Aggravated by Exposure: None known			
Emergency and First Aid Procedures: Eye contact: flush with large amounts of water. May cause corneal damage on prolonged contact. Seek medical attn.			
Ingestion: Do not give anything by mouth to an unconscious person. Seek Medical attn.    Inhalation: remove person to fresh air . Seek medical attn.			
<b>Section VIII - Precautions for Safe Handling and Use</b>			
Steps to be Taken in Case Material is Released or Spilled: Sweep up and discard in trash.			
Waste Disposal Method:			
Incineration or landfill for absorbent material. Dispose in accordance with local, state, and federal regulations.			
Precautions to be Taken in Handling and Storing: Do not store near heat or open flame			
Other precautions: None			
<b>Section IX - Control Measures</b>			
Respiratory Protection (Specify Type): Dust Respirator - NIOSH approved			
Ventilation	Local Exhaust	adequate	Special N/A
	Mechanical (General)	adequate	Other N/A
Protective Gloves: Rubber or plastic for prolonged contact		Eye Protection: Safety goggles	
Other Protective Clothing or Equipment: None needed			
Work/Hygienic Practices: Good housekeeping practices. Avoid skin/eye contact. Avoid breathing dust.			

N.A. = Not Applicable

N.D. - Not Determined

Page 2

N/E = Not Established

OSHA 174, Sept. 1985